

Low-Voltage Fuse Systems


DIAZED Fuse Systems

DIAZED fuse bases


Dimensional drawings

DIAZED bases made of ceramic


500 V AC/500 V DC
1-pole
5SF1



750 V AC/750 V DC, for DIAZED fuse links 750 V AC
1-pole, with cap
5SF4 230




500 V AC/500 V DC
3-pole, with cap, DII/DIII
5SF5



DIAZED bases made of molded plastic

5SF1 060, 5SF1 260
5SF5 068, 5SF5 268



Version	Type of connection	Dimensions							
Type		a	b	c	d	e	Øg	h	Øi
NDz/25 A	KK	29	49	44.6	55	75	32	49	--
5SF1 012		29	49	44.6	55	75	32	49	4.2
5SF1 01	KK								
DII/25 A	BB	38.4	41	46.6	53	83	34	63	--
5SF1 005		38.4	41	46.6	53	83	34	63	4.3
5SF1 024	BB								
DIII/63 A	BS	45.5	46	47	54	83	43	78	--
5SF1 205		45.5	46	47	54	83	43	78	--
5SF1 215	SS								
5SF1 224	BS	45.5	46	47	54	83	43	78	4.3
5SF1 214	SS	45.5	46	47	54	83	43	78	4.3
DIV/100 A	Flat connection	68	68	--	79	110	65	116	6.5
5SF1 401									

Version	Dimensions							
Type	a	b	c	d	e	f	g	h
DII/3 x 25 A	106	106	48	--	--	45	52	86
5SF5 067	106	106	48	32	5.2	45	52	86
5SF5 066								
DIII/3 x 63 A	127	130	54	--	--	45	52	85
5SF5 237	127	130	54	32	5.2	45	52	85
5SF5 236								

Type	Dimensions	
	a	b
5SF1 060	40	--
5SF1 260	50	--
5SF5 068	--	120
5SF5 268	--	150

Low-Voltage Fuse Systems


DIAZED Fuse Systems

DIAZED fuse bases


Dimensional drawings

DIAZED EZR bus-mounting bases


5SF6 005



5SF6 205




5SF2 07




Mounting parts

Busbars for DIAZED EZR bus-mounting bases


5SH3 54



5SH3 55



5SH3 56



Low-Voltage Fuse Systems


DIAZED Fuse Systems

DIAZED fuse bases


Dimensional drawings

DIAZED covers


DIAZED cover made of molded plastic
5SH2



Cap made of molded plastic
5SH2




Cover rings made of molded plastic
5SH3



DIAZED screw caps

5SH1



Size	Type	Dimensions			
		Øa	Øb	Øc	d
DII/E27	5SH2 032	41	51	27.5	19
DIII/E33	5SH2 232	52	51	34.5	18.5

Size	Type	Dimensions			
		a max.	b max.	c max.	d max.
NDz/E16	5SH2 01	33	68	51.7	75
DII/E27	5SH2 02	43	74.7	53.6	83
DIII/E33	5SH2 22	51	90.5	53.6	83

Size	Type	Dimensions			
		a	b	Øc	d
DII/E27	5SH3 401	39.5	35.5	33.5	17.5
DIII/E33	5SH3 411	49.5	45.5	41.5	17.5
NDz/E16	5SH3 30	30	26	26	16.5
DII/E27	5SH3 32	41.5	35	38	17.5
DIII/E33	5SH3 34	51.5	45	44	19

Size	Type	Dimensions	
		a	Øb
NDz/E16	5SH1 11	35	28
DII/E27	5SH1 221	42	33
	5SH1 12	45.5	34
	5SH1 22	43	39
DIII/E33	5SH1 231	42	40
	5SH1 13	45.5	43
	5SH1 23	47	45
	750 V AC/750 V DC 5SH1 161	48	48
DIII/E33S	690 V AC/600 V DC 5SH1 170	68	43
DIV/R1¼"	5SH1 141	53	65