

## EXPC-SOOW-12-2

### Explosion Proof 12/2 SOOW Cable

Product ID: 320841

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: EXPC-SOOW-12-2

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

Explosion Proof 12/2 SOOW Cable - sold by the foot

Larson Electronics 12/2 SOOW Cords are designed for extra hard usage on industrial equipment, heavy tools, battery chargers, portable lights welding leads, marine dockside power, power extensions and mining applications. They are manufactured using flexible stranded copper conductors, with a heat, moisture and oil resistant EPDM rubber insulation. The insulated conductors are cabled with wax paper fillers. A tissue-paper separator is wrapped around the assembly to promote easy removal of the jacket. A heat, moisture and oil resistant flexible CPE jacket is extruded over the assembly to complete the construction.

### Ratings

- UL 62
- CSA Standard 22.2 No. 49
- OSHA Acceptable
- Passes MSHA Flame Test

- FT1 and FT2 Flame Tested
- UV Resistant
- UL and CSA listed for continuous submersion
- Class 1 Divisions 1 and 2
- Class 2 Divisions 1 and 2



---

## Frequently Asked Questions (FAQ)

There are no Fags



---

**Export Control Classification Number (ECCN):** EAR99

Links (Click on the below items to view):