

NLG Adjustable Wristband

Product Code:
101365

Max Load:
3 KG / 6.6 LBS



OVERVIEW

The Adjustable Wristband is the ideal anchor point for small tools due to its ease of use and universal one-size-fits-all all sizing. Featuring a compact footprint perfect for confined spaces and a high comfort cushion padding that provides all day comfort.

VIEW ONLINE



NLG IDTM
Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party
tested and certified

DESCRIPTION	The Adjustable Wristband creates a universal fit anchor point on the wrist and utilises a durable plastic D ring for quick and easy lanyard attachment. It is the wrist anchor point of choice in many industries due to its flexibility and ease of use. Designed for all-day comfort It is made from soft yet durable padded webbing that provides full adjustability allowing one size to fit all. The Adjustable Wristband has a non-conductive construction making it ideal for environments where metal-free equipment is a requirement. Pair with the Short Coil Lanyard (101364) to create a secure tethering system perfect for small hand tools. Expert Tip: Based on medical research, NLG recommend that the maximum weight attached to the wrist is 1.5kg.	
FEATURES	High comfort durable elasticated webbing provides ergonomic all-day comfort Easy-adjust Velcro fastening Non-conductive design Anchor Use - can be utilised as an anchor point on a wrist ,rail or scaffolding Tether Use - can be used to tether cylindrical objects such as spray cans	
TECHNICAL SPECIFICATION	Max Load: 3 KG / 6.6 LBS Safety Standards: ANSI/ISEA 121-2018, CE / UKCA Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor) NLG ID™ Technology / Scannable Compatible Unique Serial Number Dimensions: One size fits all	
RETAIL	EAN (GTIN-13) 5060572180390	UNIT WEIGHT (G) 35
SHIPPING	HS CODE 4202.92.9890	COUNTRY OF ORIGIN Poland



Adjustable Wristband

Product Code: 101365

View online



nd/

Learn more about:

Dropped object prevention

Tool tethering

Tool lanyards

Useful resources:


Tool Box

Tool Tether Guide

Library

CONTACT

+44 (0)330 016 0030



INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.
