

Star grips with safety cable similar to DIN 6336, metal parts stainless steel

Item description/product images



Description

Material:

Grip thermoplastic.

Bush and screw stainless steel 1.4305.

Safety cable elastic TPU.

Version:

Bush and screw bright.

Note:

Attach the safety cable to a base to make the star grip unlosable.

The star grip cannot be moved far from the object to which it belongs, simplifying screwing and unscrewing of the grip and ensuring against loss.

Assembly:

Do not stretch the band during assembly.

Make sure that the anchor is not too far from where the star grip is to be used.

Accessory:

The safety cable is also available as an accessory, see K0743.04190.

Drawing reference:

Form KS: tapped bush, with cap

Form LS: external thread

[illegible]

Star grips with safety cable similar to DIN 6336, metal parts stainless steel

Overview of items

Star grips with safety cable similar to DIN 6336, metal parts stainless steel

Overview of items

Order No.	Form	Colour Cap	D	D1	D8	H	H3	H5 max.	L	T
K0154.70616X30	LS	traffic red RAL 3020	M6	25	12	16	8	22	30	-
K0154.70617X30	LS	colza yellow RAL 1021	M6	25	12	16	8	22	30	-
K0154.7061X40	LS	black grey RAL 7021	M6	25	12	16	8	22	40	-
K0154.70615X40	LS	light grey RAL 7035	M6	25	12	16	8	22	40	-
K0154.70616X40	LS	traffic red RAL 3020	M6	25	12	16	8	22	40	-
K0154.70617X40	LS	colza yellow RAL 1021	M6	25	12	16	8	22	40	-
K0154.706X10	LS	black grey RAL 7021	M6	32	14	20	10	26	10	-
K0154.7065X10	LS	light grey RAL 7035	M6	32	14	20	10	26	10	-
K0154.7066X10	LS	traffic red RAL 3020	M6	32	14	20	10	26	10	-
K0154.7067X10	LS	colza yellow RAL 1021	M6	32	14	20	10	26	10	-
K0154.706X15	LS	black grey RAL 7021	M6	32	14	20	10	26	15	-
K0154.7065X15	LS	light grey RAL 7035	M6	32	14	20	10	26	15	-
K0154.7066X15	LS	traffic red RAL 3020	M6	32	14	20	10	26	15	-
K0154.7067X15	LS	colza yellow RAL 1021	M6	32	14	20	10	26	15	-
K0154.706X20	LS	black grey RAL 7021	M6	32	14	20	10	26	20	-
K0154.7065X20	LS	light grey RAL 7035	M6	32	14	20	10	26	20	-
K0154.7066X20	LS	traffic red RAL 3020	M6	32	14	20	10	26	20	-
K0154.7067X20	LS	colza yellow RAL 1021	M6	32	14	20	10	26	20	-
K0154.706X25	LS	black grey RAL 7021	M6	32	14	20	10	26	25	-
K0154.7065X25	LS	light grey RAL 7035	M6	32	14	20	10	26	25	-
K0154.7066X25	LS	traffic red RAL 3020	M6	32	14	20	10	26	25	-
K0154.7067X25	LS	colza yellow RAL 1021	M6	32	14	20	10	26	25	-
K0154.706X30	LS	black grey RAL 7021	M6	32	14	20	10	26	30	-
K0154.7065X30	LS	light grey RAL 7035	M6	32	14	20	10	26	30	-
K0154.7066X30	LS	traffic red RAL 3020	M6	32	14	20	10	26	30	-
K0154.7067X30	LS	colza yellow RAL 1021	M6	32	14	20	10	26	30	-
K0154.706X40	LS	black grey RAL 7021	M6	32	14	20	10	26	40	-
K0154.7065X40	LS	light grey RAL 7035	M6	32	14	20	10	26	40	-
K0154.7066X40	LS	traffic red RAL 3020	M6	32	14	20	10	26	40	-
K0154.7067X40	LS	colza yellow RAL 1021	M6	32	14	20	10	26	40	-
K0154.7081X15	LS	black grey RAL 7021	M8	32	14	20	10	26	15	-
K0154.70815X15	LS	light grey RAL 7035	M8	32	14	20	10	26	15	-
K0154.70816X15	LS	traffic red RAL 3020	M8	32	14	20	10	26	15	-
K0154.70817X15	LS	colza yellow RAL 1021	M8	32	14	20	10	26	15	-
K0154.7081X20	LS	black grey RAL 7021	M8	32	14	20	10	26	20	-
K0154.70815X20	LS	light grey RAL 7035	M8	32	14	20	10	26	20	-
K0154.70816X20	LS	traffic red RAL 3020	M8	32	14	20	10	26	20	-
K0154.70817X20	LS	colza yellow RAL 1021	M8	32	14	20	10	26	20	-
K0154.7081X25	LS	black grey RAL 7021	M8	32	14	20	10	26	25	-
K0154.70815X25	LS	light grey RAL 7035	M8	32	14	20	10	26	25	-
K0154.70816X25	LS	traffic red RAL 3020	M8	32	14	20	10	26	25	-
K0154.70817X25	LS	colza yellow RAL 1021	M8	32	14	20	10	26	25	-
K0154.7081X30	LS	black grey RAL 7021	M8	32	14	20	10	26	30	-
K0154.70815X30	LS	light grey RAL 7035	M8	32	14	20	10	26	30	-
K0154.70816X30	LS	traffic red RAL 3020	M8	32	14	20	10	26	30	-
K0154.70817X30	LS	colza yellow RAL 1021	M8	32	14	20	10	26	30	-
K0154.7081X40	LS	black grey RAL 7021	M8	32	14	20	10	26	40	-
K0154.70815X40	LS	light grey RAL 7035	M8	32	14	20	10	26	40	-
K0154.70816X40	LS	traffic red RAL 3020	M8	32	14	20	10	26	40	-
K0154.70817X40	LS	colza yellow RAL 1021	M8	32	14	20	10	26	40	-
K0154.7081X45	LS	black grey RAL 7021	M8	32	14	20	10	26	45	-
K0154.70815X45	LS	light grey RAL 7035	M8	32	14	20	10	26	45	-
K0154.70816X45	LS	traffic red RAL 3020	M8	32	14	20	10	26	45	-
K0154.70817X45	LS	colza yellow RAL 1021	M8	32	14	20	10	26	45	-
K0154.7081X50	LS	black grey RAL 7021	M8	32	14	20	10	26	50	-
K0154.70815X50	LS	light grey RAL 7035	M8	32	14	20	10	26	50	-
K0154.70816X50	LS	traffic red RAL 3020	M8	32	14	20	10	26	50	-
K0154.70817X50	LS	colza yellow RAL 1021	M8	32	14	20	10	26	50	-
K0154.7081X60	LS	black grey RAL 7021	M8	32	14	20	10	26	60	-
K0154.70815X60	LS	light grey RAL 7035	M8	32	14	20	10	26	60	-
K0154.70816X60	LS	traffic red RAL 3020	M8	32	14	20	10	26	60	-
K0154.70817X60	LS	colza yellow RAL 1021	M8	32	14	20	10	26	60	-

Star grips with safety cable similar to DIN 6336, metal parts stainless steel

Overview of items

Order No.	Form	Colour Cap	D	D1	D8	H	H3	H5 max.	L	T
K0154.708X15	LS	black grey RAL 7021	M8	40	18	25	13	31	15	-
K0154.7085X15	LS	light grey RAL 7035	M8	40	18	25	13	31	15	-
K0154.7086X15	LS	traffic red RAL 3020	M8	40	18	25	13	31	15	-
K0154.7087X15	LS	colza yellow RAL 1021	M8	40	18	25	13	31	15	-
K0154.708X20	LS	black grey RAL 7021	M8	40	18	25	13	31	20	-
K0154.7085X20	LS	light grey RAL 7035	M8	40	18	25	13	31	20	-
K0154.7086X20	LS	traffic red RAL 3020	M8	40	18	25	13	31	20	-
K0154.7087X20	LS	colza yellow RAL 1021	M8	40	18	25	13	31	20	-
K0154.708X25	LS	black grey RAL 7021	M8	40	18	25	13	31	25	-
K0154.7085X25	LS	light grey RAL 7035	M8	40	18	25	13	31	25	-
K0154.7086X25	LS	traffic red RAL 3020	M8	40	18	25	13	31	25	-
K0154.7087X25	LS	colza yellow RAL 1021	M8	40	18	25	13	31	25	-
K0154.708X30	LS	black grey RAL 7021	M8	40	18	25	13	31	30	-
K0154.7085X30	LS	light grey RAL 7035	M8	40	18	25	13	31	30	-
K0154.7086X30	LS	traffic red RAL 3020	M8	40	18	25	13	31	30	-
K0154.7087X30	LS	colza yellow RAL 1021	M8	40	18	25	13	31	30	-
K0154.708X40	LS	black grey RAL 7021	M8	40	18	25	13	31	40	-
K0154.7085X40	LS	light grey RAL 7035	M8	40	18	25	13	31	40	-
K0154.7086X40	LS	traffic red RAL 3020	M8	40	18	25	13	31	40	-
K0154.7087X40	LS	colza yellow RAL 1021	M8	40	18	25	13	31	40	-
K0154.708X45	LS	black grey RAL 7021	M8	40	18	25	13	31	45	-
K0154.7085X45	LS	light grey RAL 7035	M8	40	18	25	13	31	45	-
K0154.7086X45	LS	traffic red RAL 3020	M8	40	18	25	13	31	45	-
K0154.7087X45	LS	colza yellow RAL 1021	M8	40	18	25	13	31	45	-
K0154.708X50	LS	black grey RAL 7021	M8	40	18	25	13	31	50	-
K0154.7085X50	LS	light grey RAL 7035	M8	40	18	25	13	31	50	-
K0154.7086X50	LS	traffic red RAL 3020	M8	40	18	25	13	31	50	-
K0154.7087X50	LS	colza yellow RAL 1021	M8	40	18	25	13	31	50	-
K0154.708X60	LS	black grey RAL 7021	M8	40	18	25	13	31	60	-
K0154.7085X60	LS	light grey RAL 7035	M8	40	18	25	13	31	60	-
K0154.7086X60	LS	traffic red RAL 3020	M8	40	18	25	13	31	60	-
K0154.7087X60	LS	colza yellow RAL 1021	M8	40	18	25	13	31	60	-
K0154.7101X20	LS	black grey RAL 7021	M10	40	18	25	13	31	20	-
K0154.71015X20	LS	light grey RAL 7035	M10	40	18	25	13	31	20	-
K0154.71016X20	LS	traffic red RAL 3020	M10	40	18	25	13	31	20	-
K0154.71017X20	LS	colza yellow RAL 1021	M10	40	18	25	13	31	20	-
K0154.7101X25	LS	black grey RAL 7021	M10	40	18	25	13	31	25	-
K0154.71015X25	LS	light grey RAL 7035	M10	40	18	25	13	31	25	-
K0154.71016X25	LS	traffic red RAL 3020	M10	40	18	25	13	31	25	-
K0154.71017X25	LS	colza yellow RAL 1021	M10	40	18	25	13	31	25	-
K0154.7101X30	LS	black grey RAL 7021	M10	40	18	25	13	31	30	-
K0154.71015X30	LS	light grey RAL 7035	M10	40	18	25	13	31	30	-
K0154.71016X30	LS	traffic red RAL 3020	M10	40	18	25	13	31	30	-
K0154.71017X30	LS	colza yellow RAL 1021	M10	40	18	25	13	31	30	-
K0154.7101X40	LS	black grey RAL 7021	M10	40	18	25	13	31	40	-
K0154.71015X40	LS	light grey RAL 7035	M10	40	18	25	13	31	40	-
K0154.71016X40	LS	traffic red RAL 3020	M10	40	18	25	13	31	40	-
K0154.71017X40	LS	colza yellow RAL 1021	M10	40	18	25	13	31	40	-
K0154.7101X50	LS	black grey RAL 7021	M10	40	18	25	13	31	50	-
K0154.71015X50	LS	light grey RAL 7035	M10	40	18	25	13	31	50	-
K0154.71016X50	LS	traffic red RAL 3020	M10	40	18	25	13	31	50	-
K0154.71017X50	LS	colza yellow RAL 1021	M10	40	18	25	13	31	50	-
K0154.7101X60	LS	black grey RAL 7021	M10	40	18	25	13	31	60	-
K0154.71015X60	LS	light grey RAL 7035	M10	40	18	25	13	31	60	-
K0154.71016X60	LS	traffic red RAL 3020	M10	40	18	25	13	31	60	-
K0154.71017X60	LS	colza yellow RAL 1021	M10	40	18	25	13	31	60	-
K0154.710X20	LS	black grey RAL 7021	M10	50	22	32	17	38	20	-
K0154.7105X20	LS	light grey RAL 7035	M10	50	22	32	17	38	20	-
K0154.7106X20	LS	traffic red RAL 3020	M10	50	22	32	17	38	20	-
K0154.7107X20	LS	colza yellow RAL 1021	M10	50	22	32	17	38	20	-
K0154.710X25	LS	black grey RAL 7021	M10	50	22	32	17	38	25	-
K0154.7105X25	LS	light grey RAL 7035	M10	50	22	32	17	38	25	-

Star grips with safety cable similar to DIN 6336, metal parts stainless steel

Overview of items

Order No.	Form	Colour Cap	D	D1	D8	H	H3	H5 max.	L	T
K0154.7106X25	LS	traffic red RAL 3020	M10	50	22	32	17	38	25	-
K0154.7107X25	LS	colza yellow RAL 1021	M10	50	22	32	17	38	25	-
K0154.710X30	LS	black grey RAL 7021	M10	50	22	32	17	38	30	-
K0154.7105X30	LS	light grey RAL 7035	M10	50	22	32	17	38	30	-
K0154.7106X30	LS	traffic red RAL 3020	M10	50	22	32	17	38	30	-
K0154.7107X30	LS	colza yellow RAL 1021	M10	50	22	32	17	38	30	-
K0154.710X40	LS	black grey RAL 7021	M10	50	22	32	17	38	40	-
K0154.7105X40	LS	light grey RAL 7035	M10	50	22	32	17	38	40	-
K0154.7106X40	LS	traffic red RAL 3020	M10	50	22	32	17	38	40	-
K0154.7107X40	LS	colza yellow RAL 1021	M10	50	22	32	17	38	40	-
K0154.710X50	LS	black grey RAL 7021	M10	50	22	32	17	38	50	-
K0154.7105X50	LS	light grey RAL 7035	M10	50	22	32	17	38	50	-
K0154.7106X50	LS	traffic red RAL 3020	M10	50	22	32	17	38	50	-
K0154.7107X50	LS	colza yellow RAL 1021	M10	50	22	32	17	38	50	-
K0154.710X60	LS	black grey RAL 7021	M10	50	22	32	17	38	60	-
K0154.7105X60	LS	light grey RAL 7035	M10	50	22	32	17	38	60	-
K0154.7106X60	LS	traffic red RAL 3020	M10	50	22	32	17	38	60	-
K0154.7107X60	LS	colza yellow RAL 1021	M10	50	22	32	17	38	60	-
K0154.7121X30	LS	black grey RAL 7021	M12	50	22	32	17	38	30	-
K0154.71215X30	LS	light grey RAL 7035	M12	50	22	32	17	38	30	-
K0154.71216X30	LS	traffic red RAL 3020	M12	50	22	32	17	38	30	-
K0154.71217X30	LS	colza yellow RAL 1021	M12	50	22	32	17	38	30	-
K0154.7121X40	LS	black grey RAL 7021	M12	50	22	32	17	38	40	-
K0154.71215X40	LS	light grey RAL 7035	M12	50	22	32	17	38	40	-
K0154.71216X40	LS	traffic red RAL 3020	M12	50	22	32	17	38	40	-
K0154.71217X40	LS	colza yellow RAL 1021	M12	50	22	32	17	38	40	-
K0154.7121X50	LS	black grey RAL 7021	M12	50	22	32	17	38	50	-
K0154.71215X50	LS	light grey RAL 7035	M12	50	22	32	17	38	50	-
K0154.71216X50	LS	traffic red RAL 3020	M12	50	22	32	17	38	50	-
K0154.71217X50	LS	colza yellow RAL 1021	M12	50	22	32	17	38	50	-
K0154.7121X60	LS	black grey RAL 7021	M12	50	22	32	17	38	60	-
K0154.71215X60	LS	light grey RAL 7035	M12	50	22	32	17	38	60	-
K0154.71216X60	LS	traffic red RAL 3020	M12	50	22	32	17	38	60	-
K0154.71217X60	LS	colza yellow RAL 1021	M12	50	22	32	17	38	60	-
K0154.7102X20	LS	black grey RAL 7021	M10	63	26	40	21	46	20	-
K0154.71025X20	LS	light grey RAL 7035	M10	63	26	40	21	46	20	-
K0154.71026X20	LS	traffic red RAL 3020	M10	63	26	40	21	46	20	-
K0154.71027X20	LS	colza yellow RAL 1021	M10	63	26	40	21	46	20	-
K0154.7102X25	LS	black grey RAL 7021	M10	63	26	40	21	46	25	-
K0154.71025X25	LS	light grey RAL 7035	M10	63	26	40	21	46	25	-
K0154.71026X25	LS	traffic red RAL 3020	M10	63	26	40	21	46	25	-
K0154.71027X25	LS	colza yellow RAL 1021	M10	63	26	40	21	46	25	-
K0154.7102X30	LS	black grey RAL 7021	M10	63	26	40	21	46	30	-
K0154.71025X30	LS	light grey RAL 7035	M10	63	26	40	21	46	30	-
K0154.71026X30	LS	traffic red RAL 3020	M10	63	26	40	21	46	30	-
K0154.71027X30	LS	colza yellow RAL 1021	M10	63	26	40	21	46	30	-
K0154.7102X40	LS	black grey RAL 7021	M10	63	26	40	21	46	40	-
K0154.71025X40	LS	light grey RAL 7035	M10	63	26	40	21	46	40	-
K0154.71026X40	LS	traffic red RAL 3020	M10	63	26	40	21	46	40	-
K0154.71027X40	LS	colza yellow RAL 1021	M10	63	26	40	21	46	40	-
K0154.7102X50	LS	black grey RAL 7021	M10	63	26	40	21	46	50	-
K0154.71025X50	LS	light grey RAL 7035	M10	63	26	40	21	46	50	-
K0154.71026X50	LS	traffic red RAL 3020	M10	63	26	40	21	46	50	-
K0154.71027X50	LS	colza yellow RAL 1021	M10	63	26	40	21	46	50	-
K0154.7102X60	LS	black grey RAL 7021	M10	63	26	40	21	46	60	-
K0154.71025X60	LS	light grey RAL 7035	M10	63	26	40	21	46	60	-
K0154.71026X60	LS	traffic red RAL 3020	M10	63	26	40	21	46	60	-
K0154.71027X60	LS	colza yellow RAL 1021	M10	63	26	40	21	46	60	-
K0154.712X30	LS	black grey RAL 7021	M12	63	26	40	21	46	30	-
K0154.7125X30	LS	light grey RAL 7035	M12	63	26	40	21	46	30	-
K0154.7126X30	LS	traffic red RAL 3020	M12	63	26	40	21	46	30	-
K0154.7127X30	LS	colza yellow RAL 1021	M12	63	26	40	21	46	30	-

Star grips with safety cable similar to DIN 6336, metal parts stainless steel

Overview of items

Order No.	Form	Colour Cap	D	D1	D8	H	H3	H5 max.	L	T
K0154.712X40	LS	black grey RAL 7021	M12	63	26	40	21	46	40	-
K0154.7125X40	LS	light grey RAL 7035	M12	63	26	40	21	46	40	-
K0154.7126X40	LS	traffic red RAL 3020	M12	63	26	40	21	46	40	-
K0154.7127X40	LS	colza yellow RAL 1021	M12	63	26	40	21	46	40	-
K0154.712X50	LS	black grey RAL 7021	M12	63	26	40	21	46	50	-
K0154.7125X50	LS	light grey RAL 7035	M12	63	26	40	21	46	50	-
K0154.7126X50	LS	traffic red RAL 3020	M12	63	26	40	21	46	50	-
K0154.7127X50	LS	colza yellow RAL 1021	M12	63	26	40	21	46	50	-
K0154.712X60	LS	black grey RAL 7021	M12	63	26	40	21	46	60	-
K0154.7125X60	LS	light grey RAL 7035	M12	63	26	40	21	46	60	-
K0154.7126X60	LS	traffic red RAL 3020	M12	63	26	40	21	46	60	-
K0154.7127X60	LS	colza yellow RAL 1021	M12	63	26	40	21	46	60	-