


Hexagon nuts DIN 934, steel

Item description/product images



Description

Material:

Steel.

Version:

Steel grade 8, bright or electro zinc-plated.

Steel grade 10, bright or electro zinc-plated.

Steel grade 12, bright.

Note:


The grade of a nut must always be the same or higher than the grade of a bolt. That is, bolts in grade 8.8 are always paired with a nut in grade 8 (or higher, but never lower).

The maximum nut height H max. is shown in the table.

On request:

DIN ISO 272 spanner sizes.

Drawings



Overview of items

Order No.	Material	Surface finish body	Grade	D	E	H	SW	DIN
K1145.025	steel	bright (black)	8	M2,5	5,45	2	5	DIN 934
K1145.03	steel	bright (black)	8	M3	6,01	2,4	5,5	DIN 934
K1145.04	steel	bright (black)	8	M4	7,66	3,2	7	DIN 934
K1145.05	steel	bright (black)	8	M5	8,79	4	8	DIN 934
K1145.06	steel	bright (black)	8	M6	11,05	5	10	DIN 934
K1145.08	steel	bright (black)	8	M8	14,38	6,5	13	DIN 934
K1145.10	steel	bright (black)	8	M10	18,9	8	17	DIN 934
K1145.12	steel	bright (black)	8	M12	21,1	10	19	DIN 934
K1145.14	steel	bright (black)	8	M14	23,9	11	22	DIN 934
K1145.16	steel	bright (black)	8	M16	26,76	13	24	DIN 934

Hexagon nuts DIN 934, steel

Overview of items

Order No.	Material	Surface finish body	Grade	D	E	H	SW	DIN
K1145.20	steel	bright (black)	8	M20	32,95	16	30	DIN 934
K1145.22	steel	bright (black)	8	M22	35	18	32	DIN 934
K1145.24	steel	bright (black)	8	M24	39,6	19	36	DIN 934
K1145.27	steel	bright (black)	8	M27	45,2	22	41	DIN 934
K1145.30	steel	bright (black)	8	M30	50,9	24	46	DIN 934
K1145.33	steel	bright (black)	8	M33	55,4	26	50	DIN 934
K1145.36	steel	bright (black)	8	M36	60,8	29	55	DIN 934
K1145.2025	steel	electro zinc-plated	8	M2,5	5,45	2	5	DIN 934
K1145.203	steel	electro zinc-plated	8	M3	6,01	2,4	5,5	DIN 934
K1145.204	steel	electro zinc-plated	8	M4	7,66	3,2	7	DIN 934
K1145.205	steel	electro zinc-plated	8	M5	8,79	4	8	DIN 934
K1145.206	steel	electro zinc-plated	8	M6	11,05	5	10	DIN 934
K1145.208	steel	electro zinc-plated	8	M8	14,38	6,5	13	DIN 934
K1145.210	steel	electro zinc-plated	8	M10	18,9	8	17	DIN 934
K1145.212	steel	electro zinc-plated	8	M12	21,1	10	19	DIN 934
K1145.214	steel	electro zinc-plated	8	M14	23,9	11	22	DIN 934
K1145.216	steel	electro zinc-plated	8	M16	26,76	13	24	DIN 934
K1145.220	steel	electro zinc-plated	8	M20	32,95	16	30	DIN 934
K1145.222	steel	electro zinc-plated	8	M22	35	18	32	DIN 934
K1145.224	steel	electro zinc-plated	8	M24	39,6	19	36	DIN 934
K1145.227	steel	electro zinc-plated	8	M27	45,2	22	41	DIN 934
K1145.230	steel	electro zinc-plated	8	M30	50,9	24	46	DIN 934
K1145.233	steel	electro zinc-plated	8	M33	55,4	26	50	DIN 934
K1145.236	steel	electro zinc-plated	8	M36	60,8	29	55	DIN 934
K1145.403	steel	bright (black)	10	M3	6,01	2,4	5,5	DIN 934
K1145.404	steel	bright (black)	10	M4	7,66	3,2	7	DIN 934
K1145.405	steel	bright (black)	10	M5	8,79	4	8	DIN 934
K1145.406	steel	bright (black)	10	M6	11,05	5	10	DIN 934
K1145.408	steel	bright (black)	10	M8	14,38	6,5	13	DIN 934
K1145.410	steel	bright (black)	10	M10	18,9	8	17	DIN 934
K1145.412	steel	bright (black)	10	M12	21,1	10	19	DIN 934
K1145.414	steel	bright (black)	10	M14	23,9	11	22	DIN 934
K1145.416	steel	bright (black)	10	M16	26,76	13	24	DIN 934
K1145.420	steel	bright (black)	10	M20	32,95	16	30	DIN 934
K1145.422	steel	bright (black)	10	M22	35	18	32	DIN 934
K1145.424	steel	bright (black)	10	M24	39,6	19	36	DIN 934
K1145.427	steel	bright (black)	10	M27	45,2	22	41	DIN 934
K1145.430	steel	bright (black)	10	M30	50,9	24	46	DIN 934
K1145.433	steel	bright (black)	10	M33	55,4	26	50	DIN 934
K1145.436	steel	bright (black)	10	M36	60,8	29	55	DIN 934
K1145.304	steel	electro zinc-plated	10	M4	7,66	3,2	7	DIN 934
K1145.305	steel	electro zinc-plated	10	M5	8,79	4	8	DIN 934
K1145.306	steel	electro zinc-plated	10	M6	11,05	5	10	DIN 934
K1145.308	steel	electro zinc-plated	10	M8	14,38	6,5	13	DIN 934
K1145.310	steel	electro zinc-plated	10	M10	18,9	8	17	DIN 934
K1145.312	steel	electro zinc-plated	10	M12	21,1	10	19	DIN 934
K1145.314	steel	electro zinc-plated	10	M14	23,9	11	22	DIN 934
K1145.316	steel	electro zinc-plated	10	M16	26,76	13	24	DIN 934
K1145.320	steel	electro zinc-plated	10	M20	32,95	16	30	DIN 934
K1145.322	steel	electro zinc-plated	10	M22	35	18	32	DIN 934
K1145.324	steel	electro zinc-plated	10	M24	39,6	19	36	DIN 934
K1145.327	steel	electro zinc-plated	10	M27	45,2	22	41	DIN 934
K1145.330	steel	electro zinc-plated	10	M30	50,9	24	46	DIN 934
K1145.333	steel	electro zinc-plated	10	M33	55,4	26	50	DIN 934
K1145.336	steel	electro zinc-plated	10	M36	60,8	29	55	DIN 934
K1145.506	steel	bright (black)	12	M6	11,05	5	10	DIN 934
K1145.508	steel	bright (black)	12	M8	14,38	6,5	13	DIN 934
K1145.510	steel	bright (black)	12	M10	18,9	8	17	DIN 934
K1145.512	steel	bright (black)	12	M12	21,1	10	19	DIN 934
K1145.516	steel	bright (black)	12	M16	26,76	13	24	DIN 934
K1145.520	steel	bright (black)	12	M20	32,95	16	30	DIN 934
K1145.524	steel	bright (black)	12	M24	39,6	19	36	DIN 934

Hexagon nuts DIN 934, steel

Overview of items

Order No.	Material	Surface finish body	Grade	D	E	H	SW	DIN
K1145.527	steel	bright (black)	12	M27	45,2	22	41	DIN 934
K1145.530	steel	bright (black)	12	M30	50,9	24	46	DIN 934
K1145.536	steel	bright (black)	12	M36	60,8	29	55	DIN 934