BEST SELLING PARTS

	Item	Description
1	#115 SANURIL	CLOROX INDICATOR TABLETS 45LB PAIL # 115..P/N: #115 45LB ..MFG: SEVERN TREND
2	#245	MARKING STICKS # 245 ..P/N: #245 (11170)..MFG: AERVOE..SCHEDULE B: # 8422.30.9120 OTHER LABELING MACHINES
3	00-037002	FILTER ELEMENT PGC-394..P/N: 00-037002..MFG: PECO
4	00-03701	FILTER ELEMENT PGC-382..P/N: 00-3701..MFG: PECO
5	000-2326-0	ROTOR ASSEMBLY RIVETED C/W VITON FIG 5-2A 47..P/N: 0000-2326-0..MFG: BARTON-ITT..
6	000123006	MOTOR ENGINE STARTER ELECTRICAL; (V)-12; SR9981N STARTER..P/N: 000123006..MFG: BOSCH..SCHEDULE B: 8536504000 MOTOR STA
7	000209L038	CRANK WINDOW LH METAL CASEMENT..P/N: 000209L038 (R/B: 20-9-L-038)..MFG: BLAINE..SCHEDULE B: # 8431499057 OTHER PARTS..WEI
8	000209R038	CRANK WINDOW RH METALBLAINE ..P/N: 000209R038 (R/B: 20-9-R-038)..MFG: BLAINE..SCHEDULE B: # 8431499057 OTHER PARTS
9	00037512	RETAINER, MATERIAL CODE 70126981..P/N: 00037512..MGF: TEREX
10	00042	3/8” DRAW STUD (KEY B)..SCREW UNIT ASSYBB DRIVE-3/8..P/N:00042..MFG:GREENLEE
11	00043812	HOSE, MATERIAL CODE 70127728..P/N: 00043812..MFGF: TEREX
12	0005L003P	BREATHER FILTER ELEMENT 3 MICRON..BF 5 SERIES..P/N: 0005L003P..MFG: HYDAC..SCHEDULE B: # 8421398090 OTHER FILTERS
13	0005L010P	BREATHER FILTER ELEMENT 10 MICRON..BF 5 SERIES..P/N: 0005L010P..MFG:HYDAC..SCHEDULE B: # 8421398090 OTHER FILTERS..MFG:(
14	00112	O-RING SPLICING KIT; LOCTITE QUICK SET 228171;INCLUDES 1/3 OZ QUICK SET 404 ADHESIVE, 74126 - 1 OZ WATERPROOFING SOLUTIC
15	00122412	SUSPENSION CYLINDER, MOSAIC 780358,..P/N: 00122412..MFG: TEREX
16	00133150	CONTROL VALVE..V: 24 VDC, WATT: 2 W, PRE: 10 BAR,..TYPE: 5470, G4.0, SPEC: MULTI-WAY..ORIFICE 4MM, DWG: 10303961,POSN:7..P/N:
17	001518EP3ER254TC	NEUTRALIZATION AGITATOR WEG..TAG MOTOR: 8511A, 12 KW, 460V, 1760 RPM..P/N: 001518EP3ER254TC..MFG: WEG
18	00159212	RESERVOIR, MATERIAL CODE 70135477..P/N: 00159212..MFG: TEREX..
19	00188712	SWITCH, MATERIAL CODE 70135179..P/N: 00188712..MFG: TEREX
20	0025366	RING OR MODEL WP1550A..P/N: 0025366..MFG: WACKER..
21	00295112	TERMINAL, MATERIAL CODE 70135481..P/N: 00295112..MFG: TEREX
22	00295212	TERMINAL, MATERIAL CODE 7013482..P/N: 00295112..MFG: TEREX
23	002960	SEAT VALVE, SIZE 3, HYPALON, DRW: 12A10089 REV A..P/N: 002960 (OFFER CORRECT P/N: 12A1008901)..MFG: DORR-OLIVER EIMCO
24	0030-015	COMPACT AND POWERFUL UNIVERSAL DRIVE FOR PUMPING LOW-VISCOSITY ACIDS, ALKALIS AND SOLUTIONS ;DOUBLE INSULATION;
25	0034-115	FAN SPEC: 250 CFM, 6 IN, 115 V, ..P/N: 0034-115..MFG: NBR
26	0034-115-NBR	FAN (V)- 110 VAC; (FREQ) - 50/60 HZ (SPEC) - 6" -250 CFM..P/N:0034-115-NBR..MFG: NBR..SCHEDULE B: # 8414.59.9080 OTHER FANS
27	0035158	GEIT DYNAPOCKET PLUS PACKAGE REBOUND..•INSTRUMENT DYNAPOCKET PORTABLE HARNESS TESTER..•INSTRUMENT DYNAPOCKE
28	00375-0004-0001	375 LEAD SET WITH CONNECTORS

V.Q. MINING
BEST SELLING ITEMS

	Item	Description
29	0038-0060	SWITCH PUSH PULL, REF: PUSH TO TEST LIGHT..P/N: 0038-0060..MFG: CONTROL CHIEF..SCHEDULE B: # 8529.10.9000 OTHER ANTENNAS
30	004-1	WHITE PAINT PENS..P/N: 004-1..MFG: STRATEGIC WORKS
31	004331029	FUSES , 125A-GR..M000UQU-N/125A/690V..P/N: 004331029..MFG: ETI
32	0043360	EMERGENCY STOP MODULE..DOLD NOT-AUS-MODUL 0043360 TYP BD5987.02/001 AC50/60HZ 110V..P/N: 0043360..MFG: DOLD..SCHEDULE
33	00475-0005-0004	475 MAGNETIC HANGER..P/N: 00475-0005-0004..MFG: EMERSON
34	00475-0005-0005	475 PROTECTIVE RUBBER BOOT WITH STAND..P/N: 00475-0005-0005..MFG: EMERSON
35	00475-0006-0001	475 STYLUS (PACK 2)..P/N: 00475-0006-0001..MFG: EMERSON..
36	0050-034	MOTOR ME II 5/ 515W. Ex 230V AC/60 Hz, w.lwr..P/N: 0050-034..MFG: LUTZ PUMPS, INC...SCHEDULE B: # 8413.81.0040 OTHER PUMP PARTS
37	00512EP3E215TC	MOTOR WEG, 5 HP, 460V, 1160 RPM, 3.8 KW, 1.15 FS, OFFER W/ FLANGE "C"..P/N: 00512EP3E215TC..MFG: WEG
38	0051504899	SUPPORT FOR UP TO 6 HOT AIR NOZZLES..P/N: 0051504899..MFG: WELLER
39	0055A-L	AC TO DC ADAPTOR, INPUT AC 100-240V, 800MA, 50 HZ/60 HZ OUTPUT, 11 VDC, 2.6A..P/N: 0055A-L..MFG: ELFA / NORDIC POWER..SCHED
40	005960A70K	ISOLATOR SUSP. TYPE STANDARD 52-5, 30000#, ..P/N: 005960A 70K (REPLACED 301425-ZSG K)..MFG: LAPP INSULATOR
41	005960AZ 70D	ISOLATOR SUSP. TYPE STANDARD 52-5, 30000#, ..P/N: 005960AZ 70D..MFG: LAPP INSULATOR..SCHEDULE B: # 8546.20.0090 OTHER INSUL
42	0060-002	MOTOR MA II 7 TEFC 220-230V, 790-795W, 50H, 17 LBS EA, 16X12X13..P/B: 0060-002..MFG: LUTZ..SCHEDULE B:# 8413.70.2004 SUBMERSIBL
43	0067-9030	SWITCH TOGGLE, SPEC: 3 POSITION WITH LOCK..P/N: 0067-9030..MFG: CONTROL CHIEF..SCHEDULE B: # 8536.50.9065 OTHER SWITCHE
44	0067-9170	SWITH TOGGLE, I: 5A, VAC: 125V, NO. POLES: 2..P/N: 0067-9170..MFG: CONTROL CHIEF..SCHEDULE B: # 8535.90.8090 OTHER SWITCHES
45	0067-9300	SWITCH TOGGLE, I: 5A, VAC: 125V, NO. POLES: 3..P/N: 0067-9300..MFG: CONTROL CHIEF..SCHEDULE B: # 8536.50.9065 OTHER SWITCHES
46	0067-9980-01	SWITCH (REF)-SPDT PB..MFG: CONTROL CHIEF..P/N: 0067-9980-01..SCHEDULE B: # 4016.93.0000 GASKETS, WASHERS AND OTHER SEAL
47	0068D21C30N020X8Q4A2	RTD SENSOR(TEMPERATURE);PLATINUM TEMPERATURE SENSOR WITHOUT THERMOWELL;ALUMINUM CONNECTION HEAD WITH1/2 IN
48	0068D21N00N025X8A1Q4	0068 THIN-FILM PLATINUM RTD SENSOR..D SENSOR LEAD WIRE TERMINATION ROSEMOUNT ALUMINUM CONNECTION HEAD WITH ½
49	0071070	BOLT..FOR MODEL WP1550A..P/N: 0071070..MFG: WACKER
50	0071616	RING OR MODEL WP1550A..P/N: 0071616..MFG: WACKER
51	007864	RCBOs DX 6000 - 10 kA - Single pole + neutral 230 VAC - screw terminals - AC type - 30 mA..P/N: 007864..MFG: LEGRAND..SCHEDULE B: # 85366
52	0078N21C30U145F66	WIRE WOUND PLATINUM RTD SENSOR..P/N: 0078N21C30U145F66..- SENSOR LEADWIRE TERINATION, SENSOR ONLY WITH..- 6" TFE IN
53	0078R25N00A120T22E5	PLATINUM RTD,DUALELEMENT 12"..P/N: 0078R25N00A120T22E5..MFG: ROSEMOUNT
54	0081765	SILENCER FOR MODEL WP1550A..P/N: 0081765..MFG: WACKER
55	0081767	COVER FOR MODEL WP1550A..P/N: 0081767..MFG: WACKER
56	0082-0051-T	SOLID ANTENNA, 72.18 MHZ,..P/N: 0082-0051-T..MFG: CONTROL CHIEF..SCHEDULE B: # 8529109000 OTHER ANTENNAS
57	008442 70 E (INS-LG-CL-53-2)	INSULATOR ASSEMBLY..REF: DRY PROCESS SECONDARY LINES (255 LOCKE/ P532G PLH/ 8442-70E LAPP)..P/N: 008442 70 E (INS-LG-CL-
58	0090-0800	VALVE (SIZE)-1/4" (SPEC) SELECTOR..P/N: 0090-0800..SCHEDULE B: # 8481909090 PARTS FOR VALVE..MFG CONTROL CHIEF
59	0090-0810	VALVE (SIZE)- 3/8" (SPEC) SELECTOR..P/N: 0090-0810..MFG: CONTROL CHIEF..SCHEDULE B: # 8481909090 PARTS FOR VALVE
60	00906170	HYDAC SLEEVE SAFETY, MODEL TFP100..V/N: 00906170..MFG: HYDAC
61	00906628	HYDAC TEMPERATURE SWITCH, ETS MODEL 170-01-100-000..V/N: 00906628..MFG: HYDAC
62	01-7158	VB-250 HIGH VOLUME BOOSTER (1:1 PRESSURE RATIO) FOR..HPP-4 OR VRP-CH TO INCREASE STROKING SPEED (250 PSI..MAXIMUM SU

	Item	Description
63	01-7263	KIT DE REPUESTOS PARA VB-250 HIGH VOLUME BOOSTER..P/N: 01-7263..MFG: NORGREN..
64	01-8976	6 IN STK ADJ. TRM 10-30..PROGRAMMABLE BALLUFF 6 IN STROKE REPLACEMENT..P/N:01-8976..MFG: BALLUFF
65	01-8981	PROGRAMMABLE BALLUFF 6IN. STROKE REPLACEMENT MODULE..6IN STK.ADJ.TRM 10-30..P/N:01-8981..MFG:DRESSER BECKER
66	010-00697-11	GPS OREGON 550T..P/N: 010-00697-11..MFG: GARMIN..
67	010-02250044-985	TEMPERATURE TRANSDUCER RTD 100 TS32C-350L ..P/N: 2250044985..MFG: SULLAIR
68	010-1670-05	ORING, BEARING SEAL 24" TO 30 ITEM 15..P/N: 010-1670-05 (R/B: 864-10-1670-05)..MFG: FLUID ENGINEERING..SCHEDULE B: # 3926904000
69	010-1810-05	PORT SHOE, ITEM 26..P/N: 010-1810-05..MFG: FLUID ENGINEERING..SCHEDULE B # 3926908700 OTHER PLASTIC PRODUCTS
70	010-2205-09	SHAFT UPPER 1-7/16" 24"/36" 723 MONEL FLUID ENG...P/N: 010-2205-09..MFG: FLUID ENGINEERING..SCHEDULE B: # 8483608000 OTHER SI
71	0100	EYE ANGLE TIMBLEYE..P/N: 0100..MFG: CHANCE..SCHEDULE B: # 7318190000 OTHER NUTS
72	0100176	MANIFOLD, REAR HYD..CYL- LF70..CODE MISKI MAYO: 70141347..P/N: 100176..MFG:BOART LONGYER
73	01036ET3E215T-W22	THREE PHASE INDUCTION MOTOR, SQUIRREL CAGE, W2 NEMA PREMIUM EFFICIENCY, FRAME 213T, OUTPUT: 7.5 (5.5KW), POLES: 2, FF
74	01039-2263	OPTICAL INCREMENTAL ENCODER..H20DB-37-SS-600-ABC-28V/5-SCS48-S..P/N: 01039-2263..MFG: BEI SENSORS..SCHEDULE B: #8543.70.9
75	01052132	EYEWASH HEAD ASSEMBLY ,ACETAL HEADS WITH HINGE COVERS , BCP WYE ,1/2"/1.3 CM INLET,2.4 GPM/9.1 LPM TYPE STAY-OPEN BA
76	0107025	GLOVES; HYAMP CUTTING AND GOUGING GLOVES, SIZEM ..P/N:0107025..MFG: HYPERTHERM..SCHEDULE B: #6216.00.9000 OTHER GLOV
77	0110-202	PUMP; LU 0110-202 MSLPP41RHC47 ..47" POLY PUMP HAST ..PUMP:..TYPE:PP 41-R DL HC..S/N:0110-202 015675-17..O/N:0110-202..P/N: 011(
78	0111158	V BELT FOR MODEL WP1550A..P/N: 0111158..MFG: WACKER
79	01123-50825	BOLT,M8X25..P/N:01123-50825..MFG:KUBOTA
80	011482-125-888	PRESSURE GAUGE 1- 1/2", 1/8" CBC..0-100 PSIG / 0-7 BAR / KPA..P/N:011482-125-888..MFG: MASONEILAN
81	011482-126-888	PRESSURE GAUGE 1-1/2";1/8" CBC;0-100 PSIG / 0-7 BAR / KPA..P/N:011482-126-888..MFG:MASONEILAN..PRESSURE GAUGE 1-1/2";1/8" CBC
82	0115587	BASE PLATE FOR MODEL WP1550A..P/N: 0115587..MFG: WACKER
83	012-089-798	10" PDC 01 MEDIUM DUTY SERIES BUTTERFLY/DAMPER VALVE WITH BARE STEM CATALOG..KEYED SHAFT CONFIGURATION..4 EA..VAL
84	0122-205	PUMP TUBE MSL-PVDF 41 L HC 39", 9 LBS 45 X 8 X9..P/N: 0122-205..MFG: LUTZ..SCHEDULE B: # 3926.90.9988 OTHER PARTS
85	012289	COLLECTOR ASSEMBLY, 8 POLES, 34 AMP..P/N: 012289..MFG: GLEASON REEL..SCHEDULE B: # 8503006060 OTHER COLLECTOR
86	012300	COLLECTOR ASSEMBLY, 4 POLES, 75 AMP, ITEM 15..P/N: 012300..MFG: GLEASON REEL..SCHEDULE B: # 8503006060 OTHER COLLECTOR
87	012441	BRUSH KIT (75 AMP), ITEM 16..P/N: 012441..MFG: GLEASON REEL
88	013-86001	SWITCH (REF)- WALL PLATE, IVORY ..P/N: 013-86001..MFG: LEVITON..SCHEDULE B: # 8536.50.9065 OTHER SWITCHES
89	013016MD	CONDUCTIVITY CELL 2 ELECTRODES ..FOR ULTRA PURE WATER 1214002) K=0.1, INCLUDES FLOW CELL, 0.01 IS/CM TO 300 IS/CM..P/N: 0
90	0130284	LINER 150/160-324 BRZ RH..P/N;0130284 (R/B: 4960080208)..MFG: EDWARDS MANUFACTURING INC.
91	0130284L	LINER 150/160-324 BRZ LH..P/N:0130284L (R/B: 4960081208)..MFG: EDWARDS MANUFACTURING INC.
92	0140-1260	FITTING SAFETY FILTER..P/N: 0140-1260..MFG: CUMMINS..SCHEDULE B: #7307110060 OTHER FITTINGS....ORIGIN:USA..ORIGIN: USA
93	0160-207 NPTS	1.5 BSPF x 1.5 NPTF THREADED COUPLING ..P/N: 0160-207 NPTS..MFG: LUTZ PUMPS, INC...SCHEDULE B: # 8413.81.0040 OTHER PUMP PA
94	0160010	SEAL GRS. MOD 150 1.625"..P/N:0160010 (7126511653)..MFG: EDWARDS MANUFACTURING INC
95	0160016	SEAL FRONT COV. 150 - 300..P/N:0160016 (R/B: 7126508643)..MFG: EDWARDS MANUFACTURING COMPANY
96	0160054	SEAL LIP MOD 150 STD..P/N:0160054(R/B:7126503653)..MFG:EDWARDS MANUFACTURING INC

	Item	Description
97	016338	CONNECTOR; TERMINAL BLOCK LN016338..CERAMIC TERMINAL BLOCK, SINGLE..REF: PORCELAIN THERMOCOUPLE HEAD..P/N: 016338
98	017-520066	PRESSURE SWITCH; TYPE RT 116; SCALE RANGE ID: 017A1689-01..P/N: 017-520066..MFG: DANFOSS
99	0170006	BEARING ,OD 150 6207..P/N:0170006 (R/B:681908647)..MFG:EDWARDS MANUFACTURING INC
100	0174-524	PUMP TUBE B70v-SR-50.1 EX NS - UJ- PTFE/ 1100 mm, 50 l/min, dia tub: 54 mm, TEMP MAX: 100, MAT SS 1.4571..P/N: 0174-524..MFG: LUTZ PU
101	0180010	GEAR TIMING MODEL 150-300, 6 TAPERED..P/N: 0180010 (R/B: 3680122092)..MFG: EDWARDS MANUFACTURING INC.
102	0180MA003BN	HYDRAULIC FILTER ELEMENT - PRESSURE, SPIN ON, FIBERGLASS, 3 MICRON, 60 GPM MAXIMUM FLOW RATE..0180 MA 003 BN..P/N:0180
103	018188E	SWITCH TOGGLE, I: 10A, VAC: 125-250-480V, HP: 1/2-1/4..P/N: 1218 (018188
104	0183424	HIGH PRESSURE SWITCH FF4-120 PAH ..ALCO CONTROLS..TYPE FF4-120 PAHSCHEDULE B: # 8536.50.9035 OTHER SWITCHES..PART CO
105	0183L0907P037	LUBRICANT CONTACT ELECTRICAL..PKG: 4OZ, ..P/N: 0183L0907P037..MFG: GENERAL ELECTRIC..SCHEDULE B: # 3403115000 OTHER LUB
106	0184-45703-1-803	DIAPHRAGM/PISTON PRESSURE SWITCH..- ZINC-PLATED STEEL BODY (CRVI-FREE)..- WITH CONNECTOR SIMILAR TO DIN EN 175301 (DI
107	01G-0800	BUTTERFLY VALVE 8" ULFM 01G 300PSI;8" GRV BFV W/SWITCH UL/FM..P/N: 01G-0800..MFG:KENNEDY VALVES..SCHEDULE B: #8481.80.10
108	01G-800	8" GROOVED BUTTERFLY VALVE ..WITH SWITCH UL/FM ;01G 300 PSI 8"..P/N:01G-800..MFG:KENNEDY VALVE..SCHEDULE B: # 8481.80.109(
109	01G/G300	BUTTERFLY VALVE 4" WITH SWITCH UL/FM 693P FIG 01G 300 PSI..PRU156-TGP-11SGA-000008..P/N: 01G/G300..MFG:KENNEDY VALVE
110	01K45H	635 WATT POWER SUPPLY FOR PRECISION T3600 T5600..P/N: 01K45H..MFG: DELL
111	02-2630	MCV-3L (20-150 PSIG WORKING PRESSURE)FURNISHED LOOSE..P/N:02-2630..MFG: DRESSER BECKER
112	0200003	LOCK NUT, TIMER GEAR ..P/N: 0200003 (R/B: 5442286999)..MFG: EDWARDS MANUFACTURING INC
113	0200034	SCREW, SET, 5/16-18 X 5/16 NYLON TIPPED..P/N: 0200034 (R/B: 7081064113)..MFG: EDWARDS MANUFACTURING INC.
114	0200085	GASKET BOD 150/300 N.S. V..P/N:0200085(R/B: 3642177555)..MFG: EDWARDS MANUFACTURING INC
115	0200088	GASKET COV. MOD 150/400 V..P/N:0200088(R/B:3642187555)..MFG: EDWARDS MANUFACTURING INC.
116	02005	CLEANER RELAY AND CONTACT..CRC-2-26..P/N: 02005 16 OZ..MFG: CRC CHEMICALS..SCHEDULE B: #3403115000 OTHER LUBRICANTS..
117	020188	FAN, VAC: 115 V, POW: 61A, RPM: 1650, FREQ: 60 HZ, REF: 254 MM X 88.9 MM, SPEC: CARAVEL AC MODEL CLE2L2..P/N: 020188(CR144-ND)
118	0204-308	WALL HANGER FOR B70V-SR ..P/N: 0204-308..MFG: LUTZ
119	02054073	REPAIR KIT 32L BUTYL ..P/N: 02054073..MFG:HYDAC..SCHEDULE B: # 902690.0000 PARTS AND ACCESORIES
120	02071736	FILTER TYPE 0240 D 025 W/HC..P/N: 02071736..MFG: HYDAC..SCHEDULE B: # 8421.99.0080 OTHER FILTERS
121	0208-007	M-SERIES PP BARREL ADAPTOR..P/N: 0208-007..MFG: LUTZ..SCHEDULE B: # 3926.90.9988 OTHER PARTS
122	021089	CIRCUIT BREAKER 3 POLES, 6-10A, 690A, 60HZ, GV2ME14..P/N: 021089 (R/B: 034313)..MFG: SQUARE D TELEMECHANIQUE
123	021407	TORQUE MOTOR-2, ITEM 6..P/N: 021407..MFG: GLEASON REEL..SCHEDULE B: # 8501106080 OTHER GROUPS
124	02216	BELT DRESSING, SPRAY 10 OZ..P/N: 02216..MFG: LPS..SCHEDULE B: # 3403115000 OTHER LUBRICANTS
125	022431205	TERMINAL ASSEMBLY, SPEC: BLOCK COMPRESSOR,5, 10, 15 HP CONTROL..P/N: 022431205..MFG: MCQUAY..SCHEDULE B: # 8544493040 (
126	02305.R5.15	CABLE SPT-1..TYPE: STRANDING, AWG: 18, #COND: 2, V: 300V, CLR: GOLD..P/N: 02305.R5.15..MFG: CAROL CABLE CORP...SCHEDULE B: #
127	02427556000	MOTOR FOR A/C 1/2 HP, NON. VOLT 460, ROT EOS: CCW, RPM: 1110, MODEL F48L79A50..P/N: 02427556000..MFG: AO SMITH
128	025938800	FILTER AIR, ID: 67MM, OD: 80MM, H: 230 MM, ..P/N: 025938800..MFG: MCQUAY
129	02597071	COOLER HYDAC ;OK7x3.5xSO205 HYDAC..PART NUMBER: 02597071..MFG: HYDAC..SCHEDULE B:# 8418.69.0180 OTHER REFRIGERATING (
130	02726	CORD FLEXIBLE AND PORTABLE, TYPE: SOOW, AWG: 12, NO.COND: 4, 65/30 STRANDS OF BARE COPPER BLACK EPR OR RUBBER JACK

	Item	Description
131	02762.85.01	CORD FLEXIBLE AND PORTABLE..TYPE: SOOW, AWG: 14, #COND: 3,..VAC: 600V, TEMP:- 40/90 C,..CONDUCTOR STRANDS 41/30..BLACK
132	02765	CABLE FLEXIBLE SOOW..STRANDING, AWG: 16, #COND: 3,..V: 600V, CLR: BLACK, TYPE: -40/90C..WATER RESISTANCE (ROLL OF 1000 I
133	029-797-01	BEAD HAMMER, BALLPEAN 8 OZ, STEEL SHAFT AND RUBBER GRIP HANDLE, LENGTH 11 1/2 IN...P/N: 029-797-01..MFG: ANACHEMIA..
134	029-799-01	BUTTON HAMMER BALLPEAN, 16 OZ, STEEL SHAFT AND RUBBER GRIP HANDLE, LENGTH 11 1/2 IN...P/N: 029799-01..MFG: ANACHEMIA
135	030-4267	BACKWASH SHAFT ASSEMBLY 30"-723 MONEL FLUID ENG...P/N: 030-4267..MFG: FLUID ENGINEERING ..SCHEDULE B: # 8483608000 OTHEI
136	0304RT32F11L4	MANIFOLD;CONVENTIONAL MANIFOLD;MODEL:0304;STYLE:TRADITIONAL (FLANGE FLANGE OR FLANGE NPT) ;TYPE:3-VALVE..P/N:0304R
137	0304RT62B11VC	MANIFOLD;CONVENTIONAL MANIFOLD;MODEL 0304;STYLE:TRADITIONAL (FLANGE X FLANGE OR FLANGE X NPT);TYPE:5-VALVE NATUR/
138	0305RC32B11B4	305 Product Description: Integral Manifold..R Manufacturer: Rosemount Inc..C Manifold Style: Coplanar..3 Manifold Type: 3-Valve..2 Materials of Constru
139	0305RC52B11B4L4	MANIFOLD; INTEGRAL MANIFOLD ;MODEL 0305; STYLE:COPLANAR;TYPE:5-VALVE;..P/N:0305RC52B11B4L4..MFG:ROSEMOUNT..SCHEDUL
140	0306RT22BA11	0306 INTEGRAL MANIFOLD..R MANUFACTURER ROSEMOUNT INC...T MONIFOLD STYLE THREADED..2 MANIFOLD TYPE 2-VALVE..2 MA
141	031	VA TARGET LABELS (2-PRT LABEL, GREEN DOT WITH CLEAR OVERLAY)..P/N: 031..MFG: STRATEGIC WORK SYSTEMSM INC...SCHEDULE
142	0311750	PUSH BUTTON SWITCH ASSEMBLY, INCLUDE: 1 RED PUSH BUTTON, 2 GREEN PUSH SWITCH BOARD..P/N: 0311750..MFG: SATMAGAN..S
143	031311XXX001	3" 150# FLANGED SERIES 313 OVERFLOW TRAP..P/N: 031311XXX001..MFG: WARREN CONTROLS..SCHEDULE B:# 8481.80.1010 OTHER AP
144	03144-5601-0003	1001588694..ELEK MODULE,03144-5601-0003,..Spare_parts..Part name ELECTRONIC MODULE..Manufacturer ROSEMOUNT..Manufacturer Part N
145	0318X040	POTENTIOMETER, U/O: VIBRATING FEEDER F330-DDT CRSDC CONTROL..P/N: 0318X040..MFR: SYNTRON..SCHEDULE B: #9030390100 OT
146	032	VIBRATION ANALYSIS PICK UP DISK..P/N: 032..MFG: STRATEGIC WORK SYSTEMS, INC.
147	033	VIBRATION ANALYSIS STARTER KIT (30 DISCS AND LABELS + ADHESIVE)..P/N: 033..MFG: STRATEGIC WORK SYSTEMS, INC...SCHEDULE
148	03302050	STRAP GRIPPER, DIA: 1", LG: 64", SWL: 24600L, TYPE: FLEXIBLE EYE, DESC: MULTIPLE STRENGHT, PULLEY..P/N: 03302050..MFG: HUBBEL
149	0330D025 W/HC	0330 D 025 W/HC HYDRAULIC FILTER ELEMENT - PRESSURE, CARTRIDGE, STAINLESS STEEL, 25 MICRON, 84 GPM MAXIMUM FLOW RAT
150	0341-030-A.3125	LINK BELT SPRAY NOZZLE 3/4" FLANGED DELRIN 5/16" DIA ORIFICE FMC(111859598143)..P/N:0341-030-A.3125..MFG:SIEMENS..SCHEDULE
151	035	VIBRATION ANYLISIS STARTER KIT (300 DISCS AND LABELS + ADHESIVE)..P/N: 035..MFG: STRATEGIC WORKS ADHESIVE, INC...SCHEDUI
152	036	5/8" NUMERIC LABELS..MFG: 036..MFG: STRATEGIC WORK SYSTEMS, INC.
153	036.080.125	SCREWDRIVER;TEKNO + VDE SOCKET SCREWDRIVER - HEX - 8 X 125 MM;INSULATED HEXAGONAL SOCKET SCREWDRIVER. WORK UN
154	037	1" NUMERING LABELS..MFG: STRATEGIC WORK SYSTEMS, LLC..P/N: 037..SCHEDULE B: #4821100000 PRINTED LABELS
155	0373-10118	COUPLINGS VICTAULIC, DIA: 6", STYLE 77..P/N: 0373-10118..MFG: VICTAULIC..SCHEDULE B: # 7307.99.4000 STEEL COUPLINGS
156	0373-10510	VICTAULIC GRV "E" EPDM GASKETS F/07,75,77 COUPLING, 3 IN DIA...MFG: VICTAULIC..P/N: 0373-10510..SCHEDULE B: # 4016930000 GASK
157	0373-10514	VICTAULIC GRV "E" EPDM GASKETS F/07,75,77 COUPLING, 4 IN DIA...MFG: VICTAULIC..P/N: 0373-10514..SCHEDULE B: # 4016930000 GASK
158	0373-10520	VICTAULIC GRV"E" EPDM GASKETS F/07,75,77 COUPLING, 8 IN DIA..P/N: 0373-10520..MFG: VICTAULIC..SCHEDULE B: # 4016930000 GASKE
159	0373-10524	VICTAULIC GRV "E" EPDM GASKETS F/07,75,77 COUPLING, 12 IN DIA...MFG: VICTAULIC..P/N: 0373-10524..SCHEDULE B: # 4016930000 GASI
160	0373-10630	VICTAULIC PAINTED GRV #77 STANDARD COUPLINGS W/E GASKET, 3 IN DIA...MFG: VICTAULIC..P/N: 0373-10630..SCHEDULE B: # 730719
161	0373-10640	VICTAULIC PAINTED GRV #77 STANDARD COUPLINGS W/E GASKET, 4 IN DIA...MFG: VICTAULIC..P/N: 0373-10640..SCHEDULE B: # 7307193
162	0373-10660	VICTAULIC PAINTED GRV #77 STANDARD COUPLINGS W/E GASKET, 6 IN DIA...MFG: VICTAULIC..P/N: 0373-10660..SCHEDULE B: # 7307193
163	0373-10680	VICTAULIC PAINTED GRV #77 STANDARD COUPLINGS W/E GASKET, 8 IN DIA...MFG: VICTAULIC..P/N: 0373-10680..SCHEDULE B: # 7307193
164	0373-10690	VICTAULIC PAINTED GRV #77 STANDARD COUPLINGS W/E GASKET, 10 IN DIA...MFG: VICTAULIC..P/N: 0373-10690..SCHEDULE B: # 730719

	Item	Description
165	0373-10695	VICTAULIC PAINTED GRV #77 STANDARD COUPLINGS W/E GASKET, 12 IN DIA...MFG: VICTAULIC..P/N: 0373-10695..SCHEDULE B: # 730719
166	0373-14 IN	VICTAULIC PAINTED GRV #77 STANDARD COUPLINGS W/E GASKET, 14 IN DIA...MFG: VICTAULIC..P/N: 0373-14IN..SCHEDULE B: # 7307193
167	0373-18IN	VICTAULIC PAINTED GRV #77 STANDARD COUPLINGS W/E GASKET, 18 IN DIA...MFG: VICTAULIC..P/N: 0373-18IN..SCHEDULE B: # 7307193
168	0373-20IN	VICTAULIC PAINTED GRV #77 STANDARD COUPLINGS W/E GASKET, 20 IN DIA...MFG: VICTAULIC..P/N: 0373-20IN..SCHEDULE B: # 7307193
169	0373-GSKT-14IN	VICTAULIC GRV"E" EPDM GASKETS F/07,75,77 COUPLING, 14 IN DIA..P/N: 0373-GSKT-14 IN..MFG: VICTAULIC..SCHEDULE B: # 4016930000 (
170	0373-GSKT-20IN	VICTAULIC GRV"E" EPDM GASKETS F/07,75,77 COUPLING, 20 IN DIA..P/N: 0373-GSKT-20IN..MFG: VICTAULIC..SCHEDULE B: # 4016930000 C
171	038	2" NUMBERING LABELS..P/N: 038..MFG: STRATEGIC WORK SYSTEMS, LLC..SCHEDULE B: #4821100000 PRINTED LABELS
172	0391-00-037	O-RING ..P/N: 0391-00-037..MFG: HILCO/ HILLIARD..SCHEDULE B: # 4016.93.0000 OTHER RUBBER SEALS
173	0391-00-485-T	COVER O- RING. FOR DUPLEX FILTER (MODULE LF-AA)..P/N:0391-00-485-T..MFG: HILCO..8421.99.0080 OTHER PARTS FOR FILTERING O P
174	0391-00-593-1	COVER GASKET ..P/N: 0391-00-593-1 (OFFER P/N: 0391-00-593T)..MFG: HILLIARD FILTER..SCHEDULE B: #4016.93.0000 GASKETS
175	04-2122	JACK TELESCOPIC; (N PISTON)-2;(H-CLOSED)-420MM; (STROKE-I/II)-243/245MM; (DIA-BOTTOM)-370MM; (SPEC)-CYLINDER-1,60 TONS AND
176	0400011	LIP SEAL CONE SET, MOD 150 (REQUIRED FOR PUMP RE-ASSEMBLY)..P/N: 0400011 (R/B: 8480116999)..MFG: EDWARDS MANUFACTURINC
177	0400D150FCS156	4" ANSI 150# FLANGED DUPLEX STRAINER, CAST CARBON STEEL BODY, C/W 1/16" STAINLESS STEEL PERF BASKET..P/N: 0400D150FCS1
178	04010450	.63" (16 MM) NOZZLE FOR TRIGON 112..P/N: 04010450..MFG: KOMET IRRIGATION..SCHEDULE B: # 8424909500 OTHER PARTS
179	04010452	.55 (14MM) NOZZLE FOR TRIGON 112..P/N: 04010452..MFG: KOMET IRRIGATION..SCHEDULE B: # 8424909500 OTHER PARTS
180	04010453	.71" NOZZLE FOR TRIGON 112..P/N: 04010453..MFG: KOMET IRRIGATION..SCHEDULE B: # 8424909500 OTHER PARTS
181	041052-HFI	041052-HFI: Hydraulic Monitor..• Pipe Flanges & Hardware..• Hydraulic BFV..• Hydraulic Control Valve Assembly..• Joystick Control..• Hydraulic Fittings &
182	043242	REPAIR KIT FOR PUMP KNF CH2 CEM...MODEL N86 KTE. INCLUDES 1 MEMBRANE & 2 VALVE PLATES/JOINTS..P/N: 043242..MFG: KNF
183	04415	DISC CUTTING ABRASIVE, DIA" 16", CUTTER RAIL MODEL K1250, ..P/N: 04415..MFG: TRAKSTAR..SCHEDULE B: # 8487.90.0080 OTHER MAC
184	04612-00300	CIR CLIP, ..P/N:04612-00300 ..MFG:KUBOTA
185	046918	LOAD CELL, SPEC: 2500 LB, TYPE: S-PRCN, MODEL: 10-14A CONVEYOR SCALE, INCLUDE: HARDWARE KIT 050079..P/N: 046918 WITH 0500
186	047052118	LUNETA FIJA 130-300 MM,PUNTAS RODAMIENTO ..P/N:47052118..MFG: NARDINI..SCHEDULE B:# 8487.90.0080 OTHER MACHINERY TOOLS
187	049545005	TRANSDUCER..SPEC: STATIC PRESSURE SENSOR..CONTROL PNEUMATIC, SER 1490812, MOD 600D5" W612D5, 24 VDC,..P/N: 049545005.
188	049880004	FILTER AIR..LG: 25", W: 16", THK: 2"..MOD: PANEL 30/30, MAT: COTTON AND SYNTHETIC FIBER..P/N: 049880004..MFG: CAMFIL FARR..SCHE
189	049880005	FILTER AIR PANEL..LG: 24", W: 24", THK: 2"..30-30CL2 24 X 24..P/N: 049880005..MFG: CAMFIL
190	049880012	AIR FILTER 30/30 CL2 24 X 20 X 2 (1 BOX OF 12)..P/N: 049880012..MFG: CAMFIL FARR..SCHEDULE B: # 8504210020 ELECTRICAL TRANSFOR
191	0499-030-008	PLATE, SEAL (U/O)-WATER SCREENING SYSTEM (SPEC)- 7.5" X 24 "P/N: 0499-030-008(R/B: W2T260457)..MFG: SIEMENS INDUSTRIES..SCI
192	04V012VASS50	MANIFOLD, 1/2 NPT BLOCK AND BLEED, ..P/N: 04V012VASS50..MFG: ASHCROFT..
193	05.03.155.0.412.002	FRAME CASING FOR A FRIATEC PUMP RCE 80/260 B..PUMP SERIAL NUMBER 4491..P/N: 05.03.155.0.412.002..MFG:FRIATEC
194	05.03.166.0415.002	FRAME COVER FOR A FRIATEC PUMP RCE 80/260 B ..PUMP SERIAL NUMBER 4491..P/N: 05.03.166.0415.002..MFG: FRIATEC
195	0500006549	FIG 66 7/8 BLK WELDED BEAM ATTACH WITH BOLT..P/N: 0500006549..MFG: ANVIL
196	0500093653	FIG 212 12 BLK STL MEDIUM PIPE CLAM..P/N: 0500093653..MFG: ANVIL
197	0500212642	FIG 290 7/8 BLK WELDLESS EYE NUT..P/N: 0500212642..MFG: ANVIL
198	050079	HARDWARE KIT, LOADCELL, S-PRCN..P/N: 050079..MFG: THERMO RAMSEY

	Item	Description
199	05010109	TRIGON 112 OC VA10 26 DEGREE 2" NPT CONNECTOR WITH ONE NOZZLE..P/N: 05010109..MFG: KOMET IRRIGATION..SCHEDULE B: # 846
200	05113508001	ADHESIVE WEATHERSTRIP, 6/PKG, PKG: OF 5 OZ, CLR: YELLOW, CLEANER, 6EA/CASE..P/N: 05113508001 (08801)..MG: 3M..SCHEDULE B:
201	05124VG	VERTICAL SHAFT BEARING (GREASE FILL)..P/N: 05124VG; ..MFG: R.M.YOUNG
202	05135906001	ADJUSTABLE INSULATED TORQUE SCREWDRIVER SET WITH 817 HANDLE..WERA 135906 KK VDE 16 PIECE 1.2 - 3.0 NM EXTRA SLIM 1..P/
203	05153	WIND MONITOR..P/N: 05153..MFG: R.M. YOUNG
204	05163PW	FLANGE BEARING (SRI-2)..P/N: 05163PW..MFG:R.M.YOUNG..
205	05303043	COIL CONDENSER..MODEL X, EQUIPMENT AC..P/N: 05303043..MFG: CARRIER
206	05304026	COIL CONDENSER..MODEL X, EQUIPMENT AC..P/N: 05304026..MFG: CARRIER..SCHEDULE B: # 8415.90.9000 OTHER PARTS FOR AIR COND
207	05411-00640	PIN, SPRING, BIN LOC. D-1-1..P/N: 05411-00640..MFG: KUBOTA
208	0551611	HEAD LAMP LIGHT LED 551611 / MODEL 8770 LOCOMOTIVE LED..P/N:8770..MFG: JW SPEAKER..SCHEDULE B: # 8513.10.0000 OTHER LAM
209	0554.0308	PAPER FILTER, SPEC: TO DETERMINE SMOKE NUMBER, DIM: STRIP 18MMX195MM, PKG: PKG PER 40 STRIP..P/N: 0554.0308..MFG: TESTO
210	05751	BRUSH WIRE SCRATCH FINE; CURVED HANDLE WIRE METAL BRUSH ..P/N:05751..MFG: SAIT..SCHEDULE B: # 9603.90.0000 OTHER BRUS
211	05F008W068G1	MOTOR, ELEC, AC, 1.5HP, 460VAC, 3PH, 60HZ, 2.5A, 1140 RPM, 145T FRAME, TEENCLOSURE, 1.15 SERVICE FACTOR,.. 7/8IN DIA SHAFT, F
212	06-014954	GASKET BUNA - N 0.275" RD X 34 O.D..P/N: 06-014954..MFG: PECO
213	06-014980	GASKET BUNA - N0.275" RD X 49.5 O.D...P/N: 06-014980..MFG: PECO
214	06-0200-30	3M™ SPEEDGLAS™ INSIDE PROTECTION PLATE 9100XX, WELDING SAFETY 06-0200-30.CASE OF 5..P/N:06-0200-30..MFG: 3M..WEIGHT:0.1
215	06-0200-52	3M™ SPEEDGLAS™ OUTSIDE PROTECTION PLATE 9100, WELDING SAFETY 06-0200-52, SCRATCH RESISTANT. CASE OF 10..P/N:06-0200-
216	06-0200-53	3M™ SPEEDGLAS™ OUTSIDE PROTECTION PLATE 9100, WELDING SAFETY 06-0200-53, HIGH TEMPERATURE ..CASE OF 10..P/N: 06-0200-
217	06-0700-63	3M™ SPEEDGLAS™ FRONT PANEL 9100 FX/ 9100 FX-AIR 06-0700-63, CHROME, WELDING ACCESSORY ..P/N:06-0700-63..MFG: 3M..WEIGH
218	06-0700-64	3M™ SPEEDGLAS™ WIDE-VIEW CLEAR GRINDING VISOR FRAME 9100 FX/ 9100 FX-AIR 06-0700-64, BLACK ..P/N:06-0700-64..MFG:3M..WEI
219	06-129829-102	RDCM CIRCUIT BOARD ASSEMBLY..P/N: 06-129829-102..MFG: KIDDE FIRE SYSTEMS..SCHEDULE B: # 8534000040 OTHER CIRCUIT BOARD
220	060-316466	SWITCH PRESSURE (CONN)-G-1/4A (RANGE)-0.2-8BAR; (TYPE)-KPI-35 (SPEC)-DIFFERENTIAL 0.4-1.5; OPERATING PRESSURE 18 BAR; MA
221	060-8021-01	TRANDUCER PRESSURE RANGE 5000 PSI, AUX0020961, KK..P/N: 060-8021-01..MFG: HONEYWELL SENSOTEC
222	06165	TAPE RUBBER SILICON IRRASIL..SPEC: 3M-2242..P/N: 06165..MFG: 3M..SCHEDULE B: # 9017208060 OTHER TAPE..
223	06303020	SELECTOR SPEED, MOTOR VENTILADOR, MODEL Y..P/N: 06303020..MFG: CARRRIER..SCHEDULE B: # 8415.90.9000 OTHER PARTS FOR AI
224	06303045	SELCTOR, SPEED (U/O) - MOTORVENTILADOR, MODEL X..P/N: 06303045..MFG: CARRIER ENTERPRISE..SCHEDULE B: # 8415.90.9000 OTHI
225	06428-24	VITON L/S MASTERFLEX TWO STOP PUMP TUBINGS, 24 X 4 (PKG)..P/N: 06428-24 (EW06428-24 COLE PARMER)..MFG: MASTERFLEX
226	067-033-05 (60828-768)	ADAPTER, PIPELINE, 16MM, BLUE, UNIFLEX BIOPLASTIC, 1000 PER BOX..P/N: 067-033-05 (60828-768) 6720..MFG: BIO PLAS CORP...SCHED
227	06U45	MANGUERA 06U45 HOSE 6" HEAVY DUTY 3-PLY ..1 EA DE 25 FT..25' LENGTH FLEX HOSE #06UC45..- HEAVY DUTY CLEAR URETHANE..- ET
228	070-35C	PRESSURE-VACUUM..BLEEDER / COMPOUND..GAGE ASBY..SERIES 070..VACUUM 50-35E..MODEL :070-35C
229	072500503	ACTUATOR SPEC: WATER REGULATING VALVE 095 DAMPER, DIRECT COUPLED AIR DAMPER ACTUATOR..P/N: 072500503 MCQUAY (R/B
230	07250098	CONTACTOR COMPRESSOR 5, 10 HP..P/N: 07250098..MFG: MCQUAY
231	072504301	RELAY TYPE: DPDT-BLACK..SPEC: 1/8 HP, 120 VAC, 6 AM, 25 VAC..P/N: 072504301..MFG: MCQUAY-REFRIGERATION..SCHEDULE B: # 85364
232	073012003	SENSOR TEMPERATURE, REF: RAT..P/N: 073012003..MFG: MC-QUAY REFRIGERATION..SCHEDULE B: #9032896040 CONTROL TEMPERAT

	Item	Description
233	0745A	LOAD CELL 0745A, 2.2T 5000 LB, PU 2M, C3/ N5K, 30091026, W/ 2M CABLE, TB600343..P/N: 0745A..MFG: METTLER TOLEDO
234	07512EP3P3E405T	MOTOR ELECTRIC..THREE PHASE, 75 HP, 460V..(AS PER SPECS)..P/N: 07512EP3E405T..MFG: WEG..
235	07520T	IMPACT SOCKET 3/4" X 1-1/4", ..PROTO ..P/N: 07520T
236	07526T	IMPACT SOCKET 3/4" X 1-5/8", ..PROTO ..P/N: 07526T
237	07553-14	MOTOR, REPL. MASTERFLEX 100RPM 230V..P/N: 07553-14..MFG: COLE PARMER MASTER FLEX..SCHEDULE B: # 8537106000 MOTOR SPEE
238	07553-76	DRIVER REPL. CONTROLLER MASTERFLEX 230V..P/N: 07553-76..MFG: COLE PARMER MASTER FLEX..SCHEDULE B: # 8503005000 PARTS (
239	075903/04	HEX BIT 3/4"..P/N:075903/04 (J075903/4)
240	07656	ADAPTATOR, IMPACT 1"F A 3/4" M ; PROTO ..P/N: 07656 (J07656)
241	07676-AB	SPI GLASS CUTTER FOR ULTRAMICROTOME KNIFE GLASS..P/N: 07676-AB..MFG: SPI
242	076971-01	TURBO BLOWER, FAN MODEL 1N-04S-16N, ARRANGEMENT 9, BELT DRIVEN, INCLUDING STUB INLET, FLANGED OUTLET, OUTDOOR DRI
243	08101-06006	BEARING,BA..P/N:08101-06006 ..MFG:KUBOTA
244	08101343-00	CLAMP BUSH GUIDE..P/N: 08101343-00..MFG: VARIAN..SCHEDULE B: # 9027304080 OTHER SPECTROMETER PARTS
245	08230252	DRIVER, DH, DIA 5.88", SOUND GENERATOR FOR ACUSTIC HORN..P/N: 08230252..MFG: GE ENERGY/ BHA GROUP INC
246	083-822	UHF M ARMY PL259 NAVY 49190..P/N: 083-822..MFG: AMPHENOL
247	083080	FUSE, V: 600V, I: 2A,..P/N: 083080 (R/B: AIA083080), ATQR2..MFG: ASI ROBICON INC (SIEMENS)..SCHEDULE B: #8536100040 - OTHER FUSE
248	08458	COUPLING RIGID; (DIA) 1"; (TYPE) TUBULAR THREADED; (MAT) GALVANIZED STEEL..P/N: 08458..MFG WHEATLAND PICOMA..SCHEDULE
249	084Z6165	TEMPERATURE SENSOR MBT 5252;TYPE PT100;CLASS B; TYPE DESIGNATION:MBT 5252-0011-0050-0700-0000.LOCATION HPGR COOL SY
250	085-35	SENSOR RELATIVE HUMIDITY TEMPERATURE FOR DATALOGGER 580..P/N: 085-35..MFG: METONE
251	08516029	LAMP HALOG. MET OVOIDE HQI-E 150 W/NDL E27 CLEAR..P/N: 08516029..MFG: OSRAM..SCHEDULE B: # 8539212000 OTHER HALOGEN LAI
252	08542053	Reflector 60W E27 230V NR63 30DEGREE FR 1CT, ..P/N: 08542053 ((60W220VR63E27)..MFG: OSRAM..SCHEDULE B: #8539.22.8050 OTHER
253	0865	SOCKET ASSEMBLY WITH HANDLE..P/N: 0865..MFG: MC GILL..SCHEDULE B: # 6914900000 OTHER LAMP HOLDERS
254	087814787X	BOOK TURBINE STEAM PATCH MAINTENANCE & REPAIR, VOL. 1, HARDCOVER..AUTHOR: WILLIAM P. SANDERS, PUBLISHER: PENWELL,.
255	0878147888	BOOK TURBINE STEAM PATCH MAINTENANCE & REPAIR, VOL. 2, HARDCOVER..AUTHOR: WILLIAM P. SANDERS, PUBLISHER: PENWELL,.
256	0882300	PRESSURE SWITCH 25-250BAR 18D ..P/N: 0882300..MFG: NORGREN..SCHEDULE B:# 8535300080 OTHER SWITCHES
257	08933216	SILICONE, TYPE: SUPER RTV, CLR: GREY, 6.76 FL OZ..P/N: 08933216..MFG: WURTH USA..SCHEDULE B:# 3506.91.0000 SILICONE PASTE
258	0900127	MAGNETITE ANALIZER EQUIPMENT, MODEL SATMAGAN 135...INCLUDES 50 SAMPLE CELLS, FILLING TOOLS AND ENGLISH MANUAL, 110
259	0900133	01 SAMPLE PACK & PLUNGER UNIT CELL FOR MAGNETITE ANALYZER, MODEL 135..NOTE: MIN SELL 1 PACK OF 50 CELLS..P/N: 0900133..M
260	0903-002769	EMAK 6.4 LS QD96 94V-0 20-08 ..P/N: 0903-002769..MFG: HETRONIC..SCHEDULE B: # 8526.92.0000 RADIO REMOTE CONTROL APPARATUS
261	091219	VANE ASSEMBLY, REF: VANE PUMP REPAIR..P/N: 091219..MFG: BLACKMER
262	09184=A=1001	ELECTRODE ..P/N: 09184=A=1001..MFG: HACH COMPANY..SCHEDULE B: # 9027902000 MICROTONES
263	09184=A=3500	MEMBRANES IN BOX OF 4..P/N: 09184=A=3500..MFG: HACH COMPANY..SCHEDULE B: # 9027902000 MICROTONES
264	09184=A=3600	ELECTROLYTE 100ML..P/N: 09184=A=3600..MFG: HACH COMPANY..SCHEDULE B: # 3822000002 DIAGNOSTIC REAGENTS
265	0922-0560-01	BATTERY RECHARGEABLE..V: 12V, TYPE: A, W: 55MM, LG: 107 MM..P/N: 0922-0560-01..MFG: CONTROL CHIEF..SCHEDULE B: # 8507.80.000
266	09349304	LOCKING RING..REF: AROS DEL PACIFICO: BB25STG SANDVIK : 09349304..USE: FRONT LOADER LHD TORO 007..P/N:09349304..MFG:SAN

V.Q. MINING
BEST SELLING ITEMS

	Item	Description
267	09373689	V-SEAL..P/N: 09373689..MFG: SANDVIK USA..SCHEDULE B: # 4016.93.0000 OTHER RUBBER SEALS..ORIGIN:FINLAND..WEIGHT 1 LBS 12 X
268	094700-0012-245	REMOTE AREA LIGHTING SYSTEM 9470M PELICAN; LIGHT SOURCE: 4 X 10 LED LIGHT HEADS; LAMP LIFE: 50,000 HOURS..OUTPUT: 6,000
269	096-3438	1/4 TURN CALIBRATION ADAPTER; DELIVERES CALIBRATION GAS DIRECT TO THE SENSOR FACE..P/N: 096-3438..MFG: TELEDYNE..SCHE
270	096-3473-12	MERIDIAN HYDROGEN SENSOR-H2..P/N:096-3473-12..MFG: TELEDYNE..SCHEDULE B: # 9027.10.0000 OTHER APPARATUS
271	096-3482	MAGNETIC WAND ACCESORY; MAGNETIC TOOL TO ACCESS MENUS VIA THE 4 NAVIGATION KEYS..P/N: 096-3482..MFG: TELEDYNE..SCH
272	096-3500	STANDARD CALIBRATION KIT FOR NON-REACTIVE GASES SUCH AS O2, CO OR CH4;INCLUDING CARRYING CASE,0.5 LPM MALE REGUL
273	096-3534-04	STAINLESS STEEL ENCLOSURE;STANDARD DISPLAY,HART,STAINLESS STEEL END CAP..P/N:096-3534-04..MFG: TELEDYNE ..SCHEDULE
274	099930-001-F	FILTER AIR PANEL..LG: 9300MM, W: 360MM, THK: 150MM,..MOD: RC-500 DYNACELL..P/N: 099930-001-F..MFG: CAMFIL FARR
275	09C101Z144	MOTOR AC, THREE-PHASE INDUCTION..VAC: 460V, HP: 10/5HP, RPM: 1760/875, FRAME: 254T, I: 13/11.3A, FREQ: 60HZ, SERV-F: 1, SPEC: EI
276	0B100187	DIAPHRAGM TITANIUM PLATE, DH, 5.88", GRD4, 14X14X8..P/N: 0B100187..MFG: GE ENERGY..
277	0L226H02400L	FILTER RMF STAUFF..P/N: 0L226H02400L..MFG: STAUFF
278	1-011-30-3000	GASKET SHIELD GLASS REPAIR KIT..MODULE KIT INCLUDES 1 GLASS, 4 SHIELDS, 1 GASKET & 2 CUSHIONS..MATERIAL: ALUMINOSILICA
279	1-02	BEARING A. REDUCTOR WEST TECH PART # 21587A-103, RATIO 3045, SERVICE FACTOR: 1.00 INPUT 1.01 HP, 1750 RPM, TORQUE 56400 I
280	1-03	BEARING B. REDUCTOR WEST TECH PART # 21587A-103, RATIO: 3045, SERVICE FACTOR: 1.00 INPUT, 1.01 HP, 1750 RPM, OUTPUT TORQ
281	1-502-05-668	GASKET/CUSHION SET, SIZE 9 GARLOCK IFG5500 GASKET ..P/N: 1-502-05-668..MFG: QUEST-TEC SOLUTIONS..SCHEDULE B:#4016930000
282	1-504-03-019	GLASSES SIZE 9 FOR DEREATOR..P/N: 1-504-03-019..MFG: QUEST TECHNOLOGIES..SCHEDULE B: # SCHEDULE B: #3917290090 OTHER TI
283	1-95-629	Stanley 1-95-629 Fatmax Xtreme Tool Vest..p/n: 1-95-629..Mfg: Stanley
284	1 IN 10FT	CONDUIT EMT..LG: 10 FT, DIA: 1". TYP: ELECTRICAL METALLIC TUBE, REF: HOT GALVANIZED STEEL..P/N: 1 IN 10 FT..MFG: ALLIED TUBE (
285	1"F BRONZE	1”F BRONZE PRESSURE RELIEF VALVE FM APPROVED, SET AT 220 PSI (SHIPPED LOOSE) THE SET PRESSURE IS BASED ON THE PRV D
286	1.5-1905-00FC-1-CC-MS-34-RF-L/	SAFETY RELIEF VALVE, SIZE 38.1MM (1.5 IN)150 #, SET PRESSURE: 1372,4KPA, TEMO 20 DEG C;METAL SEAT, PLAIN LIFTING LEVER...ASM
287	1.5-610XP-CF-P-H-S	BALL VALVE, WITH FLANGED, SIZE: 1-1/2' SERIES 610XP, MATERIAL FIBERGLASS REINFORCED NOVOLAC EPOXY, CAVITY FILLER, PRE: 2
288	1/025.000.6	BRIDGE RECTIFIER, 230V, 2.5A..P/N: 1/025.000.6..MFG: MAYR..SCHEDULEB:# 8504.40.9580 RECTIFIERS
289	1/2 IN 10 FT	CONDUIT EMT..LG: 10 FT, DIA: 1/2". TYP: ELECTRICAL METALLIC TUBE, REF: HOT GALVANIZED STEEL..P/N: 1/2 IN 10 FT..MFG: ALLIED TUI
290	1/4" COPPER TUBE	COPPER METAL TUBE, DUAL ANNEALED, OD: 1/4", THICKNESS: 1MM, LG: 600 " (0.25" X 0.0394" X 50FT)..P/N: 1/4" COPPER TUBE..MFG:WE/
291	1/4" TYGON	TUBING TYGON FLEXIBLE, ID: 1/4", OD: 3/8", THK: 1/16", CLR: TRANSPARENCY, LG: 50 FT, REF: R-3603..P/N: 1/4" TYGON (TYR-3603)..(OFFE
292	1/70 DF	ABETO DOUGLAS FIR..GROUP: A, CLASS: 1, AWPA & ANSI..LEGHT: 70 FT..P/N: 1/70 DF..
293	10-05-2-005	SWITCH,TOGGLE..(SPEC)- 2 POSITION,MOMENTARY - MAINTAIN..P/N: 10-05-2-005..MFG: CONTROL CHIEF..SCHEDULE B: #8536509065 OT
294	10-05-2-008	SWITCH TOGGLE..SPEC: 3 POSITION MAINTAIN - POWER OFF MOMENTARY..P/N: 10-05-2-008 OTHER LIMIT SWITCHES..MFG: CONTROL (
295	10-05-2-009	SWITCH TOGGLE, SPEC: 2 POSITION, MAINTAIN - MAINTAIN..P/N: 10-05-2-009..MFG: CONTROL SWITCH
296	10-05-2-010	SWITCH TOGGLE,..SPEC: 3 POSITION MAINTAIN-POWER OFF-MAINTAIN..P/N: 10-05-2-010 (12TW1-7 HONEYWELL)..MFG: CONTROL CHIE
297	10-05-2-011	SWITCH,TOGGLE..(SPEC)- 2 POSITION,MOMENTARY - MAINTAIN..P/N: 10-05-2-011 (12TW1-1) ..MFG: CONTROL CHIEF (HONEYWELL) ..SCH
298	10-1220.1179	SIGNAL LAMP, SERIES 02, 03 ILLUMINATION TYPE: INCANDESCENT T-6.8, SLIDE BASE, GENERAL DATA: CLEAR, 60 VOLTS, 20 MILLIAMPS
299	10-150 VCS-T/G-10	JUNTA PIKOTEK 10" S150..FABRICANTE : PIKOTEK, 10-150 VCS-T/G-10.."Sello: Teflón (con resorte)..Canutos: G-10..Arandelas aislantes: G-10..Ar
300	10-1760	RUST PROTECTOR SPRAY PAINT,GLOSSY, SILVERS...THOUGH COAT ACRYLIC ALKYD;(TYPE)- ENAMEL AEROSOLS GLOSS FINISH; (CLF

	Item	Description
301	10-788	INSTANT KNIFE..P/N: 10-788..MFG: STANLEY TOOLS..SCHEDULE B: # 8211920001
302	10-F14	PRESSURE SWITCH..RANGE 180 TO 3000 PSI..P/N: 10-F14 (WITH M925)..MFG: UNITED ELECTRIC CONTROLS CO.
303	10 002 04 .1	FUSE 1 A,E 16,ND, Gg,500 VAC...FUSE 1 AMP 500 VAC , IEC 269..DIMENSION E16 SIZE ND FEATURE Gg..P/N: 10 002 04 .1..MFG:SIBA
304	10"-4500-F3	FIRE PUMP FLOW SYSTEM..LINE SIZE 10"; PUMP GPM 4500; METER RANGE MIN 2250GPM(8518 LTM) MAX 9000 GPM (34068 LTM); ..MODE
305	10.230.4100	TAPON GUARDAPOLVO MACHO PARA ESPIGA 1/4" NPT..P/N: 10.230.4100..MFG: CEJN..SCHEDULE B: # 7616.10.8000 OTHER SEALS..COUN
306	10.230.4101	TAPON GUARDAPOLVO HEMBRA PARA ACOPLE 1/2" NPT..P/N: 10.230.4101..MFG: CEJN..SCHEDULE B: # 7616.10.8000 OTHER SEALS..COU
307	10/4XHHW-TC	AWG 10, 7 STRANDS, TYPE TC-XHHW-2 , PVC CONTROL CABLE, 600V, 4 CONDUCTORS..P/N: 10/4XHHW-TC..MFG: SOUTHWIRE
308	10/9XHHW-TC	AWG 10, 7 STRANDS, TYPE TC-XHHW-2 , PVC CONTROL CABLE, 600V, 9 CONDUCTORS..P/N: 10/9XHHW-TC..MFG: SOUTHWIRE
309	100-01102	TRANSMITTER CE100-M TYPE MULTI TURN; INTERFASE: SSI/PROFIBUS-DP (CLASS2);OUTPUT CAPACITY: 24BIT;..RESOLUCION: 4096 STE
310	100-UP10000SD	ULTRAPROBE 10,000 SD DIGITAL ULTRASONIC INSPECTION SYSTEM..THE ULTRAPROBE 10,000 BRINGS ULTRASOUND TECHNOLOGY T
311	100-UP15000TS	ULTRAPROBE 15,000 TOUCH DIGITAL ULTRASONIC INSPECTION SYSTEM..THIS ADVANCED ULTRASONIC INSTRUMENT CAN PERFORM
312	100-UP2000KT-ATEX	ULTRAPROBE 2000ATEX INSPECTION SYSTEM THE ULTRAPROBE 2000ATEX KIT INCLUDES: ULTRAPROBE 2000 HOUSING WITH METERE
313	1000-0268/FM 150	FLOW METER.- REGULATOR FLOW METER PIPELINE FM 150 PROFESSIONAL HM DTY; AIR OR NITROGEN 5-30 L/MIN; (INPUT)- 1/4" NPT (C
314	1000209	AIRVAC 22 VENTURI BLOCK & SILENCER..P/N: 1000209..MFG:AIRTECH....SCHEDULE B: # 8487.90.0080 OTHER BLOCKS FOR MACHINERY I
315	10002322	SPARK PLUG , 14MM, 70MM SEALED..FOR HIGH PRESSURE SYSTEM..P/N: 10002322..MFG: ECLIPSE....SCHEDULE B: #
316	10008	STENCIL SET, CHARACTER NUMBERS, CHARACTER HEIGHT 1 IN., INCLUDES (1) EACH 1 THROUGH 9, (2) ZEROS, (1) HYPHEN, (1) DECIM
317	1000PSI MODULE	CRYSTAL ENGINEERING 1000PSI MODULE..NVISION 1,000 PSI MODULE..NVISION PRESSURE MODULE: 1000 PSI..MODEL: 1000 PSI..ACCU
318	1001	GASKET, FULL FACE ..#150 12 IN, 1/8"..P/N: 1001..MFG: TEADIT..SCHEDULE B:#4016930000 - GASKETS
319	10013	STENCIL SET, CHARACTER NUMBERS, CHARACTER HEIGHT 3", SPEC: ADJINTERLOCKING FIGURE BRASS, ..P/N: 10013..MFG: HANSON..S
320	1001305	CONNECTOR, SPEC: KE0134, MOD: 260936.00/ REV A..P/N: 1001305..MFG: SIEMENS
321	1001327	AIR HOLD 10 CBS, DOUBLE BACKED TAPE FOR HOLDING HONEY COMB CORE DURING MACHINE SIZE 1" X 36 YD..P/N: 1001327..MFG: AIR
322	10014	SOCKET, IMPACT 1" - 7/8" 6PT..P/N: 10014 (J10014)
323	10014#	STENCIL SET, CHARACTER NUMBERS, CHARACTER HEIGHT 4 IN., INCLUDES (1) EACH 1 THROUGH 9, (2) ZEROS, (1) HYPHEN, (1) DECIM
324	10016	SOCKET, IMPACT 1"-1" 6PT..P/N: 10016 (J10016)
325	100176	GAUGE LEVEL FUEL; 240-33.5 Ohm;MODEL 810; SCALE E-1/2-F; DIA 52MM; 12 V; BLACK BESSEL..P/N:100176..DATCON
326	10018	SOCKET, IMPACT 1"-1 1/8" 6PT..P/N: 10018 (J10018)
327	10019436	23KVA HOT PLUG STATIC BYPASS SWITCH MODULE (SBS)..23KVA/8KW CONTINUOUS RATED (100 AMPS)..SINGLE PHASE, 120VAC, 60HZ
328	10019442	110VDC/1.50KVA HOT PLUG INVERTER MODULES..1.2KW CONTINUOUS RATED..SET BETWEEN 112.75VDC – 132.0 VDC..SINGLE PHASE, 2
329	10019728	SPARK PLUG 14MM, 70MM, SEALED FOR HIGH PRESSURE SYSTEMS..P/N: 10019728..MFG: ECLIPSE
330	1001992	JOYSTICK CONTROLLER GEARLESS, TYPE PROF1, NO. 162F1320, WITH SPARES 162B6014, 162B4100..REF: JOYSTICK REMOTE CONTRO
331	10020	SOCKET, IMPACT 1" - 1 1/4" 6 PT..P/N: 10020 (J10020)
332	1002125	AIR TAC2-SPRAY CONTACT ADHESIVE FOR TEMPORARY BONDING APPLICATION 16 1/2 OZ CAN 12 CANS/CASE..P/N: 1002509..MFG: AIRT
333	100228-10	SHAPER TIP, 2.5", NOM. POLYURETHANE, THREAD INSERTS IS 6061-T6 ALUMINUM ORIFICE IS 304 STAINLESS STEEL, 1" ORIFICE DIA...P/
334	1002510	VACCUM BAGS SEALANT TAPE 1/8IN X 1/2 IN X 25 FT, AT200Y, 40 ROLL PER CASE..MFG: AIRTECH..SCHEDULE B:# 4811.90.9000 OTHER S

	Item	Description
335	1003	LAMP MINIATURE, NO. LAMP TRADE: 1003, V: 12.80 V, POW: 12W..P/N: 1003..MFG: IMPORT BRAND..SCHEDULE B: # 8539228050 OTHER LA
336	1003248	MFG CERTICATE OF CONFORMANCE
337	10033	STENCIL SET, CHARACTER LETTER, CHARACTER HEIGHT 3", SPEC: ADJINTERLOCKING FIGURE BRASS, ..P/N: 10033..MFG: HANSON..SC
338	1003431	VACUUM RESERVOIR FOR RESIN INFUSION..P/N: RB451..MFG: AIRTECH..SCHEDULE B:# 7309.00.0030 TANKS
339	1003550	ELBOW FITTINGS 3/9 IN X 3/8 IN NYLON RESIN FUSION AUXILIARY MATERIAL..P/N: 1003550..MFG: AIRTECH..SCHEDULE B: # 8547.90.0040
340	1003552	NYLON BARB T FITTING 3/8IN X3/8IN X3/8IN RESIN INFUSION AUXILIARY MATERIAL..P/N: 1003552..MFG: AIRTECH..SCHEDULE B: # 8547.90
341	10036	STENCIL SET, CHARACTER LETTERS, CHARACTER HEIGHT 6 IN., INCLUDES ALL LETTERS (26 PIECES A-Z), (1) BEGINNER, (1) PERIOD EN
342	1003676	POLYETHYLENE SPIRAL WRAP 1/2 IN OD X 3/8 IN ID X .052 IN WALL X 100 FT COIL NATURAL RESIN INFUSION MATERIAL..P/N: 1003676..M
343	1003N1820A3	3 STEP LADDER..P/N: 1003N1820A3..MFG: COTTERMAN COMPANY..SCHEDULE B: # 7326908560 OTHER LADDERS
344	1004.811	FLAT GAIN PLATE, 10-12" ARM DEPTH, 15/16" HOLE SIZE..P/N: 1004.811..MFG: HUGHES BROTHERS..SCHEDULE B: # 7308909090 OTHER SI
345	1004.89	1004 FLAT GAIN PLATE ARM DEPTH 3/4", HOLE SIZE 15/16", SHOULD FIT THE 3400.4EJ-100..P/N: 1004.89..MFG: HUGHES BROTHERS..SCHE
346	1004045	TAC STRIP 1 IN X 295 FT BC BROKEN CASE DRY FABRIC REPLACEMENT TAPE..P/N: 1004045..MFG: AIRTECH..SCHEDULE B:# 4811.90.9000
347	1004046	TAC STRIP 2 IN X 295FT BC BROKEN CASE DRY FABRIC REPLACEMENT TAPE..P/N: 1004046..MFG: AIRTECH..SCHEDULE B:# 4811.90.9000
348	1004160	OMEGA FLOW LINES OF625V .625IN ID X 100 FT TRANSLUCENT VINYL RESIN FLOW LINES ..P/N: 1004160..MFG: AIRTECH
349	1005234	RESINFLOW 90 HT 40 IN X 500 FT CLEAR RESIN DISTRIBUTION MEDIUM FOR ELEVATED TEMPERATURES..P/N: 1005234..MFG: AIRTECH..
350	1005308	REPAIR KIT PUMP, ..U/O: SODIUM SILICATE FEED PUMP, MOD: S3CA 120270 PVT, INCL: 1 DIAPHRAGM 01 SUCTION VALVE 01 PURGE VAL
351	100608	ANTENNA PATCH GPS AAT..P/N: 100608..MFG: MODULAR
352	1006169	POLYETHYLENE TUBING 1/2 IN OD X 3/8 IN IN X 1/16 IN WALL X 100 FT COIL NATURAL RESIN INFUSION TUBING..P/N: 1006169..MFG: AIRTE
353	100918	GEN 100918 FLOW SWITCH..P/N: 100918..MFG:CAM SPRAY...SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR PRESSURE WASHER.
354	100A20-1	PIERCING TOOL FOR CENTER PIN HOLES..P/N: 100A20-1..MFG: ALLPAX
355	100A21-1	HEX KEY..P/N: 100A21-1..MFG: ALLPAX
356	100C09KL10	Contactor, IEC, 9 Amp, 200-230VAC 50/60Hz ..p/n: 100C09KL10..MFG: Allen Bradley..SCHEDULE B: # 8538.90.7080 OTHER CONTACTOR
357	100H132	KNURLED NUTS FOR PIVOT POST..P/N: 100H132..MFG: ALLPAX
358	100H132A	KNURLED NUTS FOR EXTENSION BARS..P/N: 100H132A..MFG: ALLPAX
359	100H15-1	CUTTER HEAD SCREWS PACKAGE OF TWO..P/N: 100H15-1..MFG: ALLPAX
360	100H45K	GASKET CUTTER BLADES REGULAR, PACK OF 6..P/N: 100H45K..MFG: ALLPAX
361	100H47	PIVOT POST..P/N: 100H47..MFG: ALLPAX
362	100H47A	PIVOT POST FOR EXTENSION BARS..P/N: 100H47A..MFG: ALLPAX
363	100H48	CUTTING KNOB FOR USE WITH 100H47B..P/N: 100H48..MFG: ALLPAX
364	100K018	CUTTING BOARD COMPLETE 18"..P/N: 100K018..MFG: ALLPAX
365	100K27	27 PIECES HOLLOW PUNCH -GASKET CUTTER TOOL KIT..P/N: 100K27..MFG: ALLPAX..SCHEDULE B: # 3926904500 OTHER GASKETS
366	100K61	GASKET CUTTER KIT NRO 5..P/N: 100K61..MFG: ALLPAX
367	100KM1550	GASKET CUTTER KIT NRO 5..P/N: 100KM1550..MFG: ALLPAX
368	100P03	1/2" SHORT CENTER PIN..P/N: 100P03..MFG: ALLPAX

	Item	Description
369	100T-CB01	CONTACT,BLOCK (V)-600;(I)-10 A;(CLR)- RED; (N0.-CONTACT-NORMAL-CLOSE)-1..P/N:100T-CB01..MFG: JOSLYN..SCHEDULE B: # 8536.41.0
370	100T-CB10	CONTACT,BLOCK (V)-600 V;(I)-10 A; (CLR)-GREEN ;(N0 CONTACT-NORMAL-OPEN)-1..P/N: 100T-CB10..MFG:JOSLYN..SCHEDULE B: # 8536.4
371	101.1142	HYPREZ DIAMOND COMPOUND 3 (L)STD-MA; GRAM SYRINGES..P/N: 101.1142..MFG:HYPREZ..SCHEDULE B:# 3405.90.0000 OTHER POLISH
372	101.1202	HYPREZ DIAMOND COMPOUND 6(L) STD-MA..PART NUMBER: 101.1202..GRAM SYRINGES..P/N: 101.1202..MFG:HYPREZ..SCHEDULE B:# 340
373	101.1262	HYPREZ DIAMOND COMPOUND 9(L) STD-MA..GRAM SYRINGES..P/N:101.1262..MFG:HYPREZ..SCHEDULE B:# 3405.90.0000 OTHER POLISH
374	101.1322	HYPREZ* DIAMOND COMPOUND..15(L)STD-MA 5 GRAM SYRINGE..P/N:101.1322..MFG: HYPREZ
375	101.1382	HYPREZ DIAMOND COMPOUND30(L) STD-MA..PART NUMBER: 101.1382..GRAM SYRINGES..P/N:101.1382..MFG: HYPREZ..SCHEDULE B:# 34
376	101179	COMPACT SPIRAL CLEAN FILTER..MODULAR 300 SPIRAL CLEAN FILTER ..MODEL 3CA ; 130 MICRON SCREEN ..COMPACT 3" MNPT INLE
377	10118	ROYAL PURPLE FDA 22 BARRIER FLUID, 5 GAIL PAIL, GRAVITY 0.799, VAPOR PRESSURE MMHG 100f 0.0001..P/N: 10118..MFG: ROYAL PUR
378	10150324BS40D	DRIVE SHAFT MOUNTED ROTOR..P/N:10150324BS40D (R/B:7000868644)..MFG:EDWARDS MANUFACTURING INC.
379	10150324BS40I	IDLER SHAFT MOUNTED ROTOR..P/N:10150324BS40I(R/B:7000869644)..MFG: EDWARDS MANUFACTURING INC
380	101613	MOTOR OIL FILTER..P/N: 101613 (OFFER P/N: 700)..MFG: LUBER FINER..SCHEDULE B: #8421230000 OIL OR FUEL FILTER FOR INTERNAL C
381	10182612	CONDENSATOR, MATERIAL CODE 781156..P/N: 10182612..MFG: TEREX
382	101911	BUSHNELL VELOCITY SPEED GUN..P/N: 101911..MFG: BUSHNELL..COUNTRY OF ORIGIN: USA
383	102-10-1200	PREFILTER ELEMENT, H11S..P/N: 102-10-1200..MFG: IQAIR..SCHEDULE B: # 8421310000 OTHER AIR FILTERS..ORIGIN: SWITZERLAND
384	102-40-1800	FILTER CARTRIDGE..SPEC: GAS PHASE, 260IA/4..PKG: SET PER 4 EA..P/N: 102-40-1800..MFG: IQ AIR
385	102-700-030	FILTER AIR PANEL..LG: 25", W: 20", THK: 4"..SPEC: SWP-040..25 X 25 X 4 ..OFFER P/N: 102-700-030 STD PLEATE..MFG: KOCH
386	102 14 11 00	FILTER ELEMENT HEPA (HIGH EFFICIENCY PARTICULATE AIR) ; PREFILTER; TYPE H11 L ..P/N:102 14 11 00..MFG: IQAIR..SCHEDULE B: #
387	102 912	RUBBER SEAL 120X3X20 MM // USED FOR D-R290..P/N: 102 912..MFG: DURAG..SCHEDULE B: # 4016930000 GASKET, WASHER AND OTHEF
388	1020B	1020B VARIABLE TRANSFORMER ..VT, 1PH, 240V, 3.5 A, MANUAL, OPEN..SINGLE OR THREE PHASE: SINGLE PHASE..INPUT VOLTAGE
389	1020U	CHOCKFAST ORANGE 6.80KG..INCLUDE: ..CHOCKFAST ORANGE HARDENER X 0.45KG..CHOCKFAST ORANGE RESIN X 6.36 KG..MFG: ITW
390	102141100	PREFILTER MICRO AND NANO PARTICLE FILTRATION (HEPA)..P/N: 102141100..MFG: IQ AIR..SCHEDULE B: # 8421310000 OTHER AIR FILTE
391	102190	PNEUMATIC CYLINDER SWITCH TYPE, 10...30 VDC, 200mA, W/ CABLE 3 M..P/N: 102190..MFG: ELOBAU..SCHEDULE B: # 8514.90.8000 ELEC
392	102190PGA	PNEUMATIC CYLINDER SWITCH, 10...30 VDC, 200mA..P/N: 102190PGA..MFG: ELOBAU..SCHEDULE B: # 8514.90.8000 ELECTRIC SWITH FOF
393	10220	PLASTIC STEEL LIQUID B (TYPE)-B;(PKG)-4 LBS..P/N:10220..MFG:DEVCON..SCHEDULE B:#3214.10.0090 OTHER PAINTERS FILLINGS
394	1023781CHP001B	BARE PUMP DUPLICATED 1K3 X 1.5-82 RV,INCLUDING MECHANICAL SEAL TYPE ISC..1105LN-4133-521-017, 1K3X1.5X82RV/6.87, MK3 STD, I
395	1023781CHP004A	BARE PUMP DUPLICATED 1K1.5X1LF-82,INCLUDING MECHANICAL SEAL TYPE ISC..1105LN-4133-521-018, 1K1.51LF-82OP/7.69, MK3 LO-FLO
396	102421800	GCX CARTRIDGES, FOUR FILTER CARTRIDGES, SPECIALIZED BASED MOLECULAR CONTROL..P/N: 102421800..MFG: IQ AIR..SCHEDULE E
397	1025055000	POST FILTER SLEEVE, MICRO-CHARGED FILTRATION, SET OF 4..P/N: 102505000..MFG: IQ AIR..SCHEDULE B: # 8421310000 OTHER AIR FIL
398	10250T-3043	SWITCH SELECTOR..V: 600V, NO POS: 3, NO: 3, NC: 2,..REF: OILTIGHT..P/N: 10250T-3043..MFG: CUTLER HAMMER
399	10250TN1	ENCLOSURE, PUSH BUTTON..(SPEC)-1 HOLE WITH 30MM DIAMETER..(DIM)-4"X3.88"X2.25";(MAT)-DIE CAST..(TYP)-NEMA 4, 4X, 12,13..P/N:
400	10250TN13	PUSH BUTTON ENCLOSURE, DIE-CAST MATERIAL, 3.88", 7.75", 3", UL, CSA APPROVAL, SURFACE MOUNTING, NAME 4/4X12X13 ENCLOSU
401	10262CU	AIR PRESSURE REGULATOR..P/N: 10262CU..MFG: FAIRCHILD..SCHEDULE B: # 9032.90.0000 PARTS FOR AUTOMATIC OR CONTROLLING I
402	10273991	8"F20-21 HPU FILTER 10273991(00019-A-0005) ; FILTER HYDRAULIC OIL 8" 3 MICRON ; FILTER HYDRAULIC OIL FOR C..F20, F21, F22 (HYDR

	Item	Description
403	102769	MOUNTING CABLE TIE..REF: NO. 10 MOUNT HOLE..P/N: 102769..MFG: MODULAR MINING SYSTEMS..SCHEDULE B: 8536908085 OTHER CO
404	1027ST	INSULATOR ASSEMBLY..PIN TYPE 11 KV..P/N: 1027 ST..MFG: PPC INSULATOR..SCHEDULE B: #8546200060 - OTHER INSULATOR
405	1028-1102	COUPLING HALF QUICK DISCONNECT SOCKET..P/N: 1028-1102..MFG: METSO
406	102974	CARRY BAG SMALL; NYLON FOR SOLINST 101 P7 WATER LEVEL METER..9 3/4 x 8 1/2 x 12 H..P/N: 102974..MFG:SOLINST..SCHEDULE B:# 3
407	103-401	FRONT BRACE..P/N: 103-401..MFG: BARD YORK..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
408	1030001	ENCODER, ABSOLUTE, V: 10-32 VDC, RESOLUTION: 4096/4096, MODE: ATM60-A412X12, TYPE OUTPUT: SSI AND RS 422 (CODE) GRAY/BIN
409	1030672	TURNBUCKLE, SPEC: EYE AND HOOK GALVANIZED 3/8 X 6", MAT: GALVANIZED STEEL..P/N: 1030672..MFG: CROSBY..SCHEDULE B: # 7318
410	103093	CONDUIT, DIA: 1-1/2" NPT, LG: 10FT, TYPE: RIGID, MAT: STEEL, FINISH: HOT DIPPED GALVANIZED, WITH THREAD AND COUPLING..P/N: 1(
411	1030T10	COVER ONLY T10 ST-FLEX COUPLING SIDE-1030..P/N: 1030T10..MFG: FALK
412	10310B	3 STE[LITTLE GIANT SAFETY STEP LADDER JUMBO..P/N: 10310B..MFG: LITTLE GIANT..SCHEDULE B: #761699 ALUMINUM LADDER
413	103196	QUICK-CHANGE TOOL HOLDER WC..• ONLY A FEW SECONDS TO CHANGE TOOLS..• RUGGED-VIRTUALLY NO CHATTER OR VIBRATION..
414	1032634	JAW & JAW TURNBUCKLE, 5/8 X 9" TYPE HG-228..MFG: CROSBY..SCHEDULE B: # 7318190000 OTHER HOOKS OF STEEL
415	1032796	JAW & JAW TURNBUCKLE, 1" X6" TYPE HG-228..MFG: CROSBY..SCHEDULE B: # 7318190000 OTHER HOOKS OF STEEL
416	1032888	PUSH BUTTON, BLACK HDW 2 POINT..P/N: 1032888..MFG: WESTINGHOUSE..
417	1034	LAMP, MINIATURE ..(NO.-LAMP TRADE)-1034;(V)-14V (POW)-8.26W..Numero de Parte : 1034 ..Marca/fabricante : PHILIPS ..SCHEDULE B: #8
418	104-310-01	WINDING TEMP THERMOMETER WITH 2 SET ..P/N: 104-310-01..MFG: QUALITROL
419	104-329-01	LIQUID TEMP THERMOMETER WITH ALARM & TRIP..P/N: 104-329-01..MFG: QUALITROL
420	1042	1042 END FITTING FOR 15-6X BRACE (1042-15-6, 3-3/8 X 5-3/8 WOOD SECTION) INCLUDE 1 FITTING, 1 WASHER PLATE AND 4 BOLT TO M(
421	1042-12-6-CPT	1042 X-BRACE, POLE SPACER CENTER TO CENTER 12'-6", WOODEN SECTION..3 3/8" X 4 3/8", INCLUDES ALL MOUNTING HARDWARE IN(
422	1042-15-6 CPT	SET 1042 X- BRACE 3 3/8" X 5 3/8" X 15' 16" WITH END FITTING 1042-15-16 FOR 15'16" POLE SPECIAL..P/N: 1042-15-6 CPT..MFG: HUGHES BI
423	1042-6-6-CPT	1042 X-BRACE, POLE SPACER CENTER TO CENTER 6'-6", WOODEN SECTION..3 3/8" X 4 3/8", INCLUDES ALL MOUNTING HARDWARE INC
424	1042226	CYLINDER,HYDRAULIC..P/N:1042226..MFG:TENNANT
425	10435R-70	PIN TYPE INSULTOR, PORCELAIN..MFG: LAPP..P/N 10435R-70..SCHEDULE B: #8546200060 - OTHER INSULATOR
426	1045	MEGOHMETER, TYPE: ANALOGUE/DIGITAL, V-TEST: 250V: 50K-2000 MOHMIOS, 500V: 100K-2000MOHMIOS 1000V: 200K-2000MOHMIOS, AC
427	1045869	
428	1045913	
429	1045Z672	REPAIR KIT..U/O: HYDRAULIC BRAKE..P/N: 1045Z672..MFR: TEREX..SCHEDULE B: # 8607295000 OTHER PARTS FOR BREAKS
430	10461133	MOTOR ASSEMBLY..STARTER, INCLUDE CORE..P/N: 10461133..MFG: DELCOREMY
431	1047402	DISTANCE SENSOR DS50-P1112..P/N: 1047402..MFG: SICK
432	105	1/32" ROUND ENGRAVING CUTTER..2 / CASE. DREMEL 105-1/32"..P/N: 105..DREMEL..SCHEDULE B: # 8207.19.5030 OTHER PARTS FOR TO(
433	105-235	ADSON FCP SERRATED 4 3/4..P/N: 105-235
434	105-405	TISSUE SCISSOR REG CURVED 4 1/4..P/N: 105-405..
435	105-716-2AS	BUCK CURETTER AND SHARP # 2 6 1/2..P/N: 105-716-2AS
436	105-716-3SS	BUCK CURETTES STR SHARP #3 6 1/2"..P/N: 105-716-3SS

	Item	Description
437	105-870	BACK BRACE..P/N: 105-870..MFG: BARD YORK..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
438	105-985-4	KEYES PUNCH 4 MM..P/N: KP-4
439	1050211	HEAVY WEIGHT FIBERS, AIR FILTER MEDIA, WASHABLE, RIGID SELF-SUPPORTING, MODEL PERMALAST, ROLL 1/2" X 50"X 30'..P/N: 10502
440	1050211-1"	HEAVY WEIGHT FIBERS, AIR FILTER MEDIA, WASHABLE, RIGID SELF-SUPPORTING, MODEL PERMALAST, ROLL 1" X 50"X 30'..P/N: 105021
441	1050221	HEAVY WEIGHT FIBERS, AIR FILTER MEDIA, WASHABLE, RIGID SELF-SUPPORTING, MODEL PERMALAST, ROLL 2" X 5" X 30'..P/N: 1050221
442	1050870	SEAL KIT,CARTRIDGE..P/N:1050870..MFG:TENNANT..
443	1050QC3	PILOT LIGHT, VAC: 125 V, CLR: ORANGE, ..P/N: 1050QC3..MFG: CHICAGO PNEUMATIC
444	1050T10	COVER ONLY T10 ST-FLEX COUPLING SIDE-1050..P/N: 1050T10..MFG: FALK
445	105174-001	FULL FRONT PANEL CONTROLLER W/ COLOR TFT DISPLAY..P/N: 105174-001..MFG: EVENTIDE
446	105186	HRL SERIES, HRL 12280W 12V 280W..VALVE REGULATED LEAD ACID BATTERY, 12 V (6 CELL PER UNIT), MAX. DISCHARGE CURRENT: 8
447	105189-001	VR615 ONE 9.4GB DVD DRIVE W/ DUAL 250GB (41,200 HR) RAID 1 INTERNAL HARD DISK DIGITAL VOICE LOGGING RECORDER/REPRODU
448	105284-008	8 CHANNEL ANALOG RADIO & TELEPHONE RECORD CARD..P/N: 105284-008..MFG: EVENTIDE
449	1056657	DECAL OUTRIGGER, CODE 70145383..P/N: 1056657..MFG: TEREX
450	1058058	VALVE, STEM, HYDRAULIC..P/N:1058058..MFG:TENNANT
451	1058065	VALVE,RELIEF,CARTRIDGE..P/N: 1058065..MFG:TENNANT
452	1058070	VALVE CHECK,CARTRIDGE..P/N:1058070..MFG:TENNANT..
453	105FX-ST	UNMANAGED PLUG AND PLAY OPERATION..5 PORT INDUSTRIAL ETHERNET SWITCH..FOUR 10/100BASETX RJ-45 PORTS..ONE 100BASE
454	105FX-ST-POE-MDR	ETHERNET SWITCHES, SERIES N-TRON 100-POE, NETWORK CONFIGURATION:..UNMANAGED, TOTAL NUMBER OF PORTS:..5, PRIMARY
455	105X850	LEFT SIDE SUPPORT..P/N: 105X850..MFG: BARD YORK
456	1060684	CABLE SEQUENCE OPTIONS..P/N: 1060684..MFG: GRADALL..SCHEDULE B: # 8431310040 PARTS FOR ESCALATOR OF MINERAL MACHINE
457	1060687	CABLE ELECTRICAL 16/5 41 EL ..P/N: 1060687..MFG: GRADALL..SCHEDULE B: # 8431310040 PARTS FOR ESCALATOR OF MINERAL MACHI
458	1060T10	COVER ONLY T10 ST-FLEX COUPLING SIDE-1060..P/N: 1060T10..MFG: FALK
459	106190	PUMP BOOSTER, TYPE: 1", HP: 1/12, V: 115V, FREQ: 60 HZ, MOD: 100BI..P/N: 106190..MFG: BELL & GOSSETT..SCHEDULE B: # 8413.81.0040 F
460	1062S3AAT2000	SWITCH TOGLLE VAC: 600V,..I: 300A, ..P/N: 1062S3AAT2000..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536509065 OTHER ELECTRONIC
461	106864	WIRE BARE COPPER, NO. CONDUCTORS: 1, AWG: 2, MAT: SOFT DRAWN COPER, NO. STRANDS: 7..P/N: 106864..MFG: SOUTHWIRE COMI
462	107-1	PULLEY..P/N: 107-1..MFG: LEECE NEVILLE..SCHEDULE B: # 8431100090 OTHER PARTS FOR MACHINERY
463	107 247	FILTER CARTRIDGE L300X105/68MM..D-R 290 FILTER CARTRIDGE..P/N: 107 247..MFG: DURAG..SCHEDULE B 8421.99.0040 PARTS FOR MA
464	1070308	DIAPHRAGM VALVE..MODEL: K534-X200-14000..BODY SIZE:1.5" ; VALVE OPTIONS:NORMALLY OPEN ..DIAPHRAGM / SEAL: BUNA-N /EP..DF
465	1070T10	COVER ONLY T10 ST-FLEX COUPLING SIDE-1070..P/N: 1070T10..MFG: FALK
466	1073	LAMP MINIATURE, GE 26838..LT: 1073, V: 12V, POW: 21W,..P/N: 1073..MFG: GENERIC..SCHEDULE B: # 8539228050 OTHER LAMPS
467	10730	VALVE ASSEMBLY DRIP CHECK D1..SCI-DRIP CHECK VALVE. SIZE 3/4" MODEL D-1..P/N: 10730..MFG: VIKING ..SCHEDULE B: # 8481.80.109
468	10765	LAMP INCANDESCENT, V: 75V, POW: 30W, SPEC: D.C. BAY..P/N: 10765 (30S11DC75V)..MFG: GEC OSRAM/ SYLVANIA..SCHEDULE B: # 8539
469	1078B	CHECK TOOL, ROOM ROUND BRASS 100 PER BOX, 1" X 3/16" HOLE..P/N: 1078B..MFG: HANSON (MFG P/N: 1F032)..SCHEDULE B : # 7419.99
470	108 303	LED LIGHT SOURCE FOR D-R 290;WIDE BAND DIODE ASSEMBLY. ..SAME AS D-R 290 SP M LED..P/N: 108 303..MFG: DURAG..SCHEDULE B:

	Item	Description
471	1080	VENT ASSEMBLY, MULTI-PURPOSE VENTILATOR, EXHAUST CEILING 10"..P/N: 1080..MFG: MARLEY ENGINEERED PRODUCTS
472	1080T10	COVER ONLY T10 ST-FLEX COUPLING SIDE-1080..P/N: 1080T10..MFG: FALK
473	108111	RACK MOUNT SLIDE KIT 4 POST STANDARD..P/N: 108111..MFG: EVENTIDE INC.
474	1084-4XSCHC	ENCLOSURE, MAT: STAINLESS STEEL, SIZE: 10" X 8" X 4"..P/N: 1084-4XSCHC..MFG: COPPER BUSSMANN..SCHEDULE B: # 3923100000 OTH
475	108702	BUFFER SOLUTION BASIC..TEP 7, PH: 7.9, 1 LT..P/N: TEP7 (1087020)..MFG: WTW
476	1089036251	PUSH BUTTON, CODE 70143711..P/N: 1089036251 (2230520150)..MFG: ATLAS COPCO..SCHEDULE B: # 8414.90.9000 OTHER PARTS
477	1089933713	CONTACT BLOCK, CODE 70143605..P/N: 1089933713 (1089948292)..MFG: ATLAS COPCO..SCHEDULE B: # 8414.90.9000 OTHER PARTS
478	1089955621	FILTER AIR..P/N:1089955621..MFG:ATLAS COPCO
479	109033-003	QUICK INSTALL KIT..P/N: 109033-003..MFG: EVENTIDE INC.
480	1090T10	COVER ONLY T10 ST-FLEX COUPLING SIDE-1090..P/N: 1090T10..MFG: FALK
481	1097A	TRAY CABLE, 6000V, 4 TRIADS, 16 AWG, 7X24 STRANDING, CONDUCTOR MAT: BC-BARE COPPER, INNER SHIELD MATERIAL: ALUMINUM
482	1098A	INSTRUMENTAION CABLE, 600 V, UL TYPE TC, 90C, 8 TRIADS,16 AWG, INDIVIDUAL AND OVERALL SHIELD, TFN INSULATION, PVC JACKE
483	10A-3CA160B100	PNEUMATIC CYLINDER..P/N:10A-3CA160B100..MFG TAIYO..SCHEDULE B: # 8412.31.0080 OTHER PNEUMATIC LINEAR CYLINDER
484	10A-3CA50B100	PNEUMATIC CYLINDER..P/N:10A-3CA50B100..MFG TAIYO..SCHEDULE B: # 8412.31.0080 OTHER PNEUMATIC LINEAR CYLINDER
485	10A-3CA63B250	PNEUMATIC CYLINDER..P/N:10A-3CA63B250..MFG TAIYO..SCHEDULE B: # 8412.31.0080 OTHER PNEUMATIC LINEAR CYLINDER
486	10A-3CA63B50	PNEUMATIC CYLINDER..P/N:10A-3CA63B50..MFG TAIYO..SCHEDULE B: # 8412.31.0080 OTHER PNEUMATIC LINEAR CYLINDER
487	10A-3CA80B250	PNEUMATIC CYLINDER..P/N:10A-3CA80B250..MFG TAIYO..SCHEDULE B: # 8412.31.0080 OTHER PNEUMATIC LINEAR CYLINDER
488	10A-3FA100B250	PNEUMATIC CYLINDER..P/N:10A-3FA100B250..MFG TAIYO..SCHEDULE B: # 8412.31.0080 OTHER PNEUMATIC LINEAR CYLINDER
489	10A-3FA40B190	PNEUMATIC CYLINDER..P/N:10A-3FA40B190..MFG TAIYO
490	10A-3FA50B200	PNEUMATIC CYLINDER..P/N:10A-3FA50B200..MFG TAIYO..SCHEDULE B: # 8412.31.0080 OTHER PNEUMATIC LINEAR CYLINDER
491	10A-3FA80B50	PNEUMATIC CYLINDER..P/N:10A-3FA80B50..MFG TAIYO..SCHEDULE B: # 8412.31.0080 OTHER PNEUMATIC LINEAR CYLINDER
492	10A-3LB100B780	PNEUMATIC CYLINDER..P/N:10A-3LB100B780..MFG TAIYO..SCHEDULE B: # 8412.31.0080 OTHER PNEUMATIC LINEAR CYLINDER
493	10A-3LB125B32	PNEUMATIC CYLINDER..P/N:10A-3LB125B32..MFG TAIYO..SCHEDULE B: # 8412.31.0080 OTHER PNEUMATIC LINEAR CYLINDER
494	10A-3LB125B52	PNEUMATIC CYLINDER..P/N:10A-3LB125B52..MFG TAIYO..SCHEDULE B: # 8412.31.0080 OTHER PNEUMATIC LINEAR CYLINDER
495	10A-3LB50B1450	PNEUMATIC CYLINDER..P/N: 10A-3LB50B1450..MFG TAIYO
496	10A-3LB80B32	PNEUMATIC CYLINDER..P/N:10A-3LB80B32..MFG TAIYO..SCHEDULE B: # 8412.31.0080 OTHER PNEUMATIC LINEAR CYLINDER
497	10A-3LB80B52	PNEUMATIC CYLINDER..P/N:10A-3LB80B52..MFG TAIYO..SCHEDULE B: # 8412.31.0080 OTHER PNEUMATIC LINEAR CYLINDER
498	10A3803X062	O RING NITRILE DS52-4..P/N: 10A3803X062..MFG: ROSEMOUNT FISHER
499	10A8931X012	O-RING NITRILE DS52-2..P/N: 10A8931X012..MFG: ROSEMOUNT FISHER
500	10AWG 4/C 600V	CORD, FLEXIBLE AND PORTABLE..(TYPE)-SO/SOW-A; (AWG)-10 (NO.CONDUCTORS)-4;(VAC)-600V..(TEMP)- (-40/90 C) PKG: 500 FT ..P/N: 1(
501	10B4366X012	O-RING NITRILE DS52-2..P/N: 10B4366X012..MFG: ROSEMOUNT FISHER
502	10E-WGS-WRR-UM	PURGE & PRESSURIZATION..P/N: 10E-WGS-WRR-UM..MFG: PEPPERL+FUCHS..
503	10E-WGS-WVT-UM	PURGE & PRESSURIZATION..P/N: 10E-WGS-WVT-UM..MFG: PEPPERL+FUCHS
504	10P6'6"SNSP	SPECIAL RATCHET ASSEMBLY WITH TWISTED SNAP HOOK 10000 LBS BREAK STRENGHT..P/N: 10P6'6"SNSP..MFG: SAFEWAY SLING..SC

	Item	Description
505	10S6/10	LAMP INCANDESCENT ..V: 230V, POW: 10..P/N: 10S6/10..MFG: PHILIPS..SCHEDULE B: 8539294000 OTHER LAMPS EXCEEDING 100 V
506	11-11110-00	SWITCH LIMIT..TYPE: SQUARE LEVERLESS LIMIT SWITCH, VRAN: 120 VAC-24VDC, VMAX: 480VAC-240VDC, I: 3.10A, SER: 10..P/N: 11-1111(
507	11-11210-00	PROXIMITY LIMIT SWITCH. MODEL 11. CSA Class I Div 2 Extended Sensing..P/N:11-12110-00..MFG: GO SWITCH..SCHEDULE B: # 8536509065 (
508	11-113	MARKER WIRE, FREQ: 60 HZ, VAC: 120, POWER: 9W, CARBIDE POINT..P/N: 11-113..MFG: IDEAL
509	11-11528-00	SWITCH LIMIT..TYPE: SQUARE LEVERLESS LIMIT SWITCH, V-RAN: 120 VAC- 240 VDC, VMAX: 480 VAC-240 VDC, I: 3-10A, SER: 10..P/N: 11-1
510	11-12110-00	SWITCH LIMIT..TYPE: SQUARE LEVERLESS LIMIT SWITCH, V-RAN: 120 VAC- 24 VDC, VMAX: 480 VAC-240 VDC, I: 3-10A, ..P/N: 11-12110-00..
511	11-32524-A4	SWITCH LIMIT..TYPE: SQUARE LEVERLESS LIMIT SWITCH, VRAN: 120 VAC-24 VDC, VMAX: 480-240VD, I: 3-10A, SER: 10..P/N: 11-32524-A4..I
512	11-751213	CARBON BRUSH ELECTRICAL CONTACT..GRADE H357, SIZE .75 X 1.25 X 2..P/N: 11-751213..MFG: HELWIG CARBON..SCHEDULE B: # 8545.2
513	11.02.9018	USB CABLE 1.8 METERS, FOR CONNECTING DOCKING STATION TO USB ON PC..P/N: 11.02.9018..MFG: ROTRONIC
514	110-202	RELAY/METER CLASS CURRENT TRANSFORMER 2000:5 A..P/N: 110-202..MFG: FLEX-CORE..SCHEDULE B: # 9028.30.0000 ELECTRICITY ME
515	1100T10	COVER ONLY T10 ST-FLEX COUPLING SIDE-1100..P/N: 1100T10..MFG: FALK
516	110190	WATER LEVEL METER, P7/LM3/30M..MODEL 101 P7 SUBMERSIBLE PROBE UP TO 500 PSI LASER MARKED PVDF FLAT TAPE 30 M LONG W
517	110640	VALVE FOR INSTRUMENT ML1000..P/N: 110640..MFG: HAMILTON LABORATORIES..SCHEDULE B: 8481.40.0000 OTHER SAFETY VALVES..
518	11073-11	ROLL PIN..P/N: 11073-11 ..MFG:ANDERSEN..SCHEDULE B:# 8431.39.0090 OTHER ELEVATOR SPARE PARTS
519	111	ECOCELL..Model 111..Microprocessor Control..o Automatic ON/OFF timer function 0 – 99.59h..o 3-programs for varying loads and parameters..o RS 23
520	111-113	TIP ASSEMBLY, REF: SCREW DRV TYPE 4..P/N: 111-113..MFG: COPPER TOOLS..SCHEDULE B: # 8451900020 OTHER PARTS FOR WASHIN(
521	111000200	ETHYL ALCOHOL,200 PROOF,ABSOLUTE,ACS/USP/KOSHER GRADE(CASE OF 24X1-PINT POLY BOTTLES)..P/N:111000200 (111000200CSP
522	111183	BEARINGS FOR DYNAPAC LF90..P/N: 111183..MFG: DYNAPAC
523	1114DJ32CNAAA	Full-View 1110 Series - Size 8 Threaded - Variable..Area Flowmeter (127 / 250 MM, Ribbed Tube)..Model : 1114DJ32CNAAA..1114D Connection Inlet/O
524	1114DJ33CNAAA	FULL VIEW 1110 SERIES- SIZE 8 THREADED- VARIABLE AREA FLOWMETER (127/250 MM, RIBBED TUBE) ..MANUFACTURER: BROOKS..11
525	1115559	SWITCH ASSEMBLY, 24 V,..P/N: 1115559..MFG: DELCO..SCHEDULE B: # 8536410030 OTHER RELAYS
526	1115717	SWITCH ASSEMBLY; (V)-24V..P/N:1115717..MFG: DELCO REMY..SCHEDULE B #: 8536410030 OTHER ELECTRICAL APPARATUS FOR SWITC
527	11160-09	GREASE FITTING..P/N:11160-09 ..MFG:ANDERSEN..SCHEDULE B:# 8431.39.0090 OTHER ELEVATOR SPARE PARTS
528	1116A	HIGH TEMPERATURE THERMOCOUPLE EXTENSION CABLE, 1 PAIR, 16 AWG, SOLID: STRANDING, CONDUCTOR: CHROMEL & ALUMEL, IN
529	1117001	ORION 4-STAR BENCHTOP PH..CONDUCTIVITY METER KIT..3 YEAR WARRANTY..INCLUDES ELECTROCE, BUTTER SOLUTIONS, CONDU(
530	1117734	ALTERNATOR..VDC: 24 V, I: 60 A,..P/N: 1117734..MFG: DELCO REMY..SCHEDULE B: # 8501610000 ALTERNATOR
531	1118128	SWITCH ASSEMBLY, SPEC: AIR SHUTOFF 12 V..P/N: 1118128..MFG: DELCO
532	1119865	RELAY SELENOID, ENGINE STARTER, ELECTRIC..VDC: 12 V, REF: SWITCH..P/N: 1119865..MFG: DELCO..SCHEDULE B: # 8536410030 OTHE
533	1119866	RELAY SELENOID, ENGINE STARTER, ELECTRIC, VDC: 24V, REF: SWITCH..P/N: 1119866..MFG: DELCO..SCHEDULE B: # 8536410060 OTHEI
534	1123HBT.GN	FAN FOR VENTILATING..VAC: 115 V, POW: 20/18 W, LG: 120 MM, FREQ: 50/60 HZ, POWER CURRENT: 0.21/0.18 AMP, BEARING SYSTEM: BA
535	11255	Mufflers 100% Stainless Steel - Satin Finish, Body Shape: 4in.x9in. Oval..Inlet/Outlet Size: 2.25in./2.25in...Body Length: 18in...Overall Length: 24in...Core
536	113	1/16" NEEDLE ENGRAVING CUTTER..DREMEL 113-1/16"..P/N: 113..MFG: DREMEL..ORIGIN:GERMANY..SCHEDULE B: # 8207.19.5030 OTHER
537	113-214-100	2.5 MM FIBER OPTICS CLEANING SWABS,COTTON TIP SWAB (PK. OF 100)
538	1131XMF	LEAD ACID WET,FILLED WITH ACIDBATTERY P/N:1131XMF(OFFER:1231MF)..MFG: EAST PENN- DEKA..SCHEDULE B: # 8507.20.0090 OTHEI

	Item	Description
539	113222	VENT, ASSEMBLY (SIZE-CONNECTION) - 1/8" ; (MOD)-97 (H)- 3- 1/8"; (W)- 1-7/8";(TEMP-MAXIMUM)- 240F/116C; (PRE-MAXIMUM) -150 PSI /10
540	1132407-03	ENCODER 5-3V SS147R1 TYPE EQN-425 512 27S17-EO, ID-1132407-03 SN-55352825 WITH JUNCTION BOX ..MFG: HEIDENHAIN
541	1135303	Cable; ÖLFLEX® CLASSIC 110 CY; 3x1,5mm2; shielded; PVC; 300/500V..P/N: 1135303..MFG: LAPP KABEL
542	1135305	Cable; ÖLFLEX® CLASSIC 110 CY; 5x1,5mm2; apantallado; PVC..P/N: 1135305..MFG: LAPP KABEL
543	1135318	Lapp Oil Flex Classic 110 CY 18G1, 5 Somme PVC control cable copper shield numb..P/N: 1135318..MFG: LAPP KABEL
544	1135325	Oil Flex Classic 110 CY 25G1, 5 sqmm PVC control cable copper wire screen num..P/N: 1135325..MFG: LAPP KABEL
545	1138.6	STRAIN GUY INSULATOR..P/N: 1138.6..MFG: HUGHGES BROTHERS..SCHEDULE B: #8546200060 - OTHER INSULATOR
546	114940000	FILTER, OIL PETROLEUM..MODEL 400 2 PC 2 STG LF..LOCOMOTIVE EMD SD70..P/N: 114940000..MFG: CAMFIL FARR..SCHEDULE B:# 84212
547	1150-8-0-CPT	X-BR ASS'D & MTG HDW BRACE,X FOR 8"-0" CC POLE SPACING COMPLETE WITH AA MOUNTING HDW..MFG:HUGHES..P/N:1150-8-0-CPT..
548	1153-A-9-9	REVERSIBLE CROSS ARM BRACE 60" SPACING REVERSIBLE CROSS ARM BRACE 60" SPACING, 26" DROP..MFG: 1153-A-9-9..SCHEDULE E
549	1153-B-9-9	REVERSIBLE CROSS ARM BRACE 48" SPACING REVERSIBLE CROSS ARM BRACE 48" SPACING, 19" DROP..P/N: 1153-B-9-9..MFG: HUGHES
550	1156	LAMP MINIATURE, LT: 1156, V: 12V, POW: 10W,..P/N; 1156..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8539292500 OTHER LAMPS LESS TH
551	1157	LAMP MINIATURE..LT#: 1157, V: 12.8V, POW: 27 W..P/N: 1157..MFG: EIKO
552	115702	GAUGE ACEITE DEG TG3 P/N 115702..MODEL # 882CU..12V NEG GND..Made in the USA 08-33..p/n: 115702..MFG: MAXIMA TECHNOLOGIES..S
553	1157NA	LAMP MINIATURE, V: 12.8V, POW: 27W..P/N: 1157NA..MFG: IMPORT BRAND..SCHEDULE B: # 8539228050 OTHER LAMPS
554	115A-106-AS-0	MOTOR HYDRAULIC..INCL: MOUNTING FLANGE, SAE A, 2-BOLT SHAFT 1.25", 14T SPLINE, PORTS 7.8" 14 ORING..P/N: 115A-106-AS-0..MFG
555	115A161400158	FUSE CAPACITOR STYLE, 4.3/2.5KV, 50 AMP..P/N: 115A161400158..MFG: GENERAL ELECTRIC
556	115A161400658	FUSE CAPACITOR STYLE, 4.3/2.5KV, 50 AMP,..P/N: 115A161400658 GENERAL (R/B: A550C50-75)..MFG: FERRAZ SHAWMUT..FUSE CAPACIT
557	115ADC56/24	24 V COMPRESSOR ..P/N:115ADC56/24..MFG: KAB SEATINGS
558	11601	SOLENOID VALVE,24VDC,NC..P/N: 11601..MFG: VIKING..SCHEDULE B: # 8481.80.1095 OTHER VALVES
559	116111-00	MOTOR ONLY FOR VOLUMETRIC FLOW CONTROLLED (VFC) SYSTEMS, 220VOLTS..VACUUM MOTOR 240 VOLTS, 2-STAGE, FLO-THRU, B/
560	11648-173	STAINLESS STEEL 4" SPATULA, FOR USE CHEMICAL..P/N: 11648-173 (VWR 82027-506)..MFG: VWR INTERNATIONAL..SCHEDULE B:# 9010.9
561	117	LEAD HAMMER 5 LBS; HANDLE LENGTH 10" ; HEAD LENGTH 4" ; FACE DIA OF HEAD 1 5/8"..P/N:117..MFG:COOK HAMMER..SCHEDULE B: #
562	1176	LAMP MINIATURE..LT: 1176, V: 12v, POW: 26W..P/N: 1176..MFG: ADVENT ELECTRIC..SCHEDULE B: 8539228050 OTHER LAMPS
563	11764	LAMP INCANDESCENT..V: 130V, POW: 6W, SPEC: TUBULAR CLEAR, BASE: CANDELABRA..P/N: 11764..MFG: GENERAL ELECTRIC..SCHEDU
564	118-5C	GPT PRIMARY WIRE; GAUGE: 18 AWG ; GAUGE PRIMARY WIRE SAE J1128 GPT ;# CONDUCTORS:1;# THREAD:16; 600V; INSULATION COL(
565	11805	FAN BLADE FOR MODEL 8310-A, PART OF THE SPARE SET OF 1195A-000..P/N: 11805..MFG: NUTONE
566	1185636	SHAFT, SEALEXTRACTOR:CLASS/WHEEL,ITEM 4, TYPE: NA/ FRP RADIAL FUME EXHAUSTER, SIZE: 160, SHOP NUMBER F06932 105..P/N: 1
567	1185637	BERINGS,EXTRACTOR:CLASS/WHEEL,..ITEM 5,TYPE:NA/FRP RADIAL FUME EXHAUSTER. 1 PAIR REPLACEMENT BEARINGS,1-7/16",LINK-I
568	1185638	V-BELT, ITEM 6 ,EXTRACTOR:CLASS/WHEEL TYPE:NA/FRP RADIAL FUME EXHAUSTER,SIZE:160, SHOP NUMBER:F06932 105, 4L300 A9900
569	1185639	WHEEL/SHAFT ASSEMBLY , ITEM 2, CLOCKWISE ROTATION, EXTRACTOR: CLASS/WHEEL TYPE:NA/FRP RADIAL FUME EXHAUSTER, SIZE
570	11857-14	WASHER..P/N: 11857-14..MFG:ANDERSEN..SCHEDULE B:# 8431.39.0090 OTHER ELEVATOR SPARE PARTS
571	11857-20	BUSHING WASHER..P/N:11857-20..MFG: ANDERSEN..SCHEDULE B:# 8431.39.0090 OTHER ELEVATOR SPARE PARTS
572	118844	BEARING ASSEMBLY FOR SERIES 100 PUMPS..P/N: 118844 R/B: 118844LF..MFG: BELL & GOSSETT..SCHEDULE B #: 8482.80.0080 OTHER E

	Item	Description
573	11898-02	RETAINING RING..P/N: 11898-02 ..MFG:ANDERSEN..SCHEDULE B:# 8431.39.0090 OTHER ELEVATOR SPARE PARTS..
574	118CSS-2-140	HIGH FLOW SAFETY VALVE; 1/4" ASME UV NB 140 SET..SS BALL, HARD SEAT, HIGH CAPACITY, ..PULL RING, 25- 300 PSI (140 SET) - 1/4 IN
575	1195268	BATTERY FOR THERMACAM P65..P/N: 1195268..MFG: FLIR SYSTEMS..COUNTRY OF ORIGIN: SWEDEN..SCHEDULE B: # 8506500000 PRIMA
576	1195A	KIT MOTOR 1195A000 / 26750SER/ JA2C134N AND BLADE S11805000..REF: 8 X 1/4" FOR FAN MODEL: 8310-A..P/N: 1195A000-KIT ASSEMBL
577	11975	HIGH VOLTAGE DOUBLE-INSULATED RATCHETING CABLE CUTTERS 280 MM FLEXIBLE COPPER AND ALUMINUM CABLE ..P/N:11975..MF
578	1199MDE25AFFW71DC00	1199 REMOTE SEALS..M SEAL LOCATION LOW, WELDED CAPILLARY CONNETION..D FILL FLUID DC 200 10 CS..E CONNECTION 0.03 IN
579	11PFA	SOCKET ;RELAY ; 11 PIN / CONTACTS..P/N:11PFA..MFG:OMRON..SCHEDULE B: # 8536908085 OTHER SOCKET RELAYS
580	11TS15-2	SWITCH TOGGLE, I: 20A-10A, VAC: 125-277V, NO.POLES: 1, HP: 3/4..P/N: 11TS15-2..MFG: MICRO SWITCH..SCHEDULE B: # 8536.50.9065 OTI
581	12-01-160	AC INPUT CLIP, US..P/N: 12-01-160..MFG: TELEDYNE
582	12-01-169	24 VDC SWITCHING POWER SUPPLY..P/N: 12-01-169..MFG: TELEDYNE
583	12-12-6I	Power Stabilizer NewMar - Model: 12-12-6I - Manufactured: NewMar ..P/N: 12-12-6I..Mfg: Newmar..SCHEDULE B: # 8504406001 POWER SUPPLY DC
584	12-8 CORD	TWINE LINEN WAKED,..CLR: GREEN, DNO: 0.056", SPEC: LACING CORD, PKG: 900FT..P/N: 12-8 CORD..MFG: LUDLOW-C..SCHEDULE B: # 5
585	12-X27121-000-160	DETECT-A -FIRE'EXPLOSION PROOF;MODEL: 12-X27121-000; TEMPERATURE RATING 160F BLACK..P/N: 12-X27121-000-160 (UPDATED P/N
586	12 AWG 5/C 600 V (4A-1205)	CORD FLEXIBLE & PORTABLE..P/N: 12 AWG 5/C 600 V (4A-1205)..MFG: GENERAL CABLE..SCHEDULE B: #8544493040 - OTHER ELECTRIC
587	12/12XHHW-TC	AWG 12, 7 STRANDS, TYPE TC-XHHW-2 , PVC CONTROL CABLE, 600V, 12 CONDUCTORS..P/N: 12/12XHHW-TC..MFG: SOUTHWIRE
588	12/4XHHW-TC	AWG 12, 7 STRANDS, TYPE TC-XHHW-2 , PVC CONTROL CABLE, 600V, 4 CONDUCTORS..P/N: 12/4XHHW-TC..MFG: SOUTHWIRE
589	12/9XHHW-TC	AWG 12, 7 STRANDS, TYPE TC-XHHW-2 , PVC CONTROL CABLE, 600V, 9 CONDUCTORS..P/N: 12/9XHHW-TC..MFG: SOUTHWIRE
590	120-PSB5	LAMP INDICATOR TEL BASE 120.0 V..P/N: 120-PSB5..MFG: SILVANYA..SCHEDULE B: # 8539228050 OTHER LAMPS
591	1200-000-110	CASE PROTECTOR, MODEL: 1200,..DIA: EXTERIOR: 10-5/8"X9-11/16"X4-7/8", INTERIOR: 9-3/8" X 7-1/4" X 4-1/16", MAT COPOLYMER POLYPR
592	120059	CAPSCREW, 3/8C, MATERIAL CODE 785424..P/N: 120059..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
593	1201	PAINT INSULATING G1201 RED, AIR-DRY ENAMEL CAP: 1, GALLON US..P/N: 1201 ..MFG: GLYPTAL INC...SCHEDULE B: # 3208100000 PAIN
594	1202-C10	CABLE, COMMUNICATION MODULE;INTERFACE FOR DPI/SCANPORT, 1M, 3.3', MALE TO MALE..P/N:1202-C10..MFG:ALLEN BRADLEY..SCHE
595	1203.0005.0001	DIGITAL METER. FOR ELECTRICAL PARAMETERS; DIN 96X96 COMPACT LCD POWER METER;230 VAC; PORT RS485; MODBUS; 2DO NPN;
596	1203PGS	GAUGE /SWITCH (MAT)-316SS;(PORTS)-1/4"NPT;(DIAL SIZE)-2.5"; (CASE STYLE) - FLANGED;(SWITCH)-N.O.SPST;(RANGE)-0-30 PSID..P/N:
597	120408	HEATER 240 V, 1800W, PNC: 120408, ASSEMBLY STOCK CAT: KR3113C131, MODEL KR-4183B ..MFG: CHROMALOX
598	12050T5J63-3X	PUSH BUTTON 600VAC / 10 AMP- 250VDC/ 5 AMP..P/N: 12050T5J63-3X(OFFERING P/N: 10250T5J63-3X)..MFG: EATON..SCHEDULE B: # 8536
599	120545	LOCKNUT, 3/8-16, MATERIAL CODE 785423..P/N: 120545..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
600	1206Y0500104KXT	MULTILAYER CERAMIC CAPACITORS MLCC - SMD/SMT 1206 0.1UF 50VOLTS X7R 10%..P/N: 1206Y0500104KXT..MFG: SYFER..SCHEDULE B:
601	1209	BATTERY GENERAL PURPOSE..V: 6V, SHP: RECTANGULAR..NOR: 908D, TYPE: ZINC-MANGANESE..DIOXIDE..MFG: EVERDEADY-ENERG
602	1209-12	RF/ COAXIAL ADAPTER, CONNECTOR TYPE: INTRA SERIES COAXIAL, SERIES N, BODY STYLE: STRAIGHT BULKHEAD ADAPTER, JACK-JA
603	1209-13	RF/COAXIAL ADAPTER, CONNECTOR TYPE: INTRA SERIES COAXIAL, SERIAL: N, BODY STYLE: STRAIGHT BULKHEAD ADAPTER, JAC-JAC
604	1209-4	FLATWASHER .38, MATERIAL CODE 780008..P/N: 1209-4..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
605	120AA-00-OO	PRESSURE METER..DOUBLE RANGE: 0-25 PSID/ 0-1.75 BAR..MAX WP: 6000 PSI, BODY: ALUM, SEALS: BUNA-N, MAX TEMP: 200 F, INTERNA
606	120AA-03-00	DIFFERENTIAL PRESSURE GAUGE LAST CHANCE FILTER TG11 WITH ALUMINUM BODY AND STAINLESS STEEL INTERNALS, PISTON TY

	Item	Description
607	120MB	LAMP MINIATURE, NO. LAMP TRADE: 120MB. V: 120V, POW: 3W..P/N: 120MB..MFG: EIKO..SCHEDULE B:#8539228050 OTHER LAMPS
608	120MB-Neon	SIGNALING LAMP MINIATURE, 120V, BULB: T-3, BASE: BAYONET MINIATURE BA9s, CURRENT: 0.004 A..P/N: 120MB-Neon..MFG: EIKO..SCHE
609	1210-20	WASHER LOCK 0.38, MATERIAL CODE 780009..P/N: 1210-20 ..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
610	1212-48	RIVET, CODE 70145370..P/N: 1212-48..MFG: TEREX
611	1215281	NITROCELLULOSE MIXED ESTERS MEMBRANE;100/ PACK; 47 MM DISC;MODEL E04WP04700..NITROCELLULOSE (NC) MEMBRANE DISK W
612	1218	SWITCH TOGGLE..I: 10A, VAC: 125-250-480V, HP: 1/2-1/4..P/N: 1218 (P/N: 018188E)..MFG: MICRO-SWITCH - JACOBS..SCHEDULE B: # 853650
613	121X1341	CYLINDER ASSEMBLY WITH RING V228 ENGINE (DOES NOT INCLUDE FUEL INJECTOR)..P/N: 121X341..MFG: GENERAL ELECTRIC
614	121X182	BLOWER PARTITION..P/N: 121X182..MFG: BARD YORK..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
615	1222I	SWITCH TOGGLE, I: 20A, VAC: 125/T-250V, NO. POLES: 2, SINGLE CIRCUIT, SPEC: COMMUTADOR SWITCH IVORY..P/N: 1222I..MFG: HUBBI
616	122412	SUSPENSION CYLINDER, CODE 780358..P/N: 122412..MFG: TEREX..SCHEDULE B: # 8431.49.1010 OTHER PARTS..
617	12260-524	HAND SIGNAL CHART, CODE 70145362..P/N: 12260-524..MFG: TEREX
618	12260-75	DECAL HYDRAULIC..P/N: 12260-75..MFG: TEREX
619	12260-843	DECAL OPERATOR, CODE 70145352..P/N: 12260-843..MFG: TEREX
620	12260-970	DECAL PATENT, CODE 70145354..P/N: 12260-970..MFG: TEREX
621	123	LEAD HAMMER 11 LBS; HANDLE LENGTH 26";HEAD LENGTH 4 3/4"; FCA DIA OF HEAD 2"..P/N:123..MFG: COOK HAMMER..SCHEDULE B: # 8
622	123-2367	PRIMARY AIR FILTER, CODE 772300..P/N: 123-2367..MFG: CATERPILLAR..SCHEDULE B: # 8421.39.8090 OTHER AIR FILTERS
623	1231825500030	AUTO KLEAN MODEL EG FILTER SYSTEM, 5" FILTER..P/N: 1231825500030..MFR: CUNO INCORPORATED
624	1232029500030	AUTO KLEAN MODEL EG FILTER SYSTEM, 1" NPT, 8" FILTER..P/N: 1232029500030..MFR: CUNO INCORPORATED
625	12345-2	LENS FOR PYROMETER, ACHROMATIC; 600MM FL ;12.5MM DIA...P/N: 12345-2..MFG: MIKRON..SCHEDULE B:# 9027.50.9000 OTHER CHEMIC
627	1237-S	ELEMENT HEATER, SPEC: THREAD ON TIPS, POW: 33W, ..P/N: 1237-S..MFG: WELLER-COOPER..SCHEDULE B: # 8533290000 FIXED RESIS
628	123842	RH63M-4DK.7Q.1R..SINGLE INLET IMPELLER WITH BACKWARD CURVED BLADES...TYPE: RH63M-4DK.7Q.1R..3~230/400 V+-10% D/Y 50HZ 4
629	12400-1080	LUBRICANT CHART, CODE 70145376..P/N: 12400-1080..MFG: TEREX
630	12400-1501	DECAL, WARNING, CODE 70145374..P/N: 12400-1501..MFG: TEREX
631	12400-1503	DECAL SKIN INJECTION, CODE 70145357..P/N: 12400-1503..MFG: TEREX
632	12400-1504	DECAL, HOT FLUIDS, CODE 70145351..P/N: 12400-1504..MFG: TEREX
633	12400-1505	DECAL (NON RETURN), CODE 70145358..P/N: 12400-1505..MFG: TEREX
634	12400-1506	DECAL FAN WARNING, CODE 70145360..P/N: 12400-1506..MFG: TEREX
635	12400-1507	DECAL ENTANGLEMENT, CODE 70145365..P/N: 12400-1507..MFG: TEREX
636	12400-1508	DECAL, DIESEL FUEL, CODE 70145379..P/N: 12400-1508..MFG: TEREX
637	12400-1509	DECAL BURN HAZARDOUS, CODE 70145382..P/N: 12400-1509..MFG: TEREX
638	12400-1510	DECAL, AIR TANK, CODE 70145377..P/N: 12400-1510..MFG: TEREX
639	12400-1511	DECAL ALTERNATOR, CODE 70145375..P/N: 12400-1511..MFG: TEREX
640	12400-1512	DECAL ELECTRICAL, CODE 70145380..P/N: 12400-1512..MFG: TEREX

	Item	Description
641	12400-1514	DECAL O/R (CRUSH HAZARD), CODE 70145359..P/N: 12400-1514..MFG: TEREX
642	12400-1515	DECAL, JIB RETENTION, CODE 70145356..P/N: 12400-1515..MFG: TEREX
643	12400-17	DECAL NON-RETURN, CODE 70145371..P/N: 12400-17..MFG: TEREX
644	12400-2023	DECAL FLAG, CODE 70145369..P/N: 12400-2023..MFG: TEREX
645	12400-5	DECAL, RESERVOIR, CODE 70145361..P/N: 12400-5..MFG: TEREX
646	12400-512	DECAL, FUSE. CODE 70145364..P/N: 12400-512..MFG: TEREX
647	12400-809	RED DECAL STRIPE, CODE 70145366..P/N: 12400-809..MFG: TEREX
648	12400-928	DECAL MAIN PUMP, CODE 70145350..P/N: 12400-928..MFG: TEREX
649	12400-956	DECAL BOOM ANGLE..P/N: 12400-956..MFG: TEREX
650	124102	REPAIR KIT SEAL (U/O)- AQUASEAL STEM REPAIR..P/N:124102..MFG:DANCO PERFECT MATCH..SCHEDULE B:# 8484.90.0000 OTHER MECH
651	124251-H	COIL AND CABLE ASSEMBLY V: 460V, SPEC: 60 CYCLE, VIBRATING FEEDER F330-DDT..P/N: 124251-H..MFG: SYNTRON
652	1243160	BREATHER AIR, MATERIAL CODE 70139746..P/N: 1243160 (1243-16)..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
653	1243161	CAP AIR CLEANER..P/N: 1243161..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
654	124388	CLAMP, MATERIAL CODE 70139747..P/N: 124388 (1243-88)..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
655	124464	SINGLE INLET IMPELLER WITH BACKWARD CURVED BLADES. ..TYPE : RH35M-4EK.4F.1R, # 124464..MOTOR RECOGNIZED COMPONENT I
656	12502299	NUT, MATERIAL CODE 781131..P/N: 12502299..MFG: TEREX
657	1251	LAMP MINIATURE, NO. LAMP TRADE: 1562, V: 28V, POW: 6.44W, ..P/N: MS-15570-AML-1251..MFG: ADVANCED MICRO DEVICES
658	12520399	SCREW, MOSAIC CODE 70135498, ..P/N: 12520399..MFG: TEREX
659	125768-01 & 125744-02	DIGITAL INPUT CARDS FOR PLC OF PAPER MACHINE..COMPLETE MODULE FRONT AND BACK. ONE SET. ..P/N: 125768-01 & 125744-02..MI
660	12590	WIRE, (TYPE)-TC; (NO.-CONDUCTORS)-1..(AWG)-6; (V)-600V, (TYPE-INSUL)-THHN/THWN, (JACKET)-NYLON; (TEMP)-90C, (CLR)-GREEN; SI
661	12595299	O-RING, MATERIAL CODE 70135201..P/N: 12595299..MFG: TEREX
662	125XR-0282-090	FAN; (SPEC) - DRIVE;115 V; 50/60 HZ; 16/15 W; 200/180 MA; MOD 125XR0282010..P/N: 125XR-0282-090..MFG: ETRI..SCHEDULE B: # 8414.59.
663	1260-10	GAS CYLINDER..SPEC: SULFUR DIOXIDE..SPEC: 50 PPM TYPE B, 74 LITERS..P/N: 1260-10..MFG: SIERRA MONITORS CORP...SCHEDULE B:
664	126037C	BUFFERED EYE-LERT..EMERGENCY EYE & SKIN FLUSH..STERILE ISOTONIC..P/N: 126037C..MFG: NORTH SAFETY..
665	12618199	FUSE, SOLPED CODE 780312,..P/N: 12618199..MFG: TEREX..
666	12637699	CIRCLIP, MOSAIC 780354..P/N: 12637699..MFG: TEREX
667	12639999	FORE LOCK..CODE MISKI MAYO 70143880..P/N: 12639999..MFG: TEREX
668	12656099	CYL HEAD BOLT, MATERIAL CODE 70135513..P/N: 12656099..MFG: TEREX
669	12664599	FUSIBLES 50 A, CODE 70135470..P/N: 12664599..MFG: TEREX
670	12685	WIRE TYPE TC, No. CONDUCTORS: 1, AWG: 1/0, V: 600V, TYPE INSULT: THHN/THWN, No.STRANDS: 19, JACKET: NYLON, CLR: WHITE, 126
671	1278	CLAMP PIPE 1 IN, MALLEABLE IRON, FINISHED: HOT DIP GALVANIZED..P/N: 1278..MFG: THOMAS & BETTS..SCHEDULE B: # 8536695050 OT
672	128X1152-3	GASKET EXHAUST MANIFOLD TO TURBO..P/N: 128X1152-3..MFG: GENERAL ELECTRIC
673	1290G	STEEL STRAP CUTTER..P/N: 1290G..MFG: H.K. PORTER
674	12910	BURNER ASSEMBLY, 786P, SELF PROP OIL..P/N: 12910..MFG: HAUCK..SCHEDULE B: #8416.90.0000 OTHER PARTS

	Item	Description
675	12988	RING NOZZLE FLAME ASSEMBLY..P/N: 12988..MFG: WAYNE BURNER..SCHEDULE B: #8416.90.0000 OTHER PARTS
676	12AWG1/C	CABLE GPT..TYP: STRANDING, AWG: 12, #COND: 1, #THD: 19, V: 600V, CLR: WHITE..PKG: 1000 PER ROLL..P/N: 12 AWG 1/C (P/N: 6GPT-120
677	12AWG1/C THHN	CABLE THHN, TYPE: STRANDING, AWG: 12, NO-CONDUCTORS: 1, NO-THREAD: 19, V: 600V, CLR: RED, TEMP: 90C..P/N: 12 AWG 1/C 600V (
678	12C14AWG	CABLE TRAY MULTICONDUCTOR, 12C, 14 AWG, 600V, 90C, SLP INSULATION, PVC JACKET, TYPE XHHW-2..P/N: 12C14AWG (27090C)..MF
679	12P	12V CC VIVID + LED BULB 36 LEDs, 12V..P/N: 12P..MFG: C. CRANE COMPANY INC.
680	12SHDN-8E-M201-M446-M511-30	PRESSURE SWITCH E (300 PSI)..SET 300 PSI RICE..TAG MBV50CP085/87/89..P/N: 12SHDN-8E-M201-M446-M511..SERIES 12;SS;5 AMP;3 SW
681	12SHDN-8E-M201-M446-M511-60	PRESSURE SWITCH E (600 PSI)..SET 600 PSI RICE..TAG MBV50CP081/83..P/N: 12SHDN-8E-M201-M446-M511..SERIES 12;SS;5 AMP;3 SWITC
682	12SHDN-9A	PRESSURE SWITCH 500 PSI..MBV50CP091..SERIES 12;(MAT)- SS;(POW) 5 AMP;SWITCHES # DPDT; ELECTRIC CONEXION 1/# NPT,MALE;S
683	12V	12V CC VIVID LED LIGHT BULB 18 LEDs, 12V..p/n: 12 V..MFG: C. CRANES COMPANY INC.
684	12V125F	BATTERY VRLA ENERSYS POWERSAFE;6 CELL 12V; 125AH; 22.1L x 4.1W x 12.4H..P/N: 12V125F..MFG:POWERSAFE..SCHEDULE B: # 8507.2
685	1300	ADHESIVE RUBBER, PKG: 5 OZ..P/N: 1300..MFG: 3M..
686	1301	BARNIZ, CAP: 11 OZ, SPRAY PROTECTOR..P/N: 1301 (R/B: 51301)..MFG: KRYLON
687	1306-4	AIR BREATHER BAYONET FILL ASSY,..P/N: 1306-4..MFG: VESCOR..SCHEDULE B: # 9020008000 OTHER BREATHER
688	1310	AIRONET 1310 OUTDOOR NEMA (FOR HARD WEATHER CONDITION)- ADVISE TO CONFIGURATE AS: WIRELESS ACCESS POINT OR BRID
689	131133	PH ELECTRODE;REPLACEMENT PH ELECTRODE FOR METERS 59350-00 AND 59350-10 SEALED WITH ATC..(W/)-PH COMBINATION ELEC
690	131140	SENSOR..P/N: 131140..MFG: WILLIAMS CONTROL
691	1320-BUSH-QDE-29375	DRIVEN SHEAVE BUSHING MPR ..P/N: 1320-BUSH-QDE-29375..MFG: ECODYNE..SCHEDULE B: # 8483.90.9500 OTHER TRANSMISSION PAR
692	1320-BUSH-QDSF-23750	DRIVER SHEAVE BUSHING MPR..P/N: 1320-BUSH-QDSF-23750..MFG: ECODYNE..SCHEDULE B: # 8483.90.9500 OTHER TRANSMISSION PAF
693	1320-SHV-6-EHX21-070	DRIVER SHEAVE MPR ..PN: 1320-SHV-6-EHX21-070..MFG: ECODYNE..SCHEDULE B: # 8483.90.9500 OTHER TRANSMISSION PARTS..ORIGIN
694	1320-SHV-6-EHX21-380	DRIVEN SHEAVE MPR ..P/N: 1320-SHV-6-EHX21-380..MFG: ECODYNE..SCHEDULE B: # 8483.90.9500 OTHER TRANSMISSION PARTS..ORIGIN
695	132701	SUPPORT WHEEL, MEASUREX ..P/N: 132701..MFG: HONEYWELL..
696	132X1828	FILTER ELEMENT, FUEL 2 STAGE, 132X1828-1..R/B: 132X1904..MFG: GENERAL ELECTRIC
697	1336-BDB-SP6D	CIRCUIT BOARD, GATE DRIVE BOARD, MOD: VDF-1336, 460V, 30 HP..P/N: 1336-BDB-SP6D..MFG: ALLEN BRADLEY..SCHEDULE B: # 853400(
698	1336-F1-SP6A	FUSE (TYPE)-1336STE;(V-AC)-460V;(I)-6A (SPEC)-BUS,FRAME,150-250HP..P/N:1336-F1-SP6A ..(MFG): ALLEN BRADLEY CO...SCHEDULE B:
699	1336-F1-SP8A	FUSE (TYPE) - 1336STE, VAC: 460V, I: 8A, SPEC: BUS, FRAME G & H , 450-800HP..P/N: 1336-F1-SP8A..MFG: ALLEN BRADLEY..SCHEDULE B:
700	1336-L6	CIRCUIT, BOARD, CONTROL INTERFACE 115 VAC..P/N: 1336-L6..MFG: ALLEN BRADLEY..SCHEDULE B: #8534000070 OTHER PRINTED CIRC
701	1336S-MCB-SP1A	CIRCUIT BOARD, SPEC: MAIN CONTROL 1336S, MAIN CONTROL BOARD, 150 HP, 460 VAC..P/N: 1336S-MCB-SP1A..MFG: ALLEN BRADLEY..
702	13397	KIT; CLAPPER ASSEMBLY FOR DELUGE VALVE 3"..P/N: 13397..MFG:VIKING..SCHEDULE B: # 8481.30.2010 OTHER TAPS, COCKS, VALVES A
703	13398	KIT; CLAPPER ASSEMBLY FOR DELUGE VALVE 3" ..P/N: 13398..MFG:VIKING..SCHEDULE B: # 8481.30.2010 OTHER TAPS, COCKS, VALVES A
704	13399	CLAPPER ASSEMBLY FOR DELUGE VALVE 4"..P/N: 13399..MFG:VIKING..SCHEDULE B: # 8481.30.2010 OTHER TAPS, COCKS, VALVES AND S
705	1343	STAINLESS STEEL LONG RECTANGULAR MAGNETIC TRAY 364 X 164 MM; THREE HEAVY DUTY POWERFUL PERMANENT MAGNET;TRIPL
706	13481	CLAPPER ASSEMBLY FOR DELUGE VALVE 4"..P/N:13481..MFG:VIKING..SCHEDULE B: # 8481.30.2010 OTHER TAPS, COCKS, VALVES AND S
707	13483	CLAPPER ASSEMBLY FOR DELUGE VALVE 6"..P/N: 13483..MFG:VIKING..SCHEDULE B: # 8481.30.2010 OTHER TAPS, COCKS, VALVES AND S
708	1350EL2BCFA1A	G/T 1350E 65 MM PURGE FLOWMETER..Model : 1350EL2BCFA1A..- Tube : R-2-65-C..- Float Material : STN. STL...- Meter Accuracy : 10%..- Specia

	Item	Description
709	1350ELA8CFA1A	G/T 1350E 65MM PURGE FLOWMETER ..MODEL : 1350ELA8CFA1A..METER SIZE: 2" TUBE N: R-2-65-C..MANUFACTURER : BROOKS..SCHED
710	1350EM2BCFA1J	G/T 1350E 65 MM PURGE FLOWMETER..- Tube : R-2-65-D..- Float Material : STN. STL...- Meter Accuracy : 10%..- Special Single Scale..- Tube packi
711	1350EMA8CFA1A	G/T 1350E 65 MM PURGE FLOWMETER..MODEL 1350EMA8CFA1A METER SIZE:2" TUBE N: R-2-65-D..MANUFACTURER : BROOKS..SCHEDU
712	136005	THERMOSTAT LOW WAT 120//240V..P/N: 136005..MFG: BOOTH MFG CO. AUTO LABE..COUNTRY OF ORIGIN: USA
713	136821P13	FUSE DIAL ELEMENT J..600V, 17.5 AMP..P/N: 136821P13..MFG: EMERSON/ LIEBERT
714	13693	10 PIECE INSULATED METRIC HEX L-KEY SET..P/N:13693..MFG:WIHA..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
715	1373425	COMPOUND EPOXY PATCH..P/N:1373425 (R/B:079340-43964)..MFG: LOCTITE DANGEROUS GOODS..SCHEDULE: # 3907300000 EPOXIDE F
716	138A1056P1	TRANSFORMER 500W, 480/120V..P/N: 138A1056P1 / 302A3600CGP106..MFG: GENERAL ELECTRIC..SCHEDULE B:#8504.40.9530 TRANSFORI
717	139260	10" SEAL AIR CUFF WITH HOSE CLAMPS #139260F..AIR EXPANSION JOINT 10”..P/N: 139260 (NEW P/N: 139260F)..MFG: BACHMANN,INDUS
718	139604	SINGLE INLET IMPELLER WITH BACKWARD CURVED BLADES...TYPE: RH71M-6DK.7Q.1R..MOTOR-RECOGNIZED COMPONENT E111399 ZA
719	139B7623G1	IC302 CLOSING MECHANISM ASS'Y ..COMES WITH 2 POLE SHADERS EA..P/N: 139B7623G1..MFG:GE
720	13A-190	ARM, GUIDE..P/N: 13A-190..MFG: CLAUSING INDUSTRIAS INC...SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES
721	13F1361C3	TRAVEL WHEEL..P/N: 13F1361C3..MFG: KONECRANES..SCHEDULE B: # 8431.10.0090 OTHER PARTS
722	14-2C-DB-BLK	DIRECT BURIAL SPEAKER CABLE 14 AWG 2 CONDUCTOR CABLE (1,000 FT)..P/N:14-2C-DB-BLK..MFG:LIBERTY WIRE CABLE
723	14/12XHHW-TC	AWG 14, 7 STRANDS, TYPE TC-XHHW-2 , PVC CONTROL CABLE, 600V, 12 CONDUCTORS..P/N: 14/12XHHW-TC..MFG: SOUTHWIRE
724	14/37XHHW-TC	AWG 14, 7 STRANDS, TYPE TC-XHHW-2 , PVC CONTROL CABLE, 600V, 37 CONDUCTORS..P/N: 14/37XHHW-TC..MFG: SOUTHWIRE
725	14/3XHHW-TC	AWG 14, 7 STRANDS, TYPE TC-XHHW-2 , PVC CONTROL CABLE, 600V, 3 CONDUCTORS..P/N: 14/3XHHW-TC..MFG: SOUTHWIRE
726	14/9XHHW-TC	AWG 14, 7 STRANDS, TYPE TC-XHHW-2 , PVC CONTROL CABLE, 600V, 9 CONDUCTORS..P/N: 14/9XHHW-TC..MFG: SOUTHWIRE
727	140-01-4011	PUMP ASSEMBLY, 9HP, 24VDC ..P/N: 140-01-4011..MFG: ADVANCED MOTOR & DRIVES
728	1400-4008	CARRYING CASE FOR 1510A..P/N: 1400-4008..MFG: MIT INSTRUMENS
729	14071153	PRESSURE TRANSMITTER MODEL S-20..FOR GENERAL APPLICATIONS, SUPERIOR..NON-LINEARITY: 0.25% BFSL..PRESSURE RANGE: 0..
730	140778	DSLT AND SLT SCISSOR LIFT TABLES 770 LBS CAPACITY, MODEL DSLT-770, H-MAC: 51-1.8", LG-OVERALL: 45-3/4", W: 20-1/8", SPEC: QUIC
731	140800	PALLET TRUCKS, 8000 LBS CAPACITY, 210 GRADE TURNING RADIUS, LARGE 8" POLY OVER ALUMINUM STEERING WHEELS FEATURE D
732	140BAR-XP2i	CRYSTAL ENGINEERING XP2I: 140BARXP2I..DIGITAL PRESSURE GAUGE, 2000 PSI..RANGE: 0 TO 140 BAR..RESISTANT MATERIAL: IP 67, C
733	140H-8 2 CA 63 BB 75-AB	HYDRAULIC CYLINDER, SPEC: COMPLETE ROD B: 35.5MM, CUSHION B, STROK 75MM, PORTS AB..P/N: 140H-8 2 CA 63 BB 75-AB..MFG: TA
734	140U-I6C3-D10	BREAKER, TYPE: HFD3100L, I: 100A..P/N: 140U-I6C3-D10..MFG: ALLEN BRADLEY..SCHEDULE B: # 8536.20.0040 OTHER AUTOMATIC CIRCUI
735	140XBP01000	MODICON QUANTUM BACKPLANE 10 SLOTS, ..P/N: 140XBP01000..MFG: SCHNEIDER ELECTRIC..SCHEDULE B: # 8542320070 OTHER ELEC
736	1414508500030	REPLACEMENT CARTRIDGE ..P/N: 1414508500030..MFR: CUNO INCORPORATED
737	1414517500030	REPLACEMENT CARTRIDGE FOR AUTO KLEAN EG 8" FILTER SYSTEM..P/N: 1414517500030
738	141928	2/2 WAY SELENOIDE VALVE DIRECT ACTING 03,0-FF-VA-GM82-024/DC-08 * AF02-JF01..P/N: 141928..MFG: BURKERT
739	142	NUT,LOCK,CONDUIT(DIA)-3/4";(MAT)-MALLEABLE IRON..3/4" CASE HARDENED LOCKNUT..P/N:142 (142-TB)..MFG:THOMAS & BETTS..SCHE
740	14224-514	ABSORBENT COTTON ROLLS NONSTERILE (460 GR/PACK) ..30.5 W cm x 2.6 L m (12" x 8.6') ..P/N: 14224-514 ..MFG: VWR ..WEIGHT 1 LBS
741	144-174	DIFFUSER..P/B: 144-174..MFG: BARD YORK..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
742	144-202-000-225	CA202 ACCELEROMETER KOMPLETT, WITH CABLE OF 11 M..P/N: 144-202-000-225..MFG: MEGGITT SENSING SYSTEMS..SCHEDULE B: # 9(

	Item	Description
743	1440-125	PAPER FILTER CIRCLE 125MM, 40 GRADE 40 QUANTITATIVE FILTER PAPER ASHLESS (Ash 0.007%)..P/N: 1440-125 (28475-081)..MFG: WHA
744	144599	LASER DISTANCE..OADM 20I6460S14F..MFG: BAUMER ELECTRIC..SCHEDULE B: # 901320900000 LASERS
745	144A4918P8	LAMP, MINIATURE ..(NO.-LAMP TRADE)-6S6;(V)-130V (POW)-6W;(BASE)-CAND..Numero de Parte : 144A4918P8..Marca/fabricante : PORDETEF
746	145	NUT,LOCK,CONDUIT(DIA)-1-1/2":(MAT)-MALLEABLE IRON..P/N: 145..MFG:THOMAS & BETTS..SCHEDULE B:# 7318.16.0000 NUTS
747	1450-VLV-0002	MECHANICAL COUPLING, 10" ..P/N: 1450-VLV-0002..SPARE PARTS F/GLYCOL COOLING WATERMODULE TG11/12..EHX PART # 1450-VLV-0
748	1450-VLV-0021	BUTTERFLY VALVE, 10" WAFER..P/N:1450-VLV-0021..SPARE PARTS F/GLYCOL COOLING WATER MODULE TG11/12..EHX PART # 1450-VLV
749	1451-85	ELECTRONIC SYSTEM..SURGITRON I AC SURGE PROTECTOR..480 VAC, 3 PHASE, 3 WIRE, 50-60HZ, UNDERGROUND DELTA..P/N: 1451-85
750	146-TB	LOCK NUT CONDUIT, DIA: 2", MAT: MALLEABLE IRON, ..P/N: 146-TB..NUT,LOCK,CONDUIT(DIA)-3/4";(MAT)-MALLEABLE IRON..3/4" CASE HAI
751	146031-01 & 138607-01	DIGITAL INPUT CARDS FOR PLC OF PAPER MACHINE..10/100 BASE. COMPLETE MODULE FRONT AND BACK. ONE SET...P/N: 146031-01 &
752	1466A	18 AWG 4 PAIRS STRANDED (7X26) BARE COPPER CONDUCTORS, TWISTED PAIRS, PVC INSULATION, OVERALL BELDFOIL®..SHIELD (10
753	1467A	18 AWG 8 PAIRS STRANDED (7X26) BARE COPPER CONDUCTORS, TWISTED PAIRS, PVC INSULATION, OVERALL BELDFOIL®..SHIELD (10
754	1468A	18 AWG 12 PAIRS STRANDED (7X26) BARE COPPER CONDUCTORS, TWISTED PAIRS, PVC INSULATION, OVERALL BELDFOIL®..SHIELD (1
755	14722	½" CONDUIT DIE..DIERD .500 COND..224 735 ..P/N:14722..GREENLEE..
756	1475A	18 AWG 4 PAIRS STRANDED (7X26) BARE COPPER CONDUCTORS, TWISTED PAIRS, INDIVIDUALLY SHIELDED PLUS AN OVERALL..BELDF
757	1476A	18 AWG 8 PAIRS STRANDED (7X26) BARE COPPER CONDUCTORS, TWISTED PAIRS, INDIVIDUALLY SHIELDED PLUS AN OVERALL..BELDF
758	1477A	..18 AWG 12 PAIRS STRANDED (7X26) BARE COPPER CONDUCTORS, TWISTED PAIRS, INDIVIDUALLY SHIELDED PLUS AN OVERALL..BEL
759	1478100000	POWER SUPPLY EXTENSION MODULE PRO-3M; 72 W,220VAC/24VDC-3 AMP..P/N: 1478100000..MFG:WEIDMULLER
760	147X1228	ATTACHMENT..P/N: 147X1228..MFG: GENERAL ELECTRIC
761	147X1229	DIAL GAUGE..P/N: 147X1229..MFG: GENERAL ELECTRIC
762	147X1649-1	TORQUE HANDLE 30 TO 150 LB.FT..P/N:147X1649-1..MFG: GENERAL ELECTRIC
763	147X1684-2	WRENCH SET..P/N: 147X1684-2..MFG: GENERAL ELECTRIC
764	147X1825	WRENCH, TORQUE 1000#/1..P/N: 147X1825..MFG: GENERAL ELECTRIC
765	147X2499	WRENCH RATCHET T13640..P/N: 147X2499..MFG: GENERAL ELECTRIC
766	147X2673	DEFLECTION GAGE..P/N: 147X2673..MFG: GENERAL ELECTRIC
767	1490800	1" SQ X 4" KEY..P/N: 1490800..MFG: TEREX-SIMPLICITY..SCHEDULE B: # 8431100090 OTHER PARTS FOR MACHINERY
768	1492-GH030	CIRCUIT BREAKER, B SERIES;MINIATURE, 3A, 1P, 250VAC, 65VDC, DIN RAIL MOUNT..P/N: 1492-GH030..MFG:ALLEN BRADLEY..SCHEDULE
769	1492A	INSTRUMENTATION CABLE 2P + SHLD, 16 AWG, 300 VAC, ISOLATED POLYETHILENE ..P/N: 1492A..MFG: BELDEN..SCHEDULE B: #8544190(
770	1494A	INSTRUMENTATION CABLE 8P + SHLC, 16 AWG, 300 VAC, ISOLATED POLYETHILENE ..P/N: 1494A..MFG: BELDEN..SCHEDULE B: #8544190(
771	149C4080AA1	TOP CAP..P/N: 149C4080AA1..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8484200000 MECHANICAL SEALS
772	14BYS	FILTER; 1/4 BRASS Y STRAINER W/50 MESH UNITED BRASS 200 W/50 MESH..P/N: 14BYS..MFG:VIKING..SCHEDULE B: # 8421.29.0065 OTHE
773	14LPU32AF	RELAY;STARTER OVERLOAD RELAY; NON-REVERSING MOTOR STARTER, SIZE 5, THREE PHASE FULL VOLTAGE, SOLID-STATE OVERLC
774	14RB-250T	TERMINAL PRESSURE LOW VOLTAGE(TYPE)-MALE;(AWG)- 16-14 (INSUL)- PVC; (REF)-STA-KON..P/N: 14RB-250T..MFG: T&B..SCHEDULE E
775	14RBD-18377	TERMINAL PRESSURE LOW VOLTAGE, TYPE: FEMALE, AWG: 16-14, INSUL: YES..P/N: 14RB-18377..MFG: THOMAS & BETTS..SCHEDULE B:
776	15-10-0-001	RELAY (V-DC) 64/72VDC (REEL)-24VDC (SPEC)- FOR PANEL, UNIT RECEPTOR (COC/EXT) Y/N..P/N: 15-10-0-001 CONTROL CHIEF (KUEP-3D

	Item	Description
777	15-102250-00	SCREW BEAD ADJUSTER..P/N: 15-102250-00..MFG: VARIAN..SCHEDULE B: # 9027304080 OTHER SPECTROMETER PARTS
778	15-102265-00	IMPACT BEAD LOCKING SCREW..P/N: 15-102265-00..MFG: VARIAN..SCHEDULE B: # 9027304080 OTHER SPECTROMETER PARTS
779	15 KV 100 AMP	CUTOUTS 15 KV 100 AMP..MFG: MC. GRAW EDISON..
780	150-1330	OSMONICS SERIES 48 STAGER ASSEMBLY R048-0012-AC00B..MODEL 150, 150-1330 .83/1 RPM; 230V 50/60HZ 4W, NEMA 4 ENCLOSURE..P
781	150-324	GEAR PUMP.EMI USA MODEL 150-324,SERIE 9613-UI,MAX PSI 200 RPM 1800, HP 20..P/N:150-324 (150-324 SD)..MFG:EDWARDS MANUFACT
782	150#12 IN, 1/8"	GASKET, FULL FACE TEADIT 100..P/N: 150#12 IN, 1/8"....SCHEDULE B: #4016930000 - GASKETS..
783	1500	THINNER SOLVENT..TYPE: INSULATING,..U/O: FOR INSULATING OF WIRE ELECTRICALS..P/N: 1500..MFG: GLYPTAL..SCHEDULE B: # 2707
784	1500-25M	3/4 TON 21' TO 25', LUG-ALL CABLE WINCH-HOIST, MARINE GRADE..P/N: 1500-25M..MFG: BAIRSTOW
785	150584X	GAUGE PRESSURE, SIZE: 4-1/2", SIZE-CONNECTION: 1/2" ANPT (RAN-PRE): 100 PSI, 700 KPA, MOD: 1981,..D124221M FACE (OFFER GAUGI
786	1508-10-096-028	HEAT EXCHANGER BASCO FOR PAPER MACHINE, TYPE "500", SERIAL # S122121 ..P/N: 1508-10-096-028..SCHEDULE B: # 8419.50.0000 HEA
787	150A/CL	LAMP INCANDESCENT, V: 120V, POW: 150W, BASE: E26, SPEC: CLEAR CLASSIC..P/N: 150A/ CL (OFFER 16068 GE), 12/PKG..MFG: GENERAI
788	150A23 130v	LAMP INCANDESCENT, 60/PKG..V: 120V, POW: 150W, BASE: E27,..SPEC: CLEAR CLASSIC..P/N: 150A23 130V (OFFER P/N: 150A23/CL E-26)..
789	150A23/150A21IF	LAMP A 23 MED BASE IF 150W 130V,..P/N: 150A23/ 150A21IF..OFFERP/N: S50A21IF/ 230V..MFG: GENERAL ELECTRIC..SCHEDULE B: # 85392
790	150A23CL	LAMP, INCANDESCENT ..(V)-120V;(POW)-150W (BASE)-E27;(SPEC)-CLEAR CLASSIC ..P/N : 150A23CL..MFG : OSRAM ..
791	150PAR/FL/B	LAMP INCANDESCENT, V: 120V, POW: 150W, BULB: PAR38, BASE: MEDIUM SKIRT- E26/50 X 39, TYPE: SEALED BEAM-PAR, SPEC: COLORE
792	150PAR38/1/5FL	LAMP INCANDESCENT..(V) - 130V; (POW) - 150W..(BULB) - PAR38; (BASE) - MEDIUM SKIRT..(E26/50X39); (SPEC) - 150 PAR/FL/120WN, LIFE
793	150PS25/IF 125V	LAMP P-25; BULB MED BASE LONGNECKED 150 W..P/N: 150PS25/IF 125V(OFFER GE 150PS25/RS/STG..MFG: GE..SCHEDULE B: 853922805
794	150PS25/RS/STG	LAMP;INCANDESCENT LAMP BULB SHAPE PS25 WATTS 133/150 BULB BASE TYPE MEDIUM SCREW (E26) VOLTAGE130/120..P/N: 150PS25
795	150VCP-W750	BREAKER, 150 VCPW 750, 1200A 6 125VDC MOTOR AND CLOSE 125VDC TRIP ..P/N: 150VCP-W750..MFG: CUTLER HAMMER
796	151-111	BLOWER ASSEMBLY..P/N: 151-111..MFG: BARD YORK..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
797	151-CA	CHANGER LAMP INCANDESCENT..POWER LAMP: 25-500 W..P/N: 151-CA..MFG: MCGILL..SCHEDULE B: # 9405990000 PARTS FOR LAMPS
798	151.684	WEDGE-KIT GEOSTAR G5, 90X50MM 230V/2500W, COPPER WEDGE WITH TEST CHANNEL..P/N:151.684..MFG:LEISTER WELDING..SCHEDU
799	151086	CONTACTOR RCC-14 (14-PIN PLUG) FINGERTIP CONTROL. ..FEATURES SIDE-TO-SIDE (EAST/WEST) ROTARY-MOTION FINGERTIP CURR
800	15117	CABLE 500MCM RHH/RHW-2 XLP-USE..P/N: 15117..MFG: CUSTOM CABLE..SCHEDULE B: # 8544493080 INSULATED ELECTRIC CONDUCTOI
801	15120 OA00/15174 OB00	TWO PARTS EPOXY SYSTEM;DAMIVAL RESIN 15120 OA00 RESIN 0.5 KG + HARDENER 15174 OB00 0.275 KG..MFG: VONROLL
802	151401	BULLDOG CEQUENT TRAILER JACK ..P/N: 151401..MFG: CEQUENT TRAILER..SCHEDULE B: #8425490000 OTHER JACKS
803	151575,00006	TUBING, 4 X 6 (PER METER)..P/N: 151575,00006..MFG: HACH COMPANY..SCHEDULE B: # 3917320000 OTHER TUBES
804	15178-7-200	IMPELLER, 7-1/4" REF. POS.3 (ITEM 3)..VCRE VERTICAL LUBE OIL PUMP MODELO 3380 A..IMP ENC CI 7-1/4 BAL-D..ITEM 3..P/N: 15178-7-20
805	1520228-4	SWITCH TOGGLE..I: 10A-20A, VAVC: 125-250V, POL: 2,..HP: 1 1/2..P/N: 1520228-4 (OFFER TYCO 7360K8)..MFG: TYCO ELECTRONICS CORP..
806	15230 OA00 / 15230 OB00	TWO PARTS EPOXY SYSTEM;DAMIVAL RESIN 15230 OA00 1.6 KG BMO5L/1.6KG/S2 140812 + HARDENER 15230 OB00 BMO1L/0.4 KG/S2 141
807	15287	BELT CASE FOR ACCESSORIES.. P / N: 15287
808	15299897-10	SPRING DISC, ITEM 16, PH COMMON..P/N: 15299897-10..MFG: P & H
809	15299897-20	CALIPER HALF ASM, ITEM 2..P/N: 15299897-20..MFG: P & H
810	15400-PLM-A01PE	IPPHON 15400-PLM-A01PE OIL FILTER...P/N:15400-PLM-A01PE..MFG: CAM SPRAY...SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR PRES

	Item	Description
811	15455	PROTECTIVE COVER FOR CHECKER WITH WRIST STRAP & BELT CLIP..P/N: 15455
812	155-127	TELESCOPING GAGE;8-12.7 MM..P/N:155-127..MFG:MITUTOYO..SCHEDULE B: # 9017.80.0000 OTHER INSTRUMENTS
813	15503	TIRE, TUBELESS..1400X25 24 PLY, E-3..P/N: 15503..MFG: MRF..SCHEDULE B: # 4011201015 OTHER NEW PNEUMATIC
814	1561	MULTI RUN RESOLVER INTERFACE MODULE, AB SLC500 COMPLIANT..P/N: 1561..MFG: AMCI..SCHEDULE B :# 8534.00.0040 OTHER CIRCUI
815	156447	PRINTED CIRCUID BOARD..VIBRATING FEEDER F330-DDT CRSDC CONTROL..P/N: 156447..MFR: SYNTRON..SCHEDULE B: #8534000070 OT
816	15784	V-BELT DRIVE BELT..OUTSIDE CIRCUMFERENCE32"812.8 MM; TOP WIDTH 0.375"9.525"..BELT DEPTH 0.22"5.56MM; MATERIALDRY WRAP KI
817	158	LAMP MINIATUR, NO.LAMP TRADE: 158, V: 14V, POW: 3.40 W..P/N: 158..MFG: EIKO..
818	1585D-M4TBJM-10	CONNECTION CABLE, ETHERNET, 4 CONDUCTOR, M12 STRAIGHT MALE, RJ45 STRAIGHT MALE, TEAL ROBOTIC TPE, 10 METER..P/N:158
819	1585D-M4TBJM-15	CONNECTION CABLE, ETHERNET, 4 CONDUCTOR, M12 STRAIGHT MALE, RJ45 STRAIGHT MALE, TEAL ROBOTIC TPE, 15 METER..P/N:158
820	1585D-M4TBJM-2	CONNECTION CABLE, ETHERNET, 4 CONDUCTOR, M12 STRAIGHT MALE, RJ45 STRAIGHT MALE, TEAL ROBOTIC TPE, 2 METER..P/N:1585
821	1585D-M4TBJM-5	CONNECTION CABLE, ETHERNET, 4 CONDUCTOR, M12 STRAIGHT MALE, RJ45 STRAIGHT MALE, TEAL ROBOTIC TPE, 5 METER..P/N:1585
822	1588VL	VALVE 45-125 PSI..P/N: 1588VL..MFG: REGO PRODUCTS
823	159-544-880	FILTER ASSEMBLY, SPEC: MEDIAVISCOUS DISPOSABLE AIR FILTER, MODEL: AMER-KLEEN M-80, SIZE: 91/2" X 22-3/4" X 3-3/4", CAP: 750 C
824	1591	LAMP MINIATURE, V; 28V, POW: 15CP, BASE: SC BAYONET..P/N: 1591..MFG: EIKO..SCHEDULE B: #8539228050 - OTHER LAMPS
825	15923-00	BEARING COVER 15923-00 (ITEM 24)..OEM BUFFALO PUMPS / 516 VCRE LO 1 SEAL OIL PUMP / BEARING COVER 15923-..00 / NP : 24; 1592
826	15962	protective sleeve..P/N 15962..MFG: SPM INSTRUMENT
827	15CN-1	FILTER HYDRAULIC MEDIUM PRESSURE..MODEL 15CN-1 ..P/N: 930369Q..MFG: PARKER HANNIFIN..SCHEDULE B: # 8421230000 OIL OR FU
828	15D21G002	COIL CONTACTOR AC, VAC: 110/115-120V, FREQ: 50/60HZ, SIZE: 1, U/O: MAGENTIC CONTACTOR/STARTER, TAG: P410..P/N: 15D21G002..M
829	15D21G029	COIL ELECTRICAL 24 VDC..P/N: 15D21G029..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8504500000 COILS
830	15D22G002	COIL VAC: 110/115-120V, FREQ: 50/60 HZ, SIZE: 2, U/O: MAGNETIC CONTACTOR/ STARTER, TAG: P410..P/N: 15D22G002..MFG: GENERAL E
831	15F-25	ALERT SAFETY LIGHT, W: 25", POW: 13W, VAC: 120V, ..P/N: 15F-25..MFG: ALERT SAFETY LIGHT..SCHEDULE B: # 9405.10.3000 OTHER LAM
832	15KV 200 AMP	CUTOUTS 15KV 200 AMPS..MFG: MC.GRAW EDISON
833	15RBA4-300E	15.5 MAX KV, RBA-400, 300E, EXPULSION FUSE REFILL;STANDARD SPEED..P/N:15RBA4-300E..MFG:CUTTLER HAMMER/ EATON
834	15RBA4-NH	FUSE, RBA-400, 15.5 MAX KV, 400 MAX AMP,..P/N: 15RBA4-NH..MFG: EATON..SCHEDULE B:# 8536.69.5050 OTHER ELECTRICAL APPARATU
835	15W240VPB22D	MINIATURE LAMP, (V)-240V;(POW)-15W(BASE)-BAYONET(TYPE)-DOUBLE CONTACT 22MM..P/N:15W240VPB22D ..MFG: GENERIC..SCHEDU
836	16-2C-DB-BLK	DIRECT BURIAL SPEAKER CABLE 16 AWG 2 CONDUCTOR CABLE (1,000 FT)..SUITABLE FOR DIRECT BORIAL;POWER LIMITED CIRCUIT C
837	16-620	4 DRAWER INTERMADIATE CHEST..P/N:16-620..MFG: ARMSTRONG..SCHEDULE B: # 7310100050 OTHER TOOL UTILITY BOX
838	16-9C	CONTROL CABLE, INDUSTRIAL TRAY CABLE, 90C, 600V, , 16 AWG, 3 TRIADS (9 CONDUCTOR), STRANDED, VNTC CONTROL, PVC JACKET
839	16 MM	SLEEVE SILICONE RUBBER COATED..D-SLE: 16 MM, CLASS: H..P/N: 16 MM (547R GRADE A)..MFG: HILEC..SCHEDULE B: # 3910000000 SILI
840	16" X 10" HOT TAP	16" X 10" HOT TAP FITTING ANSI 150# RF WITH BACKING STRIPS..P/N: 16" X 10"..MFG: FURMANITE
841	160071	M1000/U (64468) 1000W E39,E40 / MOGUL SCREW CLEAR BT56 HID METAL HALIIDE..4000 K COLOR TEMPERATURE, 1000 WATTS, 263 VOL
842	1603115004	WEDGE MANDREL MK 2 A 5/8"..P/N:1603115004..MFG: BOSCH..SCHEDULE B: 8547200000 INSULATING FITTING PLASTIC
843	160429	BACK COVER GRAY FABRIC..P/N: 160429..MFG: UNITED GROUP
844	160431	BOTTOM COVER GRAY..P/N: 160431..MFG: UNITED GROUP

	Item	Description
845	1606-SC	TERMINAL BLOCK, VAC: 600V, REF: SHORTING TYPE 6 POLE..P/N: 1606-SC..MFG: MARATHON..SCHEDULE B: 8536695050 OTHER ELECTF
846	1606-XL480EP	POWER SUPPLY, V-INP: 100-240 VAC, POW: 480W, V-OUT: 24VDC, I-OUT:20A, ..P/N: 1606-XL480EP..MFG: ALLEN BRADLEY..SCHEDULE B: #
847	1608-STD	BLOCK TERMINAL MARATHON HD 8 LINES..P/N: 1608-STD..MFG: MARATHON..SCHEDULE B: 8536695050 OTHER ELECTRICAL CONNECTC
848	1608571056	Keyed Chuck 3-16mm - 5-8-16..P/N: 1608571056..MFG: BOSCH..SCHEDULE B: # 9026.90.0000 PARTS AND ACCESORIES
849	16091-10	FLAME SENSOR TEST UNIT..PORTABLE FLAME DETECTOR TEST UNIT ..WITH RECHARGEABLE BATTERY PACK..AND CHARGER, INCLUI
850	160P	POLE LAMP CHANGER ..P/N: 160P..MFG: MC. GILL..SCHEDULE B: # 4403100060 OTHER POLES
851	1613900100	AIR FILTER..P/N:1613900100..MFG:ATLAS COPCO
852	161546342	VALVE ;TYPE 546 BALL VALVE 3P LEV(.5") PVC SOLVENT CEMENT SOCKET THREADED NPT CONNECTION EPDM SEALS 1/2" SIZE NO. 4 E
853	16215	TAP, PIPE, 1/4" - 18, TAPER..P/N: 16215(1E298)..MFG: WIDIA GTD..SCHEDULE B: # 8481.90.7000 TAPS, COCKS, VALVES AND SIMILAR APPL
854	16220	TAP, PIPE, 3/8" - 18, TAPER..P/N: 16220 (1E302)..MFG: WIDIA GTD..SCHEDULE B: # 8481.90.7000 TAPS, COCKS, VALVES AND SIMILAR APPI
855	1622489161	FAN, 220-230/440-460V 60HZ, CODE 70143608..P/N: 1622489161 (R/B: 1630350001)..MFG: ATLAS COPCO..SCHUDULE B: # 8414.80.9000 OTHE
856	16225	TAP, PIPE, 1/2" - 14, TAPER..P/N: 16225 (1E306)..MFG: WIDIA GTD..SCHEDULE B: # 8481.90.7000 TAPS, COCKS, VALVES AND SIMILAR APPI
857	1622716100	PIPE AIR OUTLET..P/N: 1622716100..MFG: ATLAS COPCO..SCHEDULE B: # 8414.80.9000 OTHER PARTS
858	16282-97010	BELT, FAN, CODE 776509, 37.5 ,COGGED..P/N: 16282-97010 (R/B: 16282-97013)..MFG: KUBOTA..SCHEDULE B: #8414.59.9080 OTHER PARTS
859	163.346.312	VALVE BALL 3P LEV(0.5") CPVC 150 SEAL163.346..312..1/2" BALL VALVE, PVC-C, 163.346.312..P/N: 163.346.312..MFG: GEORGE FISHER..SCH
860	1630	EARTH GROUND CLAMP METER..RUGGED CARRY CASE W/ SHOULDER STRAP, RESISTANCE TEST LOOP, 9V BATTERY, USER MANUAL
861	1631	DRUM SPILL CONTAINMENT, 2 DRUM 5K LB., POLYETHYLENE..P/N: 1631..MFG: EAGLE..SCHEDULE B: # 3926903500 OTHER ARTICLE OF P
862	1632	DRUM SPILL CONTAINMENT PALELT, 2 DRUM, 5K LB, PLYETTHYLENE..P/N: 1632..MFG: EAGLE..SCHEDULE B: # 3926903500 OTHER ARTIC
863	1647	INLINE DRUM SPILL CONTAINMENT, 4 DRUM, 10K LB, POLYETHYLENE..P/N: 1647..MFG: EAGLE..SCHEDULE B: # 3926903500 OTHER ARTIC
864	1656-30	CHICAGO GRIP FOR ACSR, ALUMINUM AND STRANDED..P/N: 1656-30..MFG: KLEIN TOOLS..SCHEDULE B: # 7326901000 POLELINE GRIPS
865	166-0150	SF-400 BALL BEARING..P/N: 166-0150..MFG: WARNER ELECTRIC
866	16631-43560	FUEL FILTER ..P/N: 16631-43560..MFG: KUBOTA
867	1667-8S	CLEANER ELECTRIC EQUIPMENT..CONT: 13 OZ..P/N: 1667-8S..MFG: TECH SPRAY
868	1668234	CABLE CONNECTION, M12, PIN: 4, ANGULAR, 3m, PLUG, 250 VCA, 4A, FEMALE, INSULATED MATERIAL PUR, (SAC-4P-3, 0-PUR/M12FR)..P/I
869	16689512	RETAINER, CODE 70135491..P/N: 16689512..MFG: TEREX
870	16724	CIRCUIT BREAKER..DUOLINE XE 1P + N 2A BREAKER CIRCUIT BREAKER - C-CURVE - PLUG-IN ..MAIN FEATURES: CIRCUIT BREAKER APF
871	167566	DAMPER KIT (ONE)..P/N: 167566..MFG: UNITED GROUP
872	168	LAMP, MINIATURE; (NO LAMP TRADE)-168; (v)-14V; (POW)-4.90W..P/N:168 (OFFER EIKO BRAND)..MFG: PHILLIPS..SCHEDULE B: #8539.22.8
873	1683	LAMP MINIATURE, LT: 1683, V: 28V, POW: 28.6BW..P/N: 1683..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8539228050 OTHER LAMPS
874	1684086	CYLINDER ASSEMBLY..P/N: 1684086..MFG: GRADALL..SCHEDULE B: # 8431310040 PARTS FOR ESCALATOR OF MINERAL MACHINERY
875	16886394	POSITIONER TYPE DVC6010-100/HC/G60B/FM
876	1689	SPILL PALLET RAMP, YELLOW, 1500 LB. POLYETHYLENE..P/N: 1689..MFG: EAGLE..SCHEDULE B: # 3926903500 OTHER ARTICLE OF PLAST
877	16970	VALVE ASSY, PORV, D3..P/N: 16970..MFG:VIKING..SCHEDULE B: # 8481.80.1095 OTHER VALVES
878	16978912	RETAINER RELAY, CODE 70135473..P/N: 16978912..MFG: TEREX

	Item	Description
879	16H043W738H1	AC MOTOR..CATALOG M4404T..75 HP, 230/460 V, 60HZ, 60HZ, 3 PHASE, 176/88 FULL LOAD, USABLE AT 208V: 203, 1185 RMP, 405T FRAME,
880	16L0156WS3	CAPACITOR 225 KVAR, 4160 V, 3 PH, 60HZ..P/N: 16L0156WS3..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8532.30.0090 OTHER ELECTRIC/
881	16L0156WS3037	CAPACITOR 4160V, 3PH, 60 Kv Bil, 225 Kvar, 60 HZ, SN F031002..P/N: 16L0156WS3037..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8532.30.0
882	16MB1AO	CONTROL MODULE ELECTRONIC WARRICK CONTROLS SERIES 16M GENERAL PURPOSE CONTROL,SOLID STATE PLUG-IN MODULE; M(
883	16MM	SLEEVE SILICONE RUBBER COATED..D-SLE: 16 MM, CLASS H..P/N: 16MM (P/N: 547R GRADE A)..MFG: HILEC..SCHEDULE B: # 39100000000
884	16X25X2 AFS-PLEAT	FILTER AIR 16X25X2 ..P/N: 16X25X2 AFS-PLEAT..MFG: AIR FILTER SUPPLY
885	17-0010-04	CAPACITOR, REF: TRIP DEVICE W/VX RELAY 240VDC..P/N: 17-0010-04..MFG: LINEPOWER/ FEDERAL PACIFIC..SCHEDULE B: # 8532.30.009
886	170-102-800	FILTER AIR PANEL..MOD: PERFECTPLEAT, DURAFLEX..LG: 24 1/2", W: 19 1/2", THK: 1-3/4"..P/N: 170-102-800..MFG: AMERICAN AIR FILTER IN
887	17001	FLAGGING TAPE FLUORESCENT LIME; (W)-1-3/16";(LG)-150 FT..P/N: 17001..MFG: HANSON..SCHEDULE B: # 3920.10.0000 OTHER TAPES
888	17016.00	JACKET; ARC-RATED METALWORKING JERSEY, BLACK, SIZE M ..TOP QUALITY WASHABLE WELDER WEAR. MADE FROM MODACRYLIC
889	17020	FLAGGING TAPE WHITE, (W)-1-3/16";(LG)-300 FT..P/N: 17020..MFG: C.H. HANSON..SCHEDULE B: # 3920.10.0000 OTHER TAPES
890	17021	FLAGGING TAPE, CLR: RED, W: 1-3/16", LG: 300 FT..P/N: 17021..MFG: HANSON..SCHEDULE B: # 3920.10.0000 OTHER TAPES
891	17022	FLAGGING TAPE ORANGE..P/N: 17022..MFG: C.H. HANSON..SCHEDULE B: # 3920.10.0000 OTHER TAPES
892	17023	FLAGGING TAPE , CLR: BLUE, W: 1-3/16", LG: 300 FT..P/N: 17023 (ITEM # 88456496)..MFG: C.H. HANSON..SCHEDULE B: # 3920.10.0000 OTH
893	17024	FLAGGING TAPE YELLOW, (W)-1-3/16";(LG)-300 FT..P/N: 17024..MFG: C.H. HANSON..SCHEDULE B: # 3920.10.0000 OTHER TAPES
894	17025.00	GLOVES;HYAMP CUTTING AND GOUGING GLOVES, SIZE M ..INSULATED FOR HEAVY DUTY APPLICATIONS...GUN-CUT PALM DESIGN WI
895	1704-7	DAMPER FOR CABLE 300MCM..RANGE 0.571" MIN 0.77" MAX..P/N: 1704-7..MFG: ALCOA FUJIKURA..SCHEDULE B: # 8424909500 OTHER PAR
896	17049	REEL, BULLETIN SPRING MOTOR KIT REPLACEMENT..P/N: 17049..MFG: GLEASON REEL /HUBBELL
897	170M1366	HRC FUSE, -80A, 690 VAC..P/N: 170M1366..MFG: BUSSMANN
898	170M1368	HRC FUSE, 125A, 690VAC..P/N: 170M1368..MFG: BUSSMANN
899	170M1372	HRC FUSE , 315A, 690VAC..P/N: 170M1372..MFG: BUSSMANN
900	170M1565D	HRC FUSE, 63A, 690 VAC..P/N: 170M1565D..MFG: BUSSMANN
901	170M3817D	HRC FUSE, 315A, 690 V..P/N: 170M3817D..MFG: BUSSMANN
902	170M5809	FUSE 450A 690 VAC AR IEC 60269-4 DIN 2..P/N: 170M5809 (OFFER UPGRADE D170M5809)..MFG: BUSSMANN
903	170M6814D	HRC FUSE, 1000 A, 690 VAC..P/N: 170M6814D..MFG: BUSSMANN
904	170M8622	HIGH SPEED FUSE, SQUARE BODY DIN 43653, 800 A, 1000 V, ..MFG: BUSSMANN..
905	172-102-600	FILTER AIR PANEL, 12/PKG..LG: 24 -1/2", W: 15-1/2", THK: 1-3/4", MAT: PLEAT..P/N: 172-102-600..MFG: AMERICAN AIR FILTER
906	172-102-700	FILTER AIR PANEL..LG: 19 1/2", W: 19 1/2", THK: 1-3/4"..P/N: 20 X 20 X 2 (P/N: 172-102-700)..MFG: AMERICAN AIR FILTER INTL...SCHEDULE B:
907	172-102-800	FILTER AIR PANEL..MOD: PERFECTPLEAT, DURAFLEX..LG: 24 1/2", W: 19 1/2", THK: 1-3/4"..P/N: 20 X 25 X 2 (P/N: 172-102-800)..MFG: AMERIC
908	1720	AKRON TURBO JET 1720;MEDIUM RANGE TURBOJET HANDLINE NOZZLE WITH PISTOL GRIP AND NOZZLE COLOR CLIP KIT ;1.5" INLET, N
909	17210-Z6L-010	IPPHON HON 17210-Z6L-010 AIR FILTER...P/N: 17210-Z6L-010..MFG: CAM SPRAY...SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR PRESSU
910	17258492	ACTUATOR SIZE 30 TYPE 657..BENCH SET 3-11, TRAVEL 3/4..PRESS UNIT: PSI, MAX CASING PRESS: 140PSI
911	1733	AKRON TURBO JET 1733 ; HIGH-RANGE TURBOJET NOZZLE WITH PISTOL GRIP AND NOZZLE COLOR CLIP KIT; 2.5" INLET ..NH (NST) THRI
912	1735A	A DUAL DIGITAL SINGLE OUTPUT DIGITAL DC POWER SUPPLY 30V / 3 A..P/N: 1735A..MFG: BK PRECISION..SCHEDULE B: 8504406018 OT

	Item	Description
913	174438328	1 1/2" EZ VALVE BODY
914	1746-P2	POWER SUPPLY, V-INP: 120-240VAC, V-OUT: 24VDC, I-OUT: 0.2A, SLC 500..P/N: 1746-P2..MFG: ALLEN BRADLEY..SCHEDULE B: #850440601
915	17460712	CABLE, CODE 70126130..P/N: 17460712..MFG: TEREX
916	1747-L542	PROCESSOR, COMPUTER, SLC, 5/04, 32K MEMORY..P/N: 1747-L542..MFG: ALLEN BRADLEY CO...SCHEDULE B: 8542310000 PROCESSOR
917	1747-L543	PROCESSOR, COMPUTER, SLC, 64KB MEMORY, COMMUNICATION DH + AND PS232 OR DH 485 ..P/N: 1747-L543..MFG: ALLEN BRADLEY C
918	1747-L552	PROCESSOR SLC..SPEC: 5/05, 32KW, RS-232/485..P/N: 1747-L552..MFG: ALLEN BRADLEY CO...SCHEDULE B: 8542310000 PROCESSOR A
919	1747-SN	MODULE ELECTRONIC; REMOTE I/O SCANNER; SLC 500 SCANNER MODULE SERIES B FW 1.0b..P/N:1747-SN..MFG:ALLEN BRADLEY..SCHI
920	1756-EN2T	MODULE 1756-EN2T SERIES / D 2015 2016 CONTROLLOGIX ETHERNET // IP COMMUNICATION BRIDGE 10/100 MBPS .COPPER..P/N:1756-EI
921	1756-EN2TR	MODULE COMMUNICATION ETHERNET IP CONTROLLOGIC. B SERIES; (SPEC)-DUAL 2 PORT 10-100MSUPPORTS128 TCP/IP CONNECTION
922	1756-IF8H	MODULE ELECTRONIC; 1756-IF8H /A CONTROLLOGIX ANALOG DIFFERENTIAL INPUT;TYPE:ANALOG INPUT; (W/)HART PROTOCOL; 8 INPU
923	1756-IR6	CONTROLLOGIX ISOLATED RTD INPUT MODULE, 6 POINTS 20 PIN. ..NUMBER OF INPUTS: 6 ISOLATED RTD; RESOLUTION: 16 BITS; ..SEN
924	1756-L63	CONTROLLOGIX PROCESSOR SERIES B # 7 P/: 1756-L63..MFG: ALLEN BRADLEY..SCHEDULE B: 8542310000 PROCESSOR AND CONTROL
925	1756-L72	CONTROLLER, CONTROLLOGIX, SPEC: 4 MB..P/N: 1756-L72..MFG: ALLEN BRADLEY..SCHEDULE B: # 9032.90.0000 CONTROLLING INSTRUM
926	1756-L73	CONTROLLER, CONTROLLOGIX, 8K, MEMORY USB PORT, SDRAM, MEMORY CARD..P/N: 1756-L73..MFG: ALLEN BRADLEY..SCHEDULE B: #
927	1756-OW16I	MODULE ELECTRONIC, SPEC: RELAY 16 OUTPUT, 36 PINS..P/N: 1756-OW16I..MFG: ALLEN BRADLEY..SCHEDULE B# 9032.90.0000 PARTS A
928	1756-PA75	POWER SUPPLY, V-INPUT: 85-265 VAC, V-OUTPUT: 24/5,. 1/3. 3/1.2 VDC, CURRENT OUTPUT: 2.8/13/4/1.5A, MRP-SEM-2856-FAUT201720..P/I
929	1756-RM	MODULE SYSTEM REDUNDANCY..P/N: 1756-RM..MFG: ALLEN BRADLEY..SCHEDULE B: 8542310000 PROCESSOR AND CONTROLLERS
930	1756-RM2	REDUNDANCY MODULE, ENHANCED, CONTROLLOGIX..P/N:1756-RM2..MFG:ALLEN BRADLEY..SCHEDULE B: # 8517.69.0000 OTHER APPAI
931	1756-TBCH	BLOCK TERMINAL, SPEC: SCREW CLAMP WITH 36 PIN..P/N: 1756-TBCH..MFG: ALLEN BRADLEY..SCHEDULE B: # 8536.90.4000 TERMINALS
932	1757-SRM	MOSULE, SYSTEM REDUNDANCY..P/N: 1757-SRM..MFG: ALLEN BRADLEY
933	176000A	MICRODUST PRO KIT, IN CARRY CASE CALIBRATION INSERT, CLEAN AIR BELOW, RECHARGEABLE BATTERIES (4), POWER SUPPLY, 32
934	1760306	GASKET HEAD(A)..P/N: 1760306- 66 (201JGY715)..JOY AIR
935	1761-L16AWA	CONTROLLER PROGRAMMABLE; (TYPE)-MICROLOGIX 1000 (V-AC)-100/240V; (INP)-DIGITAL 10 INP 120 AC ; (O/P)-DIGITAL 6 CONTAC, REL
936	1762-1F4	MODULE EXPANSION; MICROLOGIX 1200 4CH INPUT MODULE;- (SPEC)-4E,ANALOG(U/O)-MICROLOGIX 1200..P/N: 1762-1F4..MFG: ALLEN B
937	17632	RADIAL TUBE,..13/1400X24/25 TR455, #553-190 WT 10.8..P/N: 17632..MFG: FIRESTONE..SCHEDULE B: # 4013100020 INNER TUBES OF RUBB
938	1769-L35E	COMPACTLOGIX CPU PROCESSOR, MEMORY 1.5MB..P/N: 1769-L35E..MFG: ALLEN BRADLEY..SCHEDULE B: #8542.31.0000 PROCESSOR C
939	1771-ASB	MODULE ELECTRONIC COMMUNICATION, RIO..P/N: 1771-ASB..MFG: ALLEN BRADLEY..SCHEDULE B: #8537109090 OTHER BOARDS PANEL
940	1771-ID16	MODULE ELECTRONIC INPUT ISOLATED..120 VAC..P/N: 1771-ID16..MFG: ALLEN BRADLEY..SCHEDULE B: # 9031.80.8080 OTHER CHECKINC
941	17801B	REFRIGERANT RECOVERY RECYCLE EVACUATE AND RECHARGE MACHINE..220V, 240V, 50 HZ..P/N: 17801B..MFG: SPX-ROBINAIR
942	1783-US5T	SWITCH; STRATIX 2000 UNMANAGED ETHERNET SWITCH, PORTS PER MODULE: 5; COPPER PORTS: 5 X 10/100 FULL/HALF DUPLEX,.. AU
943	1784-PKTX	MODULE ELECTRONIC..COMMUNICATION, DH, SLOT PCI..P/N: 1784-PKTX..MFG: ALLEN BRADLEY..SCHEDULE B: #8537109090 OTHER BC
944	1785-L20E	MODULE PROGRAMMABLE LOGIC CONTROLLER, REF: PROCESSOR PLC-5/20E WITH ETHERNET..P/N: 1785-L20E ..MFG: ALLEN BRADLEY
945	1785-TR10BT	TWISTED PAIR TRANSCEIVER..P/N: 1785-TR10BT..MFG: ALLEN BRADLEY..SCHEDULE B: # 8517.69.0000 OTHER DATA APPARATUS
946	1794-IR8	MODULE ELECTRONIC, 24 VDC FLEX I/O RTD INPUT..P/N: 1794-IR8..MFG: ALLEN BRADLEY..SCHEDULE B: # 8542900000 OTHER ELECTROI

	Item	Description
947	1794-OE4	I/O MODULE, 4 SINGLE ENDED, ANALOG OUTPUT, 20MA, 24VDC..P/N:1794-OE4..MFG:ALLEN BRADLEY..SCHEDULE B: # 8517.69.0000 OTHE
948	1794-PS13	MODULE ELECTRONIC, SPEC: FLEX I/O POWER SUPPLY..P/N: 1794-PS13..MFG: ALLEN BRADLEY..SCHEDULE B: #8537109090 OTHER BOA
949	1794-TB32	TERMINAL BASE, 32-POINT, CAGE CLAMP, 24 - 16AWG, 31.2V AC/DC..P/N:1794-TB32..MFG:ALLEN BRADLEY..SCHEDULE B: # 8536.90.4000
950	17948	LAMP MINIATURE..LT: S11DC, V: 75 V, POW: 30 W,..SPEC: 30S11DC/RS..P/N: 17948 ..MFG: GE..SCHEDULE B: #8539228050 OTHER LAMPS
951	1794IB32	I/O MODULE, 32 DIGITAL, SINK INPUTS, 24VDC..P/N:1794IB32..MFG:ALLEN BRADLEY..SCHEDULE B: # 8517.69.0000 OTHER APPARATUS FO
952	1799241	WOMEN'S BUGABOO™ II FLEECE INTERCHANGE JACKET;3JACKETS IN 1;OMNI-HEAT™ THERMAL REFLECTIVE;OMNI-TECH™ WATERPR
953	17B6813X012	FILTER CARTDRIDGE..P/N: 17B6813X012..MFG: ROSEMOUNT FISHER..SCHEDULE B: # 8421.39.8015 OTHER FILTERS
954	17B6816X012	SEAT LOWER, ACETAL FMS30A13..P/N: 17B6816X012..MFG: ROSEMOUNT FISHER
955	17CP2BC11	CONTACTOR;TRANSIT CONTACTOR PNEUMATIC CONTROL..P/N: 17CP2BC11..MFG: GE..SCHEDULE B:#8538.90.7080 OTHER CONTACTOF
956	17EA20K108	RESISTOR..P/N: 17EA20K108..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8533.21.0090 OTHER ELECTRICAL RESISTORS
957	18	SLOW SPEED OUTPUT OIL SEAL, REDUCTOR WEST TEH PART # 21587A-103, RARIO: 3045, SERVICE FACTOR: 1.00, INPUT : 1.01 HP, 1750
958	1800661	MEN'S BUGABOO™ II FLEECE INTERCHANGE JACKET; 3 JACKETS IN 1;OMNI-HEAT™ THERMAL REFLECTIVE;OMNI-TECH™ WATERPROO
959	1811MB-0-3X1-22-LP-WSC	SAFETY RELIEF VALVE MODEL:1811MB-0-3X1-22-LP-WSC..TAG: 31LBA60AA101..SERIAL: DA44176..-3" CL300 RF FLG INLET..-4" CL150 RF FI
960	1815	LAMP MINIATURE, LT: 1815, V: 12, POW: 2.80W,..P/N: 1815..MFG: PHILIPS..SCHEDULE B: #8539228050 - OTHER LAMPS
961	18150	PAINT SPRAY,..TYPE: CAN SPRAY, CLR: SILVER GRAY,..U/O: ELECTRICAL, SPFE: MACHINERY LIGHT GRAY, ASA 61, 00780X10056..P/N: 18
962	1816	LAMP MINIATURE..LT: 1816, 4W T3 1/4 V: 13 V, POW: 4.30W, ..P/N: 1816..MFG: LIGHT BURN..SCHEDULE B: #8539228050 - OTHER LAMPS
963	1820	LAMP MINIATURE, NO. LAMP TRADE: 1820, V: 28V, POW: 2.8W, ..P/N: 1820..MFG: GENERAL ELECTRIC..SCHEDULE B: #8539228050 - OTHE
964	1835	LAMP INDICATOR MIN BAY BASE..P/N: 1835..MFG: IMPORT BRAND..SCHEDULE B: #8539228050 - OTHER LAMPS
965	18446	CABLE FOR MODEL 5103, 5 CONDUCTOR SHIELDED, 22 AWG..50 FT CABLE (15 METERS)..P/N: 18446..MFG: YOUNG..SCHEDULE B:# 9015.9
966	1847	LAMP MINIATURE BAYONET T3.25 ..LT: 1847, V: 6.30V, POW: 0.95W, 0.15 AMP..P/N: 1847..MFG: IMPORT..SCHEDULE B: 8539228050 OTH
967	186 1160 0034	FILTER, REPLACEMENT FAN FILTER:..5/PK, FLUTED, PFF20000, FOR USE WITH 4TH GEN. SIZE 4 FILTERFANS..4.55" H x 4.35" W x .65"D..W
968	18611600034	FAN FILTER 4.55" X 4.35" X 0.65" ;5/PK, FLUTED, PFF20000, FOR USE WITH 4TH GEN. SIZE 4 FILTERFANS..P/N:18611600034..MFG:PFANNEN
969	1864	LAMP MINIATURE..#LT: 1864, V: 28V, POW: 4.80 W..P/N: 1864..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8539228050 OTHER LAMPS
970	1864-01 (PT1000)	CALIBRATOR 4 OHM 104C..P/N: PT1000 SENSOR TEMPERATURE..MFG: THORTON....SCHEDULE B: #..
971	18808021	MALE ELBOW 8 X 1/8"..P/N:18808021..MFG:AZUD
972	18808031	MALE BRANCH TEE 8 X 1/8"..P/N: 18808031..MFG:AZUD
973	18808071	MALE RUN TEE 8 X 1/8"..P/N:18808071..MFG:AZUD
974	188265	PUMP ONLY D4038K2LVBE..P/N: 188265..MFG: IMO
975	1883A94H13	FUSE TIME DELAY , VAC: 500V, I: 10A, REF:TRANSFORMER CONTROL (4FU, 4FU)..P/N: 1883A94H13..MFG: BUFFALO POWER ELECTRONIC
976	189110	SPRING COUPLER..P/N: 189110..MFG: BELL & GOSSETT..SCHEDULE B:# 7307.19.9090 OTHER COUPLINGS..
977	1892	LAMP MINIATURE, V: 28V, POW: 4.76W,..P/N: 1892..MFG: EIKO..
978	1893	LAMP MINIATURE, V: 14V, POW: 4.62W, ..P/N: 1893..MFG: EIKO..SCHEDULE B:#8539228050 - OTHER LAMPS
979	1893560	DRIVE ASSEMBLY,..P/N: 1893560..MFG: DELCO..SCHEDULE B: # 8511908000 OTHER RELAY
980	18AWG 1/C	CABLE GPT..TYP: STRANGING, AWG: 18, COND: 1, THD: 16, V: 60V, CLR: BLACK, PKG: 100M (328 FT)..P/N: 18AWG 1/C (OFER P/N: GPTM 18

	Item	Description
981	18AWG 1/C RED	CABLE GPT, TYP: STRANDING, AWG: 18, COND: 1, THD: 16, V: 600V, CLR: RED, PKG: 100 FT..P/N: 18AWG 1/C..MFG: AMERICAN WIRE..SCH
982	18B8514X012	O-RING NITRILE DS52-8..P/N: 18B8514X012..MFG: ROSEMOUNT FISHER
983	18G12HMP-14	18" duo-chek styleG- ANSI class 125, cast iron Body,..316SS plates, Buna-N seat, plain face ends, water style body..Duo-chek..p/n:18G12HMP-14..Mfg:
984	18L62WH	CAPACITOR 4160V, 3PH, 110 Kv Bil, 1.5 µF, 60 HZ..SN N252079..P/N: 18L62WH (R/B: 18L0062WH)..MFG: GENERAL ELECTRIC..
985	18S11/1SC	LAMP INCANDESCENT..V: 10V, POW: 18W,..P/N: 18S11/1SC..MFG: GENERAL ELECTRIC..SCHEDULE B: #8539228050 OTHER LAMPS
986	18S3RA8	CHECK VALVE STYLE BS1868, 18" - CLASS 300, BODY WCB /H.PIN CR13 SEAT HF / DISC CR 13 MOP 740@100°F WOG410@800°F, SAP ID:
987	18X14MESH	MESH LG: 100 FT, W: 3FT, DIM: MESH 18"X14", TYPE: SQUARE, MAT: STEEL GALVANIZED,..P/N: 18X14MESH..MFG:HANOVER..SCHEDULE E
988	19	HIGH SPEED INPUT SEAL, REDUCTOR WEST TECH PART # 21587A-103, RATIO 3045, SERVICE FACTOR: 1.0, HP: 1750 RPM, OUTPUT TOR
989	19-2302	LUBRIPLATE LITHIUM GREASE..P/N: 19-2302..MFG: GC ELECTRONICS..SCHEDULE B: #2710193750 LUBRICATING GREASES
991	1905-00DC-2-CC-DA-34-RF-LA	1" 150# RF INLET X 2", 150# OUTLET CONSOLIDATED RELIEF VALVE, ASME SECTION VIII LIQUID SERVICES, SET AT 218 PSIG, CAPACITY
992	1905-00KC-1-CC-MS-34-RF-LA	CONSOLIDATED SAFETY VALVE, SELECTION VIII WATER SERVICES, WITH PLAIN LIFTING LEVER, STANDARD MATERIALS OF CONSTRU
993	1907-1019	DECORATE SMART FONDANT RIBBON CUTTER SET..P/N: 1907-1019..MFG: WILTON INDUSTRIES..COUNTRY OF ORIGIN: CHINA
994	1910-10-PRESET	1910 PRESSURE SWITCH, RANGE 3-11: WC, PRESET VALUE: PRESET UNITS:, FLOW DIRECTION..P/N: 1910-10-PRESET..MFG: DWYER..P
995	1910-217-300	Custom Cable length btwn RX head & Control Panel (nnn = length in feet; std. length=25 ft., max length=300 ft) ..BASE PRICE $100.00 + $2.00/FOOT
996	1910-453	Adjustable Air Flow Panel Kit for Spool (2 required per sensor) P/N:1910-453..OPTICAL SCIENTIFIC
997	1910-804	OFS to Laptop Communications Cable (10ft.) P/N:1910-804..MFG:OPTICAL SCIENTIFIC
998	1910-809B	Vibration Reduction Kit for one OFS head (2 req'd per system; only required if heads will experience moderate vibration)..P/N:1910-809B..MFG:OPTICAL
999	1910-811	OFS Optical Alignment Target (highly recommended) P/N:1910-811..MFG: OPTICAL SCIENTIFIC INC.
1000	1914462	..SHAFT SEAL KIT..SUNTEC. MODEL T-3 ;CARBON STEEL ;1750 KG/H;..400-690V ; 3000 RPM..P/N: 1914462..MFG:SUNTEC
1001	1914481	..SHAFT KIT T-3..SUNTEC. MODEL T-3 ;CARBON STEEL ;1750 KG/H;..400-690V ; 3000 RPM..P/N:1914481..MFG:SUNTEC..
1002	19205A21	LASER DISTANCE FINDERS..P/N: 19205A21..MFG: MCMASTER
1003	19210351	INDICATOR; PANEL MOUNT; LED; 14MM; 24VDC GREEN; SATIN CHROME..P/N: 19210351..MFG: CML INNOVATIVE TECHNOLOGIES....
1004	19210352	INDICATOR, PNL-MNT; LED; YELLOW; 70MCD; 14MM; 24VDC; QC/SOLDER TAB; SATIN CHROME..P/N: 19210352..MFG: CML INNOVATIVE TE
1005	19210353	
1006	192302	WHITE LITHIUM GREASE;LUBRIPLATE 1.75 OZ TUBE = 1 3/4 OZ TUBE..P/N:192302 ..MFG: GC ELECTRONICS..SCHEDULE B: #2710.19.3750 L
1007	192T6420	CURRENT TRANSFORMER, MODEL TCB44-63 OF 200 TO 5 AMPS,..P/N: 192T6420..MFG: SOCOMEC..SCHEDULE B: # 8504210020 ELECTRIC
1008	19327112	CYLINDER FOR AC100 DEMAG TEREX..P/N: 19327112..MFG: DEMAG
1009	19355A52	TRAMMELS FOR MACHINISTS RULE..P/N: 19355A52..MFG: MCMASTER
1010	19410912	PIN, CODE 70145348..P/N: 19410912..MFG: TEREX
1011	19411012	PAD RETAINER ASSEMBLY, CODE MOSAIC 70135497, PARTS FOR CRANE AC100/4L..P/N: 19411012..MFG: TEREX
1012	1945859	STAR ELEMENT 125/500 12634 17 VA 300/250;ID NUMBER 1945859..CARTRIGE ELEMENT FILTER LUBE OIL 25 MICRA ;12CM DIAM X 10CM L
1013	19464	WASHER, FLAT 1 SAE G8..CODE MISKI MAYO 70142292..P/N: 19464..MFG: BOART LONGYEAR
1014	19489412	PIN, MOSAIC 780360..P/N: 19489412..MFG: TEREX

	Item	Description
1015	19489512	PIN, MOSAIC 70150421..P/N: 19489512..MFG: TEREX
1016	194E-A25-1753	LOAD SWITCH, 25 AMP, 3 POLES,..P/N: 194E-A25-1753..MFG: ALLEN BRADLEY
1017	194E-Y25-1753-6G	LOAD SWITCH 194E-A25-1753 , 25 AMP, 3 POLES, WITH ENCLOSURE 194L-G3572 AND HANDLE 194L-HE6G-175 ..P/N: 194E-Y25-1753-6G..MI
1018	194E-Y25-1753-6N	IEC LOAD SWITCH, IP 65 (THERMOPLASTIC), BASE/DIN RAIL, OFF-ON 90DEGREE..P/N: 194E-Y25-1753-6N..MFG: ALLEN BRADLEY
1019	1951439D1	FILTER REGULATOR + BRACKET 125 PSI 1/2"..P/N: 1951439D1..MFG: ABB..SCHEDULE B: 8421310000 - AIR FILTERS
1020	19627912	BELT, MATERIAL CODE 779223..P/N: 19627912..MFG: TEREX
1021	1962A34	JOINT CALIPERS INSIDE 18"..P/N: 1962A34..MFG: MCMASTER
1022	1962A35	JOINT CALIPERS INSIDE 24"..P/N: 1962A35..MFG: MCMASTER
1023	1962A39	JOINT CALIPERS OUTSIDE 18"..P/N: 1962A39..MFG: MCMASTER
1024	1962A41	JOINT CALIPERS OUTSIDE 24"..P/N: 1962A41..MFG: MCMASTER
1025	1974091	SECURING RING..SUNTEC. MODEL T-3 ;CARBON STEEL ;1750 KG/H;..400-690V ; 3000 RPM..P/N:1974091..MFG: SUNTEC
1026	19784	BOLT DOUBLE - ARMING EYE, 5/8"x14" WITH THREE SQUARE NUTS..P/N: 19784..MFG: CHANCE..SCHEDULE B: # 7318152000 BOLTS AND T
1027	1982A45	DIAMETER TAPES 12-36"..P/N: 1982A45..MFG: MCMASTER
1028	1982A461	DIAMETER TAPES 36"-48"..P/N: 1982A461..MFG: MCMASTER
1029	1982A47	DIAMETER TAPES 48-60"..P/N: 1982A47..MFG: MCMASTER
1030	1987A69	SWIVEL CLAMP WITH DOVETAIL GROOVE..P/N: 1987A69..MFG: MCMASTER
1031	198800000079	CABLE USB FOR COMPARATOR CDM..P/N:198800000079..MFG: BAXLO
1032	199C/003S	FLUKE 200 MHZ COLOER SCOPEMET4ER WITH SCC KIT (VIEW SOFTWARE, INTERFACE CABLE AND HARD CASE)..P/N: 199C/003 S..MFG:
1033	19B5401X072	KIT, TERMINAL BOX;DVC6200, HW1, ALUM,..GC, NITR FISHER CERTIFICATION OF CONFORMANCE..P/N: 19B5401X072..MFG: FISHER..
1034	19NS100	19 INLINE NEEDLE SCALERS, 5.8 LBS, 5.5 CFM, 3000 ..P/N: 19NS100..MFG: NOVATEK CORP...SCHEDULE B:# 8467.11.5090 OTHER HAND TC
1035	1A-30	ELEMENT, REFILL/ FILTER 1A-25A..P/N: 1A-30..MFG: GENERAL FILTERS, INC...SCHEDULE B: # 8421990080 OTHER FILTERS
1036	1AC-A1-II	DETECTOR VOLTAGE..V-RANGE: 90 TO 1000 AC, LG: 5", SPEC: INDICATOR AUDIBLE AND VISUAL, USE BATTERY TYPE AAA..P/N: 1AC-A1-I
1037	1AR23-29	BAR HANDLE 28- 1/2"..P/N: 1AR23-29 (J5884)
1038	1BA031B	SENSOR LEVEL ULTRASONIC..DIM: 45M, ..P/B: 1BA031B..MFG: MILLTRONICS
1039	1C52-87000	CABLE TYPE: SINGLE PAIR SHIELDED, NO. CONDUCTORS: 1 PAIR, AWG: 18, V: 600V, JACKET: FR PVC, CLR: BLACK & WHITE..P/N: 1C52-8
1040	1CPSA1B	PULL CORD, CONTACTS NA, NC, HONEYWELL MICRO SWITCH IEC, 6047-5. ENC, TYPE 1.212.13 A 300 AC 15 Q300 DC 15 IP 67 IN VOLTAGE
1041	1D191706992	O-RING NITRILE DS52-4..P/N: 1D191706992..MFG: ROSEMOUNT FISHER
1042	1F1125-H64	CONNECTOR WIRE,SPRING(V-MAX)- 1000V;(AWG)-18-14;(COLOR)-ORANGE..P/N: 1F1125-H64..MFG:IDEAL
1043	1F269206992	O-RING, NITRILE DS52-1..P/N: 1F269206992..MFG: ROSEMOUNT FISHER
1044	1HKL5	16" GUARD MOUNTED EXHAUST FAN,..VOLTAGE: 115 HZ: 60..MOUNTING POSITION: HORIZONTAL OR VERTICAL, STANDARDS: UL-CUL I
1045	1HMS1-G	CLAMP MALLEABLE IRON, PVC COVERED, DIA: 1", HO: 1", REF: DESIGNATION, 33M, PIPE STRAP..P/N:1HMS1-G..SCHEDULE B: # 85479000
1046	1HMS11/2-G	LAMP MALLEABLE IRON, PVC COVERED, DIA: 1-1/2", HO: 1", REF: DESIGNATION, 55M, PIPE STRAP..P/N:1HMS11/2-G..SCHEDULE B: # 8547
1047	1HMS3/4-G	CLAMP MALLEABLE IRON, PVC COVERED, DIA: 3/4", #HO: 1, ..DESIGNATION: 22M, PIPE STRAP..P/N: 1HMS3/4-G..MFG: THOMAS & BETTS..S
1048	1J418806992	RING BACK-UP..PTFE, FMS 17F3..P/N: 1J418806992..MFG: ROSEMOUNT FISHER

	Item	Description
1049	1J4888X0052	O-RING, NITRILE DS52-2..P/N: 1J4888X0052..MFG: ROSEMOUNT FISHER
1050	1LE15232BB234AA4	SPECIAL FEATURES:REPLACEMENT TO MOTOR PART # 1LG42234AA60..IP 55 ENCLOSURE – CAST IRON FRAME CONSTRUCTION, BASIC
1051	1LE2321-1CB31-4AA3-ZB09+D05	LOW VOLTAGE MOTOR 208-230/460V 60HZ 5 HP LOW-VOLTAGE MOTOR, NEMA, 3 PHASE SQUIRREL CAGE MOTOR, SEVERE DUTY SD10(
1052	1LE2321-4CB21-2AA3	TYPE SD100 NEMA PREMIUM EFFICIENCY, 15 HP, 460V STD, 60 HZ, CLASS T, 170A, SF: 1.15, 1785 RMP, FRAME 445T, 40 C, CLASS B, NAME
1053	1LPX4	AC GEARMOTOR, 15 RPM,500 TORQUE, TEFC, 115/230V ..P/N: 1LPX4..MFG : DAYTON..SCHEDULE B: # 8501.52.4000 ELECTRIC MOTORS
1054	1LS58	LIMIT SWITCH..VRAN: 120-240-480 VAC, I: 10A,..HP: 1/4-1/2, WITH LSZ52C ADJUSTABLE ROLLER ARM..P/N: 1LS58..MFG: HONEYWELL..SCH
1055	1LY1511-0AA00-0AB4	AUXILIARY TERMINAL BOX 1X B9 014 FOR SIEMENS RTD MOTOR S/N 1LA43504AN40-Z 360 X 160 X 90..SR: Q2085386..SN: 1LA4350-4AN40-
1056	1N1202A	DIODE RECTIFIER..P/N: IN1202A..MFG: VISHAY..SCHEDULE B: # 8540890040 DIODES
1057	1SBL181001R8410	CONTACTOR MOTOR CONTROL, VAC: 400 V, NO. POLES: 3, I: 17A, AC3, HP: 5-10, POW: 7.5KW, TYPE: A16-30-10, VCOIL: 110V, CONTACT: 4
1058	1SDA051383R1	DOOR MOUNTED ROTARY HANDLES..P/N: 1SDA051383R1..MFG: ABB..SCHEDULE B: # 8536200040 OTHER AUTOMATIC CIRCUIT BREAKEF
1059	1SDA054929R1	HANDLE TRANSMITTED FOR FIXED AND PLUG IN, T4-T5..P/N: 1SDA054929R1..MFG: ABB..SCHEDULE B:# 8538.90.7080 OTHER PARTS
1060	1SVR405621R1000	RELAY, CR-U024DC2 Pluggable interface relay ..P/N: 1SVR405621R1000..MFG: ABB INC..SCHEDULE B: # 8536.41.0060 OTHER RELAYS
1061	1SVR730824R9300	MONITOR RELAY; PHASE MONITORING RELAY, 200-500VAC, DIN MOUNT, SCREW TERMINALS, CM-PFS.S.. DIMS: 1" X 1" X 1"; WEIGHT:5.2
1062	1TL1-3	SWITCH TOGGLE, I: 15A, VAC: 250-277V, NO. POLES: 3, HP: 1/2-1, TYPE: ON-ON..P/N: 1TL1-3..MFG: HONEYWELL..SCHEDULE B: #85365090
1063	1VCF305111R1310	VSC, 7.2 LV, 400A, 220/250V, TYPE SCO..P/N: 1VCF305111R1310..MFG: ABB POWER
1064	1XSWLL-P12	INTERRUP PRESION DIG MOD 2W2D00-P12 UE..1XSWLL-P12, MBV26CP002..* INTERRUPTOR DE PRESION PIEZO RESISTIVO DE 2 HILOS..
1065	1XSWLL-P14	INTERRUP DE PRESION DIG MOD 1XSWLLP14, MBV26CP101..* INTERRUPTOR DE PRESION PIEZO RESISTIVO DE 2 HILOS...* CONECTAR
1066	2-116-006-880-00	BRACKET BUSHING CARBON GRAPHITE FOR VIKING PUMP KK4125..P/N: 2-116-006-880-00..MFG: VIKING..SCHEDULE B: # 8431100090 OTH
1067	2-3/4" Ratchet Link	Additional 2-3/4" Ratchet Link for 4LOW..p/n: 2-3/4"..Mfg: Wren..Schedule B: # 7315190000 Other parts
1068	2-3000-THREAD-LOK	2" THREAD - LOK HOT TAP FITTING ASSEMBLY, DRAWING SD-0000-4539..P/N: 2-3000-THREAD-LOK..MFG: FURMANITE..
1069	2-310-ST-T-H-S	FLANGED BALL VALVE-2" 310 VE/GLASS-VIRGIN PTFE, SELF RELIEVING-PTFE COATED VITON-HASTELLOY-STANDARD LEVER;(DIA)-2";SE
1070	2-331350-1	CONNECTOR,BNC(TYPE)-PLUG CRIMP MALE (U/O)-COAXIAL CABLE,RG-58U(GRADE)-MILITARY;(SPEC)-CENTER CONTACT PLATING IS G(
1071	2-477-003-999-00	MECHANICAL SEAL FOR VIKING PUMP KK4125..P/N: 2-477-003-999-00..MFG: VIKING..SCHEDULE B: #8484200000 MECHANICAL SEALS
1072	2-610-CF-P-H-S	BALL VALVE, WITH FLANGED, SIZE: 2' SERIES 610XP, MATERIAL FIBERGLASS REINFORCED NOVOLAC EPOXY, CAVITY FILLER, PRE: 250
1073	2-610XP-AL-T-H-S-135-S-S	LINED BALL VALVE-2" 610XP NOVOLAC EPOXY/GLASS-ALUMINA CERAMIC SEAT/LINERS-PTFE COATED VITON-HASTELLOY-STANDARD L
1074	2" 310 ST-T-H-S	FLANGED BALL VALVE..P/N: 2" 310 ST-T-H-S..MFG: NILCOR..1 BOX 8 LBS 7X7X8/EA..SCHEDULE B: # 8481801095 OTHER VALVES
1075	2" Industrial Turbo/PFT-4E	Badger Industrial Turbo, Cast Iron Body (125 lb)with PFT-4E Scaled Pulse, Plastic Housing (4 pole Rotor) for meter mounted scaled signal transmitter PF
1076	2"(50MM)CDCV(LL)RUPTURE DI	2" (50MM) CDCV (LL) CONTINENTAL RUPTURE DISC..NICKEL TOP SECTION..FLUOROPOLYMER SEAL..NICKEL VACUUM SUPPORT..RATEI
1077	2.0250 H3XL-B00-0-V	FILTER HYDRAULIC 2.0250 H3XL-B00-0-V..FILTER HYDRAULIC,HYDRAULIC OIL SUPPLY FILTER ..MNR: R928006897..41MBX11AT001/FH2-1 4
1078	2.03254.445 MTG11	CASTER; 2 SERIES;MOUNTING: THREADED STEM; STEM/PLATE SIZE:1/2"-13UNC x 1" (MTG11); WHEEL DIA:3 1/2";TREAD WIDTH:1 1/4";WH
1079	2.5X2.5 TAPPING	2.5 X 2.5 150 # TAPPING TEE W BS B31.8 CL 4 285 PSI..P/N: 2.5X2.5 TAPPING..MFG: FURMANITE
1080	20-2740	8371 BRASS MECO REGULATOR,OUTPUT 580 PSI MAX(9746) SHIPPED LOOSE..P/N:20-2740..MFG: DRESSER BECKER
1081	20-2842	8469 BRASS MECO REGULATOR,OUTPUT 225 PSI MAX(9745)(200 PSI) –SHIPPED LOOSE..P/N:20-2842..MFG: DRESSER BECKER
1082	20-35NM-F	FREE TILT THERMO RAMSEY..P/N: 20-35NM-F..MFG: THERMO FISHER..SCHEDULE B: # 8537200040 OTHER SWITCHES..COUNTRY OF OR

	Item	Description
1083	20-3732	VSP-3301-316, THREE(3 WAY) SPRING RETURN NORMALLY CLOSED..VERSA VALVE WITH 1/4" NPT STAINLESS STEEL..P/N:20-3732..MFG:
1084	20-39-50	TILT SWITCH PROBE WITH 50' CABLE..MODEL: 20-39-50 (P/N: 010307)..MFG: THERMO RAMSEY..SCHEDULE B: # 8537200040 OTHER SWIT
1085	20-4203	3-WAY NORMALLY OPEN #EV8327G042, 24 V DC..P/N: 20-4203..MFG: ASCO..
1086	20-5453	NORMAN FLTR F-5000 SIZE 485, 303 STAINLESS STEEL HSG..P/N:20-5453..MFG:DRESSER BECKER
1087	20-54NM-SS	SENSOR PROBE 1", STAINLESS STEEL..P/N: 20-54NM-SS..MFG: THERMO FISHER..SCHEDULE B: # 8537200040 OTHER SWITCHES..COUN
1088	20-5801	FLOW CONTROL (SPEED CONTROL)VALVE (STAINLESS STEEL)..P/N:20-5801..MFG: DRESSER BECKER
1089	20-COMM-D	POWERFLEX ARCHITECTURE CLASS DEVICENET COMMUNICATION ADAPTER
1090	20-HIM-A3	POWERFLEX ARCHITECCTURE CLASS HIM, LCD DISPLAY, FULL NUMERIC KEYPAD
1091	20/017.000.2	BRIDGE RECTIFIER, 200 #, 500 V, 1.8 A..P/N: 20/017.000.2..MFG: MAYR..SCHEDULEB:# 8504.40.9580 RECTIFIERS
1092	200-0060	CORROSION RESISTANT NEBULIZER..P/N: 200-0060..SCHEDULE B: #8424309000 OTHER PROJECTING PARTS..MFG: BUICK SCIENTIFIC
1093	200-CRYOPLATE	CRYOPLATE A TRANSPARENT LEXAN PLATE W/4 SIZES OPEN..P/N: 200-CRYOPLATE
1094	200-CRYOTOTE	CRYOTOTE INSULATED CASE F..P/N: CRY-AC
1095	200-MINICRYO	MINI-CRYOGUN 10 OZ/AC-3..P/N: 200-MINICRYO
1096	2000-2148	2000 SERIES ROTARY LIMIT SWITCH ..P/N: 2000-2148..MFG: AMETEK
1097	2000021	CONDENSATE DRAIN VALVE ..220 VAC 0.8/16 BAR -1/60°C IP65 ..24 VAC/DC, 48 VAC, 230 VAC 50/60 HZ..MODEL BEKOMAT 13 ..OLD P/N KA
1098	200110607600	AC ADAPTER(POWER CORD ASSEMBLY FOR CHARGER)..P/N: 200110607600..MFG:IKUSI..SCHEDULE B:# 8544.42.0000 OTHER ELECTRIC
1099	20015	SUPPORT BELT STRAP..P/N: 20015..MGF: GENERAL PUMP
1100	2001571	PH ELECTRODE GLASS..GP, WITH NPT GRAND FITTING..P/N: 2001571..MFG: ROSEMOUNT ANALYTIC..SCHEDULE B: # 8545900000 OTHER
1101	200230500200	CB70 BATTERY CHARGER..P/N: 200230500200..MFG:IKUSI..SCHEDULE B: #8504.40.9550 OTHER POWER SUPPLY
1102	200230527100	BATTERY BT24IK..P/N: 200230527100..MFG:IKUSI..SCHEDULE B: # 8507.20.0090 OTHER BATTERIES
1103	20025A31	ANGLE INDICATOR..P/N: 20025A31..MFG: MCMASTER
1104	20029034	INSTRUMENT TAGS 316 STAINLESS STEEL EQUIPMENT TAGS (OPTIONAL)..THE STANDARD TAG CAN HAVE 5 LINES OF TEXT WITH 1/8"
1105	2003	DIFFERENTIAL PRESSURE GAGE, RANGE 0-3.0" W.C., SERIA 2000 MAGNEHELIC, MINOR DIVISIONS,....
1106	200472-01-19-100.	KIT IGTU GUIDE, OFFSET,PN:200472-01-19-100,DWG:MD-502-8A35-ME-MPO-..0504-0202-ED6,POS:35, SIZE: 61 MM, GRANULATOR ELEVATC
1107	200612	MODULE,OUTPUT, GUARDED,HIGH DENSITY. 24VDC,16 CHANNEL.18-36VDC,..CATALOG NO T3481A, P/N: 200612..MFG: ROCKWELL / ALLE
1108	200772	ASSEMBLY GPS UHMW ANTENNA KIT..P/N: 200772..MFG: MODULAR
1109	20091	INSULATED METRIC OPEN END WRENCH..P/N:20091..MFG:WIHA..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
1110	200PAR56/30	LAMP INCANDESCENT..V: 30V, POW: 200W, HEAD LIGHT, DIA: 7"..TYPE: PAR56..P/N: 200PAR56/30..MFG: GENERAL ELECTRIC..SCHEDULE
1111	200U-1	EMERGENCY LIGHT COLOR AMBAR, STAR STROBE, 110 VOLT, 0.1 AMP, PERMANENT MOUNT, 1/2" PIPE MOUNT..FLANGE MOUNT..MFG:
1112	201-12920	MAIN BEARING STD..P/N:201-12920..MFG:LISTER PETTER
1113	2010HHK36	KNEE BRACE..SPEC: 36" C-C..P/N: 2010HHK36..MFG: HUGHES BROTHERS, INC..SCHEDULE B: # 7326908595 OTHER ARTICLES OF IRON S
1114	2012-230VAC	PANELMETER, TYPE-INP: 0/4-20MA, 0/5-10V, V: 85-240VAC, MOD: 2012, INCLUDE: INPUT CARD 2012 IN..P/N: 2012-230VAC..MFG: NOKEVAL..
1115	20133512	CONDENSER WITH DRYER, MATERIAL CODE 781157..P/N: 20133512..MFG: TEREX
1116	20133612	CONNECTING PIECE, MATERIAL CODE 781160..P/N: 20133612..MFG: TEREX

	Item	Description
1117	2013DM3	SCREWED END BALL VALVES, 1000 W.O.G./ PN 63 3-PIECE FULL PORT 1/4"-2"..P/N: 2013DM3..MDG: HAITIMA VALVES
1118	20185912FB	2" 150# FLANGE MOUNTED CARPENTER 20, (20 CB-3) HSX/T HIGH ..TEMP TRANSDUCER W/ NEMA 7 CONNECTION HEAD..P/N: 20185912FI
1119	202-12020	SPRING..P/N: 202-12020..MFG:LISTER PETTER
1120	2020DEL (2020DELRN BLACK)	KNIFE..LG: 5-1/4", TYPE: BOKER TREE BRAND..MAT: CARBON STEEL..P/N: 2020DEL (2020DELRIN BLACK)..MFG: BOKER USA..SCHEDUL
1121	2020DEL(ROSEWOOD HANDLE)	KNIFE..LG: 5-1/4", TYPE: BOKER TREE BRAND ..MAT: CARBON STEEL..P/N: 2020DEL (112020 ROSEWOOD HANDLE))..MFG: BOKER USA.
1122	2023	BRACE, CROSSARM, TREATED WOOD, 26", C-C HOLES, 1" X 1-3/4" WOOD SECTION, 7/16" & 9/16" HOLE, FITTINGS HOT DIP GALVANIZED.
1123	2025 VEE BRACE 9'-6"	VEE BRACE 2025 3 3/8" X 4 5/8" X 9' 6"..P/N: 2025 VEE BRACE 9'-6" (2025CCV114)..MFG: HUGHES BROTHERS
1124	2025 VEE BRACE 13' 6"	VEE BRACE 2025 3 3/8" X 4 5/8" X 13' 6"..P/N: 2025 VEE BRACE 13'-6" (2025CCV162)..MFG: HUGHES BROTHERS
1125	203-01	Vacuum pump for mercury tracker..3000 IP-Membrane Pump..for Mercury Tracker 3000IP -Complete..pump NMP30, 9V..p/n: 203-01..Mfg: Mercury Instr
1126	203250	CLAMP, FBI, 10-6, MAX 41A..P/N: 203250..MFG: PHOENIX..SCHEDULE B: # 7307.19.9090 OTHER CLAMPS
1127	20349401C	KIT DE PILOTO ALTITUD CDS6A..P/N: 20349401C..MFG: CLAVAL..SCHEDULE B: # 8481909090 PARTS FOR VALVES
1128	20354701K	PILOTO DE ALTITUD, MODELO CDS6A, 5-40 FT, SIZE: 2 1/2"..P/N: 20354701K..MFG: CLAVAL..SCHEDULE B: # 8481909090 PARTS FOR VALVE
1129	2036-120	KIT THERMOSTAT WHIT NUT MODEL 6000M-120;REPAIR KIT FOR THERMOSTATIC CONTROL VALVE FPE..CUSTOMER P/N:2036-120..MFG
1130	203968	POWER SUPPLY; REMOTE DISPLAY AC-DC(V-INP)-120VAC;(I-INP)-0.1A; (V-OUT)-12 VDC;(I-OUT)-0.35A..P/N:203968 (203968A)..MFG:HONEY
1131	204-11-933	THRUST BEARING ..OEM BUFFALO PUMPS / 517 VCRE LO 1 SEAL OIL PUMP / THRUST BEARING 204-1 1-933 / NP : 27; ..BBRG STL SKF-640
1132	204-29-158	COVER RING REF. POS.10 (ITEM 9)..VCRE VERTICAL LUBE OIL PUMP MODELO 3380 A..RNG WRG GR114..ITEM 9..P/N: 204-29-158..MFG:BU
1133	204-29-169	CASING RING REF. POS.9 (ITEM 10)..VCRE VERTICAL LUBE OIL PUMP MODELO 3380 A..RNG WRG GR114..ITEM 10..P/N: 204-29-169..MFG:E
1134	204-29-328	BEARING BUSHING 204-29-328 (ITEM 11B)..OEM BUFFALO PUMPS / 513 VCRE LO 1 SEAL OIL PUMP / BEARING BUSHING..204- 29-328 / NP :
1135	2045-AB45-9-11	BRACE CROSSARM, TREATED WOOD, 37" SPAN X 18-1/2" DROP, 9/16" TOP HOLE, 11/16" LOWER HOLE, FITTING HOT DIP GALVANIZED..P
1136	2045-CC30-9-11	BRACE, CROSSARM, TREATED WOOD, 60" SPAN X 18" DROP, 9/16" TOP HOLE, 11/16" LOWER HOLE, FITTING HOT DIP GALVANIZED..P/N:
1137	2045-D45	BRACE CROSS ARM, DIST. 60" X 30"..P/N: 2045-D45 (2045-D45-9-11)..MFG: HUGHES BROTHERS....SCHEDULE B: #
1138	204500-368-999	AIR FILTER REGULATOR, 1/4"NPT TYPE 78-40..RANGE 5-100 PSI..C/W MTG BRACKET..P/N: 204500-368-999..MFG:MASONEILAN..SCHEDULE
1139	2049	TAPE, REF: UNVULANIZED, HYPALON COMPOUND, W: 1-1/2", THK: 0.76MM, LG: 30 FT, CLR: BLACK..P/N: 2049..MFG: PLYMOUTH RUBBER C
1140	205 FLEETLINE	HEAVY DUTY LIQUID, ALKALINE DETERGENT FOR WASHING TRANSPORTATION EQUIPMENT, PKG: 55 GL DRUM ..P/N: 205..MFG: FLEETL
1141	205008	VALVE BODY O'RING, MOSAIC CODE 776174..P/N: 205008 (REPLACED OLD P/N: 217525)..MFG: TEREX..SCHEDULE B: # 8413.30.9000 OTHEF
1142	2051CD2A22A1AK5M5T1	PRESSURE TRANSMITTER..MODEL:2051C;TYPE: COPLANAR PRESSURE TRANSMITTER..MEASUREMENT TYPE: DIFFERENTIAL;..PRESSU
1143	2051CD2A22A1AM5D4C1Q4QT	PRESSURE TRANSMITTER..MODEL:2051C;TYPE: COPLANAR PRESSURE TRANSMITTER..MEASUREMENT TYPE: DIFFERENTIAL;..PRESSU
1144	2051CD3A22A1AM5D4C1Q4	DIFFERENTIAL PRESSURE FLOW TRANSMITTER; FLOW HRGS; MODEL 2051C; TYPE:COPLANAR PRESSURE TRANSMITTER; MEASUREM
1145	2051CD3A22A1AM5D4Q4	DIFFERENTIAL PRESSURE FLOW ..TRANSMITTER; FLOW HRGS;MODEL 2051C; TYPE:COPLANAR PRESSURE TRANSMITTER; MEASUREI
1146	2051CD4A22A1AM5D4C1Q4	DIFFERENTIAL PRESSURE FLOW TRANSMITTER; FLOW: HRGS;MODEL 2051C; TYPE:COPLANAR PRESSURE TRANSMITTER; MEASUREM
1147	2051TG1A2B21AB4M5D4Q4	IN-LINE PRESSURE TRANSMITTER..PRES: HRSG; MODEL:2051T;TYPE:IN LINE-PRESSURE ..PRESSURE TYPE: GAGE ;..PRESSURE RANGI
1148	2051TG3A2B21AB4M5D4Q4	IN-LINE PRESSURE TRANSMITTER; FLOW HRSG;MODEL 2051T; TYPE IN-LINE PRESSURE TRANSMITTER;PRESSURE TYPE:GAGE;PRESS
1149	2051TG4A2B21AB4M5D4Q4	IN-LINE PRESSURE TRANSMITTER; FLOW HRSG;MODEL 2051T; TYPE IN-LINE PRESSURE TRANSMITTER;PRESSURE TYPE:GAGE;PRESS
1150	205407	RH35M-4EK.4F.1R..SINGLE INLET IMPELLER WITH BACKWARD CURVED BLADES. TYPE: RH35M-4EK.4F.1R MOTOR-RECOGNIZED COMPC

	Item	Description
1151	2055379	FILTER ELEMENT FOR PAPER MACHINE 1300R025W/HC..P/N: 2055379..MFG: HYDAC..SCHEDULE B:#8421.99.0080 OTHER FILTERS FOR PA
1152	20562-00-F	HANDLE, PULL-OUT, TWISTING, 5/16"..P/N: 20562-00-F..MFG: SEWER EQUIPMENT..SCHEDULE B: # 8708998175 PARTS FOR CLEANING MA
1153	20572-06-F	TOOL, PICK UP, 5/16" ROD..P/N: 20572-06-F..MFG: SEWER EQUIPMENT..SCHEDULE B: # 8708998175 PARTS FOR CLEANING MACHINE
1154	20587-00-Z	BLADE, CUTTER, CURVED, 6", SET/3..P/N:20587-00-Z..MFG: SEWER EQUIPMENT..SCHEDULE B: # 8708998175 PARTS FOR CLEANING MAC
1155	20604.090.39200	FOLAJET QD MA 36" X 100' FILM, 10 LBS EACH ROLL..P/N: 20604.090.39200..MFG: FOLEX..
1156	20705.100.39200	INKJET PLOTTER FILM FOLAJET QD 36" X 100', 11.45 LBS EACH ROLL..P/N: 20705.100.39200..MFG: FOLEX
1157	207806	TERMINAL HEAD CAST IRON WITH CERAMIC TERMINAL BLOCK ASSEMBLY..2018-4-CI-1/2..P/N:207806..MFG:THERMOCOUPLE PRODUCTS
1158	20813I	FAIRCHILD MODEL 20 VOLUME BOOSTER, 1:1 SIGNAL- TO - OUTPUT RATIO,3/8"NPT CONN., ALUMINUM BODY, 250 PSIG MAX. INLET,150 F
1159	2082-16S	PLUG, PIPE, MALE ..(THD)-1-11 1/2 (MAT)-STEEL ..P/N : 2082-16S..MFG : AEROQUIP CORP. (INDUSTRIAL DIV.).. WEIGHT:0.46 LBS
1160	2082-20S	PLUG, PIPE, MALE ..(THD)-1 1/4-11 1/2 (MAT)-STEEL..P/N : 2082-20S ..MFG : AEROQUIP CORP. (INDUSTRIAL DIV.)..WEIGHT:0.79 LBS
1161	2082-24S	PLUG, PIPE, MALE ..(THD)-1 1/2-11 1/2 (MAT)-STEEL ..P/N : 2082-24S ..MFG : AEROQUIP CORP. (INDUSTRIAL DIV.)..WEIGHT:0.99 LBS
1162	2082-8S	PLUG, PIPE, MALE ..(THD)-1/2-14 (MAT)-STEEL ..P/N : 2082-8S ..MFG : AEROQUIP CORP. (INDUSTRIAL DIV.)..WEIGHT:0.12 LBS
1163	2083-20-20S	ADAPTER, NIPLE, EXTERNAL, PIPE TO PIPE ..(THD-1)-1 1/4-11 1/2; (THD-2)-1 1/4- 11 1/2; (MAT)-STEEL (DOC/EXT)-N/N ..P/N : 2083-20-20S..MF
1164	2083-24-24S	ADAPTER, NIPLE, EXTERNAL, PIPE TO PIPE ..(THD-1)-1 1/2-11 1/2; (THD-2)-1 1/2- 11 1/2; (MAT)-STEEL (DOC/EXT)-N/N ..P/N: 2083-24-24S..MF
1165	2083-32-32S	ADAPTER, NIPLE, EXTERNAL, PIPE TO PIPE ..(THD-1)-2-11 1/2;(THD-2)-2- 11 1/2;(MAT)-STEEL ..P/N: 2083-32-32S ..MFG: AEROQUIP CORP. (I
1166	2084296	FILTER ELEMENT FOR TLUBE OIL TG21..1700 R020 MM/-V-KB..P/N:2084296..MFG: HYDAC..SCHEDULE B: # 8421.3.98090 OTHER FILTERS
1167	2088G4S22A1K5M5T1	IN-LINE PRESSURE TRANSMITTER..PRES: HRSG; MODEL:2088;TYPE:IN LINE-PRESSURE ..MEASUREMENT TYPE: ABSOLUTE GAGE ;..PRI
1168	2088G4S22A1S1M5B4P1Q4	PRESION TRANSMITTER 0-4,000 PSI ..MODEL: 2088G4S22A1S1M5B4P1Q4..2088 PRESSURE TRANSMITTER ..G TRANSMITTER TYPE: GA
1169	2090PG3S22A1M5B4E5	TRANSMITTER, PRESSURE..P/N: 2090PG3S22A1M5B4E5 .. (PRE)-0-300PSI(V-INP)-10.5-36VAC(MA)-4-20MA..OUTPUT(SER)-0241594..P/N: 20
1170	2093173	FILTER ELEMENT 5.03.09DO3BH/-V-SO155H..P/N: 2093173..MFG: HYDAC..SCHEDULE B: # 8421.23.0000 OTHER FILTERS
1171	2094-4	INTERMEDIATE SUPPORT 4 HOLE 250..P/N: 2094-4..MFG: UNIVERSAL..SCHEDULE B: # 8426190000 MOBILE LIFTING PARTS FOR BRIDE C
1172	209481	REMOTE TEMPERATURE SENSOR CABLE (RTS)..P/N: 209481..MFG: SENS
1173	2095-4	END SUPPORT 4 HOLE 250 (PR)..P/N: 2095-4..MFG: UNIVERSAL..SCHEDULE B: # 8426190000 MOBILE LIFTING PARTS FOR BRIDE CRANES
1174	2095617	CONNECTOR 5 PN M12 EE 2M CABLE YF2A15-020UB5XLEAX..P/N: 2095617..MFG: SICK
1175	20963	DRAW STUD 3/4" X 3/8"(POP)..P/N:20963..MFG:GREENLEE..SCHEDULE B: # 7318.15.5000 STUDS
1176	2098	200 AMP COLLECTOR SHOE..P/N: 2098..MFG: UNIVERSAL..SCHEDULE B: # 8426190000 MOBILE LIFTING PARTS FOR BRIDE CRANES
1177	20BD096A3AYNADB0	VARIATOR SPEED, VAC: 400, I: 96A, NO-PHASE: 75, MOD: POWERFLEX 700, SPEC: IP20, TYPE: 1, DEVICE NET, FILTER BRAKE IGBT..P/N: 2
1178	20BD125A3ANNAEC0	
1179	20BD156A0ANNANC0	
1180	20G15SMF-14	CHECK VALVE 20" WITH A SOFT (BUNA) SEAT, SST. PLATES, SST. SPRINGS – P/N: 20G15SMF-14..MFG: CRANE
1181	20H	SPLIT BOLT CONNECTOR..P/N: 20H..MFG: THOMAS & BETTS..SCHEDULE B: #8536695050 OTHER CONNECTORS
1182	20WATT12VOLT	HALOGEN LAMPS, ..20 WATT, 12 VOLTS..(2 PCS PER FIXTURE)..P/N: 20WATT 12 V..MFG: LITHONIA
1183	20X20X1	PANEL FILTER 20" X 20" X 1" STRATA DENSITY..P/N: 220700051..MFG: AAF
1184	20X25X4	FILTER AIR, LG: 25", W: 20", THK: 4", SPEC: SWP-040..P/N: 20X25X4 AFS-40PL..MFG: KOCH

	Item	Description
1185	21-11510-00	SWITCH LIMIT..TYPE: SQUARE LEVERLESS LIMIT SWITCH..V-RAN: 120 VAC-24VDC, VMAX: 480 VAC-240VD..I: 3-10A, SER: 20,..P/N: 21-1
1186	21-3010	FD-1500 FILTER DRYER-LOOSE..P/N:21-3010..MFG: DRESSER BECKER
1187	21-39-25	TITL SWITCH PROBE,..P/N: 21-39-25..MFG: THERMO RAMSEY..SCHEDULE B # 8537200040 OTHER SWITCHES
1188	21-39-50	TILT SWITCH PROBE, ..P/N: 21-39-50..MFG: THERMO RAMSEY
1189	21 ARC12AF-C+500	FACESHIELD WITH HARD CAP ARC12;SHIELD,SR/ANTIFOG,12 CAL.,HARD CAP..P/N: 21 ARC12AF-C+500..MFG:OBERON
1190	2100H-80350	LUG TERMINAL MECHANICAL LUG, G: 6-350KCMIL..P/N: 2100H-80350..MFG: ALLEN BRADLEY..SCHEDULE B: # 8536.69.5050 OTHER ELECTF
1191	21030C00	CONVERTER DC/DC..VINP: 24V, VOUT: 12V, I-OUT: 30A, SPEC: OUTLINE, INCLUDES: 6-PIN MALE DEUTSCH CONNECTOR SET..SKU: SP64(
1192	210574B-03	FILTER AIR, ID: 57MM, OD: 79MM, H: 165MM..P/N: 210574B-03 (R/B: 021057403)..MFG: MCQUAY..SCHEDULE B: # 8421310000 INTAKE FILTER
1193	210C-1-13/16-MD	1 13/16" DRILL COBALT TAPER SHANK..P/N: 210C-1-13/16-MD..MFG: MICHIGAN DRILL..SCHEDULE B: # 8207195030 OTHER DRILL BITS
1194	210C-1-15/64-MD	1 15/64" DRILL COBALT TAPER SHANK..P/M: 210C- 1-15/64-MD..MFG: MICHIGAN DRILL..SCHEDULE B: # 8207195030 OTHER DRILL BITS
1195	210C-1-5/32-MD	1 5/32 DRILL COBALT TAPER SHANK..P/N: 210C-1-5/32-MD..MFG: MICHIGAN DRILL..SCHEDULE B: # 8207195030 OTHER DRILL BITS
1196	210C-1-5/64-MD	1-5/64" DRILL COBALT TAPER SHANK..P/N: 210C-1-5/64-MD..MFG: MICHIGAN DRILL..SCHEDULE B: # 8207195030 OTHER DRILL BITS
1197	210C-1-5/8-MD	1 5/8" DRILL COBALT TAPER SHANK..P/N: 210C-1-5/8-MD..MFG: MICHIGAN DRILL..SCHEDULE B: # 8207195030 OTHER DRILL BITS
1198	210C-25/32-2MT-MD	25/32" DRILL COBALT TAPER SHANK..P/N: 210C-25/32-2MT-MD..MFG: MICHIGAN DRILL..SCHEDULE B: # 8207195030 OTHER DRILL BITS
1199	210C-43/64-MD	43/64" DRILL COBALT TAPER SHANK..P/N: 210C-43/64-MD..MFG: MICHIGAN DRILL..SCHEDULE B: # 8207195030 OTHER DRILL BITS
1200	210C-55/64-MD	55/64" DRILL COBALT TAPER SHANK..P/N: 210C-55/64-MD..MFG: MICHIGAN DRILL..SCHEDULE B: # 8207195030 OTHER DRILL BITS
1201	211-102	PLUG BANANA, CLR: RED, SPEC: SPEAKER CONNECTOR..P/N: 211-102..MFG: H.H. SMITH INC...SCHEDULE B: # 8536695050 ELECTRICAL P
1202	2110	MURPHY NON RUST RIM-KOTE LUBRICANT 30 LBS PER PAIL..P/N: 2110..MFG: JTM PRODUCTS..SCHEDULE B: # 3403115000 OTHER LUBRI
1203	21103	SWITCH CABINET KEYS 76MM. CONTROL CABINET KEY ZINC DIE CAST POLISHED FINISH..P/N:21103..MFG:WIHA..SCHEDULE B: # 820320
1204	2115001	KIT ORION DUAL STAR 100-240VAC ..97009-970..P/N: 2115001..MFG: THERMO SCIENTIFIC..SCHEDULE B: # 9030890100 OTHER CONDUCTI\
1205	212314	CONTROL EXPANSIONS DIGITAL..MOD: EASY618-AC-RE, VAC: 115-240V, INT: 12..P/N: 212314..MFG: MOELLER
1206	2124A13	STERRETT STEEL BEAM TRAMMELS..NO C251C..P/N: 2124A13..MFG: MCMASTER
1207	2127A12	TAPE RULE MARKING COMPASS..P/N: 2127A12..MFG: MCMASTER
1208	2128512	RELAY..P/N: 2128512..MFG: TEREX
1209	21290	7 PIECE METRIC INSULATED RATCHET WRENCH SET..P/N:21290..MFG:WIHA..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
1210	212A7728P102	
1211	21425A61	LEVELS WITH LCD READOUT..P/N: 21425A61..MFG: MCMASTER
1212	2147A48G21	OPERATING COILS FOR TYPE SJA360..AMPERE 7200 VOLTS VACUUM..CONTACTOR 7860A34G04..P/N 2147A48G21
1213	215/214	LAMP FLUORESCENT, POW: 660W, NO. LAMP: 1, SPEC: SLIMLINE SINGLE - PIN LAMPHOLDERS FOR FLUORESCENT LAMP OF 96 IN..P/NI 2
1214	2151	PHOTOELECTRIC SMOKE DETECTOR, SYSTEM SENSOR..P/N: 2151 (2W-B)..MFG: SYSTEM SENSOR..SCHEDULE B:# 8531.80.0050 ELECTR
1215	215829	MOTOR , 12V-RT670..P/N: 215829..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1216	215830	MOTOR MOUNTING..P/N: 215830..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1217	215831	RESISTOR..P/N: 215831..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1218	215832	MOUNTING PLATE..P/N: 215832..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS

	Item	Description
1219	215834	EVAPORATOR COIL..P/N: 215834..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1220	215835	HEATHER VALVE..P/N: 215835..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1221	215839	O RING..P/N: 215839..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1222	215841	THERMOSTAT..P/N: 215841..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1223	215842	ROTARY CONTROL..P/N: 215842..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1224	215843	SWITCH 12V..P/N: 215843..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1225	215844	SWITCH FAN..P/N: 215844..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1226	215845	KNOB ..P/N: 215845..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1227	215846	LUBER..P/N: 215846..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1228	215847	ADAPTOR..PN: 215847..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1229	215855	WIRING HARDNESS..P/N: 215855..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1230	215856	HEATHER COIL..P/N: 215856..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1231	215857	MASTER TOGGLE..P/N: 215857..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1232	215858	OIL HEAT THERMOSTAT..P/N: 215858..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1233	2159712	VALVE, MATERIAL CODE 781410..P/N: 2159712..MFG: TEREX
1234	216049	GROMMET..P/N: 216049..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1235	216656	SCREW..P/N: 216656..MFG:TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1236	216658	CABLE ASEMBLY ;130 FT..P/N: 216658..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1237	216914	BRACKET ASSEMBLY..POSITION 20, MATERIAL 70139390..P/N: 216914..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1238	216915	HATCH HINGE..POSITION 30, MATERIAL 70139391..P/N: 216915..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1239	216917	PLATE ASSEMBLY HATC..POSITION 40, MATERIAL 70139392..P/N: 216917..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1240	216918	GASKET HATCH ..POSITION 50, MATERIAL 70139393..P/N: 216918..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1241	216919	BALL STUD..POSITION 60, MATERIAL 70139394..P/N: 216919..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1242	216920	GAS STRUT..POSITION 70, MATERIAL 70139395..P/N: 216920..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1243	216955	SCREW, MATERIAL CODE 70144400..P/N: 216955..MFG: TEREX
1244	217	HAMMER OF BABBIT OF 5 LBS..P/N: 217..MFG: COOK HAMMER COMPANY, INC...SCHEDULE B: # 8465.99.0150 MACHINE TOOLS
1245	217142	NAMEPLATE, MATERIAL CODE 70145390..P/N: 217142..MFG: TEREX
1246	217166	LEFT HAND LATCH..POSITION 90, MATERIAL 70139397..P/N: 217166..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1247	217167	RIGHT HAND LATCH..POSITION 80, MATERIAL 70139396..P/N: 217167..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1248	2172	FLAP TRUCK ..24/25X8.7 ..MFR: IMPORT BRAND..SCHEDULE B: # 4012120000 TIRE FLAPS OF RUBBER
1249	217522	PUMP SLEEVE SNAP, CODE MOSAIC 776178, PARTS FOR TRANSMISSION PUMP CRANE RT970..P/N: 217522..MFG: TEREX..SCHEDULE B: #
1250	217523	VALVE TO HOUSING GASKET, CODE MOSAIC 776173, PARTS FOR TRANSMISSION PUMP CRANE MODEL RT970..P/N: 217523..MFG: TEREX
1251	217524	O-RING,CODE MOSAIC 776174, PARTS FOR TRANSMISSION PUMP CRANE MODEL RT970..P/N: 217524..MFG: TEREX..SCHEDULE B: # 8413
1252	217525	VALVE BODY O-RING, CODE MOSAIC 776175, PARTS FOR TRANSMISSION PUMP CRANE MODEL RT970..P/N: 217525..MFG: TEREX..SCHEDU

	Item	Description
1253	217540	VALVE BODY GASKET, MOSAIC CODE 776173..P/N: 217540 (REPLACED OLD P/N: 217523)..MFG: TEREX..SCHEDULE B: # 8413.30.9000 OTHE
1254	217555	VALVE BODY O-RING, CODE MOSAIC 776176, PARTS FOR TRANSMISION PUMP CRANE RT970..P/N: 217555..MFG: TEREX..SCHEDULE B: #
1255	21802	CARRIER FESTOON ..P/N: 21802..MFG: INSUL 8
1256	218588	CONTROL BOX, MATERIAL CODE 70127772..P/N: 218588..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1257	2194A17	CENTER LOCATORS..P/N: 2194A17..MFG: MCMASTER
1258	219509-3001	BRASS TYPE "VL" STATION CLASS SURGE ARRESTER RATED 10KV PER CAT. SEC. 30..P/N: 219509-3001..MFG: HUBBELL
1259	219510-3001	O. BRASS TYPE " VL" STATION CLASS SURGE ARRESTER RATED 12 KV, PER CAT. SECT..P/N: 219510-3001..MFG: HUBBELL
1260	219513-3001	O. BRASS TYPE "VL" STATION CLASS SURGE ARRESTER 15 KV, PER CAT. SECT. 30..P/N: 219513-3001..MFG: HUBBELL
1261	2197A12	CENTER LOCATORS..P/N: 2197A12..MFG: MCMASTER
1262	219925	TUBE..P/N: 219925..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1263	21BC	CONNECTOR CABLE..TYPE: FLAT, AWG: #14-4,..DIA: 1.18"..SPEC: PG21 THD SIZE..P/N: 21BC (AER21BC)..MFG: AEROMOTIVE MFG (WOOD
1264	21K-01-B1680	ALTERNATOR..P/N: 21K-01-B1680 KOMATSU
1265	21T14	TRANSMITTER MOD: 21T14, TYPE: HAND HELD, FREQ: 902/928 MHZ, # CHANNELS: 85, SER: 0209-68, SPEC: 6 PUSH BUTTON..P/N: 21T14..M
1266	220	SURVEY MARKING PAINT FLOURESCENT RED, SPRAY, 20OZ, #283, AE-0220-0..P/N: 220..MFG: AERVOE..SCHEDULE B: # 8424.90.9500 OTH
1267	220-2-0064-085	SOFT PARTS KIT; MATERIAL VITON FOR 6 WAY VALVES..HYCOA ..P/N:220-2-0064-085..MFG: CLARK RELIANCE / HYCOA..SCHEDULE B: # 8
1268	220-303-051	FILTER PANEL STRATADENSITY AIR FILTERS 12" X 12" X 1..P/N: 220-303-051..MFG: AAF..SCHEDULE B: # 8421.99.0080 OTHER FILTERS
1269	220-700-051	FILTER PANEL STRATADENSITY AIR FILTERS 20" X 20" X 1"..P/N: 220-700-051..MFG: AAF..SCHEDULE B: # 8421.99.0080 OTHER FILTERS
1270	2202929450	SEPARATOR..P/N:2202929450..MFG:ATLAS COPCO
1271	2202929550	OIL FILTER 4000 PHD..P/N: 2202929550..MFG: ATLAS COPCO
1272	22053722	PAD PRE FILTER..P/N: 22053722..MFG: INGERSOLL RAND
1273	220628	HATCH REPLACEMENT..POSITION 10, MATERIAL 70139319..P/N: 220628..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1274	22108393	BELT DRIVE POLY-V 1549PK12..P/N: 22108389..MFG: INGERSOLL RAND
1275	2217A22	SWIVEL CLAMP..P/N: 2217A22..MFG: MCMASTER
1276	221821	COMPRESSOR..P/N: 221821..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1277	221849	HOSE ASST..P/N: 221849..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS..
1278	221850	HOSE ASST..P/N: 221850..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1279	221851	HOSE ASSEMBLY..P/N: 221851..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS..
1280	221852	HOSE ASSEMBLY..P/N: 221852..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1281	221857	ADAPTOR..P/N: 221857..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1282	221858	FOAM..P/N: 221858..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
1283	221872	HOSE, 40 INCHES..P/N: 221872..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS.....
1284	222-33-38	DISP BIOPSY PUNCHES ASSORT 10EA OF SIZE 2, 3, 4,5..P/N: 222-33-38..
1285	222-7-7233	SEGAL SHORT RE-USEABLE HYF TIPS..P/B: 222-7-7233
1286	222070	OIL,FOR HOSE ASSEMBLY (PKG)- 16 OZ..MFG: AEROQUIP CORP. (INDUSTRIAL DIV.)..P/N:222070..SCHEDULE B:#2710.19.3080 OTHER LUBI

	Item	Description
1287	222811-A	CONTROLLER SCR ASSEMBLY..U/O: VIBRATING FEEDER F330-DDT CRSDC CONTROL..P/N: 222811-A..MFR: SYNTRON..SCHEDULE B: # 85
1288	22284	WHEEL GRINDING..ID: 7/8", OD: 7", THK: 1/8"...P/N: 22284..MFG: SAIT..SCHEDULE B: # 8466100175 OTHER WHEEL GRINDING
1289	223	HAMMER OF BABBIT OF 10 LBS..P/N: 223..MFG: COOK HAMMER COMPANY, INC...SCHEDULE B: # 8465.99.0150 MACHINE TOOLS
1290	2230-1	SNATCH BLOCKS, SPEC: BLOCK WITH FORGED STEEL HOOK..P/N: 2230-1..MFG: CHANCE..SCHEDULE B:#7228505000 OTHER BARS AND
1291	2231008A	FIREAID 2000 SMOKE BEAM DETECTOR..P/N:2231008A..MFG:FIRE FIGHTING ENTERPRISES
1292	22326 CC/C3W502	SPHERICAL ROLLER BEARING METAL, 63 LBS..P/N: 22326 CC/C3W502..MFG: SKF
1293	223504	TUBE, MOSAIC CODE 70145394..P/N: 223504..MFG: KOHLER..SCHEDULE B: # 8409.99.8000 OTHER PARTS FOR DIESEL ENGINE
1294	223518	SLEEVE, MOSAIC CODE 70145397..P/N: 223518..MFG: KOHLER..SCHEDULE B: # 8409.99.8000 OTHER PARTS FOR DIESEL ENGINE
1295	2235254400	SCHEDULE B: # 8414.90.9000 OTHER PARTS
1296	223710	PLUG, MOSAIC CODE 70145393..P/N: 223710..MFG: KOHLER..SCHEDULE B: # 8409.99.8000 OTHER PARTS FOR DIESEL ENGINE
1297	2242	TAPE RUBBER SILICON IRRASIL..P/N: 2242..MFG: 3M
1298	2245N40FT	40 ft hydraulic hose with fittings..p/n: 2245N410FT..Mfg: Wren..Schedule: # 3917330000 Hose with fittings
1299	22475354	VALVE INLT/BLWDOWN CD14 PINTED SIERRA 125-200HP...P/N:22475354
1300	22593612	RELAY, CODE 70135126..P/N: 22593612..MFG: TEREX
1301	22593712	DIODE, CODE 70135471..P/N: 22593712..MFG: TEREX
1302	22594812	TRANSMISSOR, MATERIAL CODE 70135511..P/N: 22594812..MFG: TEREX
1303	22596512	RELAY, CODE 70135127..P/N: 22596512..MFG: TEREX
1304	225B-610BAAA	VALVE ASSEMBLY..P/N: 225B-610BAAA..MFG: MAC
1305	225XST-240 R	ELECTRARAY HAZARDOUS LOCATION STROBE WARNING LIGHT..RED COLOR;A SERIES ;240VAC;50/60 HZ;0.20A..MODEL 225XST..P/N:22
1306	22610-101-01	FAN ROTRON CARAVEL..P/N: 22610-101-01..MFG: ALLEN BRADLEY..SCHEDULE B: #8414901080 OTHER FANS
1307	227	BUSHING INSULATED PP..DIA: 2", MAT: POLYPRO, TEM : 105C..FEATURED: THREADED..P/N: 227..MFG: THOMAS & BETTS
1308	227 COOK	HAMMER OF BABBIT OF 17 LBS..P/N: 227..MFG: COOK HAMMER COMPANY, INC...SCHEDULE B: # 8465.99.0150 MACHINE TOOLS
1309	228219	BRAKE CHAMBER ASSEMBLY..P/N: 228219 TO REPLACE USE NUMBER P/N: 288795 (TYPE 12 BRAKE)..WITH 205433 YOKE ASSEMBLY..MF
1310	229417	REPAIR KIT MAINTENANCE..P/N: 229417..MFG: BENDIX
1311	229617-N	PNEUMATIC VALVE, IBX 229617N, FOR CRANE TRUCK WORKER 31.310 VOLKSWAGEN..P/N: 229617-N..MFG: BENDIX..SCHEDULE B: # 8481
1312	229816	ROTOCHAMBER..REF: TYPE 16..P/N: 229816..MFG: BENDIX CONSOLIDATED IND.
1313	22984-01	CELL PH REFERENCE COMPLETE..P/N: 22984-01..MFG: ROSEMOUNT ANALYTICAL..SCHEDULE B: # 9027802500 OTHER INSTRUMENTS AN
1314	23-003M	ABRASIVE COMMUNATOR CLEANER..THK: 3/8, W: 3/8, LG: 4 3/4..TYP: BRUSH SEATER-MEDIUM..P/N: 23-003M..SCHEDULE B: # 2849906000
1315	23-008-S	ABRASIVE COMMUTATOR CLEANER, THK: 5/8, W: 1-1/8", LG: 4-3/4", TYPE: BRUSHSEATER SOFT..P/N: 23-008-S IDEAL (R/B: BRSRX05FS)..M
1316	23-22-112-2	CONSTANT VOLTAGE TRANSFORMER; Series:CVS Hardwired ; Input Voltage:240VAC; Output Voltage:120VAC; Length:5.19"; Approval Bodies:CSA
1317	23-28678-9908	VALVE,WHEEL WRENCH 8"..P/N:23-28678-9908..MFG:LOWELL..SCHEDULE B: # 8203208000 OTHER HAND TOOLS..
1318	23-28678-9915	VALVE WHEEL WRENCH 15"..P/N:23-28678-9915..SCHEDULE B: # 8203208000 OTHER HAND TOOLS..MFG:LOWELL..
1319	23-28678-9922	VALVE WHEEL WRENCH 22"..P/N:23-28678-9922..MFG:LOWELL..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
1320	23-28678-9930	VALVE WHEEL WRENCH 30"..P/N:23-28678-9930..SCHEDULE B: # 8203208000 OTHER HAND TOOLS..MFG:LOWELL..

	Item	Description
1321	23-35-0312	CONTROL PANEL KIT FULL WAVE FOR MAGNETIC DRILLS..P/N: 23-35-0312..MFG: MILWAUKEE
1322	2300-0	DIFFERENTIAL PRESSURE GAGE, RANGE 0.25-0-0.25" , +-3%, INCLUDE ACCESORIES FOR MOUNTING PANEL..P/N: 2300-0..MG: DWYER
1323	23001	MECH SEAL IN-BOARD PUMP NS 65/32N; SIC VS. SICMECH SEAL IN-BOARD FOR PUMP KKS 40GMA25AP001/40GMA26AP001 MODEL NS..P
1324	23002	MECH SEAL PUMP NS 50/26NB;KBLCARBON VS SICMECH SEAL PN 23002 FOR PUMP KKS 40GMA16AP010/40GMA17AP010 MODEL NS 50/2
1325	23002.	MECH SEAL OUT-BOARD PUMP NS 65/32N CARBON VS SICMECH SEAL OUT-BOARD FOR PUMP KKS 40GMA25AP001/40GMA26AP001 MOD
1326	2304	MAGNEHELIC DIFFERENTIAL PRESSURE GAGE, 2-0-2 IN H20..P/N: 2304..MFG: DWYER
1327	2309A99H04	FUSE TYPE: MO, VAC: 250V, I: 3A, REF: CHANNEL, ..P/N: 2309A99H04..MFG: BUFFALO POWER ELECTRONICS..SCHEDULE B: # 8536.10.004(
1328	231-11-066	BEARING COVER GASKET 231-11-066;..(ITEM 65D)..OEM BUFFALO PUMPS / 523 VCRE LO 1 SEAL OIL PUMP / BEARING..COVR GASKET 23
1329	231-31-252	BEARING SEAL (OUTBOARD) 231-31-252 (ITEM 30)..OEM BUFFALO PUMPS / 521 VCRE LO 1 SEAL OIL PUMP / BEARING..SEAL (OUTBOA RD
1330	231-31-255	BEARING SEAL (INBOARD) 231-31-255 (ITEM 30A)..OEM BUFFALO PUMPS / 520 VCRE LO 1 SEAL OIL PUMP / BEARING..SEAL (INBOAR D) 2
1331	23110471	KIT, ON - SITE, 110V, REQUIRED FOR IMPLEMENTATION OF SATMAGAN 135..P/N: 23110471..MFG: RAPISCAN SYSTEMS PTE LTD.
1332	2316360	1002568994 CONVERTER,FIELDBUS,PHOE-CON,2316360,IP20..Instrument systems..Type FOUNDATION FIELDBUS CONVERTER..Model GW PI
1333	2320	MAGNEHELIC DIFFERENTIAL PRESSURE AGA, 10-0-10 IN H20..P/N: 2320..MFG: DWYER
1334	2329-020C	BALL VALVE, DIM SIZE: 2", RTG: 150 PSI, VALVE CPVC..P/N: 2329-020C..MFG: SPEARS..SCHEDULE B: # 8481.80.1095 OTHER VALVES..ORIG
1335	233-0976	CONNECTOR ACCESORY, STRAIN RELIVEF, CABLE CLAMP, PT-SERIES, CLASS A, SIZE 14..P/N: 233-0976..MFG: AMPHENOL
1336	233-2201	CONNECTOR CABLE CONNECTING RECEPTACLE W/ CABLE CLAMP, CLASS, 5 # 16 SOLDER PIN CONT...P/N: 233-2201 (PT01A-14-5P 9) SR
1337	233-2211	CONNECTOR CABLE CONNECTING RECEPTABLE W/ CABLE CLAMP, CLASS A, ,5 # 16 SOLDER SOCKET..P/N: 233-2211..MFG: AMPHENOL
1338	233-3210	CONNECTOR BOX MOUNTING RECEPTACLE CLASS A, SIZE 14, 5 # 16 SOLDER SOCKET CONTACT..P/N: 233-3210..MFG: AMPHENOL
1339	233-4210	CONNECTOR STRAIGHT PLUG, CLASS A, SIZE 14, 5# 16 SOLDER PIN CONTACT..P/N: 233-4210 (P/N: PT06A-14-5P)..MFG: AMPHENOL
1340	233B523G1	AC UNIT STATIONARY MAGNET TYPE IC-2814; 2 POLES..P/N: 233B523G1..MFG: GE
1341	233B523G2	ARMATURE ASSEMBLY..P/N: 233B523G2..MFG: GENERAL ELECTRIC
1342	233B523G6	FRAME MAGNET FOR OPERATING COIL..P/N: 233B523G6..MFG: GENERAL ELECTRIC
1343	2343259404S	MOTOR FRANKLIN, MODEL 4, AC, 2HP, 3 PHASE, 60HZ, 460V, 3450 RPM, 4IN, SUBMERSIBLE..P/N: 2343259404S....MFG: FRANKLIN ELECTF
1344	2346A31	CENTER FINDING RULES INC/METRIC 18"..P/N: 2346A31..MFG: MCMASTER
1345	2346A32	CENTER FINDING RULES INC/METRIC 24"..P/N: 2346A32..MFG: MCMASTER
1346	2346A33	CENTER FINDING RULES INC/METRIC 36"..P/N: 2346A33..MFG: MCMASTER
1347	23502-02	TOTAL CHLORINE MEMBRANES KIT..INCLUDE 3 MEMBRANE ASSEMBLIES AND 3 ORINGS..P/N: 23502..MFG: ROSEMOUNT ANALYTICAL LI(
1348	235069	BORE COUPLING 1.938" BORE FOR MOTRO FRAME 5811PH & TYPE: JUCE..ENCL: TECL, HP: 400, RPM 1785, V: 4000, A; 53..P/N: 235069..MF
1349	2360	TURN LOCKING L10-20R RECEPTACLE TWIST OUTLET 20A 125/250V 2360-065 BOXED;TYPE: LOCKING RECEPTACLE;SINGLE FACE;125/25
1350	238314	NUT FOR MODEL LT-650..P/N: 238314..MFG: DYNAPAC
1351	23868-00	REPLACEMENT TUBING FOR PERISTALTIC PUMP, 6 FT..P/N: 23868-00..MFG: ROSEMOUNT ANALYTICAL LIQUID DIVISION..SCHEDULE B: #:
1352	239060	MUFFLER COV FOR DYNAPAC LF90..P/N: 239060..MFG: DYNAPAC
1353	2391056204	FE MOTOR 125HP 460/380V 60/50HZ 8-Inch Three-Phase 316SS, CORROSION RESISTANCE..P/N: 2391056204..MFG: FRANKLIN....NOTE: THE
1354	239323	AIR FILTER FOR MODEL LT-650..P/N: 239323..MFG: DYNAPAC..

	Item	Description
1355	239374	STARTER ROP FOR MODEL LT-650..P/N: 239374..MFG: DYNAPAC..
1356	239375	SPRING FOR DYNAPAC LF90..P/N: 239375..MFG: DYNAPAC
1357	239376	REEL FOR DYNAPAC LF90..P/N: 239376..MFG: DYNAPAC..
1358	239391	HANDLE FOR MODEL LT-650..P/N: 239391..MFG: DYNAPAC
1359	239771	NUT FOR MODEL LT-650..P/N: 239771..MFG: DYNAPAC..
1360	239893	OIL TIP STI FOR MODEL LT-650..P/N: 239893 (R/B: 938977)..MFG: DYNAPAC..
1361	23AWG8241	CABLE COXIAL, TYPE: SOLID, RG: 50/U, AWG: 23, SOLID BARE CENTER, CLR: BLACK JACKET, Z: 650 OHM, SPEC: FOR VIDEO SIGNAL..P/N
1362	23J250	RESISTOR WIREWOUND 250 OHMS (POW)-3 WATTS..P/N:23J250 (23J250 E) E MEANS ROHS COMPLIANCE..MFG: OHMITE..SCHEDULE B#:
1363	23X5116	SELLOS GARLOCK "SPLIT KLOZURE" OIL SEAL MODEL 23, GARLOCK CODE No. 23 X 5116, 16.0" DIA SHAFT X 18.0" DIA. BORE X 0.75" WIDE
1364	23X9077	SELLOS GARLOCK "SPLIT KLOZURE" OIL SEAL MODEL 23, GARLOCK CODE No. 23 X 9077, 16.0" DIA SHAFT X 17.0" DIA. BORE X 0.50" WIDE
1365	24-12-3	DC-DC CONVERTER 24 VDC TO 12 VDC, 3 AMP..P/N: 24-12-3 (420-2403-0)..MFG: NEWMAR..SCHEDULE B: # 8504406001 POWER SUPPLY DC
1366	24-24-7I	DC POWER STABILIZERS 24 VDC TO 24 VDC..P/N: 24-24-71..MFG: NEWMAR..SCHEDULE B: # 8504406001 POWER SUPPLY DC
1367	24" CLASS 300	RAISED FACE WELD NECK ORIFICE FLANGES, 30 RW-14.3, ANSI 22.624RF WN, 1-8-380141-01..P/N: 24" CLASS 300..MFG: DANIEL - EMERSC
1368	240-311AAAB7	HOURMETER (V-AC)- 120 V ;(FREQ) - 60 HZ, 50-240 311AAAB7..P/N: 240 311AAAB7 (R/B: 240311AA-AB8)..MFG: EAGLE INSTRUMENTS..SCHE
1369	2400127	CONNECTING CABLE - COM CAB MINI DIN..FOR CONNECTING THE CONTROLLER TO A PC (RS-232) FOR PC WORX WITH FLOW CONTRC
1370	2401087-2003-D	SOLENOID VALVE; HERION 24010 SERIES..3 PORT/ 2 POSITION VALVE 1/4" PORTS SOLENOID OPERATED WITH A SPRING RETURN 3/2 D
1371	241.342	PARTS FOR DRILL BSW1513VR..P/N: 241.342..MFG: FLEX..SCHEDULE B: # 8467920090 OTHER PNEUMATIC TOOL PARTS..
1372	241STYLE	FILTER PANEL MIST ELIMINATOR..MOD: DEMISTER RECTANGLE, THK: 3", MAT: POLYPROPILENE, LG: 60 X 60, SPEC: IN THREE SECTIONS
1373	243043	SUPPORT FOR DYNAPAC CA25 SERIE 7098652 ..P/N: 243043 (R/B: 4700243043)..MFG: DYNAPAC..SCHEDULE B: # 8431.49.1010 OTHER PAR
1374	24305140	BLOQUE, MATERIAL CODE 780555..P/N: 24305140..MFG: TEREX
1375	2434A42	DIA INDICATORS..P/N: 2434A42..MFG: MCMASTER
1376	24402311A1A12841	DIGITAL CONTROLLER 32DI Y 16DO DPAC-244..PART NO. 2440#BMHM (24402311A1A12841)..SEL-2440 DISCRETE PROGRAMMABLE AUTOM
1377	24500	CABLE TECK ARMORED, 16 AWG, STRANDED 7 X 24, 600 V, FOR INSTRUMENTATION, PVC JACKET..P/N: 24500..MFG: BELDEN..SCHEDUL
1378	24501-09	COLE-PARMER OMEGA® ADJUSTABLE-VOLUME PIPETTOR, 500 TO 5000 µL(0.5 – 5 ML);INCREMENTS 50µL(0.05ML)PRECISION 0.5%..P/N:
1379	24502-99	COLE-PARMER OMEGA® PIPETTE TIP, 500 TO 5000 µL, EPPENDORF, BIOHIT AND ACCUMAX COMPATIBLE, BULK; 100/BG..P/N: 24502-99 ..
1380	24503-01	COLE-PARMER OMEGA® PIPETTE TIP, 2000 TO 10000 µL, THERMO SCIENTIFIC AND ACCUMAX COMPATIBLE, BULK; 100/BG..P/N: 24503-01
1381	246.948	SEALING COMPOUND,CURIL T, UN 1252000..P/N:246.948 // NEW P/N: 471.180..MFG:ELRING..SCHEDULE B: # 3214.90.5000 RESIN CEMENTS
1382	24821	PUMP WATER PISTON..CODE MISKI MAYO 70142179..P/N: 24821..MFG: BOART LONGYEAR
1383	2496677	LAMP MINIATURE, #757, V: 24 V, POW: 3W..P/N: 2496677 (P/N: AML-757)..MFG: GENERAL ELECTRIC
1384	24A (BU-24APN)	CLIP ELECTRICAL..REF: 25" TO 3"..P/N: 24A (BU-24APN)..MFG: MUELLER....SCHEDULE B: #7806008000 - OTHER TEST LEAD
1385	24ABB348	CONDENSER CARRIER ; MODELO : 24ABB348..CAPACITY 48,000 BTU´S..GAS R410A..VOLTAGE 460/3/60..FAN MOTOR : 460/1/60..P/N: 24ABE
1386	24E	LAMP INDICATOR TEL BASE 24 ..P/N: 24E..MFG: IMPORT BRAND..SCHEDULE B: # 8539228050 OTHER LAMPS..
1387	24E1	LAMP MINIATURE..NO. LAMP TRADE: 24E1, V: 24V, POW: 0.9W..P/N: 24E1..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8539228050 OTHER
1388	24E2	LAMP BULB INDICATOR ..P/N: 24E2..MFG: EIKO..SCHEDULE B: # 8539228050 OTHER LAMPS

	Item	Description
1389	24EX	LAMP BULB INDICATOR 24EX..P/N: 24EX..MFG: EIKO....SCHEDULE B: #
1390	24XAGM200-RACK	MODULAR SEISMIC RACK (1) 4WX6HX1-26.4"LX12.8"DX57.1"H..P/N: 24XAGM200-RACK..MFG: SBS
1391	24Y661	SENSOR LEAK FOR HUSKY PUMPS..P/N: 24Y661..MDF: GRACO
1392	25-120-865-013	TAG FOR BREAKER..P/N: 25-120-865-013 ..MFG: SIEMENS..SCHEDULE B: # 4821.90.4000 OTHER LABELS
1393	25-127-70C	FILTER; BONDED MICROFIBER FILTER ELEMENT..P/N: 25-127-70C..MFG: UNITED FILTRATION SYSTEMS INC..SCHEDULE B: # 8421.39.8090
1394	25-13-101-035	TRANSFORMER CONTROL (V-PRIMARY)-460V; (V-SECONDARY)-120V; (VA)-300; (NO PHASE)-3..P/N: 25-13-101-035..MFG: SIEMENS
1395	25-135-017-546	OPERATOR MECHANISM..MAINTENANCE EQUIPMENT..CMM FOR BREAKERS..P/N: 25-135-017-546 (8PG10921HC00)..MFG: SIEMENS..SCHE
1396	25-135-017-553	MAINTENANCE EQUIPMENT OPERATOR..SWITCH MECHANISM FOR MOTOR CONTROL CENTERS..P/N: 25-135-017-553 (R/B: 8PG1092-1HC
1397	25-1409	SINGLE ORIFICE ASSY,STAINLESS STEEL, STANDARD ORIFICE..P/N:25-1409..MFG: DRESSER BECKER
1398	25-1562	GRAY SPRING. REGULATION PILOT VRP 1500 SB CH STAINLESS STEEL..P/N:25-1562..MFG:DRESSER BECKER
1399	25-213-101-023	CONTROL POWER TRANSFORMER, 150VA, PRI 240/480V, SEC 120V, KIT..P/N: 25-213-101-023 (R/B: KT-8150)..MFG: SIEMENS..SCHEDULE B
1400	25-213-101-029	CONTROL POWER TRANSFORMER, 150 VA, PRI 240/480V, SEC 120V, KIT..P/N: 25-213-101-029 (KT-8200)..MFG: SIEMENS..SCHEDULE B: # 8
1401	25-213-101-035	TRANSFORMER CONTROL..V-PRIMARY: 460V, V-SECONDARY: 120V, VA: 300, NO.PHASES: 3..P/N: 25-213-101-035 (P3R25213101035)..MFG:
1402	25-6110	DPS-3-600 W/O BIAS SPRING..P/N: 25-6110..MFG:DRESSER BECKER
1403	250.918	PARTS FOR DRILL BSW1513VR..P/N: 250.918..MFG: FLEX..SCHEDULE B: # 8467920090 OTHER PNEUMATIC TOOL PARTS
1404	2502552200	CORD FLEXIBLE AD PORTABLE, TYPE: SO/SOW-A, AWG: 10, NO.CONDUCTORS: 4,VAC:600V, TEMP:-40/90 C, PKG: 400 FT..P/N: 250255220(
1405	2503561200	CORD FLEXIBLE AND PORTABLE..TYPE: SOOW, AWG: 12, #COND: 4,..SPEC: SO SUPER SERVICE-S..P/N: 12AWG 4/C 600V (2503561200)..M
1406	250A	SPANGUARD 250A COPPER CONDUCTOR & COVER..P/N: 250 A..MFG: UNIVERSAL..SCHEDULE B: # 8426190000 MOBILE LIFTING PARTS F
1407	250A-3-10-20	PILOT VALVE 3WAY 1/4INCH NC ..P/N:250A-3-11-20..MFG:HUMPHREY..WEIGHT: 0.714 LBS..SCHEDULE B: # 8481801095 OTHER VALVES
1408	250A-3-11-20	VALVE AIR-PILOTED 3 WAY NO W/O BASE..P/N:250A-3-11-20..MFG:HUMPHREY..WEIGHT: 0.534 LBS..SCHEDULE B: # 8481801095 OTHER VA
1409	250NH2GL	FUSE PULL, 250 A, 500 V..P/N: 250NH2GL..MFG: ALTECH CORP.
1410	251.331	PARTS FOR DRILL BSW1513VR..P/N: 251.331..MFG: FLEX..SCHEDULE B: # 8467920090 OTHER PNEUMATIC TOOL PARTS
1411	25102-258-16	CIRCUIT BREAKER;(TYPE)-HMCPS;(I)-50A; (FRAME)- F;(INST)-150-500..P/N:25102-258-16. DESCONTINUED. OFFER EATON P/N:HMCPS050K
1412	25105-263-02	CIRCUIT BREAKER..NO. POLES: 3, V: 250V, I: 20A,..P/N: 25105-263-02 OFFER: ..P/N: HFD3020L..MFG: CUTTLER HAMMER..SCHEDULE B: # 8
1413	25105-263-09	CIRCUIT BREAKER..NO. POLES: 3, V: 600V, I: 70A..P/N: 25105-263-09 ALLEN BRADLEY..OFFER P/N: HFD3070..MFG: CUTLER HAMMER ..SCH
1414	2511105500	CYLINDER ROLLER BEARING NU 230..FOR VACUUM SYSTEM HOLDING PUMP NASH 2BE140 3 ..P/N: 2511105500 ,..GARDNER DENVER // N
1415	2511132700	CYLINDER ROLLER BEARING NUP 230..FOR VACUUM SYSTEM HOLDING PUMP NASH 2BE14 03 ..P/N 25 11132700..MFG: GARDNER DEN
1416	251344SJSJ	VOLMETER ANALOGUE..V-MAX: 600V, V-MIN: 0V, SIG: AC,..P/N: 251344SJSJ..MFG: YOKOGAWA..SCHEDULE B: #9030330040 OTHER APPAR
1417	25135017553	OPERATOR MECHANIC MARCA SIEMENS PARA DICHO BREAKER
1418	25173-555-04	HT FUSE 6R, TYPE A480R..P/N: 25173-555-04..MFG: ALLEN BRADLEY
1419	25173-555-05	HT FUSE 9R, TYPE A480R..P/N: 25173-555-05..MFG: ALLEN BRADLEY
1420	25173-555-07	HT FUSE 28R, TYPE A480R..P/N: 25173-555-07..MFG: ALLEN BRADLEY
1421	2520	VARNISHED CAMBRIC TAPE SCOTCH 1" X 36 YD,..W: 1", LG: 36 YD, THK: 0.008"..P/N: 2520 (80-6109-8950-3)..MFG: 3M..36 ROLLS PER CASE
1422	253309-1	MTS ANALOG PC PROGRAMMER..FOR SERIES S ..P/N: 253309-1..MFG: MTS..SCHEDULE B: # 8531100045 OTHER PARTS FOR SENSORS

	Item	Description
1423	2533091	ANALOG PC-PROGRAMMING KIT FOR R SERIES..P/N: 2533091..MFG: MTS
1424	254MOTOR	AC SQUIRREL CAGE MOTOR, 15 HP, 1800 RPM, 254T FRAME, TOTALLY ENCLOSED FAN COOLED, 460V, 3 PHASE, SF: 1.15, 60 HZ, INSULAT
1425	255926.1	ELECTRICAL CONTACT MECHANISM MODEL SKR 4/40-1:..P/N: 255926.1..MFG: VAHLE
1426	256140-A1	FILTER FILPAK 30 CFMG18-2 G91-2, G18-2, SPARE PARTS KIT BAILEY METER ELEC & PRESS INSTRUMENTS..P/N:256140-A1..MFG:BAILEY/
1427	258311	SENDER, FUEL LEVEL GAUGE; MODEL CA25..P/N:258311..MFG:DYNAPAC..SCHEDULE B: # 9026.90.0000 OTHER INSTRUMENTS AND APPA
1428	258A4860P002	FILTER ELEMENT..GAS TURBINE #1 SPARE PARTS TG1 RATCHET , HYDRAULIC SPARE PART..P/N: 258A4860P002..MFG: GENERAL ELECT
1429	259	LAMP MINUATURE..NO. LAMP TRADE: 259, V: 12V,..POW:3W, BASE: WEDGE..P/N: 259..MFG: PHILIPS..SCHEDULE B: #8539228050 - OTHER
1430	259.990	PARTS FOR DRILL BSW1513VR..P/N: 259.990..MFG: FLEX..SCHEDULE B: # 8467920090 OTHER PNEUMATIC TOOL PARTS
1431	25965	LAMP MINIATURE, NO. LAMP TRADE: 194, V: 14V, POW: 3.78W..P/N: 25965..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8539228050 OTHER
1432	25A17RS75V	LAMP INCANDESCENT..V: 75V, POW: 25W, ..P/N: 25A17RS75V (OFFER 25A19RS75V)..MFG: GENERAL ELECTRIC..SCHEDULE B: # 85393200
1433	260-C	STRAINER ASSEMBLY REF: 1" NPT..P/N: 260-C FISHER (OFFER 4NU86 GRAINDER OR 415C HOFFMAN SPECIALTIY..MFG: HOFFMAN SPEC
1434	26005Y	8 CONDUCTOR, 12 GAUGE, 65 STRANDED BARE COPPER PVC PVC JKT FLAT 600V 105C UL CSA ..600V,INSUL: PVC AND JACKET-POLYVI
1435	260140	NIGHT VISION MONOCULAR..BUSHNELL 4.5X40 EQUINOX Z DIGITAL..4.5X OPTICAL MAGNIFICATION..5-13.5X TOTAL ZOOM RANGE..40MM (
1436	2624SW	STRICKING WRENCH 1 1/2"..P/N: 2624SW (J2624SW)
1437	2628SW	STRICKING WRENCH 1 3/4"..P/N: 2628SW (J2628SW)
1438	262SG	PLIER, TONGUE/GROOVE 7-1/16", P/N: 262SG (J262SG)
1439	2632SW	STRICKING WRENCH 2"..P/N: 2632SW (J2632SW)
1440	2636SW	STRICKING WRENCH 2 1/4"..P/N: 2636SW (J2636SW)
1441	264	FILTER OIL, SIDHARVE,ID: 85.72 MM, OD: 95.25MM, H: 127 MM, CONNECTION: 3/8"NPT, W/ FILTER ELEMENT MICRO FLOW, INCL: HOUSING
1442	2640SW	STRICKING WRENCH 2 1/2"..P/N: 2640SW (J2640SW)
1443	264HSHPKEA1E6L1B7S1N2	TRANSMITTER, PRE: 0 TO 100 PSI..P/N: 264HSHPKEA1E6L1B7S1N2 (R/B: 264HSHPKEA1E6L1B7S2N4)..MFG: ABB
1444	2664	COUPLING FOR ELECTRICAL CONDUITS DIA: 1-1/2", MAT: MALLEABLE IRON, TYPE: RIGID..P/N: 2664 (R/B: 664DC)..MFG: CROUSE-HINDS..S
1445	266G	LINESMAN'S PLIERS 6 5/16" DIAMOND SERRATED JAW WITH GRIPS..P/N: 266G (J266G)..MFG: PROTO TOOLS..SCHEDULE B: #8203205000
1446	26871812	HYDRAULIC MOTOR, MOSAIC CODE 70145753,..P/N: 26871812..MFG: TEREX
1447	268P04X04	CONNECTOR; MALE (REF)-POLY FLO TUBE 1/4" X 1/4" MALE ..P/N:268P04X04(OFFER: 68P-4-4 PARKER HANN.)..MFG: IMPERIAL EASTMA
1448	2690GP	HEAVY DUTY, STEEL STRAP CUTTER..P/N: 2690GP..MFG: H.K. PORTER
1449	269PLUS	MODULE ELECTRONIC MULTILIN MOTOR MANAGEMENT RELAY, 240V, 60 HZ..MODEL 269PLUS..P/N: 269 PLUS-W-100P-240VAC..OFFER P/
1450	27-0099-35SW	SPEEDGLAS™ 9100MP WELDING HELMET WITH HARD HAT AND SIDEWINDOWS, NO ADF..9100 HEADTOP; NO ADF INCLUDED; COMPLET
1451	27-1" X 60 YD	TAPE ; 3M GLASS CLOTH ELECTRICAL TAPE; 27-1"X 60YD; WHITE; RUBBER THERMOSETTING ADHESIVE;1 IN X 60 YD..3M ID: 8001202013
1452	27-1/2"X66'	TAPE SPECIAL ;3M™ GLASS CLOTH ELECTRICAL TAPE 27 (1/2 IN X 66 FT);7 MIL; LG: 20.1M, THK: 0.18MM, W: 12.7MM,..TYPE: GLASS CLOT
1453	27-5902-30SW	3M™ SPEEDGLAS™ FRESH-AIR III SUPPLIED AIR SYSTEM WITH V-300 AIR-REGULATING VALVE AND 3M™ SPEEDGLAS™ WELDING HELM
1454	27 1" X 60 YDS	SCOTCH 27, LG: 20 M, THK 0.18MM, W: 25.4MM, TYP: GLASS CLOTH ELECTRICAL, OFFER LG: 60 YARDS, W: 1", 36 ROLLS /CASE, 7 LBS/CA
1455	270-00282	SCREW..P/N:270-00282..MFG:LISTER PETTER
1456	270-G	COVER BLANK FOR CONDULET, SIZE: 3/4", SHP: 7, MAT: STEEL..P/N: 270-G..SCHEDULE B:# 7307.99.2000 OTHER TUBE OF IRON OR NON A

	Item	Description
1457	27003	NUT M6 DIN 439..P/N: 27003..MFG: NORTON CLIPPER..SCHEDULE B: # 8428.33.0000 OTHER CONVEYOR PARTS
1458	27010-1317	SWITCH FAN..P/N: 27010-1317..MFG: KAWASAKI..SCHEDULE B: # 8536509065 OTHER SWITCHES
1459	2701383	HMI BATTERY ..190 MM +/- 10MM INCLUDING CONNECTING CABLE..LITHIUM (ASSEMBLED WITH 2-POS. CABLE AND 3-POS. CONNECTOR
1460	27040	WING NUT M10 DIN (SOLD EACH , 3 REQUIRED)..P/N:27040..MFG: NORTON CLIPPER..SCHEDULE B: # 8428.33.0000 OTHER CONVEYOR PA
1461	2706-PCABLE1	CABLE DATA, SPEC: INVIEW, ..P/N: 2706-PCABLE1..MFG: ALLEN BRADLEY CO...SCHEDULE B: # 8544.42.0000 INSULATED CABLE
1462	2706-PSW1	SOFTWARE MESSAGING, SPEC: INVIEW..P/N: 2706-PSW1..MFG: ALLEN BRADLEY CO.
1463	270I-20MA-DIN-DT1	IMPEDANCE ADAPTER, ISOLATOR INPUT, LOOP POWER, ..MODEL: 270I-20MA-DIN-OL1(OLD P/N: 270I-20MA-DIN-DT1)..MFG: ACROMAG..S
1464	271007	MEDIAWORKS CLIENT SOFTWARE LICENSE FOR 8 PC ACCESS..P/N: 271007..MFG: EVENTIDE
1465	2710E1V	ELEMENT, FUEL GAS FILTER..P/N: 2710E1V..MFG: CLARK RELIANCE..SCHEDULE B: # 8421.23.0000 OIL OR FUEL FILTERS
1466	2711P-K10C4D2	PANEL VIEW, SPEC: PLUS 1000, KEYPAD STANDARD COMMUNICATIONS, ETHERNET RS232 DC INPUT, 128MB, FLASH 128MB RAM,..P/N: 2
1467	2711P-K10C4D8	PANEL VIEW; (SPEC)-PLUS 6 1000 KEYPAD STANDARD COMMUNICATIONS,ETHERNET & RS232 512 DC;(INPUT)-128MB;(FLASH)-128MB RA
1468	2711P-K10C6A1	PANEL DISPLAY, SPEC: PANEL VIEW PLUS 1000, 32 FUNCTION COLOR SCREEN 10.4", I: 2.9A, VDC: 24, NEMA: 12,13,4X', IP54, IP65, POW: 7
1469	2711P-RDT12C	PANELVIEW PLUS 1250 COLOR TOUCH DISPLAY MODULE..12.1 INCH COLOR ACTIVE MATRIX DISPLAY MODULE; DISPLAY AREA (WXH): (9
1470	2711P-T10C15A1	PANEL VIEW, MOD: PLUS 1000, TOUCH, VAC: 84-264V, DISPLAY SIZE: 10.4", COMMUNICATION PORT: CONTROL NET STANDARD COMMUI
1471	2711P-T10C4A9	SPEC)PANELVIEW PLUS 6 GRAPHIC TERMINAL, MODEL: 1000, (INPUT-TYPE):TOUCH SCREEN SCREEN, COLOR DISPLAY, STANDARD CO
1472	2711P-T15C15A1	PANEL VIEW, MOD: PLUS 1500, TOUCH, VAC: 84-264V, DISPLAY SIZE: 15", COMMUNICATION PORT: CONTROL NET STANDARD..P/N: 2711F
1473	2711P-T15C4A8 + 2711PRN15S	PANEL VIEW, MOD: PLUS 6, TOUCH, VAC: 84-264V, DISPLAY SIZE: 15", COMMUNICATION-PORT: CONTROL NET STANDARD, 2711PT15C4A
1474	2711PT10C4A8	PANEL VIEW; (MOD)-PLUS 1000,TOUCH;(V-AC)-84-264V, (DISPLAY-SIZE)-10.4" (COMMUNICATION-PORT)-CONTROL NET STANDARD COMM
1475	27262512	SIGNAL ADAPTER, CODE 70135474..P/N: 27262512..MFG: TEREX
1476	2727	CABLE FLEXIBLE SOOW..TYPE: STRANDING, AWG: 10, #COND: 4, V; 600V, CLR; BLACK, TEMP: -40/90C, SPEC: WATER RESISTANCE, PKG
1477	27276612	SWITCH BOX, CODE 70135488..P/N: 27276612..MFG: TEREX
1478	27282	CARRIAGE BIT M10X35 DIN603..P/N:27282..MFG: NORTON CLIPPER..SCHEDULE B: # 8428.33.0000 OTHER CONVEYOR PARTS
1479	27282712	SLIP RING, CODE 787878..P/N: 27282712..MFG: TEREX
1480	27286112	CABLE, CODE 70135490..P/N: 27286112..MFG: TEREX
1481	27287512	CABLE, CODE 781343..P/N: 27287512..MFG: TEREX
1482	27288112	BATTERY CABLE, MATERIAL CODE 70135481..P/N: 27288112..MFG: TEREX
1483	274115	RELAY PROGRAMMABLE BASIC DIGITAL, MOD: EASY619-AC-RC, VAC: 115-240V, INP: 12, OP: 6, SPEC: EXPANSION..P/N: 274115 (R/B: MODI
1484	2744416	PHOENIX CONTACT SIGNAL CONVERTER, 1 CHANNEL, TERMINAL BLOCK INTERFACE MODULES PSM-ME-RS 232/RS485..P/N: 2744416..MI
1485	2744869	CRIMPING TOOL TERMINAL HAND..P/N: 2744869..MFG: PHOENIX CONTACT
1486	2745.6	WASHERNUT,WELDED , FOR 5/8" BOLT,HOT DIP GALVANIZED..MFG:HUGHES..P/N:2745.6..SCHEDULE B: # 7318.22.0000 OTHER WASHER
1487	2745.8	WELDED WASHER NUT 7/8"..P/N: 2745.8..MFG: HUGHES..SCHEDULE B: # 7318220000 OTHER WASHER
1488	2746.6	CAST WASHER NUT 5/8"..P/N: 2746.6..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318220000 OTHER WASHER
1489	27484012	SENSOR, MATERIAL CODE 70135514..P/N: 27484012..MFG: TEREX
1490	27508	WASHER 10.5 DIN 9021 (SOLD EACH , 3 REQUIRED)..P/N:27508..MFG: NORTON CLIPPER..SCHEDULE B: # 8428.33.0000 OTHER CONVEYOF

	Item	Description
1491	27529700	1000981141..MICROFACE CARD E,275297,EMER-PM ..Spare_parts..Part name MICROFACE CARD E..Additional information:..Voltage 24 Vac..Manu
1492	27539	WASHER M6 DIN 125 FLAT..P/N:27539..MFG:NORTON CLIPPER..SCHEDULE B: # 8428.33.0000 OTHER CONVEYOR PARTS
1493	276-1806	FUEL FILTER, CODE 772297, FOR GENERATOR DE65E0..P/N: 276-1806..MFG: CATERPILLAR..SCHEDULE B: # 8421.29.0065 OTHER FUEL FIL
1494	277-3937	FG SEIRES HIGH VOLTAGE BOARD..P/N: 277-3937..MFG: HUGHEY & PHILLIPS
1495	277-3939	FG SERIES DIODE BOARD..P/N: 277-3939..MFG: HUGHEY & PHILLIPS
1496	277-4163	FG3000 & FG3000B SYNC/MONITOR BOARD..P/N: 277-4163..MFG: HUGHEY & PHILLIPS
1497	277-5014-003	FG SERIES B TRIGGER CONTROL BOARD..P/N: 277-5014-003..MFG: HUGHEY & PHILLIPS
1498	278008	ADJUSTER SLACK,..SPEC: A43..P/N: 278008..MFG: BENDIX
1499	27E122	SOCKET RELAY, NO.PINS: 8, VAC: 300V, I: 10A..P/N: 27E122..MFG: POTTER & BRUMFIELD..SCHEDULE B: # 8536908085 OTHER SOCKET RE
1500	28-04-0-004	ANTENNA TRANSMITTER, FREQ: 450-470MHZ, SPEC: 1/4 ONDA TNC..P/N: 28-04-0-004..MFG: CONTROL CHIEF..SCHEDULE B: # 8529109000
1501	28-80376E84	CONNECTOR ELECTRICAL, TYPE: CONEXIAL PLUG SPECTRA..P/N: 28-80376E84..MFG: MOTOROLA
1502	2800844876	CONNECTOR BNC, FOR MIT..P/N: 2800844876..MFG: MOTOROLA..SCHEDULE B: #8536695050 - OTHER ELECTRICAL CONNECTOR
1503	28082	GUY ROLLER HOLE SIZE 15/16"..P/N: 28082..MFG: HUGHES BROTHERS..SCHEDULE B:# 8302.41.8075 OTHER ARTICLES OF METAL
1504	28086	GUY ROLLER 3/4"..P/N:28086..MFG: HUGHES BROTHERS..SCHEDULE B:# 8302.41.8075 OTHER ARTICLES OF METAL
1505	280RT	VINYL DIP WORKVEST, HEAVY DUTY TYPE V BUCKLES..P/N: 280RT..MFG: IMPERIAL..SCHEDULE B: # 8907.90.0090 OTHER FLOATATION SI
1506	28120	NOZZLE, SOLID CONE..(SPRAY-ANGLE)-60 DEG, 2.50 GPH; (MODEL)-P;(CODE)-030G3522..DANFOSS 28120..P/N: 2.50-60-P..MFG: HAGO..SC
1507	2817-11	DEAD END TEE, 11/16" MOUNTING HOLE, 1-1/4" STEM HOLE..P/N: 2817-11..MFG: HUGHES BROTHERS..SCHEDULE B: # 7308909090 OTHER
1508	2817-13	TEE,DEAD END,FORGED STEEL,13/16"MOUNTING HOLES,1-1/4" STEM HOLE,HOT DIP GALVANIZED..MFG:HUGHES..P/N:2817-13..SCHEDUI
1509	281923N	BENDIX® DV-2™ AUTOMATIC RESERVOIR DRAIN VALVE ..BENDIX®PRODUCT TYPE: DRAIN VALVE..VALVE TYPE: DV-2..DESCRIPTION: D'
1510	282151	SHOCK ABSOR FOR DYNAPAC LF90..P/N: 282151..MFG: DYNAPAC
1511	2824.5-3.6-8.5	2824 EYE BOLT 5/8" X SADDLE ASSEMBLY..P/N: 2824.5-3.6-8.5 (2824.5-3.6-9.5)..MFG: HUGHES BROTHERS..SCHEDULE B: # 7308909090 OTH
1512	2824.5-3.7-5.7	EYE BOLT AND SADDLE ASSEMBLY ..P/N: 2824.5-3.7-5.7..MFG: HUGHES BROTHERS..SCHEDULE B: #7318159000 OTHER BOLTS
1513	282662	SPACER FOR DYNAPAC LF90..P/N: 282662..MFG: DYNAPAC
1514	28293712	DIODE ASSEMBLY, CODE 70135128..P/N: 28293712..MFG: TEREX
1515	283	SPRAY RED FLUORESCENT SURVEY MARKING PAINT, 17 OZ., AE-220..P/N: 283..MFG: AERVOE..SCHEDULE B: # 8424.90.9500 OTHER SPR/
1516	2839	LIGHT DUTY CORNER BRACKET..P/N: 2839..MFG: HUGHES BROTHERS..SCHEDULE B: #8539228050 - OTHER LAMPS
1517	28393	SAFETY INSULATED POP-UP SLIMLINE SLOTTED & PHILLIPS SET..P/N:28393..MFG:WIHA..SCHEDULE B: # 8203208000 OTHER HAND TOOI
1518	284-B-144	GAUGE;TEMPERATURE WATER 100-265 ; (TYPE)-THERMOCOUPLE; (TEMP RAN)- 250F; HEAVY DUTY MECHANICAL 2-1/6 INCH HOLE SIZI
1519	2840-A	CENTER CLAMP WITH FIXING HARDWARE FOR CROSSARMS "X"..P/N: 2840-A..MFG: HUGHES BROTHERS..3.5 LSB
1520	2840-C	C-BRACE CENTER CLAMP FOR 1042 X -BRACE (1042-15-6, 3-3/8" X 5-3/8" WOOD SECTION)..P/N: 2840-C..MFG: HUGHES
1521	2840-H	BRACE CENTER CLAMP 8 1/2" (SET)..P/N:2840-H..MFG:HUGHES BROTHERS..SCHEDULE B:# 8467.99.0190 OTHER PARTS
1522	2840-K	CENTER CLAMP ASSEMBLY;X BRACE CENTER CLAMP STRAP 9 3/4"..P/N: 2840-K..MFG: HUGHES..SCHEDULE B: # 7326.90.8695 OTHER AF
1523	284A962P2	POLE SHADERS IC-302 / IC-2814. 2 /SET PRICE. PER EA..P/N:284A962P2..MFG:GE
1524	285-0001-062-00	CONDULET AND FITTING, CONDULET CONFIGURATION, CONDULET TYPE: STANDARD CONDULET..P/N: 285-0001-062-00..MFG: AMETEK I

	Item	Description
1525	286171	VALVE ASSEMBLY, PARKING..P/N: 286171..MFG: BENDIX..SCHEDULE B: # 8481909090 PARTS FOR VALVE
1526	2867610	ANTENA DIRECCIONAL, GRADO DE PROTECCION IP55, GANANCIA 8dBi, LINEAL VERTICAL, SMA (hembra), IMPEDANCIA 50 ohms, ANGULO
1527	28779	COUPLER 5 13/16" LONG FOR OIL BURNERS MODEL 1050..COUPLING 801-1150(5330105)..P/N: 28779..MFG: CARLIN..SCHEDULE B: # 73071
1528	2880376E84	CONNECTOR ELECTRICAL(TYPE)COAXIAL PLUG SPECTRA. MINI UHF(10 PACK)..P/N:2880376E84..MFG:MOTOROLA..SCHEDULE B:# 8536.6
1529	28815212	CONTROL UNIT AIR CONDITIONING, MATERIAL CODE 780295..P/N: 28815212..MFG: TEREX
1530	28817512	HEATER, MATERIAL CODE 70126934..P/N: 28817512..MFG: TEREX
1531	2884923	ANTENA OMNIDIRECCIONAL, GRADO DE PROTECCION IP55, GANANCIA 5dBi, LINEAR VERTICAL, SMA (macho), IMPEDANCIA 50 ohms, ANC
1532	2885922	CABLE ADAPTADOR, PIGTAIL 50 CM SMA(M) --> SMA)M) CON MANGUITO DE OBTURACION PARA LA CONEXION DE LA ANTENA DIRECION
1533	2885935	SISTEMA DE TRANSMISION UNIDIRECCIONAL, INALAMBRICO DE 2400MHZ, COMPUESTO POR UN EMISOR PARA EXTERIORES (TRANSMI
1534	289	DIGITAL MULTIMETER, TRUE RMS..INCLUDES: GETTING STARTED MANUAL, 6AA BATTERIES INSTALLED, TL71 SILICON TEST LEAD, AC7
1535	289/FVF	COMBO KIT MULTIMETER 289 AND SOFTWARE..P/N: 289/FVF..INCLUDE: MULTIMETER FLUKE 289, SOFTWARE FLUKE VIEW FORMS, CABI
1536	2890-F	DEAD END ASSEMBLY, DOUBLE ARM, WOOD, 3-3/4" X 4-3/4" X 8" 0", 3-WIRE..P/N: 2890-F..MFG: HUGHES BROTHERS
1537	2890-G	DEAD END ASSEMBLY,DOUBLE ARM,WOOD,4-3/4" X 5 3/4 X 8 FT ARM SIZE. 3- WIRE..P/N: 2890-G..MFG: HUGHES..SCHEDULE B: #44071001
1538	2890-H	DEADEND ASSEMBLY 4 3/4" X 5 3/4" X 10 '..P/N: 2890-H..MFG: HUGHES BROTHERS..SCHEDULE B: #4407100102 OTHER LUMBERS TREATEI
1539	2890E	DEADEND ASSEMBLY 3-3/4 X 5-3/4 X 10 FT..P/N: 2890-E..MFG: HUGHES BROTHERS..
1540	2890H	DEADEND ASSEMBLY..4-3/4 X 5-3/4 X 10 FT..P/N: 2890-H..MFG: HUGHES BROTHERS
1541	28923	LAMP, COMPACT FLUORESCENT..(V) - 120V; (POW)-23w;(CLR)-6500K..(LUMEN) - 1600; (RT-LIFE)-6000 HOURS..(TYPE) - SPRING; (BASE)-E-
1542	28HL&HG	TAPE, SPECIAL..(LG) - 32.904M; (THK) - 0.13MM; (W) - 19.05MM (W/O) - ADHESIVE; (CLR) - WHITE, TAPE GLASS WOVEN..P/N: 28HL&HG..MI
1543	2901052600	FILTER KIT DD35..P/N:2901052600..MFG:ATLAS COPCO
1544	2901052700	KIT FILTER PD32..P/N: 2901052700..MFG:ATLAS COPCO
1545	2901170000	OIL CAN 5L RXD 3..P/N:2901170000..ATLAS COPCO
1546	291-20661	VALVE COTTER..P/N:291-20661..MFG: LISTER PETTER
1547	291111000	SCHEDULE B: # 8414.90.9000 OTHER PARTS
1548	29165312	SENSOR, CODE 70135485..P/N: 29165312..MFG: TEREX
1549	29165512	RE-COIL DRUM ASSEMBLY..P/N: 29165512..MFG: TEREX
1550	292	LANTER HAND TRAINMAN WITH YELLOW CASE, VDC: 6V, NO. BATTERY: 1.6V, MAT: PLASTIC, U/O: FF-II, ..P/N: 292 (292-YEL)..MFG: STAR H
1551	292-01670	ADJUSTING SCREW..P/N: 292-01670..MFG:LISTER PETTER
1552	29240	INSULATED WATERPUMP PLIERS..P/N:29240..MFG:WIHA..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
1553	2938604	DC POWER SUPPLY, TYPE PHOENIX P/N: QUINT-PS-240AC/24DC/10..MFG: PHOENIX CONTACT
1554	2939	SWITCH TILT PROBE WITH 25 FT CABLE (15 FT OBSOLETE)..P/N: 29-39 (OFFER P/N: 20-39-25)..MFG: THERMO RAMSEY..SCHEDULE B: ## 8
1555	294-24730	GEAR RING..P/N: 294-24730..MFG:LISTER PETTER
1556	2950032701	TAPE COTTON, CLR: WHITE, PKG: 33M, W: 3/4", THK: 0.007"..P/N: 2850032701 (OFFER P/N: CNF-6436-3/4 X 36)..MFG: CAROLINA NARROW F
1557	2950042401	CABLE LEAD AND HIGH TEMPERATURE, TYPE: SRG SRML/SFF-2, VAC: 600V, AWG: 4, NO.STRAND: 133, TEMP: 150-200C, SPEC: SILICONE
1558	2950044501	CABLE LEAD AND HIGH TEMPERATURE, TYPE: SRML SFF-2, VAC: 600V, AWG: 14, NO. STRAND: 41, TEMP: 1500-200 C..P/N: 2950044501(SF

	Item	Description
1559	29544240	CLAMP, MATERIAL CODE 70127873..P/N: 29544240..MFG: TEREX
1560	29816-C	LAMP HOLDER; ONE-PIECE GLAZED PORCELAIN OUTLET BOX MOUNT INCANDESCENT LAMP HOLDER, PULL CHAIN, SINGLE CIRCUIT, T
1561	29868	STUD INCH..DNO: 5/8", LG: 18"..THD/IN: 11, THD-NC: MAT STEEL..P/N: 29868 ..MFG: MCLEAN..SCHEDULE B: 7318155000 STUDS
1562	29BC	CONNECTOR CABLE..TYPE: FLAT, AWG: #10-4,..DIA: 1.50", SPEC: PG29 THD SIZE..P/N: 29BC (AER29BC)..MFG: AEROMOTIVE MFG (WOOD
1563	2AG - EF3 - P1 - D1A/99-X104	PRESSURE SWITCH;PIVOT SEAL..RANGE 100-1900 PSI..OVERRANGE 8000 PSI..PROOF 10000 PSI..ELECTRICAL RATING:..5 AMPS 250 VAC
1564	2B-14	CONNECTOR WIRE COMPRESSION TUBULAR, SZ-WIRE: 18-14 AWG, V: HIGH VOLT, INSUL: NO,..P/N: 2B-14..MFG: THOMAS & BETTS..SCH
1565	2B-2.000	TAPE CASE 0.002X2X36 YD..P/N: 2B-2.000 (T805-2-2)..MFG: KAPTON..SCHEDULE B: # 9017208060 OTHER TAPE
1566	2BH1500-7AH36	MOTOR BLOWER, 460 V, 60 HZ 2BH1500-7AH36 (R/B: 2BH1500-1AK36-Z) Z=C29 OFFERING MODEL 2BH15001AQ37Z, Z=C29 ..P/N: 2BH150
1567	2BX2102	FILTER SUCTION, PURGE AIR FAN, INCLUDES THREAD FLANGE 2BX104..P/N: 2BX2102..MFG: GARDNER DENVER
1568	2CDS 273 001 R0164	CIRCUIT BREAKER; N POLES:3; V: 440V; I: 16A;TYPE: MINIATURE; S203M-C16..P/N: 2CDS 273 001 R0164..MFG: ABB..SCHEDULE B: # 8536.2
1569	2CDS 273 001 R0634	CIRCUIT BREAKER; N POLES:3 ; V:440V; I:63A; TYPE: MINIATURE S203M-C63..P/N: 2CDS 273 001 R0634..MFG: ABB..SCHEDULE B: # 8536.2(
1570	2CDS272517R0338	MINIATURE CIRCUIT BREAKER - S200UDC - 2P - Z - 4 AMPERE; THERMOMAGNETIC; 2 POLES; 125 VDC;4 AMP..PRODUCT TYPE: S202UDC-
1571	2FA54-73	SWITCH TOGGLE..I: 15-10A, VAC: 125-250V, POL: 1,..HP: 3/4,..P/N: 2FA54..MFG: CARLING..SCHEDULE B: # 8536509065 OTHER SWITCHES..
1572	2FA64-73	SWITCH TOGGLE 1 POLE SINGLE THROW 6 A..P/N: 2FA64-73 CARLING..(OFFER SELECTA SS201-1BG)..MFG: SELECTA..SCHEDULE B: # 85
1573	2GK54-73	SWITCH TOGGLE..I:15A, VAC: 277V, POL: 2..HP: 3/4..P/N: 2GK54-73..MFG: CARLING..SCHEDULE B: 8536509065 OTHER SWITCHES
1574	2GM54	SWITCH TOGGLE..I: 15A, VAC: 150-270V, POL: 2,..HP: 3/4, WITH METAL BUSHING ON TOGGLE BASE..P/N: 2GM54 (OFFER P/N: 2GM54-73)..M
1575	2GT8 4 32 A12 120 1/4 GEB	TROFFER, GENERAL T8..(SER)-2GT8, NO LAMP-4..V-120AC, POW-LAMP-32W;..LG-LAMP-48", BALLAST ELECTRONIC ..MANUFACTURER: LI
1576	2K2405BW	BASEBOARD HEATER K SERIES;MODEL 2K2405; BW(BRIGHT WHITE COLOR)..KING 2K2405BW K BB 27IN LENGHT ;240/208V..500/375W W
1577	2LAJ8	OILER LEVER 13 OZ, FLEXIBLE SPOUT, TIN COATED STEEL SHEET,..P/N: 2LAJ8..MFG: WESTWARD..SCHEDULE B: # 8205.59.9000 OTHERS
1578	2MLB-M12A	CPU MAIN BASE 12 SLOT IO RACK..P/N: 2MLB-M12A (2MLB-M12A-CC)..MFG: HONEYWELL ..US TARIFF CODE 8537109050 – ANALOGICAL IN
1579	2MLB-M12A-CC	CPU MAIN BASE 12 SLOT IO RACK..P/N: 2MLB-M12A (2MLB-M12A-CC)..MFG: HONEYWELL ..US TARIFF CODE 8537109050 – ANALOGICAL IN
1580	2MLF-AD16A	ANALOGICAL INPUT CARDS FOR PLC FOR PAPER MACHINE..P/N: 2MLF-AD16A (2MLF-AD16A-CC)..MFG: HONEYWELL..US Tariff Code 8537
1581	2MLF-AD16A-CC	ANALOGICAL INPUT CARDS FOR PLC FOR PAPER MACHINE..P/N: 2MLF-AD16A (2MLF-AD16A-CC)..MFG: HONEYWELL..US TARIFF CODE 8
1582	2MLF-DC8A	ANALOGICAL OUTPUT CARDS FOR PLC OF PAPER MACHINE..P/N: 2MLF-DC8A..MFG: HONEYWELL..US TARIFF CODE: 8537109050 ANALC
1583	2MLF-DC8A-CC	ANALOGICAL OUTPUT CARDS FOR PLC OF PAPER MACHINE..P/N: 2MLF-DC8A..MFG: HONEYWELL..US TARIFF CODE: 8537109050 ANALC
1584	2MLI-D24A	DIGITAL INPUT CARDS FOR PLC FOR PAPER MACHINE..P/N: 2MLI-D24A (2MLI-D24A-CC)..MFG: HONEYWELL..US TARIFF CODE: 853710905
1585	2MLI-D24A-CC	DIGITAL INPUT 32PTS DC24V FOR PLC FOR PAPER MACHINE..P/N: 2MLI-D24A-CC..MFG: HONEYWELL PROCESS SOLUTIONS..SCHEDULE
1586	2MLL-PSRA	ANALOGICAL INPUT CARDS MASTER LOGIC PROFIBUS..P/N: 2MLL-PSRA (2MLL-PSRA-CC)..MFG: HONEYWELL..US TARIFF CODE: 8537109
1587	2MLL-PSRA-CC	ANALOGICAL INPUT CARDS MASTER LOGIC PROFIBUS..P/N: 2MLL-PSRA (2MLL-PSRA-CC)..MFG: HONEYWELL..US TARIFF CODE: 8537109
1588	2MLP-DC42	MASTER LOGIC POWER SUPPLY FOR PAPER MACHINE..P/N: 2MLP-DC42 (2ML-DC42-CC)..MFG: HONEYWELL..US TARIFF CODE: 85371090
1589	2MLP-DC42-CC	MASTER LOGIC POWER SUPPLY FOR PAPER MACHINE..P/N: 2MLP-DC42 (2ML-DC42-CC)..MFG: HONEYWELL..US TARIFF CODE: 85371090
1590	2MLQ-TR4B	DIGITAL OUTPUT CARDS FOR PLC FOR PAPER MACHINE..P/N: 2MLQ-TR4B (2MLQ-TR4B-CC)..MFG: HONEYWELL..US TARIFF CODE: 8537
1591	2MLQ-TR4B-CC	DIGITAL OUTPUT CARDS FOR PLC FOR PAPER MACHINE..P/N: 2MLQ-TR4B..MFG: HONEYWELL..2MLQ-TR4B-CC ..US TARIFF CODE: 8537
1592	2MLT-DMMA	COVER PLATE DUMMY MODULE FOR PLC FOR PAPER MACHINE..P/N: 2MLT-DMMA..MFG: HONEYWELL ..US TARIFF CODE: 8537109050 –

	Item	Description
1593	2MM (NATUR. COLOR GRADE A	SLEEVE SILICONE RUBBER COATED..D-SLE: 2MM, CLASS: H..P/N: 2MM (NATURAL COLOR GRADE A 0.079") 250 / FT PER SPOOL
1594	2RC-10X	CONNECTOR WIRE RANGE: 12-10AWG,..REF: STAKON, SPLICE, INSULATED...P/N: 2RC-10X..MFG: THOMAS & BETTS
1595	2RDZ4	CICULATOR AIR MOBILE;(V)-115VAC;(I)-5.7/4.5A(HP)-1/2;(FREQ)-60HZ(RPM)-850/700;(SPEED)-2 (DIA-BLADE)-42";(INCL)-CORD WRAP ANDTI
1596	2TL1-1	SWITCH TOGGLE..I: 15A, VAC: 125/277V, POL: 2..POSN: 3, HP: 1/2 TO 1..SPEC: MS24524-21 SCREW TERMINAL..P/N: 2TL1-1..MFG: MICF
1597	2TL1-2	SWITCH TOGGLE 15A, ..VAC: 125-250-277V..POL: 2, HP: 1/2-1, REF: MS24524-21..MICROSWITCH..P/N: 2TL1-2..MFG: HONEYWELL ..SCHE
1598	2TL1-3	SWITCH TOGGLE, 15A, VAC: 125-277V, NO.POLES: 3, HP: 1/2-1..P/N: 2TL1-3..MFG: HONEYWELL..SCHEDULE B: #8536509065 OTHER SWITC
1599	2W110	RESISTANCE, RES: 100 OHM, POW: 2W..P/N: 2W110..MFG: NTE ELECTRONICS..SCHEDULE B: # 8516.80.0000 ELECTRIC HEATING RESIST
1600	2X2X1/4	ANGLE, DIM: 2" X 2", THK: 1/4", SHP: L, LG: 20 FT, MAT: A 36 CS, FINISH: HOT DIPPED GALVANIZED..P/N: 2X2X1/4 (A12214-G)..MFG: GERDA
1601	2YKR5	REEL CORD EXTENSION HAND, LG: 80FT, NO. RECEPTACLE: 4, MAT: STEEL, CLR: YELLOW, Y/O: CABLE YELLOW, 120VAC, 10AMP, GAUG
1602	3-02	BEARING C. REDUCTOR WEST TECHPART # 21587A-103, RATIO: 3045, SERVICE FACTOR: 1.0, INPUT: 1.01 HP, 1750 RPM, TORQUE 56400
1603	3-03	BEARING D. REDUCTOR WEST TECHPART # 21587A-103, RATIO: 3045, SERVICE FACTOR: 1.0, INPUT: 1.01 HP, 1750 RPM, TORQUE 56400
1604	3-150 VCS-T/G	INSULATING SEALING SYSTEM, SIZE 3", BORE SIZE: STANDARD, PRESS CLASS: 150 #, FLANGE SPEC: ANSI B16.5, BORE: VCS, SEAL: TE
1605	3-150 VCS-T/G-10	JUNTA PIKOTEK 3" S150; 3-150 VCS-T/G-10; SELLO TEFLON (CON RESORTE)..CANUTOS:G-10..ARANDELAS AISLANTES:G-10;ARNDELAS M
1606	3-310-ST-T-T-H-S	VALVE NILCOR FIBERGLASS FLANGED CLASS 150..P/N: 3-310-ST-T-T-H-S..MFG: NILCOR..SCHEDULE B: # 8481801095 OTHER VALVES..1 B
1607	3-464-REBUILD-K138	KIT REBUID ..P/N: 3-464-REBUILD-K138..MFG: VIKING PUMP
1608	3-464-SEAL-K84	KIT SEAL, ..P/N: 3-464-SEAL-K84..MFG: VIKING PUMP
1609	3-610-CF-P-H-S	BALL VALVE, SERIES 610XP, WITH FLANGED, SIZES: 3", MATERIAL: FIBERGLASS REINFORCED NOVOLAC EPOXY, CAVITY FILLER, PRE: 2
1610	3 5/8" X 8 1/2" X 41'	CROSS ARM 3 5/8" X 8 1/2" X 41'..P/N: 3 5/8" X 8 1/2" X 41'-0"..MFG:HUGHES BROTHERS ..SCHEDULE B: # 4421.90.9750 OTHER CROSSARM E
1611	3 5/8" X8 1/2" X 32'	CROSS ARM 3 5/8" X 8 1/2" X 32'..P/N: 3 5/8" X 8 1/2" X 32'-0" (C2974.1A-1)..MFG:HUGHES BROTHERS..SCHEDULE B: # 4421.90.9750 OTHER C
1612	3 5/8"x8 1/2" x 21 '	CROSS ARM 3 5/8"x8 1/2" x 21'..P/N: 3 5/8"x8 1/2" x 21'-0" ..(C2974.4A-1)..MFG: HUGHES BROTHERS..SCHEDULE B: # 4421.90.9750 OTHER CR
1613	3" 310-ST-T-H-S	FLANGED BALL VALVE 3" DIAM...SERIE: 310..NORMA: ANSI 150 SERIES 310 GLASS FIBER REINFORCED 150 LB VINYLESTER, FLANGED E
1614	3" X 3"X 1/4" X17' 8"	CROSS ANGLE 3" X 3"X 1/4" X17' 8"..P/N: 3" X 3"X 1/4" X17' 8"..MFG: HUGHES BROTHERS
1615	3.25BB3LLRS34MC19.685	SERIES 3L MEDIUM DUTY HYDRAULIC TIE ROD CYLINDER WITH EPOXY PAINT, FOR PAPER MACHINES..P/N: 3.25BB3LLRS34MC19.685..MF
1616	3/4 IN	STRAP FOR CONDUIT PVC..NO. HOLES: 2, DIA: 3/4", MAT: SAP..P/N: 3/4 IN (P/N: 2HS3/4-G)..MFG: THOMAS & BETTS..SCHEDULE B: # 8536
1617	3/4 IN 10FT	CONDUIT EMT..LG: 10 FT, DIA: 3/4". TYP: ELECTRICAL METALLIC TUBE, REF: HOT GALVANIZED STEEL..P/N: 3/4 IN 10 FT..MFG: ALLIED TUE
1618	3/4 IN TYGON	TUBING TYGON FLEXIBLE, ID: 3/4", CLR: TRANSPARENCY, LG: 50FT, REF: ID9205 PLASTIC..P/N: 3/4 IN TYGON (OFFER AAA00054)..MFG: TY
1619	3/4" GRADE B	SLEEVE VINYLGLASS FLEX..SIZE: 3/4", GRADE B BLACK..P/N: 3/4" GRADE B (P/N: 52039)..MFG: HILEX..SCHEDULE B: # 3919102055 SELFAD
1620	3/5VX1250	BELT ; HY-T WEDGE TORQUE TEAM; 1.875" X 0.53" X 125"..P/N:3/5VX1250..MFG: GOODYEAR CONTINENTAL CONTI TECH..SCHEDULE B: #
1621	30-074	CONNECTOR WIRE SPRING..V-MAX: 1000V, AWG: 18-10, CLR: YELLOW, MOD: GB-4, SICE: 74B, TWIST ON..P/N: 30-074 (74B)..MFG: IDEAL..S
1622	30-510	CONNECTOR WIRE CRIMP SLEEVE..V-MAX: 600V, AWG: 18-10, INSUL: NO,..P/N: 30-510..MFG: IDEAL CORP..SCHEDULE B: # 8536695050 OT
1623	30-9305	KIT DE REPARACION VRP1500 SB CH..P/N:30-9305..MFG: DRESSER BECKER
1624	30" FLEXGATE	FLEXGATE SLURRY KNIFE GATE VALVE, 30" VALVE BODY: CAST IRON, PIPE PLUG, 0.25" -18 NPT: STEEL, 30" ELASTOMER SEAT: EPDM, S
1625	300 PSI MODULE	CRYSTAL ENGINEERING 300PSI MODULE..NVISION MODULE,300PSI..NVISION PRESSURE MODULE: 300 PSI..MODEL: 300 PSI..ACCURACY
1626	30001	MARKER;(TIP)-FINE;(CLR)-BLACK;(PKG)-12 EA..P/N:30001..MFG:SHARPIE..SCHEDULE B:# 9608.20.0000 FELT TIPPED AND OTHER POROUS

	Item	Description
1627	300046566	ACTUATOR ELECTRIC PROPORTIONAL, 24 V, 35 LB/IN..P/N: 300046566..MFG: MCQUAY..SCHEDULE B:# 8501.31.8000 OTHER ACTUATORS
1628	30008	FILTER ELEMENT..TYPE: E1300-10, OD: 6", H: 18", SPEC: 10 MICRON, U/O: TITAN IV FOR FUEL..P/N: 30008..MFG: CENTRAL ILLINOIS MANUF
1629	300091	Nozzle tip, monitor 1.5", ORIFICE..P/N: 300091..MFG: Mega Corp.
1630	30012-8	HIGH VOLTAGE CABLE LEAD 25 FT. MODEL DELTA2000..P/N: 30012-8..MFG: MEGGER
1631	300160281	PUNCHS FRACTIONAL, DRILL OR MILIMETER 9/32-K DS, A=0.281..P/N: 300160281..MFG: ROPEY WHITNEY
1632	30024	TERMINAL PRESSURE LOW VOTAGE, TYPE : EYE, AWG: 2 SPEC: 35KV, MAT: COPPER..P/N: 30024 (80-6100-3328-6)..MFG: 3M..SCHEDULE
1633	3003020	CLAMP END COVER, D-UK 4/10..P/N: 3003020..MFG: PHOENIX CONTACT
1634	3003563	HP 3520 FLOW TWO GAUGE REGULATOR, 0-250 PSIG, 400 PSI-28 BAR, 1/2" FNPT..P/N: 3003563..MFG: HARRIS..SCHEDULE B: # 9026.10.500
1635	3004362	UK 5 N GRAY IEC SCREW CLAMP, TERMINAL BLOCK, 30-10 AWG..P/N: 3004362..MFG: PHOENIX CONTACT
1636	3005073	CLAMP UK 10 "N"..P/N: 3005073..MFG: PHOENIX CONTACT..SCHEDULE B: # 8538907080 OTHER CONTACTOR
1637	30053	RAIL BOND WELDERS, 250V, AMP: 100-125-150..P/N: 30053..MFG: PHOENIX MINING EQUIPMENT, INC...SCHEDULE B: # 8515190000 OTHER
1638	300921	6 STEP ALUMINUM ROLLING LADDER, 24 W RIB BED STEP, 30" HANDRAILS..P/N: 300921..MFG:..SCHEDULE B: #761699 ALUMINUM LADDER
1639	300922	7 STEP ALUMINUM ROLLING LADDER, 24" W, RIB BED STEP, 30" HANDRAILS..P/N: 300922..MFG: ..SCHEDULE B: #761699 ALUMINUM LADDI
1640	300AA00085A	MODULAR CONTROL COIL VALVE, MCSCJ115AG000010, 115 VAC..P/N: 300AA00085A..MFG: EATON..SCHEDULE B: # 8481.80.1095 OTHER V
1641	300E-4-BP-1-WH	MEMBRANE HOUSING,FRP,4X40,300 PSI,end port-1/2(permeate) x 3/4(feed concentrate)..P/N: 300E-4-BP-1-WH..MFG: WAVE CYBER
1642	300RGB6029	LABYRINTH LABY KIT..(FOR LAMSON BLOWER, MODEL 3105-5-0-AD, SERIAL 781235, CATALOG 081-02, 25.41.25 REV. 3 AND R078-06, 25.51
1643	301-56-170	RETAINING RING 301-56-170 (ITEM 83)..OEM BUFFALO PUMPS / 527 VCRE LO 1 SEAL OIL PUMP / RETAINING RING 301-5 6-170 / NP..: 83; BI
1644	3010007011	SLEEVE VINYL GLASS FLEX, SIZE: 7", #7..P/N: 3010007011..MFG: ..SCHEDULE B: # 3919102055 SELFADHEVISE TAPES
1645	3010011011	SLEEVE VINYL GLASS FLEX, SIZE: 11", #11..P/N: 3010011011..MFG: ..SCHEDULE B: # 3919102055 SELFADHESIVE TAPES
1646	301425-ZS70	INSULATOR ASSEMBLY, REF: PORCELAIN SUSPENSION CLASS 52-5 BALL & SOCKET 5-3/4 X 10 IN M & E STRENGHT 25000 LBS..P/N: 3014
1647	301600-002	BUBBLE REMOVAL CHAMBER, CARPENTER 20 (20 CB-3)..P/N: 301600-002..MFG: NUSONICS..SCHEDULE B: # 9018120000 ULTRASONIC SC
1648	301624	FILTER ELEMENT, MOD: FBI1010, DIM: 10" INLET, SPEC: ONLY ELEMENT, U/O: BLOWER RHF..P/N: 301624 (HK301624)..MFG: HAUCK..SCHE
1649	302304	SEAL OIL,..ID: 2.25", OD: 3.005", W: 0.375"..P/N: 302304..MFG: MEGA CORPORATION..SCHEDULE B: # 8487900080 OTHER OIL SEALS
1650	302A3600C6P108	TRANSFORMER CONTROL,..V-PRIMARY: 480V, V-SECONDARY: 120V, VA: 1000, NO.PHASES: 1..P/N: 302A3600C6P108..MFG: GENERAL ELE
1651	302A3600CGP3	TRANSFORMER; POWER; 60 HZ 100 VA480/120 V..P/N: 302A3600CGP3 R/B:302A3600YDP3..MFG: GENERAL ELECTRIC
1652	302A3600CGP6	TRANSFORMER 60 HZ, 250 VA 480/120V..P/N: 302A3600CGP6 (R/B: 302A3600YDP7)..MFG: GENERAL ELECTRIC..SCHEDULE B: # 850431200
1653	302A3600YDP3	TRANSFORMER, F/ SIZE 1 AND 5 STR 100V..P/N: 302A3600YDP3..MFG: GENERAL ELECTRIC..SCHEDULE B: #8504210040 ELECTRICAL TRA
1654	302ET-194	FIRE LITE, 194 F DEGREE, RATE ANTICIPATION HEAT DETECTOR, ALL WEATHER VERTICAL MOUNTING..P/N: 302ET-194..MFG: HONEYWE
1655	302GCX-120	SOUNDERS; SELCTONE SPEAKER AMPLIFIER;DB: 100DB TO 124DB FOR 1 METER..SELECTOR RELIABLE , SOLID STATE CIRCUIT..P/N: 30
1656	30373	SCR N0 8 X 1/2 FL Hd Phill..P/N: 30373..MFG:NORTON CLIPPER..SCHEDULE B: # 8428.33.0000 OTHER CONVEYOR PARTS
1657	3040134	O-RING APR568-379 70 DURO BUNA..O-RING F/LUBE OIL FILTER USD 10.00 90.00..PART NUMBER: 3040134..42MAV35AT010/020..O-RING F/
1658	304954415083	FILTER AIR, TYPE: BAG, SER: SYN-PAC, MOD: SP-95A, EFFICIENCY: 90-95%. STD: ASHRAE52-76, REF: MADE WITH METAL FRAME FILTERE
1659	30500-Z1C-023	IGNITION COIL ASSEMBLY FOR MOTOR GX 390. GEN HONDA EP6500CXS..P/N:30500-Z1C-023..MFG:HONDA..SCHEDULE B: # 8511.30.0080 I
1660	305096	SENSOR PH..TYPE: PHEX 112 SE, RANGE PH: 1 TO 12..RANGE TEMP: 0 TO 100C, PRE-MAX: 6 BAR 100C ..16 BAR 25 C..P/N: 305096..MFG: P

	Item	Description
1661	305183	PIN EXTRACTOR..P/N: 305183..MFG: TYCO
1662	3051CD1A02A1AM5E8H2QS	PRESSURE TRANSMITTER..MODEL:3051C;TYPE: COPLANAR PRESSURE TRANSMITTER..PRESSURE TYPE: DIFFERENTIAL;..PRESSURE I
1663	3051CD2A22A1AC1M5D4Q4QT	PRESSURE TRANSMITTER..MODEL:3051C;TYPE: COPLANAR PRESSURE TRANSMITTER..MEASUREMENT TYPE: DIFFERENTIAL;..PRESSU
1664	3051CD4A02A1AM5BADFE5H2L4	DIFFERENTIAL PRESSURE FLOW TRANSMITTER; FLOW HRGS;MODEL 2051C; TYPE:COPLANAR PRESSURE TRANSMITTER; MEASUREME
1665	3051CD4A02A1JM6S5	Differential Pressure Transmitter..3051CD Transmitter Type: Differential Pressure..Transmitter..4 Pressure Range: -300 to 300 psi/3 psi (-20.7 to..20.7 ba
1666	3051CG5A22A1AM5B4E5D4	Pressure Transmitter ROSEMOUNT#Model : 3051CG5A22A1AM5B4E5D4..#3051C ..Transmitter Type: Pressure Transmitter..#G Measurement Type: (
1667	3051L3AA0FD21ABE5	3051L3AA0FD21ABE5 ..3051L LIQUID LEVEL TRANSMITTER..3 PRESSURE RANGE -1000 TO 1000INH2O(-2.5 TO 2.5 BAR) -393 TO 1000INH
1668	3051L3FE0FD31AAE5M5Q4S1	3051L FLANGE MOUNTED LIQUID LEVEL TRANSMITTER..3 PRESSURE UPPER RANGE 1000 inH2O (2.5 bar) LIMIT..F TRANMITTER OUTPU
1669	3051L3FE0FD31AAE5Q4S1	3051L LEVEL LIQUID TRANSMITTER..3 PRESSURE UPPER RANGE LIMIT, - 1000 TO 1000 IN H2O (-2,5 TO 2.5 BAR)..F TRANSMIT
1670	3051S2TG4A2E11A1AM5	TRANSMITTER PRESSURE 0-2500 PSI,..P/N: 3051S2TG4A2E11A1AM5..MFG: ROSEMOUNT..SCHEDULE B: # 9026200000 INSTRUMENT TO M
1671	3051TA1A2B21AB4M5	INLINE PRESSURE TRANSMITTER;PRESSURE TYPE- ABSOLUTE;0-30 PSIG(0-2.06 BAR); OUTPUT 4-20MS HART;PROCESS CONNECTION
1672	3051TG2A2B21AS5B4K6M5Q4T1	3051T PRESSURE TRANSMITTER..G PRESSURE TYPE GAGE..2 RRESSURE UPPER RANGE 150 PSI (10.3 BAR)..A TRANSMITTER OUTPUT
1673	3051TG3A2B21A	3051TG ROSEMOUNT 3051T IN-LINE GAGE PRESSURE TRANSMITTER –14.7 TO 800 PSI MAX, 10.5-55 VDC, TYPE: IN-LINE GAGE PRESSUR
1674	3051TG3A2B21AS5B4K6M5Q4T1	3051T PRESSURE TRANSMITTER..G PRESSURE TYPE GAGE..2 RRESSURE UPPER RANGE 800 PSI (55.2 BAR)..A TRANSMITTER OUTPUT
1675	3051TG4A2B21AB4E5D4M5Q4QT	IN-LINE PRESSURE TRANSMITTER..PRES: HRSG; MODEL 3051TTYPE:IN LINE-PRESSURE ..PRESSURE TYPE: GAGE ;PRESSURE RANGE:
1676	30628612	ROD, MATERIAL CODE 70135512..MFG: 30628612..MFG: TEREX
1677	307	LAMP MINIATURE..LT: 307, V: 28V, POW: 18.5W..P/N: 307..MFG: EIKO..SCHEDULE B:#8539228050 OTHER LAMPS..COUNTRY OF ORIGIN: US
1678	30741299	BOLT, MATERIAL CODE 70135518..P/N: 30741299..MFG: TEREX
1679	3076F	CABLE FIELDBUS, TYPE: STRANDED, AWG: 18, NO. PAIRS: 1, V: 300V, Z: 100 OHMS, TEMP: 75C, INSUL: POLYOLEFIN WITH SHIELD PROTE
1680	30799012	LOAD CHARTS CD, FOR CRANE AC100/4L, SERIE 10121..P/N: 30799012..MFG: TEREX
1681	308022	NUT SPLITTER REPL BLADE HNS 225..P/N: 308022..MFG: POWER TEAM..SCHEDULE B: #8214900000 OTHER BLADES..
1682	3082F	CABLE DEVICENET..TYPE: MULTICONDUCTOR, NO. CONDUCTOR: 4, NO. PAIRS: 2, AWG: 18/15, V: 300 V, MAT: TC-TINNED COPPER, TYPE
1683	308351	BREATHER FILTER BFP 3 G 10W 6.0/RV FOR HIGH SPEED COUPLING COVER OF TV 42 SIEMENS SST400...P/N:308351..MFG:HYDAC..SCHE
1684	30855	PHOT CONTROL ;120 V..1200 W TUNGSTEN LOAD;1100 VA BALLAST LOAD;2 FC TURN ON LIGHT LEVEL;SPST SWITCH; 6 INCH WIRE LEAI
1685	308G5W	LITTLE GIANT SWIVEL LIGHTS..P/N: 308G5W..MFG: MATER VISION..SCHEDULE B: #6506100090 OTHER HEADGEAR
1686	30BAR-XP2i	CRYSTAL ENGINEERING XP2I: 3KPSIXP2I-F4-DL..XP2I DIGITAL PRESSURE GAUGE..RANGE: 0 TO 30 BAR..RESISTANT MATERIAL: IP 67, CA
1687	30EI60R040 CS	THERMOMETER; 3" BIMETAL, REAR CONNECTION, THERMOMETER, 0-250F (& -20-120C)..P/N:30EI60R040 CS..MFG: ASHCROFT
1688	30PB	3 X 7 ROW 0.006" PHOSPHOR BRONZE BRISTLE AND PLYWOOD HANDLE SCRATCH BRUSH..FILL MATERIAL: PHOSPHOR BRONZE;HANDI
1689	31-0016	DNGP CONTROL BOARD..P/N:31-0016..MFG: DRESSER BECKER
1690	31-033	TAPE FISH STEEL, LG: 15 M..P/N: 31-033..MFG: IDEAL..SCHEDULE B: #7217900000 OTHER WIRE OF STEEL
1691	31-250	LUBRICANT IDEAL WIRE PULLING..P/N: 31-250 / 31-388..MFG: IDEALSCHEDULE B: # 3403.91.0000 OTHER LUBRICANT PREPARATIONS
1692	31-5679	RF/COAXIAL CONNECTOR, TYPE: TNC COAXIAL, BODY STYLE, STRAIGHT PLUG, COAXIAL TERMINATION CRIMP, IMPEDANCE: 50 ohm, RG
1693	310-2000	FILTER ELEMENT, SMALL POLYESTER..P/N: 340-2000..MFG: REPUBLIC MANUFACTURING
1694	31000601	MANIQUI RCP RESUCI ANNE BASIC TORSO SP (AHA)..P/N: 31000601 ..MFG: LAERDAL..COUNTRY OF ORIGIN: NORWAY..SCHEDULE B: #90

	Item	Description
1695	310015-3001	SURGE ARRESTER, TYPE PVN,..15 KVA STAT ARRESTER..P/N: 310015-3001..MFG: HUBBELL
1696	3100H300PG02R000	TRANSDUCER 3100 SERIES PRESSURE ONLY OUTPUT, H: 1.5V, 1/4" 18 NPT, 300PG, 0-300 PSIG, GEMS..P/N: 3100H300PG02R000..MFG: GE
1697	31011	TERMINAL PRESSURE CONNECTOR..REF: LUG LOCKTITE 2/0 TO 4/0 SERIES T-35..P/N: 31011..MFG: THOMAS & BETTS..SCHEDULE B: # 85
1698	310210281	DIES A: 0.281..P/N: 310210281..MFG: ROPEY WHITNEY
1699	31032012	PUSH BAR, MATERIAL CODE 70135517..P/N: 31032012..MFG: TEREX
1700	3105.6	MEDIUM DUTY POLE BAND TYPE 4 WAY ..90 DEGREE FOR 9" - 12" DIAMETERS,..7/8" X 8" STUD BOLTS POLE.HPT DIP GALVANIZED...REF:
1701	3105.7	POLE BAND MEDIUM DUTY..FOR 11-14 POLE DIAMETER..P/N: 3105.7..MFG: HUGHES
1702	31057	BAND POLE..REF: 11" TO 14"..P/N: 31057..MFG: HUGHES BROTHERS..SCHEDULE B: #7312900000 - OTHER BANDS OF STEEL
1703	311162-000	AXLE SHAFT..P/N:311162-000..MFG:ANDERSEN..SCHEDULE B:# 8431.39.0090 OTHER ELEVATOR SPARE PARTS
1704	31117486	ELECTRODE PH, MERIDIAN..TEMP 10 TO 100 C, INCLUDE CABLE 31198160..P/N: 31117486..MFG: HONEYWELL..SCHEDULE B: 8311100000 E
1705	31160-NA/3	MAGNETIC SWITCH..CONTACT RATING MAX. 230V..MAX. 1A..MAX. 60VA..MAX. 60W..ENCLOSURE IP68 - 5BAR (EN 60529)..MATERIAL..HOU
1706	31210-ZE3-033	STARTER MOTOR UNIT..GEN HONDA EP6500CXS..P/N: 31210-ZE3-033..MFG:HONDA..SCHEDULE B: # 8536.50.4000 MOTOR STARTERS..OR
1707	31214027	RUNNING BOARD SET..INCLUDES 2 RUNNING BOARDS 30660527 AND 4 RUBBER STEP 30763318 WITH MOUNTING KIT OF BOLTS..P/V: 31
1708	312206-000	BOLT LUG..P/N:312206-000 ..MFG:ANDERSEN..SCHEDULE B:# 8431.39.0090 OTHER ELEVATOR SPARE PARTS
1709	312207-000	TIRE & WHEEL..P/N:312207-000 ..MFG:ANDERSEN..SCHEDULE B:# 8431.39.0090 OTHER ELEVATOR SPARE PARTS
1710	312210-000	LOAD WHEEL..P/N:312210-000 (NEW NUMBER 1147819/002) ..MFG:ANDERSEN..SCHEDULE B:# 8431.39.0090 OTHER ELEVATOR SPARE PA
1711	31236712	BUTTLERFLY VALVE, CODE 70135195..P/N: 31236712..MFG: TEREX
1712	313.100	FUSE GLASS BODY..V: 250V, I: 1/10A..P/N: 313.100..MFG: LITTELFUSE INC...SCHEDULE B: # 8536100020 FUSE GLASS CARTRIDGE
1713	31391	13 PIECE INSULATED DRIVE SOCKET WRENCH SET SIZE 1/4"..P/N:31391..MFG:WIHA..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
1714	31395	11 PIECE INSULATED T-HANDLE & SOCKET SET SIZE 1/4"..P/N:31395..MFG:WIHA..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
1715	31398	LUBRICATOR WIRE PULLING, (SPEC): YELLOW 77 PLUS..P/N: 31398..MFG: IDEAL..SCHEDULE B: # 3403190000 OTHER LUBRICANTS
1716	31421-001	HOUSING FAN, REF: CAP FOR EXTERNAL..P/N: 31421-001 (R/B: 20372)..MFG: WAYNE BURNER..SCHEDULE B: # 8414.90.9000 OTHER PART
1717	3144PD1A1E5B4M5Q4	TEMPERATURE TRANSMITTER..P/N: 3144PD1A1E5B4M5Q4 7 lbs..MFG: ROSEMOUNT..SCHEDULE B: # 9025900000 PARTS AND ACCESC
1718	3151	CONNECTING LINK..P/N: 3151..MFG: HUGHES BROTHERS..SCHEDULE B: # 7315190000 OTHER CONNECTING LINKS
1719	31560	PRESSURE SWITCH; NO CONTACT ;A:50, B:10,C:G 1/8K..ORDERING :PMN50A1/8K AP T30D..G 1/8" MALE THREAD SET AT 30 BAR FALLING
1720	3165	STRAIGHT LINKS, 6" LENGHT CC..P/N: 3165..MFG: HUGHES BROTHERS
1721	316B4525P0001	GASKET,STG LP DRUM/MANHOLE GASKET,NON SP..GASKET,BULK NOUN:..PARENT EQUIPMENT/FUNCTION:..STG LP DRUM/MANHOLE G
1722	3172	CONNECTING LINKS..P/N: 3172..MFG: HUGHES BROTHERS..SCHEDULE B: # 7326.90.8695 OTHER ARTICLES OF IRON OR STEEL
1723	31863	FILTER SEPARATOR ELEMENT..SPEC: FUEL/ DIESEL, 30 MICRON WATER SEPARATOR 3.6"..P/N: 31863..MFG: STADYNE CORPORATION..S
1724	319775	TAPE JOY UNVULCANIZED 1/32" X 1"..P/N: 319775..MFG: PLYMOUTH RUBBER
1725	32-000230-0000	EYEWASH STATION..HOLDS 16 GALLONS OF EYESLINE, INCLUDE 1 BOTTLE OF CONCENTRATION, HANGING WALL BRACKET AND 8" X 1
1726	320-C-851V-W-P50	Marca Delavan..MICROWAVE 320-C-851V-W-P50..SENSORES 851V: RESISTENTES A LA VIBRACIÓN..CABLES DE 50FT..MFG: DELAVAN..SCH
1727	3200-24VG	3000 SERIES TWO-SPEED HEAVY DUTY VENTILATION/DEFROST FAN, 24V, ALUMINUM BLADE, CHROME GUARD, FLAT FOUR-HOLE MOUI
1728	3200IQ-10-D6-E-04-40-0G-00	ASSY LOGIX, 3000 SERIES, FM/CSA, DD SHAFT, NPT, 4 WAY, EXTENDED TEMP (-40), STD GAUGES, NO SPECIALS..P/N: 3200IQ-10-D6-E-04

	Item	Description
1729	3201.51NMA	SWITCH AIR FLOW SOLID STATE, VAC: 120 V, TYPE: THYRISTOR OUTPUT, CONTACT: NO, W/ BASE, REF: AIR FLOW F/ THYRISTOR FAN .
1730	32010041/10B48270P1	FAN, AC 230V, 14.0 W, 2900 RPM, 119x38 ..FOR UPS, MODEL NXA, CAP.: 60 kKVA..SERIAL: 2101200107208503004 2101200107208503001..P/N
1731	32010090	FAN RECTIFIER INVERTER MOD. DC 24V, 9.6W;1CFM, 5700 RPM, 80X80X38 MM..FAN RECTIFIER INVERTER MODULES..FOR UPS ;MODEL N
1732	32010103	FAN RECTIFIER MOD. DC 24V, 5.04W, 3600 RPM;42.02 CFM, 80X80X25.4 MM;FAN RECTIFIER MODULE FOR UPS; MODEL NXE; CAP 20 KVA..
1733	32088	INSULATED PICOFINISH SLOTTED/PHILLIPS 8 PIECE SET..P/N:32088..MFG: WIHA..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
1734	3210.00	WALL MOUNTING TO PROTECT AGAINST THEFT..P/N: 3210.00..MFG: LUFFT
1735	3210.CAS	CARRYING CASE..P/N: 3210.CAS..MFG: LUFFT
1736	3216CCVHDRXX4XLGENGENG	SINGLE LOOP PID CONTROLLER, 1/16TH DIN, 85-264 VAC SUPPLY ..VOLTAGE, OUTPUT OPTIONS: 0-20MA & RELAY; ONE AA RELAY; OPTI
1737	322108	REBUILT KIT AC VALVE..P/N: 322108..MFG: ASCO
1738	32236-55	PT-1000 CLASS A, BACK OF MODULE..TEMPERATURE SENSOR (-40 TO +135C), ..MODEL: CS240-50-N..- 50: W/50FT PER SENSOR..- NQ: N
1739	32293	7 PIECE NUT DRIVER SET. METRIC ..P/N:32293..MFG:WIHA..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
1740	3232-I	RECEPTACLE DUPLEX GROUNDED, I:15A, VAC: 125V, REF: 2 POLE, 3 WIRE, IVORY: COLOR..P/N: 3232-I..MFG: PASS & SEYMOUR..SCHEDI
1741	32332-Z22-E31	RECEPTACLE (30A-125V)..GEN HONDA EP6500CXS..P/N:32332-Z22-E31..MFG:HONDA..SCHEDULE B: # 8503.00.6060 PARTS FOR MOTORS..
1742	32334-Z22-A31	RECEPTACLE (30A-125/250V)..P/N: 32334-Z22-A31..MFG:HONDA..SCHEDULE B: # 8503.00.6060 PARTS FOR MOTORS..ORIGIN:: CHINA..WEI(
1743	3239-16-40KV-9	UL 3239 SYLE HIGH VOLTAGE SILICONE LEAD WIRE, 16 AWG, 26 STRANDS, HIVOLT3239, 150 C..P/N: 3239-16-40KV-9..MFG: ROWE INDUST
1744	324TSTFCA6001	AC ELECTRIC MOTOR M17386 - 3 PH, 30//40 HP, 324TS, TEFC, 3000//3600 RPM, 190/380 // 230/460V, 50/60 HZ, NEMA PREMIUM..P/N: 324TST
1745	32537	VGA EXTENDER CAT5/5e, 300m..P/N: 32537..MFG: LINDY..SCHEDULE B: # 8518402000 OTHE AUDIO EXTENDER
1746	32600	RAY PISTON SNUBBER 1/4" NPT BRASS..1.5" LENGTH X 0.75" HEX..MAX. PRESSURE 5000 PSI..P/N: 32600 (022B)..MFG: RAY PISTON..SCHE
1747	328346-10X	CABLE CONTROL ASSEMBLE, KIT..P/N: 328346-10X..MFG: BENDIX..SCHEDULE B: # 7312103500 OTHER CABLES
1748	3285	COMPOUND PERMAFIL..CAP: 1 LB, REF: FILLING GE PERMAFIL 1/4 QT, PKG: 1 LB PER CAN..P/N: 3285..MFG: VON ROLL ISOLA..SCHEDULE
1749	32859	INSULATED INOMIC PLIERS/CUTTERS 3 PIECE SET..P/N: 32859..MFG:WIHA..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
1750	328780P	HANDWHEEL OS & Y FOR GATE VALVE 10#..P/N: 328780P..MFG: KENNEDY VALVES..SCHEDULE B:# OTHER NON ELECTRICAL MACHINER
1751	328D200F10XX	ATC TIME DELAY 120V, SERIE 328 1/6HP, 125-250 VAC, 3 AMP, 30 VDC, 50/60HZ, CONTACT RATED 7 AMP..P/N:328D200F10XX..MFG: ATC -S
1752	32A87-05900	SOLENOID; FUEL SHUTDOWN SOLENOID VALVE 1752ES FOR BOSCH RSV KIT KRT CUMMINS MITSUBISHI GENERATOR 12VDC; THREE
1753	32B4010100	OIL FILTER..P/N: 32B4010100..MFG: MITSUBISHI
1754	32NHG000B	FUSE; KNIFE BLADE;..32 AMP, 120KA - 500V, SIZE 000, CORROSION PROOF, CD/PB- FREE- ..P/N:32NHG000B..MFG:EATON
1755	32NHOOGL	FUSE PULL , 32A, 500V..P/N: 32NHOOGL..MFG: ALTECH..SCHEDULE B#: 8536.10.0040 OTHER FUSES
1756	3300359	FILTER, HYDRAULIC, SEAL(SPEC)-MS/FS/SWA..P/N: 3300359..MFG:MINUTEMAN INTERNATIONAL..
1757	3301	CONNECTOR ARMORED CABEL FLEX..SZ: 3/8, ..P/N: 3301 (3301-TB)..MFG: THOMAS & BETTS..SCHEDULE B: # 7307199030 UNION FITTING
1758	3302110	AIR CONDITIONING WALL MOUNTED, 1296 BTU, 115VAC, 60 HZ,..P/N: 3302110..MFG: RITTAL..SCHEDULE B: #8415.10.9000 OTHER AIR CO
1759	3302M-TB	CONNECTOR NON METALLIC SHEATED, 2 SCREW, SIZE: 1/2"..P/N: 3302-TB..MFG: THOMAS & BETTS..SCHEDULE B: # SCHEDULE B: # 853(
1760	3305978	FILTER, HYDRAULIC, ELEMENT(SPEC)-BTHR FIL FLO-FZY..P/N:3305978..MFG:MINUTEMAN INTERNATIONAL
1761	3310A 2ZTN9/C3VT113	BALL BEARING 3310; DOUBLE ROW ANGULAR CONTACT 50 X 110 X 44.4..P/N:3310A 2ZTN9/C3VT113..MFG:SKF
1762	3317095	MOTOR AC, MONOPHASE, INDUCTION, VAC: 115V..P/N: 3317095 (R/B: K8118052A)MFG: RAE..SCHEDULE B: #8501403040 OTHER AC MOT(

	Item	Description
1763	3322	CONNECTOR LIQUID TIGHT, PVC COVERED, TYPE: STRAIGHT, IDA: 1/2", MAT: MALLED IRON..P/N: 3322 (R/B: ST1/2-G)..MFG: THOMAS & BI
1764	3324	CONNECTOR LIQUID TIGHT PVC COVERED, TYPE: STRAIGHT, DIA: 1", MAT: STEEL..P/N: 3324 (OFFER P/N: ST1-G)..MFG: THOMAS & BETT
1765	3326	CONNECTOR LIQUID TIGHT PVC COVERED, TYPE: STRAIGHT, DIA: 1-1/2", MAT: STEEL..P/N: 3326 (P/N: ST11/2-G)..MFG: THOMAS & BETTS
1766	3327	CONNECTOR LIQUID TIGHT, PVC COVERED, TYPE: STRAIGHT, DIA: 2"..P/N: 3327 (P/B: ST2-G)..MFG: THOMAS & BETTS..SCHEDULE B: # 85
1767	3330595	NITROGEN BOOSTER N2S-M, N2 SERVER MOBILE..P/N: 3330595..MFG: HYDAC
1768	333322700	LOCK WASHER, CODE 70143607..P/N: 333322700..MFG: ATLAS COPCO..SCHEDULE B: # 8414.90.9000 OTHER PARTS
1769	3334FRF	MIPCO RECEPTACLES..CEE-17 FLAP CAP ..P/N: 3334FRF..MFG: MIPCO..
1770	333MPXT	32A, PLUG, 3PW, MP, 3H, 480V..P/N: 333MPXT..MFG: MIPCO
1771	333U	HART TRI-LOOP HIGH ALARM SIGNAL, CONVERTER..P/N: 333U..MFG: ROSEMOUNT..SCHEDULE B #: 8517.69.0000 OTHER PARTS
1772	3352841	ALTERNATOR 24 V, 45A..P/N: 3352841..MFG: CUMMINS..SCHEDULE B: # 8501610000 ALTERNATOR
1773	3352T22	CLAMP LIFTING..P/N: 3352T22 MC MASTER (LPC-40)..MFG: VESTIL..SCHEDULE B: # 7326901000 OTHER ARTICLES IRON STEEL
1774	33541H1020031XXXXX-110Z1	PROCESSOR, COMUNICATIONS (INPUT)-125/250 VDC/120/240VAC (SPEC)-16PORT RES232; (TYPE)-3354 PANEL MOUNTED; (REF)-100 DEV
1775	3355=DGGD	INTERFACE HUMAN MACHINE, TYPE: 3355 RACK, INTEL: I7, INPUT: 125/250 VDC OR 120/240 VAC, SPEC: 16 GB RAM, 500GB SSD4 POR ETI
1776	335804	SWITCH, INFINITE ; (V-AC)-220V;(I)-15A;(REF)-FSP..P/N:335804 (R/B: WB21X5243) ..MFG:GE..SCHEDULE B # 8537200040 OTHER SWITCHE
1777	3361500	AIR CONDITIONER, 2660 BTU, 230V, 50/60 HZ, TYPE 12 STEEL SID..P/N: 3361500..MFG: RITTAL..SCHEDULE B: #8415.10.9000 OTHER AIR C(
1778	3362	CONNECTOR LIQUID TIGHT, PVC COVERED TYPE-90 ANGLE; DIA-1/2"(MAT)-STEEL..P/N: 3362 (R/B: ST1/290-G)..MFR: THOMAS & BETTS..S
1779	3363	CONNECTOR LIQUID TIGH PVC, COVERED, TYPE: 90 ANGLE, DIA: 3/4", MAT: STEEL..P/N: 3363 (R/B: ST3/490-G)..MFG: THOMAS & BETTS..S
1780	3364	CONNECTOR LIQUID TIGHT..TYPE: 90 ANGLE, DIA: 1" NPT,..MAT: STEEL, FINISH: PVC COVERED..P/N: 3364 REPLACED BY..P/N: ST190-G..M
1781	3366	LIQUIDTIGHT CONNECTOR. 1-1/2 IN. TYPE-90 DEGREE ANGLE STEEL PVC COATED INSULATED; DIA- 1-1/2"; MAT- STEEL..P/N: 3366..MFG:
1782	337	CLAMP ON METER..P/N: 337 (337A)..MFG: FLUKE..SCHEDULE B: # 9028900040 OTHER CALIBRATION METER
1783	33750-41310	COUPLING..P/N: 33750-41310..MFGI KUBOTA
1784	3381012	SE1 VIBRATION MACHINE STAND FOOT, FOR OPTIMUM BF MASCHINEN BF46 VARIO..P/N: 3381012..MFG: OPTIMUM MASCHINEN..SCHEDU
1785	3382510	AIR CONDITIONER 2115BTU, 115V, 50-60 HZ, TYPE 12 STEEL ROOF MTD, COMFORT CONTR, RAL7035, NANOCOATED CONDENSER..P/N: 3
1786	33989799	O-RING, MATERIAL CODE 70135510..P/N: 33989799..MFG: TEREX
1787	340-2000	FILTER ELEMENT, SMALL POLYESTER..P/N: 340-2000..MFG: REPUBLIC MANUFACTURING..SCHEDULE B: # 8421.99.0080 OTHER FILTERS
1788	340-2002	FILTER ELEMENT, LARGE POLYESTER..P/N: 340-2002..MFG: REPUBLIC MANUFACTURING..SCHEDULE B: # 8421.99.0080 OTHER FILTERS
1789	3400.4EJ-100	ADJUSTABLE SPACER FITTINGS FOR H FRAME DOUBLE ARM ASSEMBLIES OR (TO FIT ARMS ABOVE 3400 4EJ-100)..P/N: 3400.4EJ-100 (34
1790	3400.6EJ-100	ADJUSTABLE SPACER FITTING 34000 ARM SIZE: 3 1/2" X 8-1/2" , HOLE SIZE: 5/8" BOLT..P/N: 3400.6EJ-100..MFG: HUGHES BROTHERS..SCH
1791	3400.6KC-100	SPACER FITTING ADJUSTABLE 3400(SET)..P/N: 3400.6KC-100..MFG: HUGHES BROTHERS..SCHEDULE B: # 7307199030 UNION FITTING FR(
1792	34050699	WASHER, MATERIAL CODE 779496..P/N: 34050699..MFG: TEREX
1793	34060899	WASHER, MOSAIC 70135499, ..P/N: 34060899..MFG: TEREX
1794	34061299	WASHER..CODE MISKI MAYO 70143848..MG: TEREX
1795	3410	PRISM SNAP-IN IN CANISTER WILD ..(SPEC)-WILD GPR1 [DO NOT SUBSTITUTE] ..P/N : 3410..MFG: OMNIOP ..SCHEDULE B: # OTHER P
1796	3410IQ-14-N6E-03400G00	ELECTRONIC POSITIONER..4: PROTOCOLO FIELDBUS FOUNDATION..1: ADVANCED DIAGNOSTICS..0: ALUMINUM, WHITE PAINT (VALTEK

	Item	Description
1797	3414.6FU-100	SPACER FITTING FOR 3-3/4" X 9-3/4" ARM , WITH 5/8" BOLTS..P/N: 3414.6FU-100..MFG: HUGHES BROTHERS..SCHEDULE B: # 7307199030 U
1798	34145	TERMINAL LOW PRESSURE, TYPE: RING, AWG: 22-16, INSUL: YES, ..P/N: 34145..MFG: TYCO ELECTRONICS..SCHEDULE B: # 8536.90.4000 (
1799	34217	BLOCK TERMINAL..AWG: 6, CLR: BLACK, NO. TERMINAL: 12, REF: 16MM2..P/N: 34217..MFG: LEGRAND ELECTRICALS
1800	34252899	RETAINING RING..CODE MISKI MAYO 34252899..P/N: DEMAG
1801	3430	WTW Multi 3430 Multiparameter Meter Only ..P/N: 3430..Mfg: WTW..SCHEDULE B: #9027.80.8000 OTHER INSTRUMENTS AND APPARATUS FC
1802	34322	PORT DESIGN TYPE SIGHT 3-D, VIEW, SEIZE ID: 1 IN, MAT: ZP STEEL, PRESS RTG-50 PSI, CONST: GLASS LENS..P/N: 34322..MFG: TRICO.
1803	3444	MERCURY QUICK ATTACK LE PORTABLE MONITOR..LE 2.5” 1900LPM ..MONITOR ONLY..THREAD NH (NST) ..ELEVATION RANGE OF +10° T
1804	3446200300	FUEL FILTER..P/N: 3446200300..MFG: MITSUBISHI/ CAT
1805	3458A11	GENERAL TOOLS GT-S008 POCKET PROTECTOR TOOL KITSCRIBER,PUNCH,MAGNET AND RULE SET..P/N:3458A11..MFG: MC MASTER..S
1806	346290033	U BOLT, CODE 70143710..P/N: 346290033..MFG: ATLAS COPCO..SCHEDULE B: # 8414.90.9000 OTHER PARTS
1807	34808-214	VWR HYDROMETER 29-41 API..API ASTM HYDROMETERS, TRACEABLE TO NIST; RANGE: 29-41°;ACCURACY: ±0.1°; ASTM # 4H; LENGTH 3
1808	34854	TERMINAL PRESSURE LOW VOLTAGE..TYPE: RING, AWG: 12-10, INSUL: YES, STUD-HOLE: 10..P/N: 34854 (OFFER : RC367-250 T&B)..MFG:
1809	34855	TERMINAL PRESSURE LOW VOLTAGE..TYPE: RING, AWG: 12-10, INSUL: YES, STUD-HOLE: 1/4"..P/N: 34855 (P/N: RC717)..MFG: THOMAS &
1810	34866-81	LAMP INCANDESCENT..V: 10V, POW: 18W,..P/N: 34866-81 (OFFER P/N: 18S11/1SC)..MFG: GENERAL ELECTRIC..SCHEDULE B: # 853910020
1811	35-101-E	KEY BLANK; SCHLAGE (50 EA/PACK);..(MOD)-E6; (MAT)- STEEL..P/N:35-101-E..MFG: SCHLAGE..SCHEDULE B: # 8301.70.0000 OTHER META
1812	35-216702-10	STARTER LAMP; 150-400 HPS 100V LAMPS STARTER..P/N: 35-216702-10..MFG:GE..SCHEULE B:# 9405.10.3000 OTHER LAMPS AND LIGHTIN
1813	35-5401-01	ADFLO™ TURBO ASSEMBLY; LITHIUM ION BATTERY; POWERED AIR PURIFYING RESPIRATOR FOR WELDERS. INCLUDES BLOWER UNIT
1814	350-00IP	Mercury Tracker 3000 IP Technical Specifications..-Direct reading mercury vapor meter..- Lightweight, with ergonomic shoulder strap and dismountable p
1815	350-02	SAMPLE FILTER ININE FOR TRACKER IP SET OF 10 PCS..P/N: 350-02..MFG: MERCURY INSTRUMENTS
1816	3500/15	3500/15 3500 POWER SUPPLY..127610-01 AC POWER SUPPLY MODULE..125840-01 HIGH VOLTAGE AC PIM..01 CSA/NRTL/C (CLASS 1 DIV
1817	3500/22	3500/22 TRANSIENT DATA INTERFACE, 288055-01 STD TDI MODULE,..146031-01 I/O MODULE 10/100 BASE T..01 CSA/NRTL/C (CLASS 1 DI
1818	3500/25	3500/25 KEYPHASOR MODULE..149369-01 ENHANCED KEYPHASOR MODULE..125800-01 KPH I/O MODULE - INTERNAL TERM..01 CSA/NR
1819	3500/32-01-01	4 CHANNEL RELAY MODULE..P/N: 3500/32-01-01..MFG: BENTLEY NEVADA..SCHEDULE B: # 9031.80.8070 OTHER INSTRUMENTS
1820	350126	Jet 350126 JMD-18, Milling and Drilling Machines, Bench Top R-8 Taper, 2HP, 1Ph, 230V Only With C80 DRO Installed..p/n: Jet 350126..Mfg: Jet..Sch
1821	350651	O-RING FOR PUMP PUMPEX PX 12 H SERIE 12000672..P/N: 350651..MFG: PUMPEX PUMPS
1822	350WB	HORN ELECTRONIC..I: 0.18A, V: 120V, FREQ: 60HZ, SPEC: FEDERAL..P/N: 350WB..MFG: FEDERAL SIGNAL CORP..SCHEDULE B: # 8531800
1823	351-10172	BEARING..P/N:351-10172..MFG:LISTER PETTER
1824	351-10220	NUT..P/N:351-10220..MFG:LISTER PETTER
1825	351-10310	PUSH ROD..P/N:351-10310..MFG:LISTER PETTER
1826	351-11401	CLAMP..P/N:351-11401..MFG:LISTER PETTER
1827	351-11540	OIL THROWER..P/N: 351-11540..MFG:LISTER PETTER
1828	351-11930	SHIM 0.005..P/N:351-11930..MFG: LISTER PETTER
1829	351-12590	PLUG..P/N: 351-12590..MFG: LISTER PETTER
1830	351-36220	STUD..P/N: 351-36220..MFG:LISTER PETTER

	Item	Description
1831	351070	STRAP AND CLAMP FOR SWITCHES TYPE 102190 ..P/N: 351070..MFG: ELOBAU..SCHEDULE B: # 8547.90.0040 OTHER JOINTS FOR ELECTF
1832	35133	Single wall tips, Material: 100% Stainless Steel - Mirror Finish, Diameter: 3in., I.D. Inlet: 2.25in., Length: 8.5in...p/n: 35133..Mfg: Magnaflow
1833	352100	MECHANICAL SEAL CARTDRIGE PZ12/22, ITEM 52: PUMP PUMPEX PX 12H SERIE 12000672..P/N: 352100..MFG: PUMPEX PUMPS
1834	352184	IMPELLER 60 HZ P/N: 10359, ITEM 60 FOR PUMP PUMPEX PX 12H SERIE 12000672..P/N: 352184..MFG: PUMPEX PUMPS
1835	353-32800	COWLING..P/N:353-32800..MFG:LISTER PETTER
1836	354-28630	PLUG..P/N:354-28630..MFG:LISTER PETTER
1837	3540276	C/SCR, HH 1 UNF x 2 G8..CODE MISKI MAYO 70142259..P/N: 3540276..MFG: BOART LONGYEAR
1838	3540345	SEAL KIT, HYD PUMP..CODE MISKI MAYO 70142166..P/N: 3540345..MFG: BOART LONGYEAR
1839	3541060	KIT, FUNK TRANS..OVERHAUL..CODE MISKI MAYO 10203946..P/N: 3541060..MFG: BOART LONGYEAR
1840	3541599	VALVE, THREE-WAY..SELECTOR LFA140..TRUCK MOUNT..CODE MISKI MAYO 780736..P/N: 3541599..MFG: BOART LONGYEAR
1841	3543477	SPINDLE, PQ CHUCK..5.06 ID..CODE MISKI MAYO 70142171..P/N: 3543477 (REPLACED BY 3546081)..SPINDLE, PQ CHUCK..5.06 ID..P/N: 3543
1842	3543479	PISTON, PQ N/CHUCK..CODE MISKI MAYO 70142170..P/N: 3543479..MFG: BOART LONGYEAR
1843	3543480	CYLINDER, OUTER PQ..N/CHUCK..CODE MISKI MAYO 70142172..P/N: 3543480..MFG: BOART LONGYEAR
1844	3543496	BEARING, PQ CHUCK..THRUST BALL ..CODE MISKI MMAYO 70142175..P/N: 3543496..MFG: BOART LONGYEAR
1845	3543499	RETAINING RING,..INTERNAL..CODE MISKI MAYO 70142174..P/N: 3543499..MFG: BOART LONGYEAR
1846	3543514	WEAR RING, PQ UPPER..SPINDLE..CODE MISKI MAYO 70142173..P/N: 3543514..MFG: BOART LONGYEAR
1847	3543524	RETAINING RING, EXT..SPIRAL 7.00"..CODE MISKI MAYO 70142177..P/N: 3543524..MFG: BOART LONGYEAR
1848	3543526	SEAL KIT, PQ N/CHUCK..CODE MISKI MAYO 70142176..P/N: 3543526..MFG: BOART LONGYEAR
1849	3544	KIT DEUTSCH DT WITH CRIMPER..P/N: 3544..MFG: REMOTE CONTROL TECHNOLOGY..SCHEDULE B: # 8467.92.0090 OTHER TOOL UTILIT
1850	3544246	PLUNGER, LOCKING..HV08 VALVE LF70 HYD..MODULE..CODE MISKI MAYO 781031..P/N: 3544246..MFG: BOART LONGYEAR
1851	3544247	SPRING, COMPRESSION..HV08 LOCKOUT..CODE MISKI MAYO 781028..P/N: 3544247..MFG: BOART LONGYEAR
1852	3544249	COLLAR, SHAFT 10MM..S/SCR HV08 LOCKOUT..CODE MISKI MAYO 778232..P/N: 3544249..MFG: BOART LONGYEAR
1853	354550	Floor Drill Press Variable Speed, 15in., 1 HP, 115/220V, Model# J-A5816..p/n: 354550..Mfg: Jet
1854	3546492	VALVE ASM, WATER..PRESSURE RELIEF..CODE MISKI MAYO 10203954..P/N: 3546492..MFG: BOART LONGYEAR..
1855	3546720	VALVE, DIRECTIONAL..CONTROL..CODE MISKI MAYO 70142167..P/N: 3546720..MFG: BOART LONGYEAR
1856	3546753	SPINDLE ASM, PQ HEAD..5.06 PQ HEAD DRIVE..MODULE 3546087..CODE MISKI MAYO 785087..P/N: 3546753 (R/B: 3546756)..MFG: BOART LC
1857	3547192	PAD, MAST CENTERING..WEAR..CODE MISKI MAYO 70142138..P/N: 3547192..MFG:BOART LONGYEAR
1858	3547193	PLATE, PAD BACK-UP..LF90..CODE MISKI MAYO 70142139..P/N:3547193..MFG: BOART LONGYEAR
1859	3547194	COVER, PAD HOUSING..CODE MISKI MAYO 70142160..P/N:3547194..MFG: BOART LONGYEAR
1860	3547230	SHEAVE WHEEL, LF90..CODE MISKI MAYO 70141179..P/N: 3547230..MFG: BOART LONGYEAR..
1861	3547231	BEARING, ANGULAR..CONTACT DOUBLE ROW..55 x 120 x 49.2 SEALED..CODE MISKI MAYO 70141173..P/N: 3547231..MFG: BOART LONGYE
1862	3547232	AXLE, SHAFT 3547172..CODE MISKI MAYO 70141188..P/N: 3547232..MFG: BOART LONGYEAR
1863	3547233	SPACER, SHEAVE..3547172..CODE MISKI MAYO 70141183..P/N: 3547233..MFG: BOART LONGYEAR
1864	3547234	SPACER..CODE MISKI MAYO 70141186..P/N: 3547234..MFG: BOART LONGYEAR

	Item	Description
1865	3547235	SPACER, 3547172..CODE MISKI MAYO 70142256..P/N: 3547235..MFG: BOART LONGYEAR
1866	3547283	SEAL KIT, PVP33 PUMP..U/O 3544140 & 3546401..CODE MISKI MAYO 70142165..P/N: 3547283..MFG: BOART LONGYEAR
1867	3547770	SLIDING ROD GUIDE..3547164..CODE MISKI MAYO 777695..P/N: 3547770..MFG: BOART LONGYEAR
1868	3548165	GAUGE, ISOLATOR..CODE MISKI MAYO 70142178..P/N: 3548165..MFG: BOART LONGYEAR
1869	3548173	SEAL KIT, 75CC PUMP..FOR 3544139 & 3548309..PUMP..CODE MISKI MAYO 70142164..P/N: 3548173..MFG: BOART LONGYEAR
1870	3548179	SNAP RING, 4-3/4..INTERNAL..CODE MISKI MAYO 70141172..P/N: 3548179..MFG: BOART LONGYEAR
1871	3549213	SWITCH, NEUTRAL..POSITION..CODE MISKI MAYO 778234..P/N: 3549213..MFG: BOART LONGYEAR
1872	3549257	PLATE, ROTATION..NEUTRAL SWITCH..CODE MISKI MAYO 778235..P/N: 3549257..MFG: BOART LONGYEAR
1873	355310	ELBOW PADS ALTA FLEX INDUSTRIAL..P/N: 355310..MFG:CMC RESCUE INC..SCHEDULE B: # 9506.99.7000 OTHER ARTICLES AND EQUIP
1874	355413	KNEE PADS ALTA SUPERFLEX..P/N: 355413..MFG:CMC RESCUE INC..SCHEDULE B: # 9506.99.7000 OTHER ARTICLES AND EQUIPMENT F
1875	3555-G2C9	SEL REAL-TIME AUTOMATION CONTROLLER SEL-3555 KEY: 0000..SEL-3555..(TYPE)-3555 PANEL, INTEL I7(INPUT)-125/250 VDC OR 120/240
1876	35687	ESD (ELECTROSTATIC DISCHARGE) DISSIPATIVE NYLON BRUSH, FLAT HANDLE, 2" X 6.25"..P/N:35687..MFG: DESCO / MENDA..SCHEDULE
1877	35688	ESD (ELECTROSTATIC DISCHARGE) ..DISSIPATIVE NYLON BRUSH, LONG HANDLE, 1.2" X 6"..P/N: 35688..MFG: DESCO / MENDA..SCHEDUL
1878	3580231	SHEAVE CONTROL CABLE..P/N: 3580231..MFG: GRADALL..SCHEDULE B: # 8431310040 PARTS FOR ESCALATOR OF MINERAL MACHINERY
1879	35829340	RELAY, CODE 70135493..P/N: 35829340..MFG: TEREX
1880	35884	BIT KIT,STEP-#1,#3 & #8.; TYPE MULTIHOLE; INCLUDED 34401, 34403 AND 34408 KWIK STEPPER BITS..P/N: 35884..MFG:GREENLEE
1881	3600U	PERFECTBACK REST WITH CUSHION...FEATURES:ERGONOMIC SUPPORT,..ACUPRESSURE MASSAGE NODES,..ADJUSTABLE STRAP ..P
1882	360141	NUT..P/N: 360141..MFG: KOHLER..SCHEDULE B: # 8409.99.8000 OTHER PARTS FOR DIESEL ENGINE
1883	360167	FITTING TEE, MOSAIC CODE 70145396..P/N: 360167..MFG: KOHLER..SCHEDULE B: # 8409.99.8000 OTHER PARTS FOR DIESEL ENGINE
1884	360F	BOUND BOOK..PATTERN:METRIC FIELD;SHEET SIZE:4 5/8" X 7 1/4";OVERALL SIZE:4 3/4" X 7 1/2";COVER COLOR:YELLOW;COVER MATERI
1885	3610KL-04W-B50	DC FAN AXIAL BALL BEARING 12V 6V TO 13V 54.7CFM 41dB (92 X 92 X 25mm)..12 VDC/0.43A DC BRUSHLESS FAN MOTOR..P/N: 3610KL-04
1886	362-12	CHANNEL CABLE, TYPE: SOLID, SHIP: SQUARE, W: 60 MM, H: 60 MM, LG: 2 MM, MAT: PVC, BLUE..P/N: 362-12..MFG: LEGRAND
1887	3642208494	O-RING GASKET 2-171..P/N: 3642208494..MFG: EDWARDS MANUFACTURING INC.
1888	365510	CHRONOMETER, DIGITAL (SPEC)- 12 OR 24 HOUR, STOPWATCH MODE WITH 1/100 SECRESOLUTION(W/)--1/100 SEC RESOLUTION CALI
1889	368696	CERAMALUX 70W MOG ED23 1/2 CL ALTO;HIGH PRESSURE SODIUM LAMP; C70S62 / ALTO ; 12/ PACK ; BASE MOGUL (E39);BULB SHAPE I
1890	36L774X857H3	MOTOR ELECTRIC BALDOR, 5 HP, 1725 RPM, 3 PH, 60 HGZ, 184T, 3634 M, TEFC, W12..P/N: 36L774X857H3..MFG: BALDOR
1891	37-1101-30SW	3M™ ADFLO™ PAPR WITH 3M™ SPEEDGLAS™ WELDING HELMET 9100MP, 37-1101-30SW, HE, LI ION BATTERY, HARD HAT, ADF 9100XX
1892	37-41335	1 4_N_ N(37-41335) 8 IN, MARTENSITIC, ASME CL 600, A216 gr WCC, RT J FLANGES..P/N: 37-41335..MFG: DRESSER MESONEILAN
1893	370635	FUSE; KNIFE BLADE;MADE OF METAL AND CERAMIC NH-00 370 635; 500V "GG" DESIGN N 35A SIZE 000;GR.00/000..P/N: 370635..MFG:M. SC
1894	370G	COVER BLANK, FOR CONDULET, SIZE: 1", SHP: 7, MAT: STEEL..P/N: 370G..MFG: CROUSE-HINDS..SCHEDULE B: # 8536908085 OTHER ELEC
1895	371-G	371-G STEEL/MALLEABLE IRON HUB, NEOPRENE O-RING MATERIAL; 1 5/8" DIA X 1 1/4" L SIZE; RIGID/IMC CONDUIT USED ON; UL, CSA AP
1896	372A4788 P102	FLOW DIVIDER.- LINEAR DOUBLE ELEMENT FLOW DIVIDER FOR GE FRAME 7FA GAS TURBINES; S/N: 085 T 10 ..2000 RPM; 1400 PSI..P/N:
1897	372E-02	DETECTOR LEAK,..TYPE: GENERAL FORMULA 372E, VOLT: 8 OZ, TEMP: +35+_160 F, GENERAL PURPOSE..P/N: 372E-02 PER BOX OF 12 (O
1898	372E-33	DETECTOR LEAK..TYPE:GENERAL FORMULA 372E,VOL:8 OZ BOTTLES;TEMP:+35=_160F..GENERAL PURPOSE..P/N:372E-33 (INDIVIDUAL E

	Item	Description
1899	373573	SOLENOID,HYDRAULIC,CONTROL..PN:373573..MFG: TENNANT..
1900	373B331G12	KIT CONTACT..SIZE: 2, NO. POLES: 3, MOD: J, ..P/N: 373B331G12..MFG: CUTLER HAMMER..SCHEDULE B: 8538907040 METAL CONTACTS
1901	37410-16550	SEAL,OIL..P/N:37410-16550 ..MFG:KUBOTA
1902	375	LAMP LIGHT SPOT UNIT ROOF MOUNTING, 12 V..P/N: 375..MFG: UNITY MANUFACTURING COMPANY...SCHEDULE B: # 9405400000 OTHER
1903	37502	EPDM ETHLYLENE PROPYLENE DIENE MONOMER RUBBER .125, 7.5KV, 150C COND: 1, COND MATERIAL: TC TINNER COPPER, AWG: 2, 1
1904	37504	EPDM ETHLYLENE PROPYLENE DIENE MONOMER RUBBER .125, COND: 1, 7.5KV, 150C, COND. MATERIAL: TC TINNER COPPER, AWG: 4,
1905	3755A05H01	FINGER ASSEMBLY..P/N: 3755A05H01..MFG: EATON..SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES
1906	375FR1ENAUC	375 FIELD COMMUNICATOR..COMMUNICATION PROTOCOL: HART AND FOUNDATION FIELDBUS..BATTERY TYEO: RECHARGEABLE NiMH
1907	377-1	377 STAND-ALONE..P/N: 377-1..MFG: FISHER
1908	3779071	BYPASS PLUG; SUNTEC OIL BURNER PUMP BY PASS PLUG FOR TWO PIPE RETURN APPLICATION A & B SERIES..SUNTEC MODEL T-3; C
1909	3779191	G 1/4 STEEL PLUG;..MODEL T-3 ; CARBON STEEL ; 1750 KG/H;..400-690V ; 3000 RPM..NUWAY P/N: E02382Q..P/N:: 3779191..MFG:SUNTEC..S
1910	3779201	G 1/4 WASHER; G1/4 AL GASKET;..SUNTEC MODELO T-3 ;CARBON STEEL ;1750 KG/H..400-690V ; 3000 RPM..NUWAY P/N: E02381P..P/N: 37
1911	37952421	KIT TEMPERATURE SENSOR..P/N: 39416128..MFG: INGERSOLL RAND..0.12 LBS/EA
1912	38-400N	RED VACUUM PUMP WITH CASE;..INCLUDES:1/4" X 100FT PLASTIC TUBING..3/16" X 100 FT PLASTIC TUBING..P/N: 38-400N..MFG:APEX OIL
1913	38-41335	1 3_N_ N(38-41335) 8 IN, MARTENSITIC, ASME CL 600, A216 gr WCC, RT J FLANGES..P/N: 38-41335..MFG: DRESSER MESONEILAN
1914	38-97FM	BASE STAND, FOLDING 38-97FM..P/N: 38-97FM ..MFG: EASY VAC..SCHEDULE B: # 8413190000 OTHER LIQUID PUMPS
1915	3800-TK1 TUNE UP KIT	3800-TK1 TUNE UP KIT (KIT INCLUDES: R38-565A, R4-323, R3800-283, R3840-283, 404-118, R3800-210,..150BMP-604, R38-42-5 (SET OF 5), R
1916	38220-Z30-B41	CIRCUIT BREAKER (27A)..GEN HONDA EP6500CXS..P/N: 38220-Z30-B41..MFG:HONDA..SCHEDULE B: # 8536.20.0040 CIRCUIT BREAKERS..
1917	3824	PH BUFFER ASSORTED CASE..P/N: 3824..MFG: YSI..SCHEDULE B: # 2827399150 OTHER SOLUTIONS
1918	383025028	ACORN NUT, 1/4-28..P/N: 383025028..MFG: PHIPPS & BIRD..SCHEDULE B: # 7318190000 OTHER NUTS
1919	3840P MOTOR	AIR MOTOR OP 384 MD SR 45R, SP09L30164..P/N:3840P MOTOR..MFG:INGERSOL RAND
1920	3850-14MGT-85	FAN BELTS, POWERGRIP GT3..POWERGRIP GT2 3850 14M 85 (UPDATE GT3)..P/N: 3850-14MGT-85 ..MFG: GATES..SCHEDULE B: #4010.39.(
1921	3860-01-011-C	CARTRIDGE FILTER ..P/N: 3860-01-011-C..MFG: HILLIARD CORP...SCHEDULE B: # 8421.99.0080 OTHER FILTERING PARTS
1922	3861	PLUG ELECTRICAL, VAC: 125/250V, I: 50A, W: 3, POL: 3, SPFE: PLUG ANGLE, AH-7952-AN..P/N: 3861..MFG: LEGRAND ELECTRICAL P&S..SC
1923	387614	BRACKET FOR DYNAPAC LF90..P/N: 387614..MFG: DYNAPAC
1924	389-2641	REGULATOR PARTS KIT BPR..(FOR HYDROGEN GENERATOR, ,MODEL HMC1-D2, SERIAL ES-768 6-96)..P/N: 389-2641..MFG: TELEDYNE ....
1925	3894-081	FILTER OIL..P/N: 3894-081..MFG: METSO
1926	38986	KIT-DOSING HEAD SPARE PARTS;PVDF HEAD FPM SEALS PVDF SEATS PTFE BALLS..SUCTION VALVE DISCHARGE VALVE DOSING HEAI
1927	39000-2521	GARLOCK BLUE GARD 3000..1/16” X 60” X 60”..39000-2521 0.063" THK X 60" X 60"..STYLE 3000 BLUE-GARD NITRILE..P/N:3900-2521 ..MFG: GA
1928	39000-2605	GARLOCK BLUE GARD 3000 ..1/8” X 60" X 60" ..MADE OF HIGH QUALITY ARAMID FIBER NITRILE BINDER..39000-2605 0.125" THK X 60" X 60".
1929	390397	CABLE FLAT FESTOON..TYP: STRANDING, AWG: 12, # COND: 8,, I: 21A, BLACK JACKET..P/N: 390397 BOSTON (OFFER P/N: 023607)..MFG: I
1930	39123	KIT-DIAPHRAGM - 39mm..NCLUDES: DIAPHRAGM DOSING HEAD SCREWS; MEMBRANE SPARE PARTS..P/N: 39123..MFG:JESCO LUTZ..SCH
1931	39240916	AIR FILTER..P/N: 39240916..MFG: INGERSOLL RAND..SCHEDULE B: # 8421.31.0000 OTHER AIR FILTERS..
1932	39241104	AIR FILTER..P/N: 39241104..MFG: INGERSOLL RAND..SCHEDULE B: # 8421.31.0000 OTHER AIR FILTERS

	Item	Description
1933	39350	TRICO GREASE METER 1/8" NPT..P/N: 39350..MFG: TRICO..SCHEDULE B: 9031.80.8070 OTHER MEASUREMENT INSTRUMENT
1934	39395	CABLE,FLAT FESTOON-(TYPE)- EXTRA FLEXIBLE STRANDING (AWG)-14;(TEMP)-105C; (I)-18A (N0 CONDUCTORS)-12 (DOC/EXT)-Y/N..P/N:
1935	39397	CABLE FLAT FESTOON..TYP: STRANDING, AWG: 12, #COND: 8,..V: 600V, TEMP: 105C, BLACK JACKET..I: 21A,..p/n: 583000308 (390397 or p/n
1936	394018	FILTER AIR..P/N: 384018..MFG: BRIGGS & STRATTON CORP...SCHEDULE B: # 8421310000 INTAKE FILTER AIR
1937	39404165	ORING PEGASUS FOR TEMPERATURE SWITCH, USED ON AIR COMPRESSOR SSRUP6-15-125..P/N: 39404165..MFG: INGERSOLL RAND....
1938	39412	CONDUIT METALLIC FLEXIBLE, DIA: 1/2", TYPE: EF, LIQUID TIGHT, CLR: GRAY, MAT" GALVANIZED STEEL COREL, TEMP: 4/140 F, LG" 100 F
1939	39452	COMPOUND SILICONE CARBIDE, REF: LAPPING CARBORUNDUM COAR, PKG: 10 OZ, GDE: E, GRIT 120..P/N: 39452..MFG: LOCTITE
1940	394880	GAUGE WATER TANK LEVEL..GA MAST WT IC W / PRB ..P/N: 394880..MFG:E-ONE..SCHEDULE B: # 9026.90.0000 OTHER INSTRUMENTS A
1941	39510	COMPOUND SILICONE CARBIDE GREASE MIX GRAY. (REF) LAPPING CARBORUNDUM FINE .1 LB /CAN ;(PKG)-16 OZ (GDE)-1 A;GRIT 320..F
1942	39561	CLOVER SILICION CARBIDE GREASE MIX..800 GRIT; 1 LBS CAN COMP GRINDING 5A..P/N:39561 (NEW P/N: 233194)..MFG:LOCTITE
1943	39693112	INTERMEDIATE PLATE, CODE 70135486..P/N: 39693112..MFG: TEREX
1944	396P011255	SENSOR, REF: TUPH PH/ORP SENSOR, PH: 0.14, ORP-1500 + 1500M V MODEL 396P..P/N: 396P011255..MFG: ROSEMOUNT ANALYTICAL..SC
1945	39803853	COOLER OIL, REF: A,..P/N: 39803853..MFG: INGERSOLL RAND..SCHEDULE B: # 8414902095 OTHER PARTS FOR AIR CONDITIONING
1946	39B2726X012	DIAPHGRAM MEDIUM, NBR/TPES 17E97..P/N: 39B2726X012..MFG: ROSEMOUNT FISHER..
1947	3A	WISDOM FLASHLIGHT 3A ALL IN ONE MINER'S CAP LAMP CORDLESS ..RATED CAPACITY.. 6.2 AH. ..RATED VOLTAGE..3.7V. ..CONTINUOU
1948	3A181-41310	COUPLING, A-7-4..P/N: 3A181-41310..MFG: KUBOTA..
1949	3A535	REEL, CORD, EXTENSION HAND (LG)-25FT;(NO.-RECEPTACLE)-4(MAT)-STEEL;(CLR)-YELLOW(U/O)-CABLE YELLOW, 120VAC,10AMP, GAU
1950	3AX 1101-2E	ACCESSORY FOR 3AH,3AK,3AE SHUNT RELEASE DC 110-127V INCL. VARISTOR..P/N: 3AX 1101-2E..MFG:SIEMENS..SCHEDULE B: # 8505.9(
1951	3AY1510-5L	SPARE PART FOR 3AE1, 3AF, 3AG, 3AH OPERATING SOLENOID DC 125-144V FOR 3AE1..P/N: 3AY1510-5L..MFG:SIEMENS..
1952	3BHL000406P0103	RESISTOR, VFW, 30/265, 40 kOHM, P.C. 8076 BU..P/N: 3BHL000406P0103..MFG: ALTECH CORP.
1953	3BSE008512R1	DI820 DIGITAL INPUT, 120 V, a.c. 8X1, RATED ISOL. 250V..P/N: 3BSE008512R1..MFG: ABB INC.
1954	3BSE008514R1	DO820 DIGITAL OUTPUT, RELAY NORMAL OPEN 8X1 ch, 24-230 V a.c., 3A, cos phi >4, d.c. 42W Rated isol. 250 V..P/N: 3BSE008514R1..MFG: AI
1955	3BSE008516R1	ABB AI810 ANALOG INPUT 1 X 8 CH. 0 (4) ... 20 mA, 0, ..10v, 12 bIT SINGLE ENDED, 0.1%, RATED ISOL, 50V..3BSE008516R1..MFG: ABB
1956	3BSE008572R1	TU838V1 EXTENDED MODULE TERMINATION UNIT..P/N: 3BSE013238R1..MFG: ABB INC.
1957	3BSE013234R1	TU830V1 EXTENDED MODULE TERMINATION UNIT, MTU, 50V.2X16 SIGNAL TERMINALS, RATED ISOL. 50V..P/N: 3BSE013234R1..MFG: ABB
1958	3BSE013235R1	TU831V1 EXTENDED MODULE TERMINATION UNIT , MTU, 250V.2X8 SIGNAL TERMINALS, RATED ISOL. 250V...P/N: 3BSE013235R1..MFG: AE
1959	3BSE013238R1	TU837V1 EXTENDED MODULE TERMINATION UNIT..P/N: 3BSE013238R1..MFG: ABB INC...
1960	3BSE018160R1	UNIT PROCESSOR REDUNDANT, old 3BSE018160R6 PM861AK02)..P/N: 3BSE018160R1..MFG: ABB..SCHEDULE B: # 8517.69.0000 OTHER A
1961	3BSE020520R1	COMMUNICATION FIELD BUS ABB, CI810B..P/N: 3BSE020520R1..MFG: ABB..SCHEDULE B: # 8517.69.0000 OTHER APPARATUS FOR COMM
1962	3BSE020846R1	TU840 TERMINATION UNIT 1 + 1/TB SUPPORT FOR REDUNDANT I/O..P/N: 3BSE020846R1..MFG: ABB INC...
1963	3BSE020848R1	TU841 TERMINATION UNIT 1 + 1 T/B SUPPORT FOR NON REDUNDANT I/O..P/N: 3BSE02084R1..MFG: ABB INC.
1964	3BSE037760R1	TB840A OPTICAL CLUSTER MODEM FOR REDUNDANT MODULE BUS INSTALLED..P/N: 3BSE037760R1..MFG: ABB INC
1965	3BSE052605R1	MODULE OUTPUT ANALOG; S800 AO815 ..P/N:3BSE052605R1..MFG:ABB
1966	3BSE053242R1	UNIT PROCESS REDUNDANT..P/N: 3BSE053242R1..MFG: ABB

	Item	Description
1967	3BSE081637R1	MODULE OUTPUT ANALOG..P/N: 3BSE081637R1..MFG: ABB
1968	3C081-3459-4	CABLE SHUTTLE..P/N: 3C081-3459-4 (REPLACED BY: 3C081-3459-5)..MFG: KUBOTA
1969	3C091-41322	SHAFT, PRO, BIN LOC. B1010..P/N: 3C091-41322..MFG: KUBOTA
1970	3C091-41343	COVER SHAFT, BIN LOC. H206..P/N: 3C091-41343..MFG: KUBOTA
1971	3C091-41350	COVER SHAFT, BIN LOC. C-9-3..P/N: 3C091-41350..MFG: KUBOTA
1972	3C091-4412-0	SEAL OIL, 90mm x 34 mm x 9 mm..P/N: 3C091-4412-0..MFG: KUBOTA
1973	3C091-97080	KIT GEAR, BIN LOC. H402..P/N: 3C091-97080..MFG: KUBOTA
1974	3C10AWG	CABLE TRAY MULTICONDUCTOR, 3C, 10 AWG, 600V, 90C, SLP INSULATION, PVC JACKET, TYPE XHHW-2..P/N: 3C10AWG (603167)..MFG:
1975	3C12AWG	CABLE TRAY MULTICONDUCTOR, 3C, 12 AWG, 600V, 90C, SLP INSULATION, PVC JACKET, TYPE XHHW-2..P/N: 3C12AWG (602847)..MFG:
1976	3D	MULTIMODE FLASHLIGHT 3D ;BATTERY: PANASONIC 1*3.1=3.1AH; BRIGHTNESS:8,000/4,500/900LUX; 156/96/23LM; HIGH, MEDIUM, LOW,..\
1977	3D7503D-11	MONOLITHIC MANCHESTER ENCODER/ DECODER..P/N: 3D7503D-11..MFG: DATA DELAY DEVICES..SCHEDULE B: # 8417.90.0000 PARTS AI
1978	3DS11DC/75V	LAMP, INCANDESCENT..(V)-75v; (POW) - 30W..(SPEC) - D.C. BAY..P/N: 3DS11DC/75V..MFG: PHILLIPS..SPEC: #
1979	3E3A	FITTING ELECTRODE..PRE-MAX: 125 PSI, REF: WARRICK F/ 3R6CO..P/N: 3E3A..MFG: WARRICK..SCHEDULE B: # 8545190000 OTHER ELEC
1980	3GBP162420-ASK+01+158+183	MOTOR ..•IE3 PREMIUM EFFICIENCY CAST IRON MOTORS, IP55..•ABB TYPE DESIGNATION:..M3BP 160MLB 4..•ALTITUDE:..1000 M..•AMBIEI
1981	3GBP312230-ADG.002.531.159	AC MOTOR 3GBP312230-ADG..002= RATING PLATE 185KW, 460VDC, 60HZ, 50C..531= SEA FREIGHT PACKAGING..159= RATING PLATE ..P/I
1982	3KW33	MOTOR 3460 RPM, 3 HP, 460 VOLTS, 3 PHASE, 3.8 AMPS, 60 HZ..P/N: 3KW33..MFG: DAYTON..SCHEDULE B: # 8501322000 OTHER ELECTRI(
1983	3LD2164-1GP53	3LD SWITCH DISCONNECTOR, EMERGENCY-STOP SWITCH, 3-POLE, IU:25 A, OPERATIONAL ..P/N: 3LD2164-1GP53 ..MFG: SIEMENS
1984	3M06252	TIE CABLE SELF LOCKING TYRAP..P/N: 3M06252..MFG: 3M..SCHEDULE B: # 8536908085 OTHER CONNECTORS
1985	3MN9112 (3MN1 9112)	SWITCH LIMIT..VRAN: 120-240-480-600 VAC,..I: 15A, HP: 1/2-1..P/N: 3MN9112 (3MN1)..MFG: MICRO SWITCH....SCHEDULE B: #853650905
1986	3RB2906-2JG1	CURRENT TRANSFORMER 10-100 AMP, S2/S3..P/N: 3RB2906-2JG1..MFG: SIEMENS
1987	3RH1140-1AN20 + 3RH1911-1FA2	CONTACTOR, V: 220-183V, FREQ: 60/50HZ, POWER: 2.4-4 KW, ICUR1: 16A, ICUR3: 10-2A, NO.CONTACT- No. CONTACT NORMAL OPEN: 2, I
1988	3RH1921-1EA11	AUXILIARY CONTACT BLOCK, 300VUC, 1NO, 1NC(TYPE)-LATERALLY FIT(NO.-NORMAL OPEN)-1(NO.-NORMAL CLOSE)-1;(V)-220V/230V;(I)-(
1989	3RP1-540-1AJ31	CONTACTOR AUXILIAR..(TYPE)-OFF DELAY(V-AC)-100/127V(V-DC)-100V/127V(T)-0.05S-100S;(TYPE-OUT)-SPDT(TIMES-RANGE)-7;(W/)-LED
1990	3RT1016-1AK62	CONTACTOR, NO. POLES: 3, V: 110/120V, FREQ: 50/60 HZ, NO. NORMAL CLOSE: 1, V-CONTACTOR: 400V, POWER: 4KW, SIZE: S00..P/N: 3R
1991	3RT1025-1AG20	CONTACTOR, NO.POLES: 3, V: 110V, FREQ: 50 HZ/60HZ, V-CONT: 3802V/400V, [PW: 7.5KW, SIZE: SO, SPFE: P/N: 579 322 0.SH, KS23/24-2..P
1992	3RT1034-1AF00	Siemens 3RT1034-1AF00 3-pole contactor, AC-2 and AC-3. Rated at 32 A, 15 kW with a coil voltage of 110 V, 50/60 Hz...P/N: 3RT1034-1AF00..Mfg: Si
1993	3RT1036-1AG20	CONTACTOR MAGNETIC, V: 120V, NO. POLES: 3, I-CUR1: 63A, I-CUR3: 50A, HP" 15-25V, V-CONT: 120-240-480-600VAC..P/N: 3RT1036-1AG20
1994	3RT1045-1AK60	CONTACTOR (NO.POLES)-3;(V)-110/220V; (FREQ)-50-60HZ;(V-CONTACTOR)-230/400V;(POW)-37KW;(SIZE)-S3..P/N:3RT1045-1AK60..MFG:SIE
1995	3RT1065-6AP36	CONTACTOR MAGNETIC..V: 220V, NO.POLES: 3, I-CUR1: 300A, I-CUR3: 250-96A, HP: 75-250, POW: 78-132W..P/N: 3RT1065-6AP36..MFG: SIE
1996	3RT1266-6AF36	CONTACTOR,IEC,SIRIUS,VACUUM 3 POLE,NON-REVERSING 110 - 127 AC/DC COIL FRAME SIZE..S10,300A PANEL MOUNT 2 NO (&) 2 NC A
1997	3RT1275-6AF36	CONTACTOR,IEC,SIRIUS,VACUUM 3 POLE,NON-REVERSING 110 - 127 AC/DC COIL FRAME SIZE..S12,400A PANEL MOUNT 2 NO (&) 2 NC A
1998	3RT20231AN20 + 3RH29111FA22	CONTACTOR MOTOR CONTROL, V: 220V, NO. POLES: 3, I-CUR3: 20A, V-CONT: 230-690, HP: 3-75, FREQ: 60 HZ,..P/N: RT20231AN20 + 3RH2
1999	3RU1126-4ABO	RELAY OVERLOAD..VAC: 600V, I-OP: 11-16A,..#NO: 1, #NC: 1..INCL: BASE 3RU-1926-3AA01..P/N: 3RU1126-4ABO..MFG: SIEMENS....SCHE
2000	3RV13211JC10	AUTOMATIC INTERRUPTOR, 3X10 AMP, SIZE S0, 50 KA, 400 VAC, CLASS 10..P/N: 3RV13211JC10..MFG: SIEMENS..SCHEDULE B: #85364100

	Item	Description
2001	3SB02-LR1	PILOT LIGHT, VAC: 130V, TYPE:I RESISTOR, CLR: CLEAR, POW: 2.5W..P/N: 3SB02-LR1..MFG: SIEMENS INDUSTRIES..SCHEDULE B: # 85312
2002	3SB1 201-4LB01/02627429	KEY SWITCH 0-I MONENTARYCONTACT SSG10..HPV-ST-99W..SPARE PARTS FOR: COAL HANDLING SYSTEM - STACKER - ELECTRICAL P
2003	3SB3801-0DF3	EMERGENCY STOP MUSHROOM PUSH BUTTOM ..ENCLOSURE FOR COMMAND DEVICES, 22MM, ROUND, ENCLOSURE MATERIAL PLAST
2004	3TY7460-OA	CONTACT SET MAGNETIC CONTACTOR..P/N: 3TY7460-OA..MFG: SIEMENS....SCHEDULE B: # 8538907040 - METAL CONTACT
2005	3UA60-00-3J	OVERLOAD RELAY 110/135 AMP 3 POLE 600V, 3 PHASE..P/N: 3UA60-00-3J (3UA6-000-3J)..MFG: SIEMENS..SCHEDULE B: # 8536.41.0030 OTI
2006	3UB81234DW2	RELAY OVERLOAD, ..P/B: 3UB81234DW2..MFG: SIEMENS..SCHEDULE B: # 8536.41.0030 OTHER RELAYS
2007	3UB81234JW2	RELAY; SOLID STATE OVERLOAD RELAY ,100-300 A; 3 PHASE CLASS 5 CURRENT TRANSFORMER; RQANS2 SIEMENS 48ATJ3S00 ..P/B: 3I
2008	3WL93127AA000AA2	ACCESSORIES CIRCUIT-BREAKER 3WL ELECTRONIC TRIP UNIT ETU27B, ETU RELEASE 2, LSING..PROTECTION ADJUSTABLE, WITHOUT
2009	3Z-4890	MODULE ELECTRONIC,..HALMAR, SCR, 90 A, 480 VAC, 3 PH, ICVS..P/N: 3Z-4890..MFG: HALMAR
2010	4-3/4"X5-3/4"X10FT	DOUGLAS FIR CROSSARMS..P/N: 4-3/4"X5-3/4"X10FT, ANSI 05.3
2011	4-300 VCS-T/G	INSULATING SEALING SYSTEM, SIZE: 4", BORE SIZE: STANDARD, PRESS CLASS: 300 #, FLANGE SPEC: ANSI B16.5, BORE: VCS, SEAL: TEI
2012	4-300 VCS-T/G-10	JUNTA PIKOTEK 4" S300..FABRICANTE : PIKOTEK, 4-300 VCS-T/G-10.."Sello: Teflón (con resorte)..Canutos: G-10..Arandelas aislantes: G-10..Aran
2013	4-5/8"X5-5/8"X10FT	DOUGLAS FIR PENNINGTON OR SIMILAR..P/N: 4-5/8"X5-5/8"X10FT..MFG: HUGHES BROTHERS
2014	4-5/8"X5-5/8"X14FT	DOUGLAS FIR CROSSARMS, PRESSURED TREATED WITH PENTA CHLOROPHENOL AND OIL PER AWPA AND ANSI STANDARD LATEST F
2015	4-5/8"X5-5/8"X22FT	DOUGLAS FIR CROSSARMS, PRESSURED TREATED WITH PENTA CHLOROPHENOL AND OIL PER AWPA AND ANSI STANDARD LATEST F
2016	4-5/8"X5-5/8"X26FT	DOUGLAS FIR CROSSARMS, PRESSURED TREATED WITH PENTA CHLOROPHENOL AND OIL PER AWPA AND ANSI STANDARD LATEST F
2017	4-5/8"X5-5/8"X8FT	DOUGLAS FIR CROSSARMS, PRESSURED TREATED WITH PENTA CHLOROPHENOL AND OIL PER AWPA AND ANSI STANDARD LATEST F
2018	4-HP-26	COUPLING SOCKET FEMALE..Item long text:..(STD)-4-HP-26;(FEM)-1/2FPT(LG)-2.96";(DIA)-1.86"(MAT)-STEEL..P/N: 4-HP-26..MFG: HANSEN-EA
2019	4 PAIR BOOT	4 PAIR BOOT DRYER, 220 V, 60 HZ, 1 PHASE..P/N: 100-004..MFG: HEATER CRAFT..SCHEDULE B: # 8419390180 OTHER INDUSTRIAL DRYER
2020	4"FIBERGLASS	FILTER ASSEMBLY, 4" FIBERGLASS 91/2 X 22 3/4X 4 AFS-FG..P/N: 91/2X22 3/4X4 AFS-FG..MFG: FILTER AIR
2021	4.580-231.0	VALVE, CHEMICAL..P/N: 4.580-231.0..MFG: KARCHER..SCHEDULE B: # 8451900020 OTHER PARTS FOR WASHING MACHINE
2022	40-2066	RADIATOR, CAST IRON WATER JACKET M-250..P/N: 40-2066 (R/B: 402066100)..MFG: SLANT FIN..SHEDULE B #: 7322110000 OTHER CAST IF
2023	40-2114	BASE, ASSEMBLY (SPEC) BASE AASY M-120..P/N: 40-2114..MFG: SLANT/FIN..SCHEDULE B: #8402900090 PARTS OF GENERATORS
2024	40-2117	BASE ASSEMBLY..P/N: 40-2117 (402117000)..MFG: SLANT FIN..SCHEDULE B: #8402900090 PARTS OF GENERATORS
2025	4000	WEATHER TRACKER..KESTREL POCKET, ORANGE..MODEL: 4000..MFG: NIELSEN-KELLEMERMAN..SCHEDULE B: # 9025805050 OTHER IN
2026	400010005	AIR FILTER AEROPLEAT..APIV CL2 24X24X2..P/N: 400010005 CAMFIL..(OFFER ITEM 116300005 APII CL2 24X24X2)..MFG: CAMFIL..SCHEDUL
2027	400010007	FILTER AIR PANEL..20X24X2 AEROSTAR..OFFER P/N: 400010007 APIV CL 2 24X20X2..MFG: CAMFIL..SCHEDULE B: # 8421310000 INTAKE FI
2028	400012002	FILTER AIR PANEL..20X20X1 AEROSTAR..P/N: 400012002 APIV CL2 20X20X1 (054862002)..MFG: CAMFIL..SCHEDULE B: # 8421310000 INTAK
2029	40007.02.101	NRS CLEARWATER MESH BACK PFD L / XL LIFE JACKET 21511; RED..P/N: 40007.02.101..MFG:NRS..SCHEDULE B:# 6307.20.0000 LIFE JACK
2030	40007.02.103	NRS CLEARWATER MESH BACK PFD S / M LIFEJACKET; 21511; RED..P/N: 40007.02.103..MFG:NRS..SCHEDULE B:# 6307.20.0000 LIFE JACK
2031	40007.02.105	NRS CLEARWATER MESH BACK PFD XXL LIFE JACKET; 21511;RED..P/N:40007.02.105..MFG:NRS..SCHEDULE B:# 6307.20.0000 LIFE JACKET
2032	40009R	LIGHT ASSEMBLY..CLR: RED, 24V, 3 POLES, DIA: 4", REF: DOUBLE CONTACT, INCLUDE:..-SEAL RUBBER BASE (TRK-40700), ..-WIRE CONN
2033	40009Y (OFFER P/N M426KA-24\	LIGHT ASSEMBLY ..CLR: AMBER, V: 24V..REF: DOUBLE CONTACT..P/N: 40009Y (OFFER M426KA-24V PETERSON)..MFG: TRUCKLITE..SC
2034	40010	MAGNETIZER AND DEMAGNETIZER 2.1" X 2.0" X 1.1"..P/N:40010..MFG:WIHA..SCHEDULE B: # 8203208000 OTHER HAND TOOLS

	Item	Description
2035	400135	GAUGE 2.5" PRESSURE0-600 PSI W/LOGO..P/N:400135..MFG: E-ONE..SCHEDULE B: # 9026.90.0000 OTHER INSTRUMENTS AND APPARATU
2036	4001A1176KRP006	VIBRATION SWITCH..P/N: 4001A1176KRP006..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536.50.9065 OTHER SWITCHES
2037	40021712	INTERRUPTOR, MATERIAL CODE 70135516..P/N: 40021712..MFG: TEREX
2038	4003C1171AFG001	LIFT UNIT..V: 230/460, FREQ: 60HZ, GPM: 1.5, SPEC: HP..P/N: 4003C1171AFG001..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8503006060 O
2039	4006-1	POWDER STARCH SOLUBLE POTATO FOR IODOMETRY..P/N: 4006-1..MFG: J.T. BAKER
2040	400NH2GL	FUSE PULL, 400 A, 500 V,..P/N: 400NH2GL..MFG: ALTECH CORP.
2041	401002	PRESSURE TRANSMITTER MIDAS C08..ATLAS COPCO AIR COMPRESSOR PRESSURE SENSOR ..DC 3 TO 5.25 V, RATED VOLTAGE SUPP
2042	4014-8	LEAK DETECTOR TEC FORMULA 8 OZ. SQUEEZE BOTTLES..P/N: 4014-8 (OFFER 372E-02 : 1 BOX OF 12 AND 372E-33: 8OZ UNITS)..MFG: L
2043	40140	FUEL OIL FILTER 30 PSI 70101-100 ..P/N: 40140..MFG: COMBU INC.
2044	40200116	CONTROL MODULE 120V STANDARD..P/N: 4020016..MFG: PURA..SCHEDULE B: # 8537.10.9090 OTHER CONTROLLERS
2045	402063100	MX3 CASTING ASSEMBLY GXH105-125..P/N: 402063100..MFG: SLANT FIN..SHEDULE B #: 7322110000 RADIATORS OF CAST IRON
2046	402994-002	FILTER AIR PANEL..LG: 24", W: 24", THK: 12", SPEC: RIGA-FLO 100 CLASS 2, CONDITIONED AIR..P/N: 402994-002..MFG: FARR..SCHEDULE E
2047	4031F	TRANSFORMER CONTROL, 0.04 KVA, 120/208/240 VAC..P/N: 4031F(44504 MARS)..MFG: JARD CORPORATION..SCHEDULE B: 8504.31.4065 C
2048	4035	WASHER, SPRING LOCK, 1/2"..P/N: 4035
2049	4036	WASHER PRESSURE AG 11/16 FOR BOLT 5/8..P/N: 4036..MFG: CHANCE....SCHEDULE B: #7318220000 - OTHER WASHER
2050	404-12-17	CONDUCTIVITY SENSOR, ENDURANCE LOW FLOW (404)..CELL CONSTANT: 0.1/CM..FLOW CELL TYPE: STAINLESS STEEL..MFG: ROSEMC
2051	40450	USB PORT BLOCKS;COLOR RED (1 KEY WITH 4 BLOCKS)..P/N:40450..MFG:LINDY..SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES
2052	40452	USB PORT BLOCKS;COLOR BLUE (1 KEY WITH 4 BLOCKS)..P/N: 40452..MFG:LINDY..SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIE
2053	40455	USB PORT BLOCKS;COLOR GRAY(1 KEY WITH 4 BLOCKS)..P/N:40455..MFG:LINDY..SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES
2054	40460	USB PORT BLOCKS COLOR RED 10/PACK..P/N: 40460..MFG:LINDY..SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES
2055	40462	USB PORT BLOCKS COLOR BLUE 10/PACK..P/N: 40462..MFG:LINDY..SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES
2056	40465	USB PORT BLOCKS COLOR GRAY 10/PACK..P/N: 40465..MFG:LINDY..SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES
2057	405-125-30	SIREN VIBRATONE, GRAY, SERIES B3, SIGNAL DIVISION..P/N: 450-125-30..MFG: FEDERAL SIGNAL..SCHEDULE B: # 8531100025 OTHER ELE
2058	40532512	DRYING APPARATUS, MATERIAL CODE 781153..P/N: 40532512..MFG: TEREX
2059	4056097	FUSE GLASS BODY, V: 250V, I: 1A,..P/N: 4056097 (OFFER P/N: AGC1)..MFG: BUSSMAN..SCHEDULE B: # 8536100040 OTHER FUSES
2060	4059095	STANDARD KEY 316L STAINLESS STEEL 258 MM LONG..P/N: 4059095..MFG: SPIRAX..SCHEDULE B: # 8481.80.9015 OTHER REGULATOR VA
2061	4059096	EXTENDED T BAR KEY SHAFT 500MM, HANDLE 375MM..P/N: 4059096..MFG: SPIRAX..SCHEDULE B: # 8481.80.9015 OTHER REGULATOR VA
2062	4059492	KBV21 PN40 DN50 VALVE ASSEMBLY ..P/N: 4059492..MFG: SPIRAX..SCHEDULE B: # 8481.80.9015 OTHER REGULATOR VALVES,SELF OPEF
2063	406-6000-C04	UNIT ELECTRONIC CONTROL..NEMA 4X HOUSING POWER SUPPLY..120 VAC, 60 HZ, DPDT RELAY INTERNAL STATUS LED..P/N: 406-6000-
2064	40636012	PRESS SWITCH, MATERIAL CODE 781158..P/N: 40636012..MFG: TEREX
2065	407	SPLICE LINE..STR1: 4/0, SPEC: STRAIGHT COPPER..P/N: 407..MFG: RELIABLE -MACLEAN..SCHEDULE B: #8535908020 TERMINALS ELECTR
2066	40788812	CAN BUS, CODE 70135487..P/N: 40788812..MFG: TEREX
2067	40A15	LAMP INCANDESCENT, V: 120V, POW: 40W, CODE 15206..P/N: 40A15..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8539292500 OTHER INC/
2068	40CN-2-10Q-M2-50-C1C1-1	FILTER..P/N: 40CN-2-10Q-M2-50-C1C1-1..MFG: PARKER HANNIFIN CO...SCHEDULE B: # 8421290065 OTHER HYDRAULIC FLUID POWER FIL

	Item	Description
2069	40FP32AA	NON-REVERSING NEMA CONTACTOR, SIZE 2, THREE PHASE FULL VOLTAGE, CONTACTOR AMP..RATING 45A, 3 WIRE (NO AUX INCLUDE
2070	410	PAPER ELECTRICAL INSULATOR..THK: 0.030", W: 36", LG: 36"..P/N: 410..MFG: NOMEX..SCHEDULE B: 3921901000 OTHER SHEETS..
2071	410006	V-BELT FOR DYNAPAC LF90..P/N: 410006..MFG: DYNAPAC..
2072	41048-1133	SHOE BRAKE..P/N: 41048-1133..MFG: KAWASAKI..SCHEDULE B: #8431200000 OTHER SHOES BREAK
2073	41048-1134	SHOE BRAKE..P/N: 41048-1134..MFG: KAWASAKI..SCHEDULE B: #8431200000 OTHER SHOES BREAK
2074	4111-66-10445-01	Gate drive, 3 phase control for TLR charger..p/n: 4111-66-10445-01..Mfg: SAFT..SCHEDULE B:# 8537.10.9050 OTHER PANEL BOARDS AND DISTF
2075	4111007403	MOTOR 1/3 HP, 50/60 HZ, IP55RATING, CODE 2339..P/N: 4111007403..MFG: FRANKLIN..
2076	41182 LY	CONTAINER PLASTIC, CLR: CLEAR, CAP: 32 OZ, SIZE-CAP: 89 MM, CAP COLOR: WHITE, MODEL: WIDE MOUTH THREADED..P/N: 41182 LY.
2077	412-L-SLH-TC-P	BALLAST FLUORESCENT, V: 120V, POW: 55-42W, TYPE: F40T10-F40T12/ES, 8G1063..P/N: 412-L-SLH-TCP..MFG: MAGNETEK
2078	4132	4 uf +/- 10%, 2 KVDC..72E1FJ405K1..3.75” W x 2.25” Th x 3.875” H..Ceramic terminals ..# 3 with 10-32 screw..Operating temp. -55 c to +85 c..p/n: 413
2079	413418	REPAIR KIT..MOD: VQ, TYPE: CARTRIDGE..P/N: 413418..MFG: VICKERS..SCHEDULE B: # 8481200050 OTHER HYDRAULIC VALVES
2080	413460	Jet 413460 HBS-812G Geared Head Horizontal Vertical Bandsaw..Motor: 1HP, 115/230V, 1 Ph Prewired 115V 1720 RPM ..Round at 90 Degrees (in.): 8
2081	414737	CLUTCH; OEM HUSQVARNA CRAFTSMAN ELECTRIC PTO CLUTCH..P/N: 414737..MFG: OGURA
2082	414880-1	THERMOSTAT; ATK, 5/16 X 8 -1/16,96 VULCAN HART MODEL 46-1100;..TYPE K ;TEMPERATURE ; 200 - 400 DEGREES FARENHEIT ;250V (SF
2083	415119G2	THERMOSTAT, MAX TEMP: 550F, MIN TEMP: 0 F, V: 120-270-480V, SPEC: VULAN HEAVY DUTY ELECTRIC, 461145..P/N: 415119G2..MFG: VUL
2084	415C-1	STRAINER PIPELINE 1 INCH NPT..P/N: 415C-1..MFG: HOFFMAN SPECIALTY..SCHEDULE B: # 9026.90.0000 PARTS AND ACCESORIES
2085	417-1648	SLEEK ICING SMOOTHER ..P/N: 417-1648..SCHEDULE B: # 8203.10.0000 OTHER TOOLS..COUNTRY OF ORIGIN: CHINA
2086	41781312	TEMPERATURE TRANSMITTER, MATERIAL CODE 70135178..P/N: 41781312..MFG: TEREX
2087	42.70.0004	CHARGER, BATTERY, INPUT: 240V, OUTPUT: 24VDC, 5A, ..FOR USE WITH LEAD ACID ..BATTERY.MODEL S1202405DLA...P/N 42.70.0004..MI
2088	420016	CYLINDRICAL FUSE, 16A, 500VAC, 16 INCHES..P/N: 420016..MFG: DF FUSE ELECTRIC..
2089	420025	CYLINDRICAL FUSE, 25A, 500VAC, 25 INCHES..P/N: 420025..MFG: DF FUSE ELECTRI
2090	421-655	TRANSFORMER, IGNITION..(V-PRIMARY)-120V; (V-SECONDARY)-10KV..(I)-23MA; (VA)-220..P/N: 421-655..MFG: ALLANSON..SCHEDULE B: #
2091	42116012	INTERRUPTOR, MATERIAL CODE 70135515..P/N: 42116012..MFG: TEREX
2092	421202	CILINDRIC FUSE WITH STRIKER 14X51 2A GG; 500 VAC; 120 KA..FUSE; GG; CERAMIC, INDUSTRIAL; 2A; 500VAC; 440VDC; 14X51MM..P/N:42
2093	4216-49031-002	CAM-OPERATED TYPE 4216 STANDARD SWITCH..P/N: 4216-49031-002..MFG: HUBBELL INDUSTRIAL CONTROLS, INC.
2094	4219-12	GASKET; FOAM-TITE INSULATION TAPE 2" X 1/8" X 30'..P/N:4219-12..MFG:NU-CALGON..SCHEDULE B: # 4016.93.0000 GASKET, WASHER AN
2095	4220-71221-301	HUBBELL INDUSTRIAL MODEL 4220..EUCLID, AC, POWER LIMIT SWITCH, 4 POLES, DUPLEX, SIZE 2..P/N: 4220-71221-301..MFG: HUBBELL I
2096	4221-S	ALEMITE BT..X PUMP ASSEMBLE WITH END OF CYCLES SWITCH 110 VOLT AC..P/N: 4221-S..MFG: ALEMITE
2097	42220612	WATER PUMP, CODE 70135484..P/N: 42220612..MFG: TEREX
2098	42292312	SENSOR, MATERIAL CODE 70135176..P/N: 42292312..MFG: TEREX
2099	42294212	MAGNET, MATERIAL CODE 70135177..P/N: 42294212..MFG: TEREX
2100	42303027/RC80810-2	THERMOSTAT, MODEL X & Y, EQUIPMENT AC..P/N: 42303027/RC80810-2..MFG: CARRIER..SCHEDULE B: # 8415.90.9000 OTHER PARTS FOR
2101	4233001180	BRAKE DISC COMPLETE..P/N: 4233001180..MFG: STAHL..SCHEDULE B: # 8431.10.0090 OTHER PARTS
2102	42337012	STARTER, ..P/N: 42337012 (R/B: 42337012)..MFG: TEREX

	Item	Description
2103	426012	INTERRUPTON,1 MATERIAL CODE 70135515..P/N: 426012..MFG: TEREX
2104	42DF35AJ	FURNAS DEFINITE PURPOSE CONTACTOR, CLASS 42 DP, 50 AMPS, 24 VAC COIL..P/N: 42DF34AJ..MFG: SIEMENS..SCHEDULE B: # 8536.41
2105	42E04	OBTURADOR DE DRENAJE (DRAIN COCK)..50 EA..Item long text:..(NPTF-MTD)-1/4";(MAT)-BRASS..P/N: 42E04..MFG: IMPERIAL EAST....
2106	42GRU9003	SWITCH AB PHOTOELECTRIC WITH REFLECTOR..P/N: 42GRU9003..MFG: ALLEN BRADLEY..SCHEDULE B: # 8536509065 OTHER SWITCHE
2107	42W2473	PALM REST FOR LAPTOP T61..P/N: 42W2473..MFG: IBM..SCHEDULE B: # SCHEDULE B: # 8471602000 OTHER KEYBOARDS
2108	430-5087	NETWORK CARD; SINGLE PORT GIGABIT ETHERNET PCI-EXPRESS NETWORK INTERFACE CARD ;MODEL 5722; BROADCOM NEXTREME
2109	430790	CONICAL-BOTTOM CENTRIFUGE TUBES, GRADUATED, STERILE, DIA: 17MM, LG:120MM, MAT: POLYPROPILENE, SPEC: GRADUATION 15M
2110	431003	COMBINATION PLIERS..P/N: 431003..MFG: COMBINATION PLIERS..SCHEDULE B: # 8205100000 WRENCHES BASE METAL
2111	43283240	CLAMP, MATERIAL CODE 781133..P/N: 43283240..MFG: TEREX
2112	434	PROCESS LOOP CALIBRATOR, MODEL 434 WITH CERT OF CALIBRATION..P/N: 434..SCHEDULE B: # 9028300000 ELECTRICITY METER..MF
2113	434-5	AIR SCOOP - 2"..P-N: 434-5..MFG: TACO..SCHEDULE B: #8487.90.0080 OTHER MACHINERY PARTS
2114	43511	C/SCR, HH 1/2 UNC X 7-1/2 G8..CODE MISMI MAYO 70142257..P/N: 43511..MFG: BOART LONGYEAR
2115	43802000	TRANSDUCER SIGNAL CONDITIONER, 0-200V INPUT 4-20 MA OUTPUT 8 PIN..P/N: 43802000 (P/N: AI AP4380-2000-1)..MFG: ACTION INSTRU
2116	44	LAMP MINIATURE, LT: 44, V: 6.30V, POW:1.60W..P/N: 44 PHILIPS DELISTED (OFFER EIKO # 44)..MFG: EIKO..SCHEDULE B: #8539228050 OTH
2117	44-035	77 PCS METRIC BASIC TOOLS SET W/ BOX..P/N: 44-035..MFG: ARMSTRONG..SCHEDULE B: # 7307199090 OTHER FITTINGS
2118	44-1312-2122	PRESSURE REDUCING VALVE 44-1312-2122 N2 ..P/N: 44-1312-2122..MFG: TESCOM
2119	44-530	23 PCS 12 PT METRIC 1/2" DRIVE SOCKET SET..P/N: 44-530..MFG: AMRSTRONG..SCHEDULE B: # 7307199090 OTHER FITTINGS
2120	44 DRAWER	44 DRAWER ORGANIZER..WORKSHOP, CODE 032903042443..P/N: 44 DRAWER..MFG: ORGANIZE-IT-ONLINE
2121	4405-B	FLUKE BP 190- NICKEL METAL HALYDE RECHARGEABLE BATTERY..P/N: 4405-B..MFG: FLUKE
2122	44098-10	CAP OIL FILLER..TYPE: ADJUSTABLE NHRS..P/N: 44098-10 (V62 4409810)..MFG: MOELLER..SCHEDULE B: # 8409994000 PARTS FOR COMP
2123	440DR-1022-0000	METRIX ELECTRONIC VIBRATION SWITCH DUAL TRIP, ANALOG SIGNAL OUTPUT, SPEC: 4-20 MA, SCALE: 0.1-1.50 IN/SEC..P/N: 440DR-102
2124	440K-T11213	SAFETY SWITCH GUARDMASTER TROJAN 5..P/N: 440K-T11213..MFG: ALLEN BRADLEY
2125	440K-T11283	SAFETY INTERLOCK SWITCH GUARDMASTER TROJAN T15 GD2..P/N: 440K-T11283..MFG: ALLEN BRADLEY
2126	441036	SCREWDRIVER SET SENSOPLUS 8 PCS..SET OF 7 SENSOPLUS VDE SCREWDRIVER PLUS MAINSTERTER..P/N: 441036..SCHEDULE B: # 8
2127	4416	LAMP SEALED BEAM..V: 12.8V, POW: 30W..P/N: 4416..MFG: IMPORT BRAND
2128	441E4P128	ROTARY LIMIT SWITCH; 55 SERIES..2 CIRCUITS 2NO 2NC; 2 CONTACTS ;1 POLE; RIGHTHANDSHAFT 111.1; 600V..P/N: 441E4P128 / 55-4E-2
2129	44224	BREATHER ASSEMBLY FILTER ..P/N: 44224..MFG: FALLS FILTRATION TECHNOLOGIES, INC.
2130	4435	LAMP SEALED BEAM..V: 12.8V, POW: 30 W..P/N: 4435..MFG: GENERAL ELECTRIC
2131	4435K14	FILTER WATER..P/N: 4435K14..MFG: MCMASTER..8421210000
2132	4435K16	CARTRIDGE TASTE AND ODOR..U/O: FILTER WATER..P/N: 4435K16..MFG: MCMASTER
2133	44510	C/SCR, HH 1/2 UNC X..1-1/2 G8..CODE MISKI MAYO 70142161..P/N:44510..MFG: BOART LONGYEAR
2134	44521	L/WASHER, 1/2 SAE G8..CODE MISKI MAYO 70142290..P/N: 44521..MFG: BOART LONGYEAR
2135	44525	NUT, HEX 1/2 UNC G8..CODE MISKI MAYO 70141250..P/N:44525..MFG:BOART LONGYEAR
2136	44575	L/WASHER, 1" SAE G8..CODE MISKI MAYO 70142291..P/N: 44575..MFG: BOART LONGYEAR

	Item	Description
2137	445RSTCP-000C	BALLAST FLUORESCENT..V: 120V, POW: 32W, TYP: FC1649..FREQ: 60 HZ, SPEC: FC16T9 LAMP 120 VAC..P/N: 445RSTCP-000C..MFG: MAGN
2138	446-LR-TC-P	BALLAST FLUORESCENT..V: 120V, POW: 40-30 W, FREQ: 60HZ..U/O: 2 FLUORESCENT TYPE F40T12..LG: 9-1/2", W: 2-3/8"..P/N: 446-LR-TC-P
2139	44621	WASHER, FLAT 1/2 SAE G8..CODE MISKI MAYO 70142293..P/N: 44621..MFG: BOART LONGYEAR
2140	44640	C/SCR, HH 1/2 UNC X..1-3/4 G8..CODE MISKI MAYO 70142163..P/N:44640..MFG:BOART LONGYEAR
2141	44651	C/SCR, HH 1/2 UNC X 2-1/4 G8..CODE MISKI MAYO 70142258..P/N: 44651..MFG: BOART LONGYEAR
2142	448-468/3 XI-08	MOTOR THREE PHASE INDUCTION MOTOR: 3PH; 1/4HP;1450RPM;460 VAC; 60HZ;0.5A CLASS F,..P/N: 448-468/3 XI-08..MFG:MC MILLAN
2143	448A690H11	FUSE, 250V, I: 1.5A, SPEC: POWER SUPPLY..P/N: 448A690H11..MFG: BUFFALO POWER ELECTRONIC
2144	44AW56M07	MUFFLER, ..P/N: 44AW56M07..MFG: ALLIED WITAN ATOMU
2145	44W56M07	..MUFFLER..P/N: 44AW56M07..MFG: ALLIED WITAN AUTOMUFFLER..SCHEDULE B: # 8708.93.5000 PARTS AND ACCESORIES OF MOTOR VE
2146	45-120	STRIPPER WIRE HAND, D-STR: 10-18, SPEC: SOLID WIRE..P/N: 45-120 (OR 11045 KLEIN)..MFG: IDEAL..SCHEDULE B: # 8203206060 OTHER
2147	45-248-026	LX DUAL STACKING ARM..P/N:45-248-026..MFG: ERGOTRON..SCHEDULE B: # 8424909500 OTHER PARTS
2148	45 FRICTION	TAPE RUBBER SPLICING. 100 ROLL/CASE..LG: 15.24M, W: 19MM,..TYPE: FRICTION BLACK..P/N: 45 FRICTION(45008)..MFG: ELECTRO TAPE
2149	450-125-30	VIBRATONE HORN, 125 VDC..P/N: 450-125-30..MFG: FEDERAL SIGNAL..MFG: FEDERAL SIGNAL CORP..SCHEDULE B: # 8531800030 HORNS
2150	450144	MOUNT SANDWICH FOR DYNAMIC CA25 SERIE 7098652..P/N: 450144 (R/B: 4700450144)..MFG: DYNAPAC..SCHEDULE B: # 8431.49.1010 OTH
2151	45042	CODELINE STRAP W/SCREWS FOR 8" VESSEL;304 SS PVC CUSHION..P/N:45042..MFG: CODELINE..SCHEDULE B 8421.99.0040 PARTS FOR
2152	45066	NUT PORT CODELINE 80A45..VESSEL #450..P/N:45066..MFG: CODELINE..SCHEDULE B:# 8421.99.0040 PARTS FOR MACHINERY AND APP/
2153	4516A	FAIRCHILD MODEL 4500A VOLUME BOOSTER, 1:1 SIGNAL-TO-OUTPUT RATIO, 3/4" NPT CONN., ALUMINUM BODY, 250 PSIG MAX. INLET, 1
2154	451A	CARTRIDGE PURIFIER..TYPE 451 F/ MOD 450..P/N: 451A..MFG: GENERAL ELECTRIC
2155	45312	PERMEATE PORT SEAL 20 SEALS PER KIT#CH50292..P/N: 45312..MFG: CODELINE..SCHEDULE B:# 8421.99.0040 PARTS FOR MACHINERY
2156	453328 M2 W502	SPHERICAL ROLLER BEARING..P/N: 453328 M2 W502..MFG: SKF USA..SCHEDULE B: # 8482.50.0000 OTHER CYLINDRICAL BEARINGS
2157	45363	CABLE SHLD 16AWG 3CNDTR 300V BLACK..P/N: 45363..MFG: ALPHA..SCHEDULE B: #7413001000 - STRANDED WIRE
2158	45453	CABLE SHLD 20AWG 3 PAIR 300V BLACK KG4..P/N: 45453..MFG: ALPHA..SCHEDULE B: #7413001000 - STRANDED WIRE
2159	45482	CABLE SHLD 22AWG 2 PR 300V BLACK XG4..P/N: 45482..MFG: ALPHA
2160	456	LAMP MINIATURE..LT: 456, V: 24V, POW: 4,..P/N: 456..MFG: TUNGSRAM..SCHEDULE B: #SCHEDULE B: 8539228050 OTHER LAMPS
2161	456.01	NECK BUSHING, (MAT): 1.4571 WNT, (DWG): 102451, (POSN): 456.01..PUMP MARKS SULZER, WATER RECIRCULATION ISA FURNACE MOD
2162	4578-14MGT-55	TIMING BELT; POWERGRIP GT3;LENGTH 4578 MM; WIDTH 55 MM; PITCH 14 MM; NUMBER OF TEETH 327..P/N: 4578-14MGT-55..MFG:GATE
2163	45792	BOLT, RAIL INSULATOR; DELTA L 45972..(DIA)- 5/8";(THD)-NC;(MAT)-STEEL; (SPEC)-C17560..P/N:45792..MFG:TRANSTECH..SCHEDULE B: #
2164	459-055	CYLINDE ASSEMBLY, ..P/N: 459-2055..MFG: CATERPILLAR
2165	459-2051	KIT SEAL..P/N: 459-2051..MFG: CATERPILLAR
2166	45A-LAD-DAAA-4B	PNEUMATIC SOLENOID VALVE 120V ; 5.4W 120PSI; 60 hz..P/N: 45A-LAD-DAAA-4B..MFG:MAC VALVES..SCHEDULE B: # 8481.80.1095 OTHER
2167	45A-LAD-DAAA-4BA	PNEUMATIC SOLENOID VALVE, 2 POSITIONS, 4 WAYS, COIL 120/ 110VAC, 120 PSI, MANUAL ACTIVATION..P/N: 45A-LAD-DAAA-4BA..MFG:M
2168	45R20	LAMP REFLECTOR BULB R20 MEDBASE 45W 120V/130V..P/N: 45R20..MFG: TOPAZ..SCHEDULE B: #8539228050 OTHER LAMPS..
2169	46-218	BOLT (POSN)-FRONT ROLLER..P/N:46-218(REPLACE BY HIS1010121400)..MFG: CLAUSING INDUSTRIAL INC...SCHEDULE B:# 9010.90.0002 I
2170	460 ETCMM	Modbus RTU Slave Data to an Allen Bradley PLC5E, SLC 5/05, MicroLogix, ControlLogix and CompactLogix Programmable Controller..P/N: 460ETCMM.

	Item	Description
2171	4604	GUY STRAIN INSULATOR, ANSI CLASS 54-1 PORCELAIN..P/N: 4604..MFG: VICTOR..SCHEDULE B: #8546200060 OTHER INSULATOR
2172	461397	ELECTRIC CLUTCH WITH ANTI-ROTATION BRACKET ..FOR SCAG LAWN MOWER 48 VELOCITY PLUS..MODEL: SW48V-14FS..SERIAL K88(
2173	4617	TAPE (REF)- GLASS BETA, 3/4" X 0.0065(W)- ADHESIVE..IT4617-0.750-RL IPG 4617 7ML GLASS CLOTH WHITE 0.750X60YD..P/N: 4617 (IT4
2174	46222026	SAMPLE PROBE DOWNSTREAM FILTER ELEMENT..SINTERED CERAMIC WITH STAINLESS STEEL END..CAPS 1.4571, RETENTION RATE 3
2175	46265	SCREWS FOR STRAP 8" VESSEL..5/16-18 UNC,18-8 SS..P/N: 46265..CODELINE..SCHEDULE B 8421.99.0040 PARTS FOR MACHINERY AND A
2176	46342X604	SEAL KIT - 6BR, NITRILE..KIT SERVICE THERMOST CONT VALV 46342X604 MBX TG11/12..P/N: 46342X604..MFG: AMOT
2177	4637/SP	TUBULAR BULB SP, 220V, 20W, BASE BA15D, 180 LUMENS, 25 MM DIA, 65 MM HIGH, 200 HRS..P/N: 4637/SP..MFG: GUERRA..SCHEDULE B:
2178	4649T16	STEEL REVOLVING STORAGE BIN 28", DIAMETER X 65-3/4: HEIGHT WITH 10 TIERS ..P/N: 4649T25
2179	4649T1625	STEEL REVOLVING STORAGE BIN BULK, 34" DIAMETER X 65-1/2" HEIGHT WITH 4 TIERS....MFG: MCMASTER-CARR
2180	465407	SOLENOID VALVE 3/2 NO BURKERT 6014 D;MODEL 6014 CIRCUIT: D NO CONNECTION:1/8" NPT MAX PRESSURE: 232 PSI; POWER:8 W VC
2181	467-1181	SCHEDULE B: # 8421.29.0065 OTHER FUEL FILTERS..COUNTRY OF ORIGIN: USA
2182	469-P5-HI-A20-E-H	MODULE ELECTRONIC..SPEC: MULTILIN 469 SR MOTOR MANAGEMENT RELAY, 5A PHASE SECONDARIES, 4-20 MA ANALOG OUTUPUT: V
2183	46A-LSA-AC-JDCP-1FA=L036	MAC VALVE 46A SERIES PLUG IN MANIFOLD..P/N: 46A-LSA-AC-JDCP-1FA=L036..MFG: MAC VALVE
2184	47043612	GENERATOR, CODE 779211..P/N: 47043612..MFG: TEREX..SCHEDULE B: # 8502.39.0090 OTHER GENERATOR
2185	47052118	LUNETA FIJA 130-300 MM, PUNTAS DE BRONCE NZ 400 ..P/N: 47052118..MFG:NARDINI..SCHEDULE B:# 8487.90.0080 OTHER MACHINERY T
2186	471-1977	BEARING SLEEVE..P/N: 471-1977..MFG: CATERPILLAR
2187	471-1979	SLEEVE BEARING (BUSHING)..P/N: 471-1979..MFG: CATERPILLAR
2188	47104512	BELT, CODE 779213..P/N: 47104512..MFG: TEREX
2189	47104612	FLAT BELT, MATERIAL CODE 779212..P/N: 47104612..MFG: TEREX..SCHEDULE B: #4010.39.0000 OTHER BELTS
2190	4715KL-04W-B30	FAN DC AXIAL 12V 119X38.4MM..P/N: ..MFG: NMB TECHNOLOGIES CORP..SCHEDULE B: # 8414599080 OTHER FANS
2191	47164312	ACCUMULATOR, MATERIAL CODE 70135478..P/N: 47164312..MFG: TEREX
2192	47169712	STARTER, CODE 779210..P/N: 47169712..FG: TEREX
2193	47242912	HEAD LIGHT ASSEMBLY..P/N: 47242912..MFG: TEREX..SCHEDULE B: # 8716.90.0000
2194	47243912	SPOT LIGHT..P/N: 47243912..MFG: TEREX..SCHEDULE B: # 8716.90.0000
2195	47250612	WIPER EQUIP., MOSAID CODE 787900, SOLPED 10281089
2196	47252012	HEATING AND AIR CONDITIONING, MATERIAL CODE 70127812..P/N: 47252012..MFG: TEREX
2197	47252212	WATER VALVE, MATERIAL CODE 781155..P/N: 47252212..MFG: TEREX
2198	47252312	CABLE, CODE MATERIAL 780297..P/N: 47252312..MFG: TEREX
2199	47253012	AIR CONDITIONING, MATERIAL CODE 781413..P/N: 47253012..MFG: TEREX
2200	47269212	AIR CONDITIONING, MATERIAL CODE 7012697..P/N: 47269212..MFG: TEREX
2201	47286712	NOZZLE, MOSAIC CODE 70156949, SOLPED 10281089..P/N: 47286712..MFG: TEREX
2202	47288712	WIPER BLADE, MOSAIC CODE 70156949, SOLPED 10281089..P/N: 47288712..MFG: TEREX
2203	47299912	FRONT WINDOW, MOSAIC CODE 779771, SOLPED 1028289, FOR AC100 CRANE..P/N: 47299912..MFG: TEREX
2204	4733001180	BRAKE DISC COMPLETE..P/N: 4733001180 (R/B: 4733004180)..MFG: STAHL..SCHEDULE B: # 8431.10.0090 OTHER PARTS

	Item	Description
2205	47336	HEAD RETAINING RING..P/N: 47336..MFG:CODELINE..SCHEDULE B:# 8421.99.0040 PARTS FOR MACHINERY AND APPARATUS FORFILTEF
2206	47356103	SWITCH, PRESSURE (SPEC)-LOW,OPEN 35H..PRESSURE CTRL LP MINI 200V-MAX35-REPL473561B-03..P/N:47356103..MFG: MCQUAY REFF
2207	47390412	MOUNTING CLIP, MATERIAL CODE 70135480..P/N: 47390412..MFG: TEREX
2208	47390512	ACCUMULATOR, MATERIAL CODE 70135479..P/N: 47390512..MFG: TEREX
2209	4743040AA	BUSHING SPRINGS..P/N: 474340AA..MFG: DODGE
2210	4743225AA	REAR ABSORBER - S..P/N: 4743225AA..MFG: DODGE
2211	4743834AB	RIGHT ARM..P/N: 4743834AB..MFG: DODGE
2212	4743835AB	LEFT ARM CONTROL..P/N: 4743834AB..MFG: DODGE
2213	475-7272	HEX HEAD BOLT..P/N: 475-7272..MFG: CATERPILLAR
2214	47550-60	TABLE SCISSOR LIFT 330 LBS..P/N: 47550-60..MFG: COLE PARMER..SCHEDULE B: # 8503006060 OTHER LIFT UNITS..(ESTIMATE FREIGHT
2215	47550-61	TABLE SCISSOR LIFT 660 LBS..P/N: 47550-61..MFG: COLE PARMER..SCHEDULE B: # 8503006060 OTHER LIFT UNITS
2216	475FP1EKLUGM9	475 FIELD COMMUNICATOR CONFIGURRATED..F: COMMUNICATION PROTOCOL HART AND FOUNDATION FIELBUS..P: BATTERY TYPE R
2217	47900	HELICOIL LOCK INSERT PUMP NS 65/32N; ST ST ASTM A276 TYPE 304HELICOIL LOCK INSERT FOR PUMP KKS 40GMA25AP001/40GMA26A
2218	48-C2	LAMP BULB INDICATOR TEL BASE 48V..P/N: 48-C2..MFG: EIKO..SCHEDULE B:#8539228050 OTHER LAMPS
2219	4800-TK1 TUNE UP KIT	4800-TK1 (KIT INCLUDES:R4800-565,R4800-283,R4840-283,R4800-210,M0V003AA-739,R4800-383,R4800-119,R2-24A,R4800-42-5,R3H-24,R4800
2220	480232	BASE PORTAFUSE, 32A, 690VAC, 32 INCHES..P/N: 480232..MFG: DF FUSE ELECTRIC
2221	480H150	OPTIBELT/SKF/GOODYEAR BELT TRANSMISSION..P/N: 480H150..SCHEDULE B: # 4010190100 OTHER TRANSMISSION BELTINGS..MFG: OP
2222	4811931X	PT X-RAY WITH A DIAL LINER..MATTE BLACK LE MODEL..P/N: 4811931X..MFG:PRO-TEC
2223	4815-7611	LINER PUMP MAIN FRAME..P/N: 4815-7611..MFG: METSO
2224	48250092	MULTIFUNCTION METER (RS 485 JBUS/ MODBUS COMMUNICATION)..P/N: 48250092..MFG: SOCOMEC
2225	48250A43	MULTIFUNCTION METER, SPECIFICATION (DIRIS A-30 110...400 VAC/ 120 ...350 VDC AUXILIARY SUPPLY, MULTIFUCTION POWER METERIN
2226	4825R	LAMP, SEALED BEAM (NO. LAMP TRADE)-4825R;(V)-28V; (POW)-18/50W; (CLR)-RED..P/N: 4825R..MFG: GENERAL ELECTRIC CO.
2227	48265312	SEAL KIT..CODE MISKI MAYO 70143950..P/N: 48265312..MFG: TEREX
2228	48351	LAMP HALOGEN..V: 12V, POWER: 100W, TYPE: PK22S..P/N: 48351..MFG: NARVA..SCHEDULE B: # 8539212000 OTHER HALOGEN LAMPS
2229	4840M	AIR MOTOR MODEL 4840M,RPM-975,SPO5A30385..MFG:INGERSOL RAND..P/N:4840M..SCHEDULE B: # 8441.90.0000 AIR MOTOR FOR PAPE
2230	4851-7611	LINER PUMP MAIN FRAME..MFG: METSO..P/N: 4851-7611..SCHEDULE B: #8413919520 OTHER PUMP PARTS
2231	486554	SIERRA HS 75/3 bi PKG OF 5..P/N: 486554..MFG: FESTOOL..SCHEDULE B: #8202910000 BLADES FOR METAL WORKING
2232	486558	SIERRA HS 105/1.2 bi PKG OF 5..P/N: 486558..MFG: FESTOOL..SCHEDULE B: #8202910000 BLADES FOR METAL WORKING
2233	486559	SIERRA HS 105/2 bi PKG OF 5..P/N: 486559..MFG: FESTOOL..SCHEDULE B: #8202910000 BLADES FOR METAL WORKING
2234	487-6610	FLAT WASHER..P/N: 487-6610..MFG: CATERPILLAR
2235	487-6623	BOLT-12 PT..P/N: 487-6623..MFG: CATERPILLAR
2236	4870260011	BUSHING..P/N: 4870260011..MFG: MILLER TECHNOLOGY
2237	4870660070	BUSH SUB-ASSY, BUJE ..P/N: 4870660070..MFG: MILLER TECHNOLOGY
2238	4874060140	ROD ASSEMBLY MILLER..P/N: 4874060140..MFG: MILLER TECHNOLOGY

	Item	Description
2239	4880	LAMP SELAED BEAM..LT: 4880, V: 24V, POW: 60W,..P/N: 4880..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8539100040 LAMP SEALED BEAM
2240	488016	SIERRA HS 60/1.2 bi..P/N: 488016..MFG: FESTOOL..SCHEDULE B: #8202910000 BLADES FOR METAL WORKING
2241	4880260120	LINK SUBASSY MILLER..P/N: 4880260120..MFG: MILLER TECHNOLOGY INC.
2242	4880460110	BAR STABILIZER..P/N: 4880460110..MFG: MILLER TECHNOLOGY
2243	4881560170	BUSHING..P/N: 4881560170..P/N: MILLER TECHNOLOGY
2244	489	HUB PVC COVERED..DIA: 1-1/2"..P/N: 489..MFG: THOMAS & BETTS..SCHEDULE B: # 8547900030 ELECTRICAL CONDUIT THREADED TUBIN
2245	48ASU3M20	SOLID STATE OVERLOAD RELAY W/ PHASE LOSS CIRCUIT TRIP CLASS 20.RANGE 100-270 AMPS; 600 VAC 50-60HZ ESP 100TFA/0121 SEF
2246	48C3	LAMP MINIATURE ..P/N: 48C3..MFG: EIKO..SCHEDULE B:#8539228050 - OTHER LAMPS
2247	48FINR-N5-25-WH	SIGNAL FLASHING INCANDESCENT,RED(FLASH HALOGEN BEACON 120 V AC RED)..120 VAC 50/60HZ 0.20 AMP...P/N:48FINR-N5-25-WH..M
2248	490	HUB PVC COVERED 490, DIA: 2", PKG/5..P/N: 490 (R/B: 375-G) ..MFG: THOMAS & BETTS..SCHEDULE B: #8535.90.8040 OTHER CONNECTOF
2249	490178	SIERRA HS 75/2.5 bi, PKG OF 5..P/N: 490178..MFG: FESTOOL..SCHEDULE B: #8202910000 BLADES FOR METAL WORKING
2250	490S-120AC	(V)_120AC; (CLR)-AMBER; (SPEC)-1/2" FEMALE PIPE MOUNT (TYPE)-MICROSTROBE..P/N: 490S-120AC..MFG:TOMAR ELECTRONICS..SCHE
2251	491 602 44	STRAIN GAUGE CARR,LINK ZMS 6, ZMS 6,25 DH1000 (OLD no.: 46960244 OVERLOAD CELL-BL DH1000) .SCHEDULE B:# 9010.90.0002 PART
2252	491B	LOCKOUT CIRCUIT BREAKER FITS WIDE OR TALL BREAKERS GRIP TIGHT..P/N: 491B..MFG: MASTERLOCK
2253	4920	CLEANER DEGREASE TYPE DIELECTRIC, TRADE NAME: LPS-F104, FORM: AEROSOL, PKG SIZE 15 OZ, 12/PKG..P/N: 4920 (04920)..MFG: LF
2254	492932	FILTER..SPEC: 492932..MFG: BRIGGS & STRATTON CORP...SCHEDULE B:# 8421230000 OIL OR FUEL FILTERS
2255	493B	LOCKOUT CIRCUIT BREAKER FITS STANDARD HEIGHT AND TIE BAR TOGGLES GRIP TIGHT..P/N: 493B..MFG: MASTERLOCK
2256	49504	NEON BULB..P/N: 49504..MFG: JOSLYN ELECTRONIC SYSTEMS
2257	4989C13A07	FUSE, TYPE: CLC, VAC: 4.3-5.5KV, I: 50A, REF: PWR FAC CAP..P/N: 4989C13A07 (CLC4989C13A07)..MFG: ABB INC...SCHEDULE B: # 8535.10
2258	499ACL-02-54	ELECTRODE (SENSOR) ..P/N: 499ACL-02-54..MFG: ROSEMOUNT ANALYTICAL LIQUID DIVISION
2259	4A-1203	CONDUCTOR COUNT:3 CONDUCTOR..CONDUCTOR MATERIAL:BARE COPPER..CONDUCTOR SIZE:12 AWG..CONDUCTOR TYPE:65 STRAN
2260	4AJ-9115245	INCINERATING DISHES PORCELAIN ; ..RECTANGULAR WITH VERTICAL SIDE WALLS. GLAZED, EXCEPT FOR BASE EXTERIOR...CAPACITY
2261	4AWG 408-04	CABLE LEAD AND HIGH TEMPERATURE, TYPE: SRG SRML/SFF-2, VAC: 600V, AWG: 4, NO. STRAND: 133, TEMP: 150-200C, SPEC: SILICONE
2262	4C 8AWG	CABLE 4 CONDUCTORS 8 AWG..FOR ELECTRIC REELS..P/N: 4C 8AWG..PFG: GLEASON REEL HUBBELL
2263	4CS-1/2	CONDUIT BOX METAL..LG: 4", W: 2-1/2", HOLE: 1.2", TYPE: RECTANGLE, D: 1-1/4"..P/N: 4CS-1/2 ..MFG: ABB T&B OFFER P/N: (58361-1/2)..SCI
2264	4DU60	WASH FOUNTAIN, 36 IN WIDE, SEMI CIRCULAR ..P/N: 4DU60 (WF2703F-B-LSD)..MFG: BRADLEY..SCHEDULE B: # 7318220000 OTHER WASH
2265	4HE1	MOTOR DIESEL 4.8L, TAG: 4600, ISUZU REMANUFACTURED 4HE1/ 4HE1XN..NON EGR (EXHAUST GAS CIRCULATION), OHC DIRECT INEC
2266	4KP26	TAPON ..Item long text:..(W/)-FEMALE PIPE THREAD 1/2"..P/N: 4KP26..MFG:HANSEN-EATON..
2267	4LA29	LOCKER 1 TIER, WIDE WARDROBE..STS-151872-1MG P/N: 4LA29 GRAINGER..MFG: TENNSCO
2268	4LOW	4LOW Hydraulic Torque Machine..Minimum Foot Pounds: 387..Maximum Foot Pounds: 3870 ..Accuracy: + 3%..Swivel: Standard..Reaction Arm: Vertica
2269	4POSTRAILKIT1U	1U INIVERSAL ADJUSTABLE RACKMOUNT SHELF..4-POST RM UPS INSTALLATION KIT 1U 20.5-36 SQUARE HOLES ..P/N:4POSTRAILKIT1U.
2270	4S-1/2	CONDUIT BOX METAL..LG: 4", W: 4", HOLE: 1/2", TYPE: SQUARE..P/N: 4S-1/2..MFG: APPLETON..SCHEDULE B: # 8536695050 OTHER CONNE
2271	4VM72	LIGHT CARRY HAND, WATT: 500W, SPEC: 3 POSITION SWITCH, 12 FT LENGHT CORD, WITH WATERPROOF GASKET LEN, LAMPS TAMPE
2272	4WE10J33 / CW110N9K4	DIRECTIONAL VALVE; TYPE: WE ; 4 WAYS; 3 POSITIONS; SIZE D05 (NG10);110-120VAC,50-60HZ;MAX FLOW31.7GPM;MAX PRESSURE 456

	Item	Description
2273	4WE6J6X/EG24N9K4	DIRECTIONAL SPOOL VALVES..P/N: 4WE6J6X/EG24N9K4..MFG: REXROTH VALVE
2274	4WE6JA61/EG24N9K4	DIRECTIONAL SPOOL VALVES..P/N: 4WE6JA61/EG24N9K4..MFG: REXROTH VALVE
2275	4XM28	LADDER ROLLING 3 STEP, ASSEMBLE, GRIP, MFG: COTTERMAN P/N: 1003R1820A3E10B3C1P6..P/N: 4XM28..BRAND: GRAINGER..SCHEDUI
2276	4XM30	LADDER ROLLING 4 STEP, ASSEMBLED, GRIP, MFG: COTTERMAN P/N: 1004R1820A3E10B3C1P6..P/N: 4XM30..BRAND: GRAINGER..SCHEDI
2277	4XM52	LADDER ROLLING 4 STEP, ASSEMBLED, GRIP, MFG: COTTERMAN P/N: 1204R1820A3E12B3C1P6..P/N: 4XM52..BRAND: GRAINGER..SCHEDI
2278	4XM68	PLATFORM WORK SEEL BASE WXL 40X63IN, COTTERMAN P/N: 4WP3636RA3B4B8AC1P6..P/N: 4XM68..BRAND: GRAINGER
2279	4XM73	5 STEP WELDED ALUMINUM, ROLLING LADDER WITH 30" HANDRAILS/ 50" TOP STEP HEIGHT, 24" WIDE STEPS WITH 14" DEEP TOP STEI
2280	4XM74	6 STEP WELDED ALUMINUM, ROLLING LADDER WITH 30" HANDRAILS/ 60" TOP STEP HEIGHT, 24" WIDE STEPS WITH 14" DEEP TOP STEI
2281	4YY87	TERMOMETER DIGITAL EXTECH..MODEL: 421509..
2282	5-001-0-0003	CRANE CUTTING AND LAPPING, PKG: 5 GL PER CAN..P/N: 5-001-0-0003..MFG: LAPMASTER..
2283	5-02	BEARING F. REDUCTOR WEST TECHPART # 21587A-103, RATIO: 3045, SERVICE FACTOR: 1.0, INPUT: 1.01 HP, 1750 RPM, TORQUE 56400 I
2284	5-03	BEARING G. REDUCTOR WEST TECHPART # 21587A-103, RATIO: 3045, SERVICE FACTOR: 1.0, INPUT: 1.01 HP, 1750 RPM, TORQUE 56400
2285	5-5/8"X7-3/8"X14FT	DOUGLAS FIR CROSSARMS, PRESSURED TREATED WITH PENTA CHLOROPHENOL AND OIL PER AWPA AND ANSI STANDARD LATEST F
2286	5.321-379.0	VALVE CHEMICAL..P/N: 5.321-379.0..MFG: KARCHER..SCHEDULE B: # 8451900020 OTHER PARTS FOR WASHING MACHINE
2287	5.332-028.0	SPRING..P/N: 5.332-028.0..MFG: KARCHER..SCHEDULE B: # 8451900020 OTHER PARTS FOR WASHING MACHINE
2288	5.337-021.0	SPRING PLATE METERING VALVE..P/N: 5.337-021.0..MFG: KARCHER..SCHEDULE B: # 8451900020 OTHER PARTS FOR WASHING MACHINE
2289	5.423-234.0	TUBING..P/N: 5.423-234.0..MFG: KARCHER..SCHEDULE B: # 8451900020 OTHER PARTS FOR WASHING MACHINE
2290	5/16 IN ID X 1/2 IN OD	SILICONE RUBBER TUBING, 50-5 S hA, NATURAL TRANSLUCENT (3/32 IN WALL) 100 FT..5/16 IN ID X 1/2 IN OD..P/N: ST02501..MFG: IPOTEC
2291	5/8 IN ID X 13/16 IN OD	SILICONE RUBBER TUBING, 50-5 S hA, NATURAL TRANSLUCENT (3/32 IN WALL) 50 FT..5/8 IN ID X 13/16 IN OD..P/N: ST04001..MFG: IPOTEC
2292	5/8" GRADE B	SLEEVE VINYLGLASS FLEX..SIZE: 5/8", GRADE B BLACK..P/N: 5/8" GRADE B (P/N: 52038)..MFG: HILEC..SCHEDULE B: # 3919102055 SELFAD
2293	50-00-0-006	VALVE (V)-24V (SPEC)-L01 WITH KIT ASSEMBLY..P/N: 50-00-0-006..MFG: CONTROL CHIEF..SCHEDULE B: # 8481909090 PARTS FOR VALVE
2294	50-01-0-002	VALVE (PRE) 0-100PSIG; (I) 4-20MA (SPEC) PROPORTIONAL..P/N: 50-01-0-002..MFG: CONTROL CHIEF..SCHEDULE B: # 8481.80.9050 OTHEF
2295	50-04-0-003	INCREASE, PRESSURE..(SPEC)- RATIO 1:1 THE 3/8 THREAD WITH SUPPORT..P/N: 50-04-0-003..MFG: CONTROL CHIEF
2296	50-10-0-003	TRANSDUCER, PRESSURE, I:4 TO 20 MA, PRE: 0 TO 100 PSI..P/N: 50-10-0-003..MFG: CONTROL CHIEF..SCHEDULE B: # 8543704000 TRANS
2297	50-1106S	PULSATION DAMPENER, CONNT NPT 1/2", STAINLESS STEEL..P/N: 50-1106S..MFG: ASHCROFT..SCHEDULE B: 8536695050 OTHER ELECT
2298	50-1112S	PRESSURE SNUBBER CONN NPT 1/2", POROSITY E, STAINLESS STEEL..P/N: 50-1112S..MFG: ASCHCROFT..SCHEDULE B: 8536695050 OTI
2299	50-20-0-007	FILTER, AIR, SYSTEM (SPEC) COMPLETE - COMPLETE..P/N: 50-20-0-007..MFG:CONTROL CHIEF..SCHEDULE B:# 8421.31.0000 OTHER AIR F
2300	50-20-0-010	KIT, FILTER ELEMENT 9SPEC) REPLACE ELEMENT, FILTER COALESCENTE..P/N: 50-20-0-010..MFG: CONTROL CHIEF..SCHEDULE B: # 8411
2301	50-20-0-011	KIT, FILTER ELEMENT (SPEC)-REPLACE ELEMENT, FILTER PARTICLE..P/N: 50-20-0-011..MFG: CONTROL CHIEF..SCHEDULE B: # 841199705
2302	50-99-0-008	MAIN RESERVOIR PRESSURE GAGE, SPEC: TRAIN LINE..P/N: 50-99-0-008..MFG: CONTROL CHIEF..SCHEDULE B: # 9026.20.0000 INSTRUME
2303	50-99-0-014	BRAKE PRESSURE GAGE, SPEC: INDEPENDENT..P/N: 50-99-0-014..MFG: CONTROL CHIEF..SCHEDULE B: # 9026.20.0000 INSTRUMENTS FC
2304	50 FWA BOX	ALUMINUM FLATWASHER..P/N: 50 FWA BOX..MFG: BURNDY
2305	50 HAN BOX	ALUMINUM NUT..P/N: 50 HAN BOX..MFG: BURNDY
2306	50 SWAL BOX	ALUMINUM LOCKWASHER..P/N: 50 SWAL BOX..MFG: BURNDY

	Item	Description
2307	5000115586	FLEXIBLE COUPLINGS FOR MOTOR PUMP..MODEL PT6LT, KIT-WN PT6LT..P/N: 5000115586..MFG: WACKER NEUSON..SCHEDULE B: # 8483
2308	5000160	HANDLE, HYD VALVE..REWORK..CODE MISKI MAYO 781021..P/N: 5000160..MFG: BOART LONGYEAR
2309	5000162455	FUEL PUMP..P/N: 5000162455..MFG: WACKER NEUSON
2310	500028	SCREW OR DYNAPAC LF90..P/N: 500028..MFG: DYNAPAC
2311	5000405	SEAL KIT, PQ HEAD..CODE MISKI MAYO 785088..P/N: 5000405..MFG: BOART LONGYEAR
2312	5000545	KIT, PQ HEAD MAJOR..OVERHAUL..CODE MISKI MAYO 785080..P/N: 500545..MFG: BOART LONGYEAR
2313	5001	LAMP SEALED BEAM, 6/PKG..NO. LAMP TRADE: 5001, V: 12.8V, POW: 37.5W..P/N: 5001..MFG: GENERAL ELECTRIC..SCHEDULE B: # 853910(
2314	5006414AB	REAR SPRING..P/N: 5006414AB..MFG: DODGE
2315	5006950AA	BUSHING SPRING ..P/N: 5006950AA..MFG: DODGE
2316	5007	SWITCH PUSH PULL..#POS: 3, ON/OFF, CKT: 1, INCLU: TWO SCREW..P/N: 5007..MFG: COLE HERSEE..SCHEDULE B: # 8536509035 OTHER
2317	50078	BRUSH CURVED HANDLE 5-1/2, OVERALL LENGHT 13-3/4IN..P/N: 50078..MFG: ANDERSON..
2318	50087	SOFT COATED PROTECT COMBINATION WRENCHES METRIC 15 PC SET..P/N: 50087..MFG:WIHA..SCHEDULE B: # 8203208000 OTHER HA
2319	500F-COD930	STARTER, TYPE: S2, 509, FVNR, SPEC: NO OVERLOAD..P/N: 500F-COD930..MFG: ALLEN BRADLEY..SCHEDULE B: # 8511400000 STARTER I
2320	500FL-B0D93	CONTACTOR MAGNETIC..V: 115-120V, POL: 3, I-CUR1: 30A, I-CUR: 30A, FREQ: 60, V-CONT: 600, SIZE: 1, SPEC: S1 500FL FVC..P/N: 500FL-B(
2321	500X	CONTROL AIR INC AMHERST, NH USA.. TYPE: 500X, I/P TRANSDUCER, INPUT: 4 – 20 ma.,OUTPUT: 3 – 15 psi.,SUPPLY: 18 – 100 Psi....P/N: 5
2322	5010-BOD	PROBE, SELF-STIRRING, 5 FT..P/N: 5010-BOD..MFG: YSI..SCHEDULE B: #8545190000 - OTHER ELECTRODES
2323	5012	BOLT ANGLE 5/8 X 12..P/N: 5012..MFG: CHANCE..SCHEDULE B: # 7318160000 OTHER NUTS
2324	5014	TIMBLE EYE ANGLE BOLT 14 X 5/8..P/N: 5014..MFG: CHANCE..SCHEDULE B: # 7318190000 OTHER NUTS
2325	50140898	LIGHT BULB, CODE 70135475..P/N: 50140898..MFG: TEREX
2326	5016	PERNO ANGULAR PARA VIENTO 16"..P/N: 5016..MFG: CHANCE..SCHEDULE B: # 7318190000 OTHER NUTS
2327	5019-02	WIRE HYPALON LEAD..(AWG): 2, V: 5000V, (NO. CONDUCTORS): 1, (TEMP-MAX): 150 OC..P/N: 5019-02 (P/N: 36102)..MFG: BELDEN..SCHEDU
2328	502.1	RING WEAR STATIONARY..MAT: A 743-CA40, (DRAW): 102451-100, (POSN): 502.1..PUMP MARKS SULZER, WATER RECIRCULATION ISA FU
2329	50230	CABINET, CLR: UTILITY TAN, SPEC: WALL MOUNTED..P/N: 50230..MFG: KENNEDY MFG CO...SCHEDULE B: # 8304000000 OTHER CABINETS
2330	5026-204	AXIS POWER OF ETHERNET (POE) DC POWER MIDSPAN TO AXIS NETWORK VIDEO PRODUCTS WITH BUILT-IN POE SUPPORT. ..MODEI
2331	50292	PERMEATE PORT SEAL 45312, PK 20 EA P/N: 50292..MFG:CODELINE..SCHEDULE B:# 8421.99.0040 PARTS FOR MACHINERY AND APPARA
2332	50316P0X9	POSITION SWITCH (FM APPROVED)..p/n: 50316P0X9..MFG: RG LAURENCE..SCHEDULE B# SCHEDULE B # 8412.39.0080 OTHER PARTS FOI
2333	5036489	1-7/32” (30.5 MM)..DIE-RD 1.218 PKGD SC..P/N:5036489 (OFFER: (P/N:36489)..MFG:GREENLEE
2334	5039002004	BASIC EFFCIENCY FILTERS, DISPOSABLE PANEL FILTERS, 2" FIBERGLASS..CHANNEL FRAME; 20X20X2 F312..20X20X2 F312 FIBERGLASS
2335	50453	KNEE PAD; ALTAFLEX GEL BLACK FLEXIBLE CAP ALTALOCK..P/N:50453..MFG:ALTAFLEX..SCHEDULE B:# 9613.90.0000 OTHER PARTS
2336	505A672G01	SWITCH, TYPE W 2,1/4 MAX PANEL..P/N: 505A672G01..MFG: ELECTRO SWITCH CORP...SCHEDULE B: # 9026.10.7000 OTHER SWITCHES
2337	505A713G02	CIRCUIT BREAKER CONTROL..P/N: 505A713G02..MFG: ELECTROSWITCH..SCHEDULE B: # 8536.50.9025 SWITCHES RATED OVER 5A
2338	505A718G01	CIRCUIT BREAKER CONTROL..P/N: 505A718G01..MFG: ELECTROSWITCH..SCHEDULE B: # 8536.50.9025 SWITCHES RATED OVER 5A
2339	506-3100-70N-00	(1)(MULTIPOINT II)..506-3100-70N-00..UNIT MOUNTING: REMOTE..SENSING ELEMENT: SYSTEM LESS PROBE..406-3033-004-00-..VOLTAGE:
2340	506-3100-70N-00 MULTIPOINT II	MULTIPOINT II..506-3100-70N-00..UNIT MOUNTING: REMOTE..SENSING ELEMENT: SYSTEM LESS PROBE..406-3033-004-00-..VOLTAGE: 12

	Item	Description
2341	5060	MEGOHMETER; RS-232 W/DATA VIEW SOFTWARE 10 TOHMS, 1000V; AEMC 5060..(TYPE)-ANALOGUE/DIGITAL(RANGE)-1 KOHM-;10,000 G
2342	5066334AA	FRONT STRUT 266C..P/N: 5066334AA..MFG: DODGE
2343	506HPSS	TRIP-L-TRAP® 506HPSS DRAIN;..ITEM NUMBER: 3239739 ;MODEL NUMBER: 506HPSS;STAINLESS STEEL;14”H X 7”W ..CONNECTION 3/4" N
2344	5070818	BOLT SQUARE HEAD INCH, DIA: 5/8", THD/IN: 11, LG: 12", TYPE-THD: UNC, GDE: 2, THD:PARTIALLY, INCLUDE: NUT SQUARE..P/N: 5070818
2345	5072	FIRE BUTTERFLY VALVE, SIZE 6", GROOVED END MODEL BFV-N, 0920-00060 705W 59300F060N..P/N: 5072..MFG: TYCO
2346	50722112	ORIFICE L.H...P/N: 50722112..MFG: TEREX..SCHEDULE B: # 8716.90.0000
2347	50722212	LIGHT COVER..P/N: 50722212..MFG: TEREX..SCHEDULE B: # 8716.90.0000
2348	50726412	FOG LIGHT, CLEAR..P/N: 50726412..MFG: TEREX..SCHEDULE B: #8716.90.0000..
2349	50726512	DAY-TIME DRIVING..P/N: 50726512..MFG: TEREX..SCHEDULE B: # 8716.90.0000
2350	50726612	SPOTLIGHT; FOG DRIVING LIGHT..P/N: 50726612..MFG:TEREX..SCHEDULE B: # 8716.90.0000 OTHER PARTS
2351	5075604001.00	RATCHET; WERA CLICK-TORQUE A 5 TORQUE WRENCH 2.5-25 NM ..REVERSIBLE RATCHET 1/4" DRIVE ;..WERA 075604..1/4" DRIVE, REVI
2352	508500	SCREW LAG GALVANIZED, DIM: 1/2 X 4"..P/N: 508500..MFG: CHANCE..SCHEDULE B: #7318159000 OTHER BOLTS
2353	50883498	SCREW, MATERIAL CODE 70126982..P/N: 50883498..MFG: TEREX..
2354	509117	FILTER FUEL 23.0023..SUB GF68M OR 33031..P/N:509117..MFG: CAM SPRAY..SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR PRESSURE
2355	509335	GEN YU2140 UNLOADER4000PSI...P/N:509335..MFG: CAM SPRAY...SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR PRESSURE WASHER.
2356	50941898	FUSE, CODE 70135469..P/N: 50941898..MFG: TEREX
2357	509555	INJECTOR M X M 3/8 NPT..SOAP INJECTOR M X M..P/N:509555..MFG: CAM SPRAY...SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR PRES
2358	50987098	NUT, MATERIAL CODE 70126983..P/N: 50987098..MFG: TEREX
2359	50A19RS75V	LAMP INCANDESCENT..V: 75V, POW: 50W, ..P/N: 50A19RS75V..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8539292500 OTHER INCANDES
2360	50G13	ABSOLYTE BATTERIES 50G13 48 VDC, PROVIDES (24) 2 V CELLS =48VDC..312 NOMINAL AH @ 8 HOURS TO 1.75 VPC, 3 PALLETS = 34X34
2361	50R20FL2	LAMP INCANDESCENT..V: 120V, POW: 50W, SPEC: SPECLECTOR, BASE MEDIUM BULB R20 LUMENS 420, P/N: 50R20FL2 OFFER..P/N: 50R2
2362	50W1F-HC1A1AA0AAAD	ELECTROMAGNETIC FLOWMETER DN150, FLANGE CONNECTION, EN 1092-1 (DIN2501) PN16, 1 PC PROMAG 50W1F, DN150 6#..P/N: 50W1
2363	50x300 HAB BOX	ALUMINUM HEXAGON HEAD BOLT..P/N: 50x300 HAB BOX..MFG: BURNDY
2364	51-380-865-016	BEARING BALL, RADIAL TYPE, SINGLE ROW, STEEL CAGE, STYLE (2) SHIELD, AFBMA NO 80BC03JPP3, OPPOSITE DRIVE-END..P/N: 51-38
2365	51-905-967-004	BEARING BALL;RADIAL TYPE;SINGLE ROW;STEEL CAGE;STYLE(2) SHIELD;AFBMA NO 80BC03JPP3;OPPOSITE DRIVE-END..51-905-967-00
2366	5100-230	OXYGEN INSTRUMENT, LAB WITH SOUR SOFTWARE -230V..P/N: 5100-230..MFG: YSI..SCHEDULE B: # 9026105000 FLOW METERS
2367	510100	O-RING 0-110 (#8)(100880) 1/4" COUPLER/ 3/8" TF..P/N:510100..MFG:510100..SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR PRESSURE W
2368	5103-101-002	SF-400, TERMINAL ACCESSORY..P/N: 5103-101-002..MFG: WARNER ELECTRIC
2369	5104-101-003	RELEASE SPRING ACCY 400..P/N: 5104-101-003..MFG: WARNER ELECTRIC
2370	5104-451-039	FIELD BRG MTD 24V SF400..P/N: 5104-451-039..MFG: WARNER ELECTRIC
2371	5104-452-056	FIELD & ROTOR BRG 24V SF400, 5/8" BORE..P/N: 5104-452-056..MFG: WARNER ELECTRIC
2372	5104-751-044	MOTOR SF-400..P/N: 5104-751-044..MFG: WARNER ELECTRIC
2373	510565	FILTER 1-1/4 BANJO BANJO FILTER..P/N:510565..MFG: CAM SPRAY...SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR PRESSURE WASHE
2374	510565.1	FILTER SCREEN #141240M..P/N:510565.1..MFG: CAM SPRAY..SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR PRESSURE WASHER.

	Item	Description
2375	510565.2	FILTER GASKET 812688..P/N: 510565.2..MFG: CAM SPRAY..SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR PRESSURE WASHER.
2376	51060B12	THERMOMETER,BIMETALLIC (SIZE)-5" DIAL 6" STEM;BOTTOM CONNECTION(SZ-CONN)-1/2" BACKNPT STEM 5 (RAN-TEMP)-150-750F ..P/N
2377	5109WB-S	LANTERN 5109WB-S WITH BATTERY..P/N: 5109WB-S..MFG: EVERDEADY-ENERGIZER....SCHEDULE B: #8513100000 - PORTABLE LAMPS.
2378	51100	GASKET CASING PUMP NS50/26NB NS65/32N; KBLNON ASB GASKET FERROLITE NAM37 OR EQUIVGASKET FOR CASING PN 51100 FOR F
2379	5113	DIFUSSER PX12H, ITEM 62 FOR PUMPEX PX 12H, SERIE 12000672..P/N: 05113..MFG: PUMPEX PUMPS
2380	5125-111-001	ARMATURE 400..P/N: 5125-111-001..MFG: WARNER ELECTRIC
2381	5125-541-003	ARMATURE HUB 5/8" BORE 400..P/N: 5125-541-003..MFG: WARNER ELECTRIC
2382	512NC	CONNECTOR CABLE..TYPE: FLAT, AWG: #14-#12, DIA: 3",..SPEC: 2.5 NPT THD SIZE..P/N: 512NC..MFG: AERO-MOTIVE MFG..SCHEDULE B: #
2383	51306528-175	C300 PROFIBUS DP GATEWAY BASE PM1 & PM3, ..P/N: 51306528-175..MFG: HONEYWELL
2384	5138	WEAR PLATE PX12, ITEM 58 FOR PUMP PUMPEX PX 12H, SERIA 12000672..P/N: 05138..MFG: PUMPEX PUMPS
2385	5139031AH	FUEL PUMP KIT - F..P/N: 5139031AH..MFG: DODGE..
2386	5147	BALL BEARING ITEM 37 FOR PUMP PUMPEX PX 12 H SERIE 12000672..P/N: 05147..MFG: PUMPEX PUMPS
2387	5149	O-RING FOR PUMP PUMPEX PX 12 H SERIE 12000672..P/N: 05149..MFG: PUMPEX PUMPS
2388	514CW-N309	DOUBLE COAT FILM TAPE DOUBLE COAT FILM TAPE, 48 mm x 50 m, 24EA/BOX..P/N: 514CW-N309..MFG: VENTURE TAPE..SCHEDULE B: #
2389	515-549-006	FILTER AIR PANEL..P/N: 515-549-006..MFG: AMERICAN AIR FILTERS..SCHEDULE B: # 8421990080 OTHER PARTS FOR DUST COLLECTION
2390	5151-033	FAN BLADE..P/N: 5151-033..MFG: BARD INTL..SCHEDULE B: # 8414901080 OTHER PARTS FOR FAN
2391	5151-045	FAN BLADE..P/N: 5151-045..MFG: BARD YORK..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
2392	51516	RELAY 240 V..P/N: 51516..MFG: JOSLYN ELECTRONIC SYSTEMS
2393	5152-090	WHEEL (CW)..P/N: 5152-090..MFG: BARD YORK..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
2394	5152-091	WHEEL (CCW)..P/N: 5152-091..MFG: BARD YORK..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
2395	5153	O-RING FOR PUMP PUMPEX PX 12 H SERIE 12000672..P/N: 05153..MFG: PUMPEX PUMPS
2396	515398-58	ROBUST ENCODER WITH SOLID SHAFT, VDC: 9-30 V, MODEL: RSI 503, FLANGE TYPE: 63, DIA: 6mm WITH PARTIAL FLAT, RESOLUTION 5
2397	5154	O-RING FOR PUMP PUMPEX PX 12 H SERIE 12000672..P/N: 05154..MFG: PUMPEX PUMPS
2398	5156	O-RING FOR PUMP PUMPEX PX 12 H SERIE 12000672..P/N: 05156..MFG: PUMPEX PUMPS
2399	5157	O-RING FOR PUMP PUMPEX PX 12 H SERIE 12000672..P/N: 05157..MFG: PUMPEX PUMPS
2400	515CR	CONNECTOR, VAC: 125 V, I: 15A, POLES: 2, N# WIRE: 3, TYPE: STRAIGHT BLADE, MAT: RUBBER GROUNDING, CLR: BLACK..P/N: 515CR..M
2401	516050	SCREW FOR DYNAPAC LF90..P/N: 516050..MFG: DYNAPAC
2402	51654AK2907	MOTOR RAMP ASSEMBLY KLAUBER..P/N: 51654AK2907..MFG: BRAUN LIFT CORP.
2403	51827U	TRANSFORMER IGNITION,..V-PRIMARY: 120V, V-SECONDARY: 6KV, I: 23MA..P/N: 51827U..MFG: BECKETT CORP...SCHEDULE B: # 8504312(
2404	51F033A	SHEET INSULATING..LG: 36", W: 48", THK: 1/4"..REF: MICARTA LINEN NATURAL..P/N: 51F033A (OFFER P/N: CE250-36X48SH)..MFG: INTERN
2405	52-058-012	GAUGE VERNIER; (RANGE)-0-12",0MM-300MM(GRAD)-0.001"/0.02MM DATA (SPEC)-HARDENED S/S (DOC/EXT)-Y/N..P/N: 52-058-012..MFG: F
2406	52-225-015-1	MICROMETER DEPTH (RANGE)-0-6";(GRAD)-0.001" DTA (SPEC)-BASE 4";INCLUDE 6 RODS..P/N: 52-225-015 (52-225-015-1)..MFG: FOWLER..
2407	52-248-001-1	MICROMETER OUTSIDE, RANGE: 0-25 MM, GRAD: 0.01 MM DATA..P/N:52-248-001-1..MFG: FOWLER..SCHEDULE B:# 9017.30.8000 OTHER M
2408	52-253-001-1	MICROMETER; OUTSIDE(RANGE)-0-1;(GRAD)-0.001"DATA (SPEC)-THIMBLE STYLE FRICTION..P/N: 52-253-001-1..MFG: FOWLER..SCHEDUL

	Item	Description
2409	52-432-009	SQUARE (TYPE)-L;STEEL; (RAN)-9" BLADE (SPEC)-1 MEASUREMENT,90 GRADES..P/N:52-432-009..MFG: FOWLER..SCHEDULE B:# 7308.90.
2410	52-619	14 PCS 12PT METRIC FULL POLISH SHORT COMBO WRENCH SET..P/N: 52-619..MFG: ARMSTRONG..SCHEDULE B: # 8204110060 OTHER W
2411	52-632	15 PCS 12 PT METRIC FULL POLISH LONG COMBO WRENCH SET..P/N: 52-632..MFG: ARMSTRONG..SCHEDULE B: # 8204110060 OTHER W
2412	520-H	BIOS DEFENDER 520-HIGH FLOW (300 ML/MIN TO 30 LPM..BIOS DEFENDER INCLUDES: ONE DEFENDER CALIBRATOR, PC SERIAL CABL
2413	5200-101-010	SF-400, CONDUIT BOX..P/N: 5200-101-010..MFG: WARNER ELECTRIC
2414	52000	AUXILIARY RELAY..P/N: 52000..MFG: MURR - ELEKTRONIK
2415	520009	UNIBOX JUNCTION BOX IN ALUMINIUM ALLOY SIZE UNI B9 EXTERNAL DIMENSIONS 100X100X59/INTERNAL DIMENSIONS 88X88X44 IP66/IF
2416	520011	UNIBOX JUNCTION BOX IN ALUMINIUM ALLOY SIZE UNI B11 EXTERNAL DIMENSIONS 115X140X60/INTERNAL DIMENSIONS 128X103X46 IP6
2417	520012	UNIBOX JUNCTION BOX IN ALUMINIUM ALLOY SIZE UNI B12 EXTERNAL DIMENSIONS 166X141X64/INTERNAL DIMENSIONS 153X128X49 - IF
2418	520014	UNIBOX JUNCTION BOX IN ALUMINIUM ALLOY SIZE UNI B14 EXTERNAL DIMENSIONS 192X168X80/INTERNAL DIMENSIONS 176X152X65 - IF
2419	520019	UNIBOX JUNCTION BOX IN ALUMINIUM ALLOY SIZE UNI B19 EXTERNAL DIMENSIONS 253X217X93/INTERNAL DIMENSIONS 236X201X75 - IF
2420	520020	UNIBOX JUNCTION BOX IN ALUMINIUM ALLOY SIZE UNI B20 EXTERNAL DIMENSIONS 264X314X122/INTERNAL DIMENSIONS 292X243X104 -
2421	520021	UNIBOX JUNCTION BOX IN ALUMINIUM ALLOY SIZE UNI B21 EXTERNAL DIMENSIONS 410X315X150/INTERNAL DIMENSIONS 386X291X126 -
2422	5207	OUTLET FLUSH MOUNT..NO.POLES: 3, NO. WIRE: 3, VAC: 250V, I: 30A, ..P/N: 5207..MFG: LEVITON..SCHEDULE B: #8536695050 OTHER CON
2423	520902	GAUGE 5000# BACK MOUNT 1/4" 2 1/2" GAUGE...P/N: 520902..MFG: CAM SPRAY...SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR PF
2424	52103	CONVERTER, DC/DC..V-INP: 24V, V-OUT: 12V, I-OUT: 25A,..TYP: ELECTRONIC..P/N: 52103 (21030C00)..MFG: SURE POWER INDUSTRIES INC
2425	52104	AUXILIARY RELAY..P/N: 52104..MFG: MURR-ELEKTRONIK
2426	52169	CODELINE SADDLE FOR 8" HOUSING ;ENGINEERING THERMOPLASTIC..P/N: 52169..MFG: CODELINE..SCHEDULE B 8421.99.0040 PARTS F
2427	5220	COUPLINGS FOR ELECTRICAL CONDUITS, DIA: 3/4", MAT: MALLEABLE IRON, TYPE: EMT..P/N: 5220..MFG: THOMAS & BETTS..SCHEDULE E
2428	522011	UNIBOX BACK PLATE IN ZINCED STEEL FOR BOX IN ALUMINUM ALLOY B11 119X78..P/N:522011..MFG:PALAZZOLI..SCHEDULE B:# 8538.90.7
2429	522012	UNIBOX BACK PLATE IN ZINCED STEEL FOR BOX IN ALUMINUM ALLOY B12 132X108..P/N:522012..MFG:PALAZZOLI..SCHEDULE B:# 8538.90
2430	522014	UNIBOX BACK PLATE IN ZINCED STEEL FOR BOX IN ALUMINUM ALLOY B14 165X125..P/N:522014..MFG:PALAZZOLI..SCHEDULE B:# 8538.90
2431	522019	UNIBOX BACK PLATE IN ZINCED STEEL FOR BOX IN ALUMINUM ALLOY B19 200X210..P/N:522019..MFG:PALAZZOLI..SCHEDULE B:# 8538.90
2432	522020	UNIBOX BACK PLATE IN ZINCED STEEL FOR BOX IN ALUMINUM ALLOY B20 250X210..P/N:522020..MFG:PALAZZOLI..SCHEDULE B:# 8538.90
2433	522021	UNIBOX BACK PLATE IN ZINCED STEEL FOR BOX IN ALUMINUM ALLOY B21 345X257..P/N:522021..MFG:PALAZZOLI..SCHEDULE B:# 8538.90
2434	5223	3/4" INSULATED COMPRESSION CONNECTOR, STEEL ELECTRO ZINC PLATED, INSULATOR THERMOPLASTIC..FOR USE WITH EMT COND
2435	52300	ORING PLUG&MOISTURE SENS PUMP NS 65/32N;NITRILE RUBBERORING FOR PLUG&MOISTURE SENSOR FOR PUMP KKS 40GMA25AP0(
2436	52301	ORING MECSEAL HOUS NS 50/26NB NS 65/32N; KBLNITRILE RUBBERORING MECH SEAL HOUSING PN 52301 FOR PUMP KKS 40GMA16AP
2437	52302	O RING CABLE GLAND NS 50/26NB NS 65/32N; KBLNITRILE RUBBERORING FOR CABLE GLAND PN 52032 FOR PUMP KKS 40GMA16AP010/
2438	5240069	EXPLOSION-PROOF SPARK GAP PAREX 350 MM CABLE 480/350MM..REACTION TENSION 1KV; EX CERTIFICATE TO ATEX.. EX CERTIFICA
2439	52502	O RING FOR ST BOX BUSH PUMP NS 50/26NB; NITRILE RUBBERORING FOR ST BOX BUSH PN 52502 FOR PUMP KKS 40GMA16AP010/40GM
2440	52656	ADAPTER SEAL 52245, PK 10 EA..P/N: 52656..MFG:CODELINE..SCHEDULE B:# 8421.99.0040 PARTS FOR MACHINERY AND APPARATUS FC
2441	5266-C	PLUG 3 WIRE INSULGRIP 15A 125 V..P/N: 5266-C..MFG: HUBBELL..SCHEDULE B: # 8536695050 OTHER CONNECTORS
2442	5267402062	AIR FILTER HIGH EFFICIENCY..18X24X2 HI E 40 PLEATED AIR FILTERS - MERV 8..(PRICED EACH SOLD IN CARTONS OF 12)..PUROLATOR I

	Item	Description
2443	5269-C	CONNECTOR BODY 3 WIRE 15A ;125V STRAIGHT BLADE,INDUSTRIAL GRADE,GROUNDING BLACK-WHITE..P/N: 5269-C..MFG: HUBBELL/ L
2444	5269N	CONNECTOR CORD WITH GROUND..125V, 15A, 2 POLES, 3 WIRES, STRAIGHT BLADE..P/N: 5269N LEVITION, OR 5269C (OFFER P/N: PS52
2445	527-111	GAUGE, DEPTH, VERNIER..(RAN)-0-6";(GRAD)-0.001" DATA..(SPEC)-HARDENED S/S..P/N: 527-111..MFG: MITUTOYO
2446	52821856	GAUGE PRESSURE;23350E 0 - 2.5 BAR ..NRO PARTE: 233.50-E-BG325Z-NDU-Z-HZCZZ-ZZZ;0 - 2.5 BAR;TYPE 23X.50 - SS CASE - PRESSURE
2447	52F1839	LAMP MINIATURE, VAC: 120 V, BULB-SIZE: T-3 1/4, BASE: BAYONET, CLR: ULTRA RED..P/N: 52F1839 NEWARK (OFFER P/N: 585-5256F DIAL
2448	53-904-816-501	BEARING SLEEVE, ID: 114.3MM, OD: 197MM, W: 117.3MM, REF: OUTER DRIVER END..P/N: 53-904-816-501..MFG: SIEMENS..SCHEDULE B: #8
2449	530-119	VERNIER CALIPER INCH/METRIC DUAL SCALE 0-300MM / 12" RANGE ;HIGH ACCURACY 0.04 MM AND 0.02MM LOWER SCALE GRADUATIO
2450	5306	ANCHOR ROD THIMBLEYE HEAD, THREADED ROD, 12" x 6' WITH BOLT..P/N: 5306..MFG: HUBBELL..SCHEDULE B: #7214300000 - OTHER R
2451	531-085-000	CONTACTOR FOR LOCOMOTIVE WARREN SER C7 SW 182030..P/N: 531-085-000..MFG: WARREN..SCHEDULE B: # 8536490065 CONTACTO
2452	5320	COUPLING, FOR ELECTRICAL CONDUITS (DIA)-1";(MAT)-MALLEABLE IRON (TYP)-EMT COMPRESSION TYPE..P/N:5320..MFG:THOMAS Y BE
2453	5322	3M MOTOR LEAD PIGTAIL SPLICE 5322, 5-8 KW, SHIELDED AND NON-SHIELDED, 2-1/0 AWG (FEEDER), 4-1/0 AWG (MOTOR LEAD)..P/N: 53
2454	5324-0	SINGLE GANG WEATHERPROOF BOX 3-3/4" OUTLETS, GRAY..P/N: 5324-0..MFG: HUBBELL RACO..SCHEDULE B: # 8536908085 OTHER ELE
2455	5328976A2	LEVER, DAMPER ASSEMBLY..P/N: 5328976A2..MFG: ABB
2456	5328986A1	BALL AND SOCKET, SELF LUBRICATING..P/N: 5328986A1..MFG: ABB..SCHEDULE B: # 8482105068 OTHER BALL BEARINGS
2457	532898A1	BALL AND SOCKET..P/N: 532898A1..MFG: ABB
2458	533023	SCREW FOR DYNAPAC LF90..P/N: 533023..MFG: DYNAPAC
2459	5358	ANCHOR ROD 3/4" X 8'-0"..P/N: 5358..MFG: CHANCE..SCHEDULE B: #7214300000 - OTHER RODS
2460	5359	ROD ANCHOR 3/4" X 9 FT, HOT DIP GALVANIZED PER ASTM A123, . ROD RATED AT 23,000 lb [102,000 N] ULTIMATE, ASSEMBLED WITH A
2461	537749	VALVE PINCH, REF: PLASTIC DN20, R 3/4" I 142, D 76..P/N: 537749..MFG: PREMA-SERVICE..SCHEDULE B: # 8481801095 OTHER VALVES
2462	53920	SWING WATER SAMPLER..P/N: 53920 (P/N: B01310M)..MFG: NASCO..SCHEDULE B 3917210000: OTHER ARTICLE OF PLASTICS
2463	54-C-1	COVER BLANK FOR CONDULET..SIZE: 4", SHP: OCTAGON..P/N: 54-C-1..MFG: THOMAS & BETTS..SCHEDULE B: # 8536908085 OTHER ELEC
2464	540-L-TC-P	BALLAST FLUORESCENT..V: 220V, POW: 40W,..TYPE: TWO LAMP..FREQ: 60 HZ,..P/N: 540-L-TC-P..MFG: MAGNETEK..SCHEDULE B: # 8504
2465	540012	TRACK 12 FT..P/N: 540012 (1301180007)..MFG: MOLEX-AERO-MOTIVE..SCHEDULE B: # 7610900050 OTHE ALUMINUM STRUCTURES
2466	5400HB	BRACKET ASSEMBLY..P/N: 5400HB..MFG: AERO-MOTIVE MFG. ..SCHEDULE B: # 8302500000 OTHER BRACKETS
2467	5400JB	BRACKET ASSEMBLY..TYPE: JOINT, ..P/N: 5400JB..MFG: AERO-MOTIVE MFG CO...SCHEDULE B: # 8302500000 OTHER BRACKETS
2468	540116.1	THERMOSTAT ADJ 194 DEG..P/N:540116.1..MFG: CAM SPRAY..SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR PRESSURE WASHER.
2469	5404414	SEAL KIT, 3 WAY..SELECTOR VALVE..CODE MISKI MAYO 70142168..P/N: 5404414..MFG: BOART LONGYEAR
2470	5405230	GAS SPRING, NITROGEN..CODE MISKI MAYO 782752..P/N: 5405230..MFG: BOART LONGYEAR
2471	54121	CAR INTERMEDIATE..P/N: 54121..MFG: MOLEX-AEROMOTIVE WOODHEAD INDUSTRIES...SCHEDULE B: 8426190000 OTHER CARRIER
2472	54141	CAR INTERMEDIATE, REF: FESTOON CABLE SYSTEM,..P/N: 54141..MFG: AEROMOTIVE..SCHEDULE B: 8426190000 OTHER CARRIER
2473	54151-1/2	CONDUIT BOX METAL..LG: 4", W: 4", HOLE: 1/2", TYPE: OCTAGON, MAT: SAP, D: 1-1/2"..P/N: 40-1/2 (OFFER P/N: 54151-1/2)..MFG: THOMAS &
2474	54151-3/4	CONDUIT BOX METAL..LG: 4", W: 4", HOLE: 3/4", TYPE: OCTAGON, MAT: SAP, D: 1-1/2"..P/N: 40-3/4 APPLETON (OFFER P/N: 54151-3/4)..MFG
2475	542002	WAND DUAL / SOAP TIP& QC..DUAL WAND W/QC & TIP...P/N:542002..MFG: CAM SPRAY...SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR
2476	54262340	SPACER RING, MOSAIC 780361..P/N: 54262340..MFG: TEREX

	Item	Description
2477	54262440	SPACER RING..P/N: 54262440..MFG: TEREX
2478	543199-0001	WEATHER PROTETION COVER; STAINLESS STEEL; INCLUDES TENSION CLAMP..PROTECTING COVER FOR HOUSING T12/F12 USAGE M
2479	54413/8	HEX BIT SOCKET 1/2"..P/N: 54413/8 (J54413/8)
2480	5450120000	PRESSURE SWITCH..P/N: 5450120000..MFG: REXROTH..SCHEDULE B: # 8535300080 OTHER SWITCHES
2481	5451-011	GROMMETS..P/N: 5451-011..MFG: BARD YORK..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
2482	54512	CONNECTOR WIRE, COMPRESSION TUBULAR, SZ-WIRE: 4/0 AWG, V: HIGH VOLTAGE, INSUL: NO,..P/N: 54512 4/0 AWG..MFG: THOMAS &
2483	54672654	ELEMENT OIL FILTER..P/N: 54672654..MFG: INGERSOLL RAND
2484	546A301G053	KIT CONTACT, SIZE:1, NO.POLES: 4, ..P/N: 546A301G053..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8538907040 METAL CONTACT
2485	546A780G051	KIT CONTACT, SIZE:2, NO.POLES: 3, ..P/N: 546A780G051..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8538907040 METAL CONTACT
2486	54749247	ELEMENT SEPARATOR 194CFM (SPIN-ON)..P/N: 54749247..MFG: INGERSOLL RAND
2487	54866BE	TERMINAL PRESSURE HIGH VOLTAGE..TYPE EYE, AWG: 4/0, INSUL: NO, STUD HOLE: 2, SPEC: TWO HOLE LONG BARREL LUG, NON INSU
2488	55-153677G2	CONTACT KIT..SIZE: 3, POL: 3..SPEC: CONTACT STARTER..GE405CK / 55-153677G002 REPLACES GE SIZE 3, 3 POLE REPLACE CONTAC
2489	55-153678G2	KIT CONTACT SIZE: 4, NO. POLES: 3, SPEC: STARTER..P/N: 55-153678G2 (55-153678G002)..MFG: GENERAL ELECTRIC..SCHEDULE B: # 853
2490	55-154607G002	CONTACT KIT..SIZE: 5, POL: 3..SPEC: CONTACT STARTER..P/N: 55-154607G002..MFG: HOYT METAL/GENERAL ELECTRIC..SCHEDULE E
2491	55-900-889-501	BEARING, SLEEVE ..(ID)-114.3MM;(OD)-197MM;(W)-117.3MM (REF)-DRIVE END..P/N: 55-900-889-501..MFG: SIEMENS..SCHEDULE B: #848330
2492	55 O-RING	GREASE SILICONE BASED, DYNAMIC LUBRICANT..P/N: 55 O-RING..MFG: DOW CORNING
2493	55.34.8.120.000	RELE, COIL : 120VAC, HZ: 60..P/N: 55.34.8.120.000..MFG: FINDERS..SCHEDULE B: #8536410060 OTHER RELAYS
2494	55.34.9.024.5090	RELAY FINDER ..P/N: 55.34.9.024.5090..MFG: FINDER
2495	55.34011.230	WARMER/HEATER THERMOSTAT 68-176 F SMOKER. MULTIPOLE..P/N: 55.34011.230..MFG:E.G.O...SCHEDULE B: # 9032896040 TEMPERATU
2496	550384	CABLE TECK 90 UNIPOLAR 350 MCM 1 KV, XLPE INS 1 # 1 GRD AIA BLACK JACKET FT4 CSA..P/N: 550384..MFG: NEXANS
2497	55138640	SOCKET..CODE MISKI MAYO 70143881..P/N: 55138640..MFG: TEREX
2498	5522 00 060 020	LAMP TELEPHONE; BASE:TELEPHONE SLIDE..60V 20MA – 5522; 20MA ; T 5,5 K; TELEFONLAMPE 5522; ..5000 LIFE HOURS; DIMENSIONS:5,5
2499	55223	3/4 NPT CI 25 MAIN VALVE..P/N: 55223..MFG: SPIRAX SARCO
2500	5526-038	HOSE, SILICONE, TYPE: STRAIGHT, ID: 3/8", PRE: 250 PSI, LG: 25FT..P/N: 5526-038..MFG: FLEXFAB..SCHEDULE B: # 4009410000 RUBBER RI
2501	553 199 90	REACTOR CARTRIDGE TYPE MC FOR BÜNOX2+..1.4571/GRANULATE/GLASS FIBRE/VITON..CONVERSION FACTOR NO2 --> NO = 97% WHE
2502	5530 00 060 020	LAMP TELEPHONE ; BASE: TELEPHONE SLIDE ..60V 20MA – 5530 ; 20MA ; T 5,5; TELEFONLAMPE 5530; ..5000 LIFE HOURS; DIMENSIONS:5
2503	55321440	BOLT HEXAGONAL..CODE MISKI MAYO 70143847..P/N: 55321440..MFG: TEREX
2504	555A-43.0	DIFFERENTIAL PRESSURE INDICATOR, 0-43 PSID;MODEL 555A..MAX. WORKING 300 PSIG;MAX DIFFERENTIAL 150 PSIG;ACCURACY +/- 5%
2505	556-9101	LIGHT MARKER..CLR: AMBER, ..P/N: 556-9101..MFG: KD LAMPS CO...SCHEDULE B: # 8512204000 VISUAL SIGNALING EQUIPMENT..
2506	556-9601	LIGHT MARKER..CLR: RED, ..P/N: 556-9601 ..MFG: K-D LAMPS CO...SCHEDULE B: # 8512204000 VISUAL SIGNALING EQUIPMENT
2507	5561374201	GAUGE TEMPERATURE AND OIL MEASURMENT, 40-160 C/100-325 F, 24 V, USE TRANSMISSION SYSTEM..P/N: 5561374201..MFG: ATLAS CO
2508	5583-00	CLIP, RETAINING, CLIPPER, OIL SEAL..P/N: 5583-00....MFG: SCREEN SYSTEMS INC...SCHEDULE B : #7806008000 - OTHER TEST LEAD
2509	55A212942P12RB	FUSE, MEDUIM VOLTAGE, R-RATED, 5KV, 230A, BOLTED, LIMITAMP..P/N: 55A212942P12RB..MFG: GENERAL ELECTRIC
2510	55B-14PI-111JA	VALVE SELENOID, TYPE: 3 WAY, SIZE-CONN: 1/2 NPT, SPEC:120/60-110/50 PSI, POW: 6.8W..P/N: 55B-14PI-111JA..MFG: MAC VALVES..SCHE

	Item	Description
2511	55C679816G6	CONTACT AUXILIARY, TYPE: INTERLOCK ASM 5NCVAC H..P/N: 55C679816G6..MFG: GENERAL ELECTRIC
2512	55GFMSJD250E	LIMITING POWER FUSE, 250A, 5.5KV, MAX: 65KA, SYM CURRENT..P/N: 55GFMSJD250E..MFG: BUSSMANN..LIMITING POWER FUSE, 250A, 5
2513	55S2F-NLLA1AA0BAAA	ELECTROMAGNETIC FLOWMETER, PROMAG 55S2F,DN250 10"..P/N: 55S2F-NLLA1AA0BAAA..MFG: ENDRESS+ HAUSER
2514	56	GASKET SET, REDUCTOR WES TECH ..PART # 21587A-103, RATIO: 3045, SERVICE FACTOR: 1.0, INPUT: 1.01 HP, 1750 RPM, TORQUE 5640
2515	56036	FLAG DROP MARKER 3XSET ..P/N: 56036..MFG: TECTRON ENGINEERING..SCHEDULE B:# 9027.90.8950 OTHER PARTS AND ACCESORIES
2516	56038031	PIN CLEVIS..P/N: 56038031..MFG: SANDVIK USA..SCHEDULE B: # 8431.49.1010 OTHER PARTS..ORIGIN: FINLAND..WEIGHT 50 LBS 14 X 8 X 9
2517	561	LAMP MINIATURE, LT: 561, V: 12.80 V, POW: 12.41 W..P/N: 561..MFG: GENERAL ELECTRIC..SCHEDULE B#8539228050 - OTHER LAMPS
2518	561 FLUKE	THERMOMETER , INFRARED (RAN-TEMP)- -25- 999 F/-32 TO 535C (SPEC) - REOLUTION OPTIC 12:1 EMISSIVITY 0.95 FIXED,DISTANCE 2M (
2519	5610124000	LAMP HCL OF GOLD..P/N: 5610124000..MFG: VARIAN INC...SCHEDULE B: # 8539390000 OTHER DISCHARGED TUBES
2520	566 FLUKE	THERMOMETER, INFRARED..(RAN - TEMP)- -25 TO 1100F/- 32 TO 600 (SPEC) RESOLUTION OPTIC 30:1 EMISSIVITY 0.1 / 1.0 ADJUST,DISTA
2521	5670-00	BUSHING, ECCENTRIC, SHAFT, SPACER..P/N: 5670-00
2522	568511	WASHER BEVEL 1/2"..CODE MISKI MAYO 70142294..P/N: 568511..MFG: BOART LONGYEAR
2523	56T17T5305	HORIZONTAL ELECTRIC MOTOR, C-FACE, W/ REMOVABLE BASE, 1/3 HP, 1725 RPM, 3 PH, 60 HZ, 208/230/460V, FRAME: 56C, ENCLOSURE
2524	570	COVER BLANK FOR CONDULET..SIZE: 1-1/2", SHAPE: 7, MAT: STEEL,..P/N: 570..MFG: CROUSE-HINDS CO...SCHEDULE B: # 8536908085 OTI
2525	572-10250	DIPSTICK..P/N:572-10250..MFG:LISTER PETTER
2526	572-10590	EDGE FILTER..P/N:572-10590..MFG: LISTER PETTER
2527	572-10900	GEAR SHAFT..P/N: 572-10900..MFG:LISTER PETTER
2528	572-11740	LUBE OIL PUMP..P/N: 572-11740..MFG: LISTER PETTER
2529	572-11770	RELIEF VALVE..P/N:572-11770..MFG: LISTER PETTER
2530	573	CLEVIS, THIMBLE..P/N: 573....MFG: HUBBELL....SCHEDULE B: #7326190000 - OTHER FORGED ARTICLES
2531	575800	MACHINE PULLEY 23" 4-GRV..P/N: 575800..MFG: TEREX-SIMPLICITY..SCHEDULE B: # 8431100090 OTHER PARTS FOR MACHINERY
2532	576463-01	ENCODER ABSOLUTE, V-DC: 10-30V, I: 190MA, MOD: 684 SSI, RSL: 25BIT, TYPE OUT: SSI, CODE GRAY, INCLUDE MATING CONNECTOR W/
2533	5791100	LDO Replacement Sensor Cap..Harmonized Tariff Number: 9027.90
2534	5793220	CONTACTOR, NO. POLES: 3, V: 110 V, FREQ: 50 HZ/60 HZ, V-CONT: 380V/400V, POW: 7.5KW, SPEC: 5793220 SH K23/24-2..P/N: 3RT2025-1G
2535	5796600	Black Metalized Mylar Bag, 6x16..to calibrate the LDO with...Harmonized Tariff Number: 3923.90
2536	5799160	TRANSFORMER CONTROL.- (TYPE)-REIA..63/ST(PRIMARY VOLTAGE)-380V-500V;(SECUNDARY VOLTAGE)-115V(VA)-63VA..(N0 PHASES)-1.
2537	580064	GAUGE KYSOR TACHOMETER W/O HOURMETER CHR..P/N: 580064..MFG:E-ONE..SCHEDULE B: # 9026.90.0000 OTHER INSTRUMENTS ANI
2538	580065	GAUGE KYSOR VOLT METER CHR..P/N: 580065..MFG:E-ONE..SCHEDULE B: # 9026.90.0000 OTHER INSTRUMENTS AND APPARATUS
2539	580066	GAUGE KYSOR OIL PRESSURE PUMP PNL..P/N: 580066..MFG: E-ONE..SCHEDULE B: # 9026.90.0000 OTHER INSTRUMENTS AND APPARAT
2540	580067	GAUGE KYSOR COOL WATER TEMP PUMP PNL..P/N: 580067..MFG:E-ONE..SCHEDULE B: # 9026.90.0000 OTHER INSTRUMENTS AND APPA
2541	583000308	CABLE FLAT FESTOON..TYPE: STRANDING, AWG: 12, #COND: 8,..V: 600V, TEMP: 105C..I:21A..P/N: 583000308 (P/N: 39397)..MFG: BOSTON IN
2542	58361-1/2	CONDUIT BOX METAL, LG: 4", W" 2-1/4, HOLE: 1/2, TYPE: RECTANGLE, D: 1-1/4"..P/N: 58361-1/2..MFG: THOMAS & BETTS
2543	5844	MOTOR EMERSON..CATALOG: C25PICS, OPP END BRG: 6210-2ZJC3, FR: 284TS, TYPE: TCE, PH: 3, MAX AMB: 40, ID: K02-5844-M, INSUL CL
2544	5855-2	WIRE 22AWG ATR TFE BLACK..P/N:5855-2..MFG: ALPHA..SCHEDULE B: #7413001000 - STRANDED WIRE

	Item	Description
2545	58C7	PLATE WALL ELECTRICAL, SPEC: RECEPTACLE RAISED DUPLEX..P/N: 58C7..MFG: THOMAS & BETTS..SCHEDULE B: #8536908010 ELECTI
2546	5900	FAN, AXIAL..(V)-115VAC;(POW)-17W;(FREQ)-60 HZ (DIM)-127 X 127 X 38 MM;(RPM)-3050 RPM..(AIR FLOW)-206 M3/H;(W/)-INTERNAL ROTOR
2547	5900-294	AXIS T8133 MIDSPAN POE; OUTPUT 30W 1-PORT POE INJECTOR;INPUT 100-240VCA;MODEL T8133..P/N:5900-294..MFG:AXIS..SCHEDULE E
2548	590GME	590GME LUFKIN 6" BRASS PLUMB BOB 20 oz METRIC/ENGLISH GRADUATIONS..P/N: LFT590GME..MFG: LUFKIN..SCHEDULE B:# OTHER IN
2549	5915PC-23T-B30-A00	FAN, AXIAL (ID)-MM; (OD)- 150MM/6"; (V-AC)230V; (POW)-35W IMPUT;(FREQ)-50/60HZ (THK)-38MM; (SPEC)AIR FLOW 176.5/212CFM; CASINC
2550	592-B1GA	RELAY OVERLOAD, V: 600VAC, I-OPERATION: 5.7-18A, No. CONTACT: NORMALLY OPEN): 1, No-CONTACT NORMALLY CLOSED): 1..P/N: 592
2551	5946200	MOTOR PULLEY 10.5 P.D. 4-GRV..P/N: 5946200..MFG: TEREX-SIMPLICITY..SCHEDULE B: # 8431100090 OTHER PARTS FOR MACHINERY
2552	595-A	AUXILIARY CONTACTS, NEMA SIZE 0 - 5, 1NO..P/N:595-A..MFG:ALLEN BRADLEY..SCHEDULE B: # 8536.41.0045 OTHER CONTACTORS..COU
2553	595-AB	AUXILIARY CONTACT BLOCK 500 SERIES;TYPE 595 ;10A;;SIZE:0.5;CONTACT;600V;CONFIGURATION: 1 NO /1 NC..P/N:595-AB..MFG:ALLEN E
2554	59608	25P CI PRESS PILOT (RED) 80-250 PSI..P/N: 59608..MFG: SPIRAX SARCO
2555	5960A	SUSPENSION PORCELAIN INSULATOR, COLOR GRAY, HIGH STRENGHT 25000LB, 3/PKG..ANSI CLASS 52-5..P/N: 5960A..MFG: LAPP INSULA
2556	5965VY	CAP RUBBER 3 WIRE 15A 125V..P/N: 5965-VY..MFG: HUBBELL..SCHEDULE B: # 8531900002 PARTS
2557	59825-078-0	TERMINAL PRESSURE LOW VOLTAGE, .250, FASTON, 18-14 AWG, FEMALE..P/N: 59825-078-0..MFG: ALSTOM SIGNALING OPERATION..SCH
2558	59825-113-00	TERMINAL PRESSURE LOW VOLTAGE, TYE: FEMALE, AWG: 18, INSUL:NO..P/N: 59825-113-00..MFG: ALSTOM GROUP..SCHEDULE B: # 853
2559	59910312	MULTI UNIT INTERRUPTOR, CODE 70135476..P/N: 59910312..MFG: TEREX
2560	59914512	RELAY, CODE 70135472..P/N: 59914512..MFG: TEREX
2561	5KE145BC202	MOTOR AC, THREE PHASE, INDUCTION, VAC: 230-460V. HP: 1.5, RPM: 1750M FRAME: 145T, FREQ: 60HZ, ..P/N: 5KE145BC202 (R/B: 5KS145
2562	5KS324SAA205	MODEL# 5KS324SAA205..WEIGHT (LBS): 670 ..WEIGHT (KGS): 304..HP: 40..VOLTAGE: 230/460..RPM: 1800..ENCLOSURE: TEFC..ORIENTATI
2563	5KS326XAA132	ENERGY SAVER, ELECTRIC SAVER, FRAME 326TS, 50 HP, 3 PHASE, 37 KW, 60 HZ, 3575 RPM, 460 VOLT, 57.3 AMP, 1.15 SF, INS. CLASS F,
2564	5KS364SAA208	MODEL# 5KS364SAA208..WEIGHT (LBS): 970..WEIGHT (KGS): 440..HP: 60..VOLTAGE: 460..RPM: 1800..ENCLOSURE: TEFC..ORIENTATION: H
2565	5KS511SN3389M	MOTOR GENERAL ELECTRIC..P/N: 5KS511SN3389M..MFG: GENERAL ELECTRIC
2566	5M-28	TAPE INSULATION ELECTRICAL..W - 1"; THK - 0.01"; LG - 36YD, CLR: YELLOW, MAT: GLASS CLOTH, VARNISHED..P/N: 5M-28 (P/N: ASG
2567	5M-28 1-1/2	TAPE INSULATION ELECTRICAL..W - 1-1/2"; THK - 0.01"; LG - 36YD, CLR: YELLOW, MAT: GLASS CLOTH, VARNISHED..P/N: 5M-28 (P/N: T
2568	5M-28 2"	TAPE INSULATION ELECTRICAL..W: 2", THK: 0.01", LG: 36 YDS, MAT: GLASS CLOTH, VARNISHED, CLR: YELLOW..P/N: 5M-28..MFG: BEDFOI
2569	5M-28 3/4	TAPE INSULATION ELECTRICAL..W: 3/4", THK: 0.008", LG: 36 YDS,..MAT: GLASS CLOTH VARNISHED..CLG: YELLOW, TEMP: 180 C, ASGVF-(
2570	5PK1AC-A1-II	VOLTAGE DETECTOR..P/N: 5PK1AC-A1-II..MFG: TRANSCAT
2571	5RL-101	CURRENT TRANFORMER 100:5 ..P/N: 5RL-101..MFG: HOYT..SCHEDULE B: # 8504.21.0020 ELECTRICAL TRANSFORMERS
2572	5SB-BCG-24H	5SB, 2T, 24V SLIDE BASE GREEN LAMP..P/N: 5SB-BCG-24H..MFG: DATA DISPLAY PRODUCTS..SCHEDULE B: # 9405400000 OTHER ELECTF
2573	5SB-BCR-24H	5SB, 2T, 24V SLIDE BASE RED LAMP..P/N: 5SB-BCR-24H..MFG: DATA DISPLAY PRODUCTS..SCHEDULE B: # 9405400000 OTHER ELECTRIC
2574	5SGA30J2501	THYRISTOR, I: 3000A, V: 2500V, SPEC: GATE TURN OFF SEMICONDUCTOR..P/N: 5SGA30J2501..MFG: ABB..SCHEDULE B:# 8541.30.0080 OT
2575	5SX9100	SWITCH, AUXILIARY CIRCUIT; (V)-230V;(I)-6A, 1NO+1NC, FOR5SX2+4+5;(SPEC)-5SX9 100,1NA+1NC..P/N: 5SX9100..MFG: SIEMENS..SCHEDU
2576	5VBM6	THERMOMETER, BIMETAL 0-150C DIAL 5" ; ..1/2" NPT;STEM LEGHT 6"..5VBM6-150-C..P/N: 5VBM6..MFG: WEISS INSTRUMENTS..SCHEDULE
2577	5VX1250	V-BELTS POWER TRANSMISSION, HY-T WEDGE TORQUE TEAM..P/N: 3/5VX1250-GTR..MFG: GOODYEAR RUBBER PRODUCTS, INC...SCHE
2578	5W015	RESISTANCE..(RES) - 15 OHM; ((POW) - 5W

	Item	Description
2579	5X852-M	SOCKET RELAY..#PIN: 8, VAC: 400V, I: 10A..P/N: 5X852-M..MFG: DAYTON..SCHEDULE B: # 8536.69.5050 OTHER CONNECTORS
2580	6-150VCS-T/G	JUNTA PIKOTEK 6" S150..FABRICANTE : PIKOTEK, 6-150 VCS-T/G-10.."Sello: Teflón (con resorte)..Canutos: G-10..Arandelas aislantes: G-10..Aran
2581	6-300 VCS-T/G-10	JUNTA PIKOTEK 6" S300..P/N: 6-300 VCS-T/G-10..MFG:PIKOTEK.."SELLO:TEFLON (CON RESORTE)..CANUTOS:G-10..ARANDELAS AISLANTE
2582	6-4 CORD	TWINE LINEN WAKED..CLR: GREEN, DNO: 0.0410", SPEC: LACING CORD, PKG: 600 YDS..P/N: 6-4 CORD (WLT-6/4-CORD)..MFG: LUDLOW-D
2583	6-6208-239	CASTER RIGID, DIA: 6", CAP: 1500 LBS, TYPE: RIGID CASTERS, SPEC: FORGED STEEL..P/N: 6-6208-239..MFG: COLSON CASTER CORP...SC
2584	6-6209-239	SWIVEL, DIA: 6", CAP: 1500 LBS, TYPE: 6 SERIES TOP PLATE SWIVEL, SPEC: FORGED STEEL..P/N: 6-6209-239..MFG: COLSON CASTER CO
2585	6"NW-RF/316L/304L/TBS/TF	6" 150# Flange Connected (Bolted) Style Sightglass Series..NW-RF. A182 T316/316L Stainless Steel Lens Housing with..A182 T304/304L Stainless Ste
2586	6.618-076.0	SOCKET SPARK..P/N: 6.618-076.0..MFG: KARCHER..SCHEDULE B: # 8451900020 OTHER PARTS FOR WASHING MACHINE
2587	6.633-412.0	GENERATOR PULSE..P/N: 6.633-412.0..MFG: KARCHER..SCHEDULE B: # 8451900020 OTHER PARTS FOR WASHING MACHINE
2588	6.647-519.0	WIRE ELECTRODE..P/N: 6.647-519.0..MFG: KARCHER..SCHEDULE B: # 8451900020 OTHER PARTS FOR WASHING MACHINE
2591	60-130	SWITCH THERMAL..(DEG)-115C, OA239..MFG: RPTI..P/N: 60-130..MFG: RAPID POWER TECHNOLOGIES INC.
2592	60-883-02	AMPLIFIER,POWER,EXTRON,XPA2002-70V,70V ..Amplifiers, Instrumentation..Type 2 CHANNEL..Series XPA 2002..Model XPA2002-70V..Power rati
2593	60 FT SYP CCA	WOOD POLE 60', CLASS 1, SOUTHERN YELLOW PINE, TREATED WITH COPPER CHROMATE ASERNATE (CCA), AWPA AND ANSI LATEST
2594	60 FT SYP PENTA	WOOD POLE 60'. CLASS 1, SOUTHERN YELLOW PINE, PENTACHLOROPHENOL TO AWPA, .60 PENTA RETENTION..P/N: 60 SYP PENTA..
2595	60 FT WRC	WOOD POLE 60', CLASS 1, 4500 LBS, WESTERN RED CEDAR, ANSI 05.1, TREATED WIH PENTACHLOROPHENOL TO AWPA ..P/N: 60 FT WF
2596	600371010	GRINDER; QUICK SMALL ANGLE GRINDER 220-240 V / 50 - 60 HZ..MODEL W 9-115 QUICK (600371010) REPLACES W8-115..P/N:600371010..M
2597	600371420	GRINDER; QUICK SMALL ANGLE GRINDER..8.5 AMP/120 VOLT 4 1/2" ..MODEL: W 9-115 (REPLACES OBSOLETE W8-115)..P/N:600371420..M
2598	60042Z	BEARING SKF..P/N: 60042Z
2599	600M-752	GEARMOTOR, 60 RPM, 0.25 HP, 90VDC, INLINE, CSA. INSULATION CLASS: B8, CABLE SPECS #18, SJO, 3, 36, SERIAL #: 86326-01A-604..P/N
2600	601831	MODULAR BOXES PLEXO, IP65-IK09 CLASS II, CAP MODULE 1 X 12..P/N: 601831..MFG: LEGRAND..SCHEDULE B: # 7310100050 OTHER BOX
2601	6023	TORQUE WRENCH 1"..P/N: 6023 (J6023)
2602	602457PSP	REDUCER-GEAR DRIVE ASSEMBLY, 505/605. 25.7, GEAR DRIVEMODEL 505Q, UNIT BASE Q, RATIO 25.7..P/N: 602557PSP/ SPX CORP..MFG:
2603	602494	10" WATERPROFF ALL LEATHER FIELD BOOT WITH NON-METALLIC SAFETY TOE-THINSULATE 600 GRAMS-MEN..P/N: 602494..MFG: MATT
2604	6042	DRIVE CHAIN 10 FT BOX COTTERED..P/N: 6042..MFG: WEBSTER INDUSTRIES
2605	60459840	HOSE, MATERIAL CODE 70127874..P/N: 60459840..MFG: TEREX
2606	60501-TB	CONNECTOR, SIZE WIRE: 8 AWG, CONNECTOR TWO WIRE..P/N: 60501-TB..MFG: THOMAS & BETTS..SCHEDULE B: # 8536695050 OTHER (
2607	60705-11	STOCKBRIDGE 4R VIBRATION DAMPER FOR TRANSMISSION LINESSERIES..P/N:60705..MFG:FARGO..SCHEDULE B: # 8424.90.9500 OTHER
2608	60801	PORTABLE SODA BLASTER UNIT, 40 LBS..P/N: 60801..MFG: CENTRAL PNEUMATIC
2609	60802	PORTABLE SODA BLASTER UNIT, 15 LBS..P/N: 60802..MFG: CENTRAL PNEUMATIC..SCHEDULE B: 8424.30.9000 OTHER BLASTING MACHI
2610	60811	PANEL LCD CON PANTALLA TACTIL UPS TOSHIBA 10KVA SERIES: 1600XP...MODEL: UH3G2L 100C61TVS..N/S: N/S 130703197 UPS REFINE
2611	60857	FILTER HYDRAULIC..FIBERGLASS..P/N: 60857 (Z45/25 S60)..MFG: GENIE..SCHEDULE B: # 7019905040 FIBERGLASS FILTER
2612	60A / RS	LAMP A 19 MED BASE IF 60 W 60A 130V..P/N: 60A / RS..MFG:DAMAR..SCHEDULE B: 8539228050 OTHER LAMPS

	Item	Description
2613	60DD694	SEAL OIL ..P/N: 60DD694..MFG: GARDNER DENVER..SCHEDULE B: # 4016930000 OTHER SEALS
2614	60E16B	TEST TUBES DISPOSABLE GLASS..16 X 100 MM..P/N: 011-956-12..(CHASE P/N: 60E16B)..MFG: CHASE..SCHEDULE B: # 7017100000 TEST T
2615	60X4	COMPRESSION SLEEVE..P/N: 60X4..MFG: IMPERIAL EASTMAN
2616	60XAGM200-RACK	MODULAR SEISMIC RACK (2)5WX6H-64.2"L X 12.8"D X 57.1"H SEISMIC ZONE 4..P/N: 60XAGM200-RACK..MFG:SBS..SCHEDULE B: # 8424909
2617	610-01-226B	VALVULA DE ALTITUD, SIZE 4"..P/N: 610-01-226B..MFG: CLAVAL
2618	61000050	CARBON BRUSH OFF N600 0.750 X 1.750X 2.25 ..P/N: 61000050..MFG: NATIONAL ELECTRICAL CARBON PRODUCTS..SCHEDULE B: # 85452
2619	61044742	CARBON BRUSH ELECTRIC CONTACT..LG: 56.5 MM, W: 44.5 MM, THK: 26 MM..SPEC: GRADE DE-25..P/N: 61044742 (OFFER P/N: 6104787
2620	61045001N	CARBON BRUSH IND, GRADE DE 25, 0.7500 X 1.7500 X 2.2500..P/N: 61045001N..SCHEDULE B: # 8545200000 CARBON BRUSHES..MFG: NATI
2621	61047555	CARBON BRUSH IND, GRADE DE 25, 1.1250 X 1.7500 X 2.2500..P/N: 61047555..MFG: NATIONAL ELECTRICAL CARBON BRUSHES..SCHEDUL
2622	61047674	CARBON BRUSH ELECTRICAL CONTACT..LG: 57 MM, W: 44.5MM, THK: 29MM,..REF: GRADE DE 25..P/N: 61047674..MFG: NATIONAL ELE
2623	61047697N	CARBON BRUSH, IND GRADE DE 25, 1.1250 X 1.7500 X 2.2500..P/B: 61047697N..MFG: NATIONAL ELECTRICAL CARBON BRUSHES..SCHEDU
2624	61047870	CARBON BRUSH IND, GRADE DE25 1.0000 X 1.7500 X 2.2500..P/N: 61047870..MFG: NATIONAL ELECTRICAL CARBON BRUSHES..SCHEDULE
2625	6113M4B	BALL CHECK VALVES;6100 SERIES..P/N:6113M4B..MFG:HOKE..SCHEDULE B: # 8481801095 OTHER VALVES
2626	6121KALJ	SECURITY PADLOCK..KEYED ALIKE, 5 PIN, W6000 CYLINDER LONG SHACKLE..P/N: 6121KALJ MASTER LOCK
2627	6121KALJ-10G013	SECURITY PADLOCK, D-B: 2-1/8", MAT: STEEL, SPEC: KEYED, TYPE: WEATHER RESISTANT..P/N: 6121KALJ-10G013..MFG: MASTER LOCK..
2628	612200	OUT ARD SMU-20 FUSE UNITS, 14.4 KV NOMINAL, 17.0 KV MAX 200E (TCC-153-2)..P/N: 612200..MFG: S & C ELECTRIC COMPANY..SCHEDUL
2629	6129533G1	TEST PLUG 4 POLES ..P/N: 6129533G1..MFG:GE
2630	6129533G2	TEST PLUG 6 POLES..P/N:6129533G2..MFG:GE
2631	612EX	ADJUSTABLE EXTENSION ASSEMBLY 6-12'..P/N: 612EX..MFG: GENRAL PUMP
2632	61317-201	CONTACTOR 3P;125A;690VAC; GENERAL ELECTRIC,DILOS-1 TRANSP. TYPE 61317-201 CODE 730073,TRIPOLAR..P/N:61317-201 (R/B G.E.
2633	613776	FLANGE PIPE PILOTED BEARING, NF FEEDER..P/N: 613776 (REPLACED BY: 615479)..MFG: JEFFREY RADER..SCHEDULE B: # 7307210000
2634	6147870	KIT TOOLS FOR OLCT 50/60/80..P/N: 6147870..MFG: OLDHAM..
2635	6155651	MAGNET OLCT60..P/N: 6155651..MFG: OLDHAM
2636	616000200	POWER SUPPLY MODULES TM1 220VAC 24V..PHOENIX P/N:MINI-PS-100-240AC/24DC/1..ORDER CODE: 29 38 84 0..P/N:616000200..MFG:CEI
2637	61637 A REV A C	TARJETA DE CONTROL PANTALLA TACTIL LCD UPS TOSHIBA 10KVA SERIES: 1600XP...MODEL: UH3G2L 100C61TVS..N/S: 130703196 UPS
2638	61662	MAXIFLEX FOLDING RULER COMBINATION METRIC / INCH..P/N: 61662..MFG:WIHA..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
2639	617499	COIL VAC: 115V, HZ: 60, TYPE: EK, U/O: DG4V-5..P/N: 617499..MFG: VICKERS-EATON....SCHEDULE B: #8504500000 OTHER INDUCTORS.
2640	618EX	ADJUSTABLE EXTENSION ASSEMBLY 6'-18'..P/N: 618EX..MFG: GENERAL PUMP
2641	61GE016DC13A	AC HIGH PERFORMANCE FANS, NOMINAL VOLT: 400 V, AIR FLOW: 294 L/S, NOISE LEVEL: 74dB(A), NOMINAL SPEED: 3450 RPM, FREQUEN
2642	62-24MM	METRIX HEX BIT SOCKET..P/N: 62-24MM..MFG: WRIGHT TOOL..SCHEDULE B: # 8207.80.0000 OTHER TOOLS
2643	62-64MM	METRIX HEX BIT SOCKET..P/N: 62-24MM..MFG: WRIGHT TOOL..SCHEDULE B: # 8207.80.0000 OTHER TOOLS
2644	62.3.3.8.120.0.0.5.0.	RELE, CONTACT 16A, 250V, COILS 120VAC..P/N: 62.3.3.8.120.0.0.5.0..MFG: FINDER..SCHEDULE B: # 8536410030 OTHER RELAYS
2645	62.554.101	SCREW CAP TYBE CONICAL BASE 15 ML, PP GWB, 50/PCS, PKG OF 500 PCS..P/N: 62.554.101..MFG: SARSTEDT INC...SCHEDULE B: # 3926
2646	62.559.101	TUBE 50 ML, 115 X 28MM, PP, 50 PCS, PKG OF 300 PCS..P/N: 62.559.101..MFG: SARSTEDT INC...SCHEDULE B: # 3926.90.9910 OTHER LABO

	Item	Description
2647	620	PUSH BUTTON (CLR)-WHITE (SPEC)- FLUSH, 3/4" HOLE DEPTH..MFG:EDWARDS HIGH VACUUM, INC...P/N: 620..SCHEDULE B: #8536.50.906
2648	62052Z	BEARING SKF ..P/N: 62052Z
2649	62055	AISLADOR TIPO POSTE ANSI CLASS 57-2..P/N: 62055....MFG: VICTOR
2650	6206	LADDER STEP, MAT: FIBERGLASS, LG: 6 FT, W-B: 23-3/8", W-P: 3", LG-OP: 3FT, TYP: IA 300 LB EXTRA HEAVY, CLR: ORANGE..P/N: 6206..SC
2651	6207-2Z	BEARINGS..P/N: 6207-2Z..MFG: SKF
2652	62070	RETAINING COMPOUND. LOCTITE 620; 250 ML; 8.45 OZ;GREEN;HIGH TEMPERATURE..P/N:62070..MFG:LOCTITE..SCHEDULE B: # 3214.90.5
2653	6208	LADDER,STEP..(MAT)-FIB1RGLASS;(LG)- 8 FT(W-B)- 26-7/8";(W-P)-3"(LG-OP)- 4FT(TYPE)-IA 300LB EXTRA HEAVY DUTY (CLR)-ORANGE;(DC
2654	6209-2Z	BEARINGS..P/N: 6209-2Z..MFG: SKF
2655	6210	LADDER,STEP..(MAT)-FIBERGLASS; (LG) 10 FT.(W-B)30-1/8";(W-P) 3";(LG-OP) 5 FT..(TYP) IA 300LB EXTRA HEAVY DUTY(CLR) ORANGE;(DO
2656	623	LAMP MINIATURE..LT: 623, V: 28V, POW: 10.36W,..P/N: 623..MFG: LIGHTBURN & CO..SCHEDULE B: # 8539320090 OTHER DISCHARGE LAMF
2657	6232	TORQUE MULTIPLIER 3200 FT, LB 1/2X1, EFFECTIVE MULTIPLICATION 18.5:1 +/- 5% ..P/N: 6232 (J6232)..MFG: PROTO..SCHEDULE B: # ..
2658	6246B	PLUG TWIST-LOCK CONTROL..VAC: 105-135V, FREQ: 50/60 HZ,..POW: 1000W,..P/N: 6246B (R/B: 6246TF)..MFG: SUNSWITCH..SCHEDULE B:
2659	624EX	ADJUSTABLE EXTENSION ASSEMBLY 9'-24'..P/N: 624EX..MFG: GENERAL PUMP
2660	6278	GUY CLIP..P/N: 6278..MFG: CHANCE
2661	628-13-GH-P1-E2-S1	PRESSURE TRANSMITTER; BEPSCI MD62813GHP1E2S1..SGA18AP001; RANGE:0- 300PSIG INPUT :15-30Vdc OUTPUT :4-20mA ;MAX PRESS
2662	62M24B	METRIC REPLACEMENT HEX BIT..P/N: 62M24B..MFG: WRIGHT TOOL..SCHEDULE B: # 8207.80.0000 OTHER TOOLS
2663	63-23-175-8	TRANSFORMER 0.50 KVA..P/N: 63-23-175-8..MFG: SOLA..SCHEDULE B: # 8504210020 ELECTRICAL TRANSFORMERS
2664	63-23-210-8	TRANSFORMER ASSEMBLY, SPEC: 1 KVA, HARMONIC NEUTRALIZED TYPE CVS 95-130/190-260V 118 60 HZ VA 1000 ..P/N: 63-23-210-8..MFC
2665	6311	MICROCOMPUTER BASED PH/ORP AND TEMPERATURE CONTROLLLER..P/N: 6311..MFG: JENCO
2666	6313685	OLCT 60 0-100% LEL WITH CATALYTIC BEAD; EXPLOSION PROOF SENSOR BLOCK SPARE PARTS...GAS DETECTOR COMBUSTIBLE GASE
2667	632.717	MICRO FUSE 6.3 X 32 MM, 1A - 500 V..6.3 X 32 MM 1A - 550 V..TIME DELAY CERAMIC MICRO FUSE 6.3 X 32 MM 1A - 500 V..P/N: 632.717..MFG
2668	632A808A01	CUT-OUT 7KV, 100 AMP, 75 KBILL, TERMINAL TYPE, SPECIAL BRACKET..P/N: 632A808A01..MFG: ABB..SCHEDULE B: # 8535400000 OTHER A
2669	632A811A01	ENCLOSED FUSE CUTOUT 2.6 TO 7.8KV, 200 AMPS..P/N: 632A811A01..MFG: ABB..SCHEDULE B: # 8535400000 OTHER ARRESTER
2670	633 N024	INDICATORS OPTION 2FOR VENEER 2 MM..P/N: 633 N024..MFG: MACPUARSA
2671	6331141	GAS CALIBRATION FOR CEX300/OLC SER...P/N: 6331141..MFG: OLDHAM
2672	635-40561-80.	KIT IGTU GUIDE, OFFSET,DWG:MD-502-8A33-ME-MPO-0504-0202, POLISHING SCREEN ELEVATOR..P/N: 635-40561-80..MFG: REXNORD..SC
2673	635007901P	PRESSURE TRANSMITTER 0-16 BAR; 1/8 NPT M; N/P 14018840;SERIAL 1107IBKP;OUTPUT 4-20mA..P/N 635007901P (OLD 635009801)..MFG
2674	635022	PIN CLEVIS 1" OD X 3-1/2" FOR DYNAMIC CA25 SERIE 7098652..P/N: 635022 (R/B: 4700635022)..MFG: DYNAPAC..SCHEDULE B: # 8431.49.101
2675	63538440	SAFETY CLIP PIN, CODE 70145349..P/N: 63538440..MFG: TEREX
2676	636G	SELF-MOLD STICK PACK GREEN OLCR 636G 1 GAL PAIL- 8 LBS..P/N: 636G..MFG: OIL CENTER RESEARCH INTL..SCHEDULE B:# 3904.69.50
2677	637427--TT	SERVICE REPAIR KIT; FLUID SECTION SERVICE KIT; REPAIR KIT FOR 1/2" NON-METALLIC DIAPHRAGM PUMP PD05P-ARS-PTT-B..FOR FLI
2678	637428	AIR SECTION SERVICE REPAIR KIT..AIR MOTOR FOR PX05P..REPAIR KIT FOR 1/2" NON-METALLIC DIAPHRAGM PUMP PD05P-ARS-PTT-B
2679	638.01	OPTO-MATIC, OILER..(CONNECTION): 1/4" NPT, (CAP): 4 ONZAS, (DIM): 2-11/16 X 5", PUMP MARKS SULZER,.. WATER RECIRCULATION ISA
2680	63852	2" STEEL HITCH BALL WITH 1" SHANK..P/N: 63852..MFG: DRAWTITE..SCHEDULE B: #8482910020 OTHER PART STEEL BALLL

	Item	Description
2681	6400-00	SECOs Eclipse prism assembly features a 62 mm water-resistant, hermetically sealed, nitrogen-filled prism canister that prevents fogging. ..Full Product I
2682	64196	LAMP ASSEMBLY, V: 24V, POW: 75/70 W, BASE: P43T, SPEC: H4..P/N: 64196..MFG: OSRAM..SCHEDULE B: # 9405.10.3000 OTHER LAMPS O
2683	643D	PADLOCK COMBINATION RESET ..P/N: 643D..MFG: MASTER LOCK
2684	6449	CLAMP 3 BOLT GUY 3/8 IN..P/N: 6449..MFG: CHANCE..SCHEDULE B: #
2685	644HFI5A01J6M5Q4	TEMPERATURE TRANSMITTER, TYPE: PT100-385, 4 WIRE, V: 4204 VDC, I: 23MA, RANGE TEMP: 0-100C, SIZE CONNECTION: 1/2" NPT, O/P:
2686	6451489	DISPLAY BOARD FOR DETECTOR OLCT60D..P/N: 6451489..MFG: OLDHAM DIV. OF INDUSTRIAL SCIENTIFIC ..
2687	6451500	CARD FOR OLCT60D..P/N: 6451500..MFG: OLDHAM..SCHEDULE B: # 9027.10.0000 PARTS FOR GAS OR ANALYSIS APARATUS
2688	647	TELESCOPIC SPINDLE, REEL STAND 62"..P/N: 647..MFG: GREENLEE..SCHEDULE B: # 8466208065 OTHER SUPPORT
2689	65-020	VARISTOR, SPEC V150PA20A..P/N: 65-020..MFG: RAPID POWER TECHNOLOGIES INC...SCHEDULE B: # 8533.40.0080 OTHER VARIABLE RE
2690	65 FT DF	DOUGLAR FIR POLES PER ANSI STANDARD O5.1 LATEST REVISION, 65 FT, CLASS 3, PRESSURE TREATED WITH PENTACHLOROPHENC
2691	65 FT SYP CLASS 3	WOODEN POLES, SOUTHERN YELLOW PINE, 65 FT CLASS 3, CCA-C TREATMENT, .60 CCA, LATEST AWPA & ANSI ..P/N: 65 FT SYP CLASS
2692	65 FT WRC	WESTERN RED CEDAR POLES PER ANSI STANDARD O5.1 LATEST REVISION, 65 FT, CLASS 3, PRESSURE TREATED WITH PENTACHLOF
2693	6502	NUT EYE, DIA: 5/8, THD/IN: 12, TYP-UNC: GDE: 2, MAT: STEEL..P/N: 6502..MFG: CHANCE..SCHEDULE B: # 7318160000 NUTS
2694	6503	HAND CRANKED MEGOHMER (V-AC)-250-500-1000V (RES) -500-1000MOHM..P/N: 6503 (replaced 819-B)..MFG: AEMC..P/N: 6503 ..SCHEDULE
2695	6504	BALL BEARING ITEM 32 FOR PUMP PUMPEX PX 12H SERIE 12000672..P/N: 06504..MFG: PUMPEX PUMPS
2696	65086	CORROSIVE STACKABLE SAFETY CABINETS, 16 GALLONS, PLYWOOD..GRAY, ACID/BASE..P/N: 65086..MFG: SCIMATCO..SCHEDULE B: # 9
2697	65101723674304	CARBON BRUSH, SIZE: 1 X 1.75 X 2.375, GRADE: H41C..P/N: 65101723674304..MFG: HELWIG CARBON PRODUCTS, INC.
2698	6520	O-RING FOR PUMP PUMPEX PX 12 H SERIE 12000672..P/N: 06520..MFG: PUMPEX PUMPS
2699	6533N-TVHN	SEAL KIT..U/O: ROD CART..P/N: 6533N-TVHN..MFG: SPERRY- VICKERS..SCHEDULE B: # 4016930000 GASKETS, WASHERS & OTHER SEAL
2700	6533N-TVNZ	SEAL KIT..U/O: ROD CART..P/N: 6553N-TVNZ..MFG: SPERRY- VICKERS..SCHEDULE B: # 4016930000 GASKETS, WASHERS & OTHER SEAL
2701	65397	CLAMP-ON BREAKER LOCKOUT..SINGLE-POLE; POLYPROPYLENE RED COLOR; 480/600V..DIMENSIONS: 3.25” H X 1.588”W X 2.175”D..P/N:
2702	6540140002	HEAT EXCHANGER PART 3 EH-902E SR# OBI-25271 P/N: 6540..P/N: 65401400002..MFG: ENVIRO-INTERCEPT..SCHEDULE B: # 8419.50.0000 (
2703	6546757	ELECTROVALVE..P/N: 6546757
2704	654972B-02	KEYPAD MICROTECH..P/N: 654972B-02 (r/b: 065497202) ..MFG: MCQUAY-REFRIGERATION..SCHEDULE B: # 8471609050 OTHER KEYPADS
2705	6550	MEGOHMMETER MODEL 6550, RS-232 W/DATAVIEW SOFTWARE, 25 TOHMS, 10000V, 2130.31..P/N: 6550..MFG: AEMC (CHAUVIN ARNAUX).
2706	6555	MEGOHMMETER MODEL 6555, RS-232 W/DATAVIEW SOFTWARE, 25 TOHMS, 15000V, 2130.32..P/N: 6555 ..MFG: AEMC (CHAVIN ARNAUX)..
2707	65564	GATE VALVE LOCKOUTS..P/N: 65564..MFG: BRADY
2708	6589T2	BORESCOPE W/ 36 CABLE 0.4 DIA CABLE..P/N: 6589T2..MFG: MCMASTER
2709	6589T4	REPLACEMENT BULB HALOGEN..P/N: 6589T4..MFG: MCMASTER..
2710	6589T5	OPTIONAL MAGNETIC TIP..P/N: 6589T5..MFG: MCMASTER..
2711	6589T6	OPTIONAL 45 MIRROR..P/N: 6589T6..MFG: MCMASTER
2712	66.9328-21	STACKABLE PLUGS W/ SPRING-LOADED 4MM DIAM BLACK..PLASTIC / METAL STACKABLE..MODELO: XZGL-425..PART NUMBER: 66.9328-2
2713	66.9328-22	STACKABLE PLUGS W/SPRING RED 4MM DIAM STACKABLE Ø 4 MM PLUGS WITH SPRING-LOADED,..MODELO: XZGL-425..P/N: 66.9328-22
2714	66.9328-23	STACKABLE PLUGS W/SPRING LOADED BLUE 4MM DIAM ..MODEL: XZGL-425..PART NUMBER: 66.9328-23..MFG: STAUBLI / MULTICONTAC

	Item	Description
2715	66.9328-24	STACKABLE PLUGS W/SPRING LOADED YELLOW 4MM DIAM STACKABLE ..MODEL: XZGL-425..PART NUMBER: 66.9328-24..MFG: STAUBLI
2716	66.9395-15021	MEASUREMENT CABLE DIA 4 MM CAT IV BLACK; TYPE: XSMS-419 ..4 MM TEST LEAD TO ACCEPT HIGH POWER FUSES 150 CM ..P/N:66.93
2717	66.9395-15022	MEASUREMENT CABLE DIA 4 MM CAT IV RED TYPE XSMF-419; ..4 MM TEST LEAD TO ACCEPT HIGH POWER FUSES 150 CM ..P/N:66.9395-
2718	66.9395-15023	MEASUREMENT CABLE DIA 4 MM CAT IV BLUE; TYPE XSMF-419;4 MM TEST LEAD TO ACCEPT HIGH POWER FUSES 150..CM..P/N:66.9395-
2719	66.9395-15024	MEASUREMENT CABLE DIA 4 MM CAT IV YELLOW; TYPE XSMF-419;4 MM TEST LEAD TO ACCEPT HIGH POWER FUSES 150 CM..P/N:66.93
2720	66.9561-21	CLIP; DOLPHIN 4 MM CAT IV; BLACK; TYPE XDK-1033 / I-2; 600V,CAT IV-1000V,CATIII /19 A..P/N: 66.9561-21..MFG: MULTICONTACT/STAUBLI.
2721	66.9561-22	CLIP; DOLPHIN 4 MM CAT IV RED;TYPE XDK-1033 / I-2; 600V,CAT IV-1000V,CAT III /19A..P/N: 66.9561-22..MFG: MULTICONTACT/STAUBLI..SC
2722	66.9561-23	CLIP; DOLPHIN 4 MM CAT IV ; BLUE; TYPEXDK-1033 / I-2;600V;CAT IV -1000V, CAT III /19 A..P/N: 66.9561-23..MFG: MULTICONTACT/STAUBLI.
2723	66.9561-24	CLIP; DOLPHIN 4 MM CAT IV; YELLOW;TYPEXDK-1033 / I-2;600V;CAT IV - 1000V, CAT III / 19 A..P/N: 66.9561-24..MFG: MULTICONTACT/STAUI
2724	66.9755-21	SAFETY TEST CLIP BLACK 4MM..MODELO: XKK-1001..P/N:66.9755-21..MFG: STAUBLI / MULTICONTACT..COUNTRY OF ORIGIN:GERMANY
2725	66.9755-22	SAFETY TEST CLIP RED 4MM..MODEL: XKK-1001 ..PART NUMBER: 66.9755-22..MFG: STAUBLI / MULTI CONTACT..COUNTRY OF ORIGIN:GE
2726	6614440A1	CLEVIS ASSEMBLY..P/N: 6614440A1..MFG: ABB..SCHEDULE B: #7326190000 - OTHER FORGED ARTICLES
2727	663313300	ORING, CODE 70143609..P/N: 663313300..MFG: ATLAS COPCO..SCHEDULE B: # 8414.90.9000 OTHER PARTS
2728	6633518	STANDARD FLOPPY FILTER..P/N: 6633518..MFG: ABB
2729	6633518F1	STANDARD FLOPPY FILTER..P/N: 6633518F1..MFG: ABB..MFG: ABB ANALYTICAL INSTRUMENTS DIV...SCHEDULE B: # 8421210000 FILTERIN
2730	6634507A1	CLEVIS PIN 1-1/4 DIA X 4"..P/N: 6634507A1..MFG: ABB..SCHEDULE B: #7326190000 - OTHER FORGED ARTICLES
2731	66900	SCREW FOR IMPELLER PUMP NS 50/26NB;ST ST ASTM A276 TYPE 410SCREW FOR IMPELLER FOR PUMP KKS 40GMA16AP010/40GMA17A
2732	66900.	SCREW FOR IMPELLER PUMP NS 65/32N;ST ASTM A276 TYPE 410SCREW FOR IMPELLER PN FOR PUMP KKS 40GMA25AP001/40GMA26AF
2733	67	LAMP MINIATURE..(#LT) - 67; (V) - 13.5V;; (POW)-7.97W, GENERIC..P/N: 67..MFG: IMPORT ..SCHEDULE B#8539228050 - OTHER LAMPS
2734	670510-0	WALL THICKNESS PROBE, -4 TO 140 F WITH AUTOMATIC PROBE DETECTION..P/N: 670510-0..Mfg: FLEXIM....
2735	671222	CABLE INSTRUMENTATION, AWG: 16, NO. COND: 2 PAIR, V: 300 V, SPEC: INSULATED PVC, SHIELDPAIRS WITH AN OVERALL SHIELD, STD
2736	67603P0M3	BREATHER VENT..P/N: 67603P0M3..MFG: RG LAURENCE..SCHEDULE B # SCHEDULE B # 8412.39.0080 OTHER PARTS FOR ACTUATOR VAI
2737	6760507	SEAL KIT..P/N: 6760507..MFG: PARKER
2738	6763060	24 VDC SELENOID VALVE, ..P/N: 6763060..MFG: PARKER
2739	6780	TRANSMISSION HOT LINE INDICATOR..P/N: 6780..MFG: HASTING..
2740	679	CONNECTOR FEMALE BOX..DIA: 1-1/2", MAT: STEEL..P/N: 679..MFG: THOMAS & BETTS..SCHEDULE B: # 7307923010 COUPLINGS OF IRON
2741	6805	ROUND WASHERS 5/8"..P/N: 6805 CHANCE (OFFER P/N: J1088)..MFG: MACLEAN POWER..SCHEDULE B: # 7318.22.0000 OTHER WASHER
2742	6805700	MOUTH PIECE..P/N: 6805700..MFG: ALCOTEST..SCHEDULE B: # 9025805050 OTHER INSTRUMENTS..COUNTRY OF ORIGIN: GERMANY
2743	68060	LOCTITE 680 250 ML RETAINING COMPOUND; GREEN; RETAINING STRENGHT: HIGH..P/N:68060 / R/B 00685 ID# 1835196..MFG: LOCTITE.
2744	6810-1/2	CURVED WASHER..P/N: 6810-1/2..MFG: CHANCE..SCHEDULE B: # 7318.22.0000 OTHER WASHER
2745	6811	WASHER, 2" SQ. 1/2"..P/N: 6811
2746	6812	WASHER INCH, ID: 11/16", W: 0.108", MAT: STEEL..P/N: 6812..MFG: HUBBELL POWER SYSTEM..SCHEDULE B: # 7318.22.0000 OTHER WASH
2747	6816	WASHER, 3" SQ. 3/4"..P/N: 6816
2748	68200	GASKET IMP SCREW NS 50/26NB NS 65/32N;NON ASB GASKET FERROLITE NAM37 OR EQUIVGASKET FOR IMP.SCREW PN 68200 FOR PU

	Item	Description
2749	6823	CURVE WASHER INCH, DIMS: 3 X 3 X 1/4", ID: 1/4:, W: 0.108", MAT: STEEL..P/N: 6823..MFG: CHANCE..SCHEDULE B: # 7318220000 OTHER W
2750	6823 1/2	WASHER, CURVED 3" SQ. 5/8"..P/N: 6823 1/2
2751	684	TELESCOPIC SPINDLE, REEL STAND 76"..P/N: 684..MFG: GREENLEE..SCHEDULE B: # 8466208065 OTHER SUPPORT
2752	685A	LOOM FABRIC BLACK ID: 3/8"..P/N: 685A WHITAKER (R/B: ALF38)..MFG: BORG WARNER..SCHEDULE B: # 8446100090 OTHER LOOMS
2753	686	LOOM ASPHALT,ID: 1/2", LG: 50, REF: BLACK FABRIC WHITAKER..P/NZ: 686 (R/B: ALF50)..MFG: BORG WAGNER..SCHEDULE B: # 580620000
2754	687010	Rotary pump oil B, bottle of 1 liter..MFG: Vacuubrand
2755	6888A-2OXY-2-1-1HT-00-01-0-0-0	2OXY MEASUREMENT : OXYGEN - ACID-RESISTANT SENSING CELL..2 PROBE LENGTH : 18" (457 MM) PROBE WITH ABRASIVE SHIE
2756	6888XI-1OXY-02-00-00-00-00-00	1OXY 6888XI TYPE : SINGLE CHANNEL O2 MEASUREMENT FOR SINGLE 6888A TRANSMITTER-STYLE PROBE (USER TO PROVIDE TWISTI
2757	68F MALE	MALE CONNECTOR..(DIA)-3/8";(MPT)-1/4";(MST)-9/16-..24";(MAT)-BRASS;(TYP)-STRAIGHT..P/N: 68 F MALE (OFFER WEATHERHEAD 68X6)..M
2758	68X5	COMPRESSION MALE CONNECTOR..P/N: 68X5..MFG: IMPERIAL EASTMAN
2759	69.0013	FUSE; HIGH POWER 1.6A FOR MEASUREMENT CABLE TYPE DMI-1.6A;6.3 X 32MM; RUOTURE CAPACITY 30KA..P/N:69.0013..MFG: MULTICC
2760	694	WESTERN PHOSPHATE ROCK, UNIT ISSUE 90 G..P/N: 694..MFG: NIST
2761	695945	REEL OF 250FT ..STEEL, PVC COATED 1/8-7X7..P/N: 695945..MFG: COLUMBUS MCKINNON
2762	696823	MULTICONDUCTOR 14 AWG TYPE THHN/ THWN, 3 CONDUCTOR, JACKET TICKNESS 0.045 in, NOMINAL OD 0.336 IN, AMPS PER CONDUC
2763	696856	MULTICONDUCTOR 14 AWG TYPE THHN/ THWN, 9 CONDUCTOR, JACKET TICKNESS 0.045 in, NOMINAL OD 0.502 IN, AMPS PER CONDUC
2764	6973729	1-7/32" (30.5 MM) CONDUIT DIE..PUNCH RD 1.218..PKGD SC..P/N:6973729 (OFFER : 36490)..MFG:GREENLEE
2765	699895	Chemistry rotary vane pump unit PC 3, with RZ 9,..230 V / 50-60 Hz, CEE mains cable..MFG: Vacuubrand
2766	69F MALE	ELBOW CONNECTOR..(REF)-3/8 X 1/4"(REF)-3/8 X 1/4"..P/N: 69 F MALE (OFFER WEATHERHEAD 69X6)..MFG: IMPERIAL EAST..SCHEDULE B
2767	6AV66440AC012AX1	SIMATIC MP 377 19" TOUCH MULTI PANEL, WINDOWS CE 5.0 19" COLOR TFT DISPLAY 12 MB CONFIGURATION MEMORY CONFIGURABLE
2768	6AWG 4/C 600 V	CABLE MINING TYPE: W..P/N: 6AWG 4/C 600V..MFG: GENERAL CABLE..SCHEDULE B: # 8544604000 - OTHER CONNECTORS
2769	6C 12AWG	CABLE 6 CONDUCTOR 12 AWG..FOR ELECTRIC REELS..P/N: 6C 12AWG..MFG: GLEASON REEL HUBBELL..
2770	6ED10521FB080BA0	LOGO! 230RCE,LOGIC MODULE, DISPLAY PS/I/O: 115V/230V/RELAY, 8 DI/4 DO, MEMORY 400 BLOCKS, MODULAR EXPANDABLE, ETHERNE
2771	6EP13532BA00	POWER SUPPLY; INPUT: 120-230 V AC OUTPUT: 3-52 V DC / 10 A, 120 W..SITOP POWER FLEXI STABILIZED POWER SUPPLY INPUT 1-PHA
2772	6ES7307-1EA00-0AA0	POWER SUPPLY; SIMATIC S7-300 REGULATED POWER SUPPLY PS307 INPUT: 120/230 V AC, OUTPUT: 24 V/5 A DC..P/N:6ES7307-1EA00-0A
2773	6ES7901-3DB30-0XA0	PPI MULTIMASTER CABLE, USB/RS485 ISOLATED..P/N: 6ES7901-3DB30-0XA0..MFG: SIEMENS
2774	6FX8002-2CF04-1CE0	CABLE SIGNAL..6FX8002-2CF04-1CE0..(TYPE)-UL/CSA DESINA MOTIONCONNECT 800(SPEC)-STRUCTURAL 3X2 X 0,14 +4 X 0,14+ 2 X 0,5,..D
2775	6GK5004-1BD00-1AB2	SCALANCE XB004-1 UNMANAGED INDUSTRIAL ETHERNET..SWITCH FOR 10/100MBIT/S; WITH 4 X 10/100MBIT/S..TWISTED PAIR- PORTS V
2776	6GK57862FC000AA0	IWLAN Access Point, SCALANCE W786-2 RJ45, 6GK5786-2FC00-0AA0..P/N: 6GK57862FC000AA0..MFG: SIEMENS
2779	6GK6000-8FE51-0AA0	6GK6000-8FE51-0AA0..99-25-0003..RUGGEDCOM Accessory, SFP, 1 X 100MBIT/S, 100BASE-FX,..LC-Interface, Optical: Multi Mode Fiber Optic up t
2780	6GK6000-8FE52-0AA0	6GK6000-8FE52-0AA0..99-25-0004..RUGGEDCOM Accessory, SFP, 1 X 100MBIT/S, 100BASE-FX,..LC-Interface, Optical: Single Mode Fiber Optic up
2781	6GK6000-8FG52-0AA0	6GK6000-8FG52-0AA0..99-25-0100..RUGGEDCOM Accessory, SFP, 1 X 1000MBIT/S,..1000BASE-LX, LC-Interface, Optical: Single Mode Fiber Optic
2782	6GK6000-8FG54-0AA0	6GK6000-8FG54-0AA0..99-25-0109..RUGGEDCOM ACCESSORY, SFP, 1 X 1000MBIT/S,..1000BASE-LX, LC-IN TERFACE, OPTICAL: SINGLE MC

	Item	Description
2783	6GK6000-8FG55-0AA0	6GK6000-8FG55-0AA0..99-25-0205..RUGGEDCOM ACCESSORY, SFP, 1 X 1000MBIT/S,..1000BASE-LX, LC-IN TERFACE, OPTICAL: SINGLE MC
2784	6GK6000-8FG57-0AA0	6GK6000-8FG57-0AA0..25-10-0108..RUGGEDCOM ACCESSORY, SFP, 1 X 1000MBIT/S,..1000BASE-LX, LC-IN TERFACE, OPTICAL: SINGLE MC
2785	6GK6000-8FX11-2AA0	MEDIA MODULE FOR RUGGEDCOM RSG2100, RSG2100P, RSG2300, RSG2300P, RS416 AND RS416P, 2 X 100MBIT/S LC-INTERFACE, OPTIC
2786	6GK6000-8HS010AA0	6GK6000-8HS010AA0..54 V/2.6A Power Supply, INPUT: 120 / 230 V AC, OUTPUT: 54 V/2.6 A DC, -40C to +75C..Mfg: Siemens..Schedule B # 851762
2787	6GK6010-0AP01-1AA0	RP100-HI-AT-XX..THE RUGGEDCOM RP100 PROVIDES THE FLEXIBILITY TO POWER REMOTE..POE DEVICES USING STANDARD CAT5 CAI
2788	6GK6015-0AL20-0JB0	RUGGEDCOM RX1500PN LM FG50 LINE MODULE 2 X 1000LX SFP - BLANK (NO OPTICAL TRANSCEIVER)..RUGGEDCOM RX1500 MANAGED
2789	6GK6015-0AL20-0JB1	MODULE INDUSTRIAL COMMUNICATION, INCL: SLOTS OF 2 FIBER OPTIN MODULE, CONFORMAL COATING, FOR RX1500/1501...RUGGEDC
2790	6GK6015-0AL20-0KB1	6GK6015-0AL20-0KB1..RX1500PN-S01-C01..RUGGEDCOM RX1500PN LM S01 LINE MODULE 6X..RS232/RS422/RS485 VIA RJ45 CONFORMAL
2791	6GK6015-0AM23-3DC0-Z A03+B0	6GK6015-0AM23-3DC0-Z A03+B01+C00+D26+E00..RX1500-L3-RM-HI-HI-L3SECL3HW-6TX01-XX-6FX50-XX-XX-...The RUGGEDCOM RX1500 seri
2792	6GK6015-0AM23-3DC0-Z A03+B0	6GK6015-0AM23-3DC0-Z A03+B01+C26+D36+E36..RX1500-L3-RM-HI-HI-L3SECL3HW-6TX01-6FX50-FG50-..FG50-XX-...The RUGGEDCOM RX15
2793	6GK6015-0AM23-3DC0-Z A03+B0	6GK6015-0AM23-3DC0-Z A03+B02+C02+D36+E36..RX1500-L3-RM-HI-HI-L3SECL3HW-CG01-CG01-FG50-FG50-..XX-...The RUGGEDCOM RX150
2794	6GK6015-0AM26-6DC0-ZA03+B3(	THE RUGGEDCOM RX1500 SERIES IS A UTILITY GRADE LAYER 2 AND LAYER 3 SWITCH AND ROUTER. ..2X POWER SUPPLY (HOT SWAP
2795	6GK6015-0AM26-6DC1-Z	6GK6015-0AM26-6DC1-Z A03+B01+C36+D26+E03..RX1500-L3-RM-HIP-HIP-L3SECL3HW-6TX01-FG50-6FX50-..S01-C01-...THE RUGGEDCOM R
2796	6GK6015-0AM26-6DC1-Z A03+B0	6GK6015-0AM26-6DC1-Z A03+B01+C36+D36+E26..RX1500-L3-RM-HIP-HIP-L3SECL3HW-6TX01-FG50-FG50-..6FX50-C01-...THE RUGGEDCOM
2797	6GK6021-0AS13-3DB0-Z A01+B0	6GK6021-0AS13-3DB0-Z..A01+B01+C01+D01+E00+F00+G01+H01+J01+K05..RSG2100NC-R-RM-HI-HI-TX01-TX01-TX01-TX01-XXXXXXXXX-..TX0
2798	6GK6021-0AS13-3DC0-Z A09+B0	6GK6021-0AS13-3DC0-Z..A09+B01+C01+D01+E00+F00+G01+H01+J01+K01..RSG2100NC-F-RM-HI-HI-FX06-TX01-TX01-TX01-XXXXXXXXX-..TX0
2799	6GK6021-0AS13-3DC0-Z A09+B0	6GK6021-0AS13-3DC0-Z..A09+B05+C05+D05+E00+F00+G01+H01+J01+K01..RSG2100NC-F-RM-HI-HI-FX06-FX11-FX11-FX11-XXXXXXXXX-..TX0
2800	6GK6021-0AS13-3DC0-Z A09+B0	6GK6021-0AS13-3DC0-Z..A09+B05+C05+D05+E00+F00+G05+H05+J05+K05..RSG2100NC-F-RM-HI-HI-FX06-FX11-FX11-FX11-XXXXXXXXX-..FX1
2801	6GK6021-0AS13-3DC0-Z A09+B0	6GK6021-0AS13-3DC0-Z..A09+B09+C05+D05+E00+F00+G05+H05+J05+K05..RSG2100NC-F-RM-HI-HI-FX06-FX06-FX11-FX11-XXXXXXXXX-..FX1
2802	6GK60210AS130FB0-Z A03+B03+	RUGGEDCOM RSG2100NC INDUSTRIALLY HARDENED, FULLY MANAGED ETHERNET SWITCH; 56-BIT ENCRYPTION; UP TO 3-GIGABIT ET
2803	6GK6023-0AS13-3DC0-Z A09+B0	6GK6023-0AS13-3DC0-Z A09+B05+C18+D18..RSG2300NC-F-RM-HI-HI-FX06-FX11-FXA11-FXA11-XX-...The RUGGEDCOM RSG2300NC is an indu
2804	6GK6023-0PS13-8DC0-Z A09+B0	6GK6023-0PS13-8DC0-Z A09+B01+C01+D18..RSG2300PNC-F-RM-HI-48POE-FX06-PX01-CG01-FXA11-XX..The RUGGEDCOM RSG2300PNC is a
2805	6GK60800HS230MA0-Z A01	RUGGEDCOM RS8000H HARDENED, FULLY MANAGED, ETHERNET SWITCHES; 4 X 10/100BASETX + 4 X 100BASEFX;..128-BIT ENCRYPTIO
2806	6GK6090-0AS23-0BA0-Z A15+B0	RUGGEDCOM RS900 IS A 9-PORT, INDUSTRIALLY HARDENED, FULLY..MANAGED ETHERNET SWITCH WITH 128-BIT ENCRYPTION SUPPO
2807	6GK60900AS230BA0-Z A08+B00	RS900-HI-D-MT-MT-00-XX-XX (A6X30077285)..P/N:6GK60900AS230BA0-Z A08+B00..ETHERNET SW.9P,300DC/264AC,RS900..RUGGEDCOM RS
2808	6GK60900AS230BA0-Z A08+B04	RS900-HI-D-MT-MT-MT-XX..(6X30079827)..P/N:6GK60900AS230BA0-Z A08+B04..RUGGEDCOM RS900 6GK60900AS 2 RUGGEDCOM RS900 IS
2809	6GK60920PS230BA0-Z A04+B00+	6GK60920PS230BA0-Z A04+B00+C00+D00..RUGGEDCOM RSG920P is a fully managed Ethernet switch with 128-bit Encryption and 20 non-blocking
2810	6L32240BE411UA0	SINAMICS G120 POWER MODULE PM240 WITHOUT FILTER WITH BULT IN BRAKING..CHOPPER 3AC380-480V +10/-10% 47-63HZ OUTPUT H
2811	6S6130V	LAMP INDICATOR S-6 CAN BASE..130V..P/N: 6S6130V..MFG: IMPORT BRAND..SCHEDULE B: #8539228050 - OTHER LAMPS....
2812	6SE6400-3CC02-2CD3	FOOTPRINT FSC - 1MH 200V-480V 3AC 22A AC COMMUTATION CHOKE MICROMASTER 4..P/N: 6SE6400-3CC02-2CD3..MFG: SIEMENS
2813	6SE6440-2AD27-5CA1	DRIVE MICROMASTER 440..FOR AIR COMPRESSOR ILO31..INPUT: 380-480 V +10% -10% 3ØAC 22.0/(23.1 VT)A 47-63 HZ..OUTPUT: 0-INPUT
2814	6SL3210-1KE17-5AF1	G120C RATED POWER 3,0KW WITH 150% OVERLOAD FOR 3 SEC 3AC380-480V +10/-20% 47-63HZ INTEGRATED FILTER CLASS A I/O-INTEI
2815	6SL3210-1KE21-3AF1	G120C RATED POWER 5,5KW WITH 150% OVERLOAD FOR 3 SEC 3AC380-480V +10/-20% 47-63HZ INTEGRATED FILTER CLASS A I/O-INTEI
2816	6SL32240BE215UA0	SINAMICS G120 POWER MODULE PM240 WITHOUT FILTER WITH BULT IN BRAKING..CHOPPER 3AC380-480V +10/-10% 47-63HZ OUTPUT H

	Item	Description
2817	6SL32240BE255UA0	SINAMICS G120 POWER MODULE PM240 WITHOUT FILTER WITH BULT IN BRAKING CHOPPER 3AC380-480V +10/-10% 47-63HZ OUTPUT H
2818	6SL32240BE411UA0	SINAMICS G120 POWER MODULE PM240 WITHOUT FILTER WITH BULT IN BRAKING..CHOPPER 3AC380-480V +10/-10% 47-63HZ OUTPUT H
2819	6SL32440BB121BA1	SINAMICS G120 CONTROL UNIT CU240E-2 E-TYPE SAFETY INTEGRATED STO RS485-INTERFACE, USS-PROTOCOL 6DI, 3DO, 2AI, 2AO, MA
2820	6SL33201TG312AA3	SINAMICS S120 SINGLE MOTOR MODULE INPUT DC 675 V - 1035V OUTPUT 3AC 500 V - 690V, 120A FRAME SIZE CHASSIS INTERNAL AIR C
2821	6SL3330-1TG41-4AA3	SINAMICS S120 BASIC LINE MODULE 500-690V 3AC, 50/60 HZ, 1400A OUTPUT: 675-930 V DC TYPE RATING: 1100KW BUILT-IN UNIT IP00 DE
2822	6SL3330-6TE35-5AA3	SINAMICS S120 SMART LINE MODULE 380-480V..3AC, 50/60 HZ OUTPUT: 510-650 V DC, 550 A RATED..POWER: 250KW BUILT-IN UNIT IP00 I
2823	6SL3352-6BH00-0AA1	CONTROL INTERFACE MODULE (CIM) FOR AIR-COOLED DEVICES..SINAMICS SPARE POWER SUPPLY FOR 500-690V 3AC, 50/60 Hz AC..DI
2824	6SL3353-6TH41-4BA3	SINAMICS S REPLACEMENT CONTROL INTERFACE BOARD FOR 500-690V 3AC, 50/60 HZ, 1400A BASIC LINE MODULE..P/N: 6SL3353-6TH41
2825	6T4-1/21	LAMP INDICATING T4/5 CAN BASE 6W 125V..P/N: 6T4-1/2/1..MFG: IMPORT
2826	6XV18300EH10	PROFIBUS FC STANDARD CABLE GP, BUS CABLE 2-WIRE, SHIELDED SPECIAL CONFIGURATION FOR QUICK ASSEMBLY, DELIVERY UNIT
2827	6XV1870-3QH20	NET INDUSTRIAL ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED WITH W. 2 RJ45 CONNECTORS, L = 2 M..P/N:(
2828	6XV1870-3QH40	NET, IND. ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W/ 2 RJ45 CONNECTORS,LENGTH 4M ..P/N: 6XV1870
2829	7-010-0686	CLASS A MODULE..P/N: 7-010-0686..MFG: KIDDE FIRE SYSTEMS..SCHEDULE B: #8537109090 OTHER BOARDS PANELS
2830	7-800-0600	3 JAW PLAIN BACK SELF -CENTERING..SCROLL LATHE CHUCKS..MOUNT: PLAIN BACK THRU HOLE SIZE: 1.65 IN. BODY MATERIAL: SEMI-S
2831	7-800-1000	3 JAW PLAIN BACK SELF-CENTERING SCROLL LATHE CHUCKS..MOUNT: PLAIN BACK THRU HOLE SIZE..2.9900 IN, BODY MATERIAL: SEMI-
2832	7-G72	CLAMP BURETTE, REF: TONG BEAKERNICKLE-PLATED STEEL WITH PLASTIC COATED TIPS..P/N: 7-G72..MFG: GINSBERG SCIENTIFIC
2833	7 210 032	SECUR AIR INTKE FLTR CARTRDG..P/N: 7 210 032..ERVOR..SCHEDULE B:# 9613.90.0000 OTHER PARTS
2834	7 210 035	SECUR AIR INTKE FLTR CARTRDG..P/N: 7 210 035..MFG:ERVOR..SCHEDULE B:# 9613.90.0000 OTHER PARTS
2835	7 211 003	SEPARATOR CARTRIDGE..P/N:7 211 003..MFG:ERVOR..SCHEDULE B:# 9613.90.0000 OTHER PARTS
2836	7 214 411	COALESCENSE FILTER ELEMENT..FILTER ELEMENT: V..FILTER ELEMENT REFERENCE: 7 214 411..FILTRATION: 1 MICRA..ADITIONAL INFC
2837	7 216 101	OIL FILTER CARTRIDGE..7 216 101..MFG: ERVOR..SCHEDULE B:# 9613.90.0000 OTHER PARTS
2838	7 501 030	SEPARATOR CARTRIDGE O-RING..P/N: 7 501 030..MFG: ERVOR..SCHEDULE B:# 9613.90.0000 OTHER PARTS
2839	7/16 IN ID X 5/8 IN OD	SILICONE RUBBER TUBING, 50-5 S hA, NATURAL TRANSLUCENT (3/32 IN WALL) 100 FT..7/16 IN ID X 5/8 IN OD..P/N: ST03301..MFG: IPOTEC
2840	7/16" GRADE B	SLEEVE VINYL GLASS FLEX..SIZE: 7/16"..P/N: 7/16" GRADE B..MFG: HILEX
2841	70-4	1/2" x 4', NYLON ROPE LANYARD W/3600#..P/N: 70-4..MFG: BAIRSTOW
2842	70-407008-002	ADDRESSABLE CONTACT INPUT DEVICE NC..P/N: 70-407008-002..MFG: KIDDE FIRE SYSTEMS..SCHEDULE B:# 8517.62.0050 OTHER MACH
2843	70-461-1	SOCKET 10A, 3000v, DIN PANEL..LIGHTGRAY, 1600 V (RMS)..20-14 AWG..P/N: 70-461-1....MFG: MAGNECRAFT
2844	70 FEET	DOUGLAS FIR, GROUP: A, CLASS: 1, LENGHT: 70 FT, PENTRA TREATED, ANSI 01, AWPA...P/N: 70 FEET DF..MFG:
2845	70.331.2435.0	INDUSTRIAL MULTIPOLE CONNECTION, BOTTOM BAS GUT GC 24 M25 50 A0 (HOUSING-REVOS MINI-BASIC 500V-SIZE24/24H-DOUBLE LO(
2846	70.350.2435.0	INDUSTRIAL MULTIPOLE CONNECTION, HOOD BAS GOT GA 24 M25 50 A0 (HOUSING-REVOS MINI-BASIC 500V-SIZE24/24H-DOUBLE LOCK
2847	700-0001-054-CFD-800.1	SENSING ELEMENT 700-1-22 W/ HAST C GROUND ROD, 700-001-054-CFD-800.1, 700-001-054-CFG CONFIGURATION, METAL WETTED PAR
2848	700-5	ROLLING PLATFORM LADDER, 700 STAND, 5 FT..P/N: 700-5..MFG: METALLIC LADDER MFG CORP...SCHEDULE B: # 7326908560 OTHER LAI
2849	700-CR6	POLE,PIECE; (TYPE)-R REED RELAY N.C.CONTACT; (CLR)-YELLOW..P/N:700-CR6..MFG: ALLEN BRADLEY..SCHEDULE B:# 8538.90.7080 OTI
2850	700-FSD3BU23	TIMING RELAY; 700-FS ONE SHOT HIGH PERFORMANCE TIMING RELAY, 0.15 - 3 SEC, 1 C/O (SPDT), 24 - 48 VDC, 24 - 240 VAC; MFG REF. 7

	Item	Description
2851	700-HF-34A1-4	RELAY PILOT LIGHTG, BULLETING 700-HF..P/N: 700-HF34A1-4..MFG: ALLEN BRADLEY..SCHEDULE B: 8536490055 OTHER RELAYS
2852	700-HN-140	RETAINER CLIP..P/N: 700-HN-140..MFG: ALLEN BRADLEY..SCHEDULE B: 8536200040 OTHER CONNECTORS
2853	700-HN101	11 PIN TUBE SOCKET..P/N: 700-HN101..MFG: ALLEN BRADLEY..SCHEDULE B:# 8536.69.5050 OTHER SOCKETS
2854	700-HN104	SOCKET RELAY..MFG: ALLEN BRADLEY..P/N: 700-HN104..SCHEDULE B: # 8536.90.8085 OTHER SOCKET RELAYS
2855	700-HN125	RELAY SOCKET, 8-Pin, TUBE BASE, OPEN SCREW TERMINALS, NO CLIP, VAC: 300V, I: 10A..P/N: 700-HN125..MFG: ALLEN BRADLEY
2856	700-HN139	SCREW TERMINAL SOCKET..P/N: 700-HN139..MFG: ALLEN BRADLEY..SCHEDULE B: 8535908060 OTHER TERMINALS..
2857	700-HR52TA17	RELAY TIME MULTI RANGE FUNCTION..P/N: 700-HR52TA17..SCHEDULE B: 8536410045 - OTHER CONTACTORS..MFG: ALLEN BRADLEY
2858	7000000716	SCOTCH-BRITE SURFACE CONDITIONING DISC, SC-DH, A/O MEDIUM, 7 IN X NH, 25 PER CASE..P/N: 7000000716..MFG: 3M..SCHEDULE B:
2859	7000066	PUMP, MODEL: ERR147CLS2520NNN3K5NLA1NAAANNNNN..P/N: 7000066..MFG: SAUER DANFOSS..SCHEDULE B: # 8413810040 OTHER HYI
2860	700521	BELT 2" X 36 - 15/16 LG ENDLESS, F2W0-OA-2AL..P/N: 700521..MFG: BOOTH MFG CO. AUTO LABE..COUNTRY OF ORIGIN: USA..
2861	70085-1010-330	MAGNETIC PICK-UP 5/8-18..P/N: 70085-1010-330..MFG: AL-TEK..SCHEDULE B: #9031808060 ELECTRICAL SENSOR
2862	700HR52TA17	RELAY TIME MULI RANGE FUCTION..P/N: 700HR52TA17..MFG: ALLEN BRADLEY..
2863	700HTH-1	HYDRAULIC HOSE..P/N: 700HTH-1..MFG: FLUKE..SCHEDULE B: # 3917390002 OTHER HOSES
2864	700HTP-1	PNEUMATIC TEST PUMP..P/N: 700HTP-1..MFG: FLUKE..SCHEDULE B: #8413190000 OTHER PUMPS OR LIQUIDS
2865	700P09	PRESSURE MODULE 1500 PSI..P/N: 700P09..MFG: FLUKE..SCHEDULE B: # 9026200000 OTHER MEASURING OR CHECKING PRESSURE
2866	700P27	PRESSURE MODULE..P/N: 700P27..MFG: FLUKE..SCHEDULE B: # 9026200000 OTHER MEASURING OR CHECKING PRESSURE
2867	700P29	PRESSURE MODULE 3000PSI..P/N: 700P29..MFG: FLUKE..SCHEDULE B: # 9026200000 OTHER MEASURING OR CHECKING PRESSURE
2868	700P400A4	RELAY BULLETING 700 ..P/N: 700PA4..MFG: ALLEN BRADLEY..SCHEDULE B: # 8536.41.0030 OTHER RELAYS
2869	700PTP-1	PNEUMATIC TEST PUMP..P/N: 700PTP-1..MFG: FLUKE..SCHEDULE B: #8413190000 OTHER PUMPS OR LIQUIDS
2870	70101-100	FILTER COMBU 30 PSI..P/N: 70101-100..MFG: COMBU
2871	70102	ORANGE CABLE 15 KV, AWG/COND: 2, THREADING: 259, AMP: 195, ISOLATION THICKNESS: .210, JACKET THICKNESS: .155, D.E. NOMINAI
2872	701105	CLAMP, TS-URK-ND ..P/N: 701105..MFG: PHOENIX CONTACT..SCHEDULE B: 7307199090 OTHER CLAMPS
2873	70111-06-F	CHUCK, EXP BLADE, 3, 5/16"..P/N: 70111-06-F..MFG: SEWER EQUIPMENT..SCHEDULE B: # 8708998175 PARTS FOR CLEANING MACHINE
2874	7012-AE	RELAY TIME DELAY..P/N: 7012-AE..MFG: AGASTAT..SCHEDULE B: # 8536410030 OTHER RELAY
2875	7012-CK	RELAY TIME DELAY .- RELAY ELECTROPNEUMATIC;TIMING;ON DELAY; DPDT; CTRL-V 480AC; 1-300 SEC..P/N: 7012-CK..MFG: AGASTAT..S
2876	7012PF	RELAY,TIME DELAY,PUMP EXCESS RUN ALARM/CUT-OUT,125VDC,Q..P/N:7012PF..MFG:AGASTAT..SCHEDULE B: # 8536.41.0030 OTHER RE
2877	70156407	TCF SIZE 445 TYPE BCS - SW CLASS 26, 100% DIAMETER, 100% WIDTH CLOCKWISE (CW) ROTOR ASSEMBLY INCLUDING STANDARD 3-1
2878	70156408	TCF SIZE 445 TYPE BCS - SW CLASS 17, 105% DIAMETER, 105% WIDTH CLOCKWISE (CW) ROTOR ASSEMBLY INCLUDING STANDARD 3-
2879	7019-9AA	COIL FOR AUTOMATIC VALVE L45 120/60..P/N: 7019-9AA..MFG: AUTOMATIC VALVE..SCHEDULE B: # 8481809005 SELENOID VALVES
2880	702 1-1/2	CLAMP CONDUIT RIGID 1-1/2..P/N: 702 1 1/2..MFG: THOMAS & BETTS
2881	7022-AF	RELAY TIME DELAY 1-10 TIME..P/N: 7022-AF..MFG: AGASTAT..SCHEDULE B: # 8536410030 OTHER RELAYS
2882	70300.2440.0	INDUSTRIAL MULTIPOLE CONNECTION ,FEMALE INSERT BAS BUS 24 2.5 50 (HOUSING-CONTACT INSERTS-REVOS MINI-BASIC 500V-SC
2883	70310.2440.0	INDUSTRIAL MULTOPOLE CONNECTION – ARTICLE NO. 70.310.2440.0,MALE INSERT BAS STS 24 2.5 50 (HOUSING-CONTACT INSERTS-RE
2884	7043.8220	FUSE; CERAMIC MINIATURE 6.3MM X 32MM 16A;250VAC; TIME- LAG T, UL, NNO, SERIES 172600 SIZE 3AB;10KA CLIP..P/N: 7043.8220..MFG:

	Item	Description
2885	7045	OIL ASPHALTIC SPRAY, FOR CHAIN DRIVE, ADD: EP, COMPD: SOLVENT IN SPRAY..P/N: 7045..MFG: AERVOE..
2886	705638-15T	SEAL WEAR / INBOARD..ID: 4.4910", PKG: 2 EA..P/N: 705638-15T..MFG: RELIANCE....
2887	70689	CLEVIS BALL..P/N: 70689 HUBBELL POWER, OFFER ..P/N: BC-30..MFG: ANDERSON..SCHEDULE B: #7326190000 - OTHER FORGED ARTICLE
2888	707EX	CALIBRATOR,LOOP,FLUKE,707EX ..Testing and measuring equipment..Type CALIBRATOR,LOOP..Voltage rating 0 to 28 V..Voltage resolution 0.001
2889	708-113D 1/D	TRANSMITTER, OUT SIG: 4.20MA, 2 WIRE, V: 12..33VDC, TYPE: 708-113D MEASUREMENT RANGE: 0.60, SPEC: ANGULAR POSITION KINNA
2890	7094-006	AUTOMATIC VALVE CONNECTOR FOR L45..P/N: 7094-006..MFG: AUTOMATIC VALVE..SCHEDULE B: # 8481809040 OTHER CONTROL VALVE
2891	70HFL80S05	Fast Recovery Power Rectifier; Repetitive Reverse Voltage Max, Vrrm:800V; Forward Current Avg Rectified, IF(AV):70A; Forward Surge Current Max, Ifs
2892	70IPHX0001	TEMPERATURE TRANSMITTER..(TYPE-OUT)-4-20MA(V-DC-)-8-30V;(TYPE)-2 WIRE(SPEC)-IPAQ-HX, ATEX,ISOLATION..1500VAC..P/N: 70IPH
2893	710-0040-52	SYSTEM BOARD; ASSY, PCB, TESTED TM3..P/N: 710-0040-52..MFG:SERVERON/ QUALITROL
2894	7100153808	3M VERSAFLO HEALTHCARE PAPR KIT TR-300N + HKS MEDIUM 1 EA CASE..P/N: 7100153808..MFG: 3M..SCHEDULE B: # 9020.00.8000 OTHE
2895	7100153814	3M VERSAFLO EASY CLEAN PAPR KIT TR-300N + ECK 1 EA CASE..P/N: 7100153814..MFG: 3M..SCHEDULE B: # 9020.00.8000 OTHER BREAT
2896	71197-102	HUBBELL INDUSTRIAL CONTROL WEIGHT AND CABLE ACCESORIES FOR AC POWER UNIT SWITCH DUPLEX, SIZES 2-3..P/N: 71197-102..M
2897	71201709	LOAD CELL 0782-30T 13M, PRODUCT ID: 71201709 ..MAXIMUM CAPACITY {/} : 30,000 KG (66,000 LB) MATERIAL : STAINLESS STEEL..METRC
2898	7126503653	SEAL LIP, SPEC: 150 STD..P/N: 7126503653..MFG: EDWARDS PENTAIR
2899	7126508653	SEAL, SPEC: FRONT COVER, 150-300..P/N: 7126508653..MFG: EDWARDS
2900	7126511653	SEAL, GREASE DIM: 1.625", SPEC: MOD 150, ..P/N: 7126511653..MFG: EDWARDS..SCHEDULE B: #8413.91.9520 OTHER PARTS FOR PUMPS
2901	714-12-25220	SELENOID VALVE..P/N: 714-12-25220..MFG: KOMATSU..SCHEDULE B: # 8481.90.9090 OTHER PARTS
2902	714-200-0421	BOLTS M8 X 22 FOR OPZS MONITORING SCREW SET..90 DEGREE L CONNECTORS..P/N:714-200-0421..MFG:HOPPECKE
2903	714-6284	CONNECTOR METAL CIRCULAR, BOX MOUNTING RECEPTACLE, CLASS A, SIZE 14, 5# 16..P/N: 714-6284..MFG: AMPHENOL
2904	714-6292	CONNECTOR METAL CIRC. STR PLUG W/ CLAMP CLASS A, SIZE 14, 5#16 SOLDER SOCKET OLIVE..P/N: 714-6292 (PT06A-14-5S/ SR)..MFG:
2905	715-10-0.900	DIRECTIONAL COUPLER, 500 WATTS, 600-1200 MHZ..P/N: 715-10-0.900..MFG: MECA..MFG:
2906	7152266	CYLINDER LIFT..P/N: 7152266..MFG: BOBCAT
2907	71675-06-Z	AUGER, 6", 5/16", ADAPTER..P/N: 71675-06-Z..MFG: SEWER EQUIPMENT..SCHEDULE B: # 8708998175 PARTS FOR CLEANING MACHINE
2908	71696-06-F	CORKSCREW, SQ STK, 8", 5/16"..P/N: 71696-06-F..MFG: SEWER EQUIPMENT..SCHEDULE B: # 8708998175 PARTS FOR CLEANING MACHIN
2909	71A5740-001D	BALLAST METAL HALIDE..V: 480V, POW: 250W, FREQ: 60 HZ, U/O: H37 MV LAMP..P/N: 71A5740-001D (OFFER P/N: M25048TAC4M500K/ M25(
2910	71A6041-001D	BALLAST METAL HALIDE KIT,..POW: 400W, V-INF: 480..P/N: 71A6041-001D (OFFER: M40048TAC4M500K)..MFG: UNIVERSAL LIGHTING..SCHE
2911	71A6542-001	BALLAST METAL HALIDE KIT..POW: 1000W, V-INP: 480, U/O: M-47 OR H36 LAMP, VAC: 480V, FREQ: 60HZ,..P/N: 71A6542-001 (R/B: M100048T
2912	71A7971-001D	BALLAST HIGH PRESSURE SODIUM, V: 120-270V, POW: 70W, FREQ: 60HZ, U/O: S62 HPS LAMP..P/N: 71A7971-001D- ADVANCE(OFFER: S70
2913	71A8071-001D	BALLAST HIGH PRESSURE SODIUM..V: 120-277 V, POWER: 100W, FREQ: 60 HZ, U/O: S54, HPS LAMP..P/N: 71A8071-001D ADVANCE , OFFE
2914	71A8241-001D	BALLAST HIGH PRESSURE SODIUM..V: 480V, POW: 250W, FREQ: 60HZ,..U/O: S50 HPS LAMP..P/N: 71A8241-001D (S25048TAC4M500K)..MFG
2915	71A8271-001D	BALLAS HIGH PRESSURE SODIUM..V: 120-277V, POW: 1/250W,..FREQ: 60HZ, U/O: S50 HPS LAMP..P/N: 71A8271-001D (P/N: S250MLTAC4M5
2916	72-B	CONNECTOR WIRE, SPRING..V-MAX: 300V; AWG: 22-14..CLR: BLUE..P/N: 72-B..MFG: IDEAL ..SCHEDULE B: # 8535908040 OTHER CONNE
2917	720-L5	SWITCH TOGGLE, I: 6-3A, VAC: 125-250V, NO.POLES: 1..P/N: 720-L5 LEVITION..OFFER P/N: 452 EAGLE..MFG: EAGLE..SCHEDULE B: # 8536
2918	72087	PERNO AG PARA MONTAJE DE AISLADOR 3/4 x 7 EN CRUCETA DE MADERA..P/N: 72087..MFG: VICTOR....SCHEDULE B: #

	Item	Description
2919	72088	PERNO AG PARA MONTJAE DE AISLADOR 3/4 IN x 3/4 IN PARA CRUCETA METALICA..P/N: 720888....MFG: VICTOR
2920	72090	PERNO AG PARA MONTAJE DE AISLADOR 3/4 IN x 10 IN PARA CRUCETA METALICA..P/N: 72090..MFG: VICTOR....SCHEDULE B: #
2921	721	6" INCH STAINLESS STEEL VERNIER DIGITAL CALIPER VENIER..P/N:721 (P/N: P0913)..MFG: BLACK CROSS..SCHEDULE B: # 9017304000 C
2922	721-1/2"	½" SLUG-BUTER CONDUIT PUNCH..PUNCHRD-.500..CONDUIT 225MM..P/N: 721-1/2"..MFG:GREENLEE....
2923	721-3/4"	3/ 4 SLUG-BUTER CONDUIT PUNCH. ..PUNCH-RD 1.110..3/4COND 3/4D/S..P/N:721-3/4..MFG:GREENLEE
2924	72116	ARRESTER MODULE 300V..P/N: 72116..MFG: JOSLYLN ELECTRONIC SYSTEMS
2925	72190-06-Z	CORKSCREW, RD STK, 2", 5/16"..P/N: 72190-06-Z..MFG: SEWER EQUIPMENT..SCHEDULE B: # 8708998175 PARTS FOR CLEANING MACHIN
2926	72191-06-Z	CORKSCREW, RD STK, 3", 5/16"..P/N: 72191-06-Z..MFG: SEWER EQUIPMENT..SCHEDULE B: # 8708998175 PARTS FOR CLEANING MACHIN
2927	72192-06-Z	CORKSCREW, RD, STK, 4", 5/16"..P/N: 72192-06-Z..MFG: SEWER EQUIPMENT..SCHEDULE B: # 8708998175 PARTS FOR CLEANING MACHIN
2928	72195-06-Z	PORCUPINE, TURN, 8", 5/16"..P/N: 72195-06-Z..MFG: SEWER EQUIPMENT..SCHEDULE B: # 8708998175 PARTS FOR CLEANING MACHINE
2929	72363	ARRESTER MODULE 560V..P/N: 72363..MFG: JOSLYN ELECTRONIC SYSTEMS
2930	723B245G273	BLOCK, (SPEC): INTERLOCK ELECTRIC INO-INC..P/N: 723B245G273..MFG: GENERAL ELECTRIC
2931	726	MULTIFUNCTION PROCESS CALIBRATOR..INCLUDES: TL75 TEST LEADS, AC72 TEST CLIPS, CD USER MANUALS..P/N: 726..MFG: FLUKE..S
2932	726 0167 0400 0137	SHEFFER SEAL KIT ONLY..KIT CONSISTING OF:..2 100 240 TUBE SEAL..2 150 0400 0350 PISTON SEAL..1 100 225 CART.BUSH.O RIN
2933	72761-06-Z	CORKSCREW, RD STK, 1-1/2", 5/16" CPLG..P/N: 72761-06-Z..MFG: SEWER EQUPMENT..SCHEDULE B: # 8708998175 PARTS FOR CLEANING
2934	72802-00-F	ROD SECTIONAL 5/16" X 39", S. PREM..P/N:72802-00-F..MFG: SEWER EQUIPMENT..SCHEDULE B: # 8708998175 PARTS FOR CLEANING MA
2935	72950-17	STEM VALVE,..TYPE: RIGHT HAND AQUASEAL ASSY..P/N: 72950-17..MFG: AMERICAN STANDARD COMPANIES INC...SCHEDULE B: # 84818
2936	72E1FJ405K1	CAPACITOR, CAP: 4 UF +/-10%, V: 2 KVDC, W: 3.75", THK: 2.25", H: 3.875", CODE NUMBER: 4132, SPEC: CERAMIC TERMINALS # 3 WITH 10-3
2937	73-B	CONNECTOR WIRE SPRING..V-MAX: 1000V, AWG: 18-14, CLR: ORANGE..P/N: 73-B..MFG: IDEAL..SCHEDULE B: # 8535908040 OTHER CONN
2938	73052000	FILTER HIDRAULIC FOR COMPRESSOR..P/N: 73052000..MFG: IMT..SCHEDULE B: #8421290065 OTHER HYDRAULIC FLUID POWER FILTER
2939	7312325	COUPLING, MOD: OMEGA, SIZE: E-10, SPEC: COMPLETE..OFFER P/N: 7300025 E10 ELEMENT $128.44 & 2 EA OF 7300340 10 HRB HUB $58.2
2940	7314-C	CONNECTOR BODY ; LOCKING CONNECTOR 20 A, 125/250V, Non-NEMA, 3P, 3W, INDUSTRIAL GRADE,NON GROUNDING BLACK-WHITE..F
2941	7320-8011	SHAFT, MAIN, SLEEVE..P/N: 7320-8011..MFG: METSO..SCHEDULE B: #8483308090 OTHER PLAIN SHAFTS
2942	73500-16150	TUBE (SIZE)- 16 X150MM;(CAP)23ML (SPEC)-CULTURE DISPOSABLE..CASE OF 1,000..P/N:73500-16150..MFG: KIMBLE..SCHEDULE B:#7017.9
2943	73Q14D2	CARBON BRUSH 65-1751723-674-2-01-H45, SIZE: 0.75 X 1.75 X 2.375, GRADE: H45, STYPE 2QP3..P/N: 73Q14D2..MFG: HELWIG CARBON PRO
2944	73Q2D17	CARBON BRUSH 65-111723-674-2-03-H45, SIZE: 1.125 X 1.75 X 2.375, GRADE: H45, STYLE: 3QP3..P/N: 73Q2D17..MFG: HELWIG CARBON PRO
2945	73Q2D28	CARBON BRUSH ELECTRICAL CONTACT, REF: FOR HOIST MOTOR, GDE: A451..P/N: 73Q2D28 (OFFER 61047653DE GRADE A451)..MFG: NA
2946	73Q2D30	CARBON BRUSH 65-101723-674-3-04-H41C, SIZE: 1 X 1.75 X 2.375, GRADE: H41C, STYLE: 3QP3..P/N: 73Q2D30..MFG: HELWIG CARBON PRO
2947	73Q2D33	CARBON BRUSH 65-111723-674-3-05-H41C, SIZE: 1.125 X 1.75 X 2.375, GRADE: H41C..P/N: 73Q2D33..MFG: HELWIG CARBON PRODUCTS, IN
2948	73Q2D36	CARBON BRUSH 65-171723-674-3-02-H76C, SIZE: 0.75 X 1.75 X 2.375, GRADE: H76C, STYLE 2QP3..P/N: 73Q2D36..MFG: HELWIG CARBON PR
2949	73Q2D40	CARBON BRUSH 65-111723-674-3-06-H41C, SIZE: 1.125 X 1.75 X 2.375, GRADE: H41C, STYLE: 3QP3..P/N: 73Q2D40..MFG: HELWIG CARBON I
2950	74-B	CONNECTOR SOLDERLESS WIRE NUT..P/N: 74-B ..MFG: IDEAL..SCHEDULE B: # 8535908040 OTHER CONNECTORS
2951	740-21	LEVEL, REF: OIL GLASS SIGHT..P/N: 740-21..MFG: GITS..SCHEDULE B: # 9026.10.7000 OTHER INSTRUMENTS AND APPARATUS FOR MEAS
2952	74141002	EMERGENCY PULL-WIRE SWITCH, STEUTE SERIES NUMBERS ZS 441 1Ö/1S /150N, 6A, 400V, 2 CONTACTORS, IP64..P/N: 74141002 (ZS441

	Item	Description
2953	744	PROCESS CALIBRATOR..P/N: 744 (744E)..INCLUDE: CALIBRATION CERTIFICATE WITH TRACEABLE DATE NIST, CABLES OF PROOF TL22
2954	746376	RADIATOR EDL LOW POWER..P/N: 746376 (0746376E)..MFG: ABB INC...SCHEDULE B: #8539.49.0080 OTHER PARTS
2955	748-0018	SF-400 RETAINER RING..P/N: 748-0018..MFG: WARNER ELECTRIC
2956	7482V	CONDUIT CONNECTOR,FLEXIBLE METAL..(DIA)3/4" (SPEC) ARMORED CABLE..P/N: 7482V..MFG:APPLETON..SCHEDULE B: # 8536695050 O
2957	74HC1G32GW,125	IC, 2-INPUT OR GATE, TSSOP-5; LOGIC TYPE:OR GATE; OUTPUT ..CURRENT:2.6MA; NO. OF INPUTS:2; SUPPLY VOLTAGE MIN:2V; SUPPL
2958	74N	POSITIONER RELAY PON 9100007382..P/N: 74N..MFG: MILLTRONICS..SCHEDULE B: # 8536.41.0030 OTHER RELAYS..
2959	75-664	MEASURE FLOW; 1 GAL. STEEL FLEXIBLE SPOUT MEASURING DISPENSER WITH FLEXIBLE SPOUT;HEIGHT:91/2"; CAP: 4 QT..P/N:75-664..
2960	75 FT DF	DOUGLAR FIR POLES PER ANSI STANDARD O5.1 LATEST REVISION, 75 FT, CLASS 2, PRESSURE TREATED WITH PENTACHLOROPHENC
2961	75 FT SYP CLASS 2	WOODEN POLES, SOUTHERN YELLOW PINE, 75 FT CLASS 2, CCA-C TREATMENT, .60 CCA, LATEST AWPA & ANSI ..P/N: 75 FT SYP CLASS
2962	75 FT WRC	WESTERN RED CEDAR POLES PER ANSI STANDARD O5.1 LATEST REVISION, 75 FT, CLASS 2, PRESSURE TREATED WITH PENTACHLOF
2963	750-0076-04	TMX HOT ZONE TM8 GAS CHROMATOGRAPH UNIT..MODEL : TMX HOT ZONE..TM8 GAS CHROMOTOGRAPH UNIT, SUB ASSY..ASSY, PCB,
2964	75035/DL-DCS5300	D-LINK DCS-5300 Internet Camera..P/N: 75035/DL-DCS5300
2965	750X93G13	TRANSFORMER CURRENT, I-PRI: 200A, I-SEC: 5A, VA: 2.5, V: 400 V, FREQ: 50/400 HZ, TYPE: JAI-O, GEH-230..P/N 750X93G13 (R/B: 750X193
2966	750XCXH-24D	RELAY; HERMETIC OCTAL, 11 PIN, 3PDT, 12 AMP RATING, 24 VDC, PLUG-IN SOCKET MOUNT..P/N: 750XCXH-24D..MFG: SCHNEIDER ELEC
2967	7510S1A1A0X0X851C10	SEL-751 FEEDER PROTECTION RELAY..FRONT PANEL 2X16 LCD WITH 4 PUSHBUTTONS..SLOT A POWER SUPPLY VOLTAGE 110-250 VD
2968	7510S1H1H0X0X851C00	SEL-751 FEEDER PROTECTION RELAY..FREQUENCY RELAY..PART NO. 7510S1H1H0X0X851C00 KEY: 1199 SEL-751 WITH 2X16 LCD DISPL
2969	75333	WHEEL KIT CONVEYOR CART (4- PACK)..P/N:75333..MFG: NORTON CLIPPER..SCHEDULE B: # 8428.33.0000 OTHER CONVEYOR PARTS
2970	755	LAMP MINIATURE (THERMOGA 86210)..LT: 755, V: 6.30V, POW: 0.95W,..P/N: 755..MFG: GENERAL ELECTRIC..SCHEDULE B: #8539228050 - C
2971	7560C	PUMP ; HYPRO 8 ROLLER PUMP..P/N: 7560C (H7560C)..MFG: HYPRO..SCHEDULE B: # 8413.81.0040 OTHER PUMPS..
2972	7562K4	SWITCH, APPLIANCE DPDT POLE..P/N: 7562K4..MFG: CUTLER HAMMER
2973	7594	THIMBLE GUY 1/2" STRAND..P/N: 7594..(P/N: 6594)..MFG: CHANCE..SCHEDULE B: #7326.90.8695 - OTHER ARTICLES OF IRON OR STEEL.
2974	75FP14	GOULD CONTACT KIT 1 POLE..75FP14..MFG:FURNAS..SCHEDULE B: 8538.90.7040 METAL CONTACTS
2975	75R4160	60-75 HP VEC/ 100HP GP GV3000 ..P/N: 75R4160..MFG: RELIANCE BALDOR
2976	76-B	CONNECTOR WIRE SPRING..V-MAX: 1000V, AWG: 18-8, COLOR: RED. ..P/N: 76-B..MFG: IDEAL..SCHEDULE B: # 8535908040 OTHER CONNE
2977	76-DOT	SHIPPING FLASK; EMPTY 76 LB. D.O.T. APPROVED STEEL MERCURY SHIPPING FLASK (ONE TIME USE)..P/N: 76-DOT..MFG:BETLEM APPA
2978	76072-00000150-01	SWITCH PRESSURE INDUSTRIAL, RANGE: 0-15 PSI, ML: 15 PSI..P/N: 76072-00000150-01..MFG: HONEYWELL INC...SCHEDULE B:# 8536.50.9
2979	76147	SCALE KIT Bbl..P/N:76147..MFG: NORTON CLIPPER
2980	76215	INSULATED ADJUSTABLE WRENCH 15"..P/N:76215..MFG:WIHA..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
2981	763015	GUIA SERPIENTE DE TUBOS 763015 LOIMEX; REF: 76.30.15 ..FIBERGLASS CONDUIT SNAKE POLYKAT® ..LENGHT: 150 M ..DIAMETER: 11 M
2982	7632000061	ORBIT MOTOR GROVE CRANE RT750..P/N: 7632000061
2983	763508	CABLE ENTRY GUIDE KABEL-JET 763508 LOIMEX REF 76.35.08..GUIDE MADE OF FIBERGLASS POLYKAT® ..LENGHT: 100 M ..DIAMETER: 7
2984	7648A45	TAPE KAPTON 0.002 X 2 X 36 YDS..P/N: 7648A45..MFG: DUPONT..SCHEDULE B: 3919102020 ELECTRICAL TAPE
2985	76504	PRESSURE SWITCH WITH STANDARD TERMINAL 60 PSI..P/N: 76054..MFG: HOBBS
2986	7652	SPLICE LINE..STR1: 2-7, SIZE: 6/10-7/1..SPLICE LINE STRAIGHT ACSR 2-6/1..P/N: 7652 (OFFER NEW P/N: 7652AP)..MFG: RELIABLE..SCHEDU

	Item	Description
2987	76876-42S	CUP BEARING, ..P/N: 76876-42S..MFG: RELIANCE
2988	771	MILLIAMP PROCESS CLAMP METER, MEASURE 4-20 MA OUTPUT SIGNALS FROM TRANSMITTERS, INCLUDES: SOFT CARRYING CASE, US
2989	77200-60	PUMP HEAD MASTERFLEX L/S EASY LOAD II SS..P/N: 77200-60..MFG: COLE PARMER MASTER FLEX..SCHEDULE B: # 8413600040 OTHER D
2990	7736-4247	RING ASSORTMENT KIT..P/N: 7736-4247..MFG: GRADALL CO...SCHEDULE B: # 4016930000 OTHER SEALS OF RUBBER
2991	7738-3846	FILTER KIT, INCLUDE 1 EA 7738-3201 OIL FILTER, 1 EA 7738-3203 FUEL FILTER, 1 EA 7738-3819 FUEL & WATER SEPAR. , 1 EA 8395-4112 EL
2992	77383065	HYDRAULIC PUMP.- HYD V10F-1S7T-11D5H-20..P/N: 77383065..MFG: GRADALL..SCHEDULE B: 8413.20.0000 OTHER HYDRAULIC PUMPS
2993	77680457	FILTER; DISCHARGE FOR PUMP HPU; ..PI 4108 PS 25 ..PRESSURE ELEMENT ; 25 MICRON FIBERGLASS ; 21.14 GAL/MIN FLOW RATE..P/N:
2994	777062-0A	MAGNA PLUS RECTIFIER ASSEMBLY ..P/N: 777062-0A..MFG: MARATHON ELECTRIC
2995	7794-731	PADDLE ASSEMBLY COMPLETE..P/N: 7794-731..MFG: PHIPPS & BIRD..SCHEDULE B: # 8483409000 OTHER GEARS
2996	77960230	RETURN FILTER HPU..41MBRAT012..TYPE: PI 25016 RN PS 25..FILTER MATERIAL: PS 25..PART NUMBER: 77960230..MFG: MAHLE..SCHEDU
2997	78-6969-6211-3	DUST VACUUM FILTER...3M FILTER TYPE 1 SV-SPF1 FINE PARTICLE THIN HEPA ..P/N:78-6969-6211-3..MFG:3M..SCHEDULE B:# 8421.29.006
2998	78-8005-5350-1	DUST VACUUM FILTER..3M SV-MPF2 VACUUM FILTER. TYPE 2 FILTER FOR TRAPPING DUST AND TONER FROM ELECTRO EQUIP VAC. ..F
2999	782XDX2M4L	SERIE 782 GENERAL PURPOSE RELAY..4 DPT, 10AMP, SOLDER PLUG-IN, PIN SQUARE, 125 VDC..P/N: 782XDX2M4L-110D..MFG: MAGNECI
3000	786.2760	PLAFON 60W E27 IP55 (CLEAR)..P/N: 786.2760..MFG: SCAME..SCHEDULE B: #8716.90.0000 TRANSPARENT LAMP FITTING
3001	787-819	SWITCHED-MODE POWER SUPPLY, MODEL EPSITRON PRO POWER, 220 VAC/12 VDC, 6A..P/N: 787-819..MFG: WAGO ..SCHEDULE B: #850
3002	789	PROCESS METER MULTIMETER AND LOOP CALIBRATION, 0-1000VCA, 1200 OHMS, 24 V, 0-1A/0-30MA..P/N: 789..MFG; FLUKE
3003	790F-LG	LARGE BOUND BOOK; PATTERN:JOURNAL;SHEET SIZE 6 3/8" X 8 1/2" PERFORATED..RITE IN THE RAIN..OVERALL SIZE:..6 3/4" X 8 3/4"..CC
3004	791.32710	PLAFON OVALAD POLICAR C/EQ 2X9W E27 IP44..P/N: 791.32710..MFG: SCAME..PS: INCLUDE LAMP..SCHEDULE B: # 9405.40.0000 OTHER E
3005	791085	SCREW FOR MODEL LT-650..P/N: 791085..MFG: DYNAPAC
3006	79136	TITANIUM COATED DRILL BITS #1 THRU #60..P/N: 79136..MFG: HOBBY TOOLS..SCHEDULE B: # 8207195030 OTHER BITS
3007	7940005521	DECIPAK 4-20/4-20/ LOOP ..P/N: 7940005521..MFG: WEIDMULLER
3008	7940010195	MICROMANN SIGNAL CONVERTER WITH ALARM, AR SERIES, UNIVERSAL, AUXILIARY POWERED, ISOLATED, MODEL ACVAR..P/N: 794001
3009	7950B	STROBE LIGHT LED, BLUE;3 BOLT BLUE BEACON;PULSE II, MEDIUM PROFILE, 12-48VDC, PULSE8 FLASH, BLUE..P/N: 7950B..MFG: ECCO..S
3010	79631-3001	ANDERSON DUAL STRING DEAD ENDONE COND 13..P/N: 79631-3001..MFG: ANDERSON..SCHEDULE B# 8547.90.0040 OTHER CONDUIT..
3011	7A-1924C	CARBIDE INSERT..P/N: 7A-1924C..MFG: CLAUSING SERVICE CENTER..SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES
3012	7KM2112-0BA00-3AA0	LCD DIGITAL POWER METER..SENTRON PAC3200; LCD; 96X96MM POWER MONITORING DEVICE PANEL MOUNT TYPE FOR MEASUREME
3013	7KM2112-0BA00-3AA00	SENTRON DIGITAL METER PAC3200..MEASURING DEVICE, 7KM PAC3200, LCD, L-L: 690 V, L-N: 400 V, 5 A, 3-PHASE, MODBUS TCP, OPTIOI
3014	7ME6810-4PJ32-1AB1-ZL08	FLOWMETER MAG 8000..P/N: 7ME6810-4PJ32-1AB1-ZL08..MFG: SIEMENS
3015	7MH7141-1BC	INTERRUPTOR INCLINATION CONTROLLER, TILT SWITCH ELECTRONICS..P/N: 7MH7141-1BC (R/B: 7MH71433AA10)..MFG: SIEMENS..SCHI
3016	7MH7143-2AA10	INTERRUPTOR INCLINATION PROBE, TILT SWITCH PROBE..P/N:7MH7143-2AA10 (R/B: 7MH7143-3AA10)..MFG: SIEMENS..SCHEDULE B: # 8
3017	7MH7177-2AA10-0	SENSOR, SPEED SISTRANS WS300..P/N: 7MH7177-2AA10-0..MFG: SIEMENS..SCHEDULE B: # 9026800000 OTHER INSTRUMENTS AND APP/
3018	7ML1115-0CA30	TRANSDUCER, ULTRASONIC 1M CABLE ST25C, ECHOMAX, INPUT 1.77V R.M.S. 250 VP TEM -40C TO -95C, INCLUDE POLYPROPYLENE FO.
3019	7ML11180BA30	XPS-15 MILLTRONICS..SENSOR PROXIMITY LEVEL..ULTRASONIC ECHOMAX..P/N: 7ML1118-0BA30..MFG: SIEMENS..SCHEDULE B: # 90318
3020	7ML1510-3HA02	PROXIMITY LEVEL SENSOR, ULTRASONICE ULS 200 MILTRONICS, POINTEK 100-230V ALTERNO..P/N: 7ML1510-3HA02 (R/B: 7ML1510-3JA0

	Item	Description
3021	7ML15103KA02	ULS 200 MILLTRONICS, SENDRO PROXIMITY, LEVEL ULTRASONIC, 120 VAC..P/N: 7ML15103KA02..MFG: SIEMENS..SCHEDULE B: # 9031808
3022	7ML5033-1AA10-1A	MODULE ELECTRONIC, MULTI + 115 V N4 MANUAL..P/N: 7ML5033-1AA10-1A..MFG: SIEMENS
3023	7W2327	OIL FILTER, CODE 776234..P/N: 7W2327..MFG: CATERPILLAR..SCHEDULE B: # 8421.29.0065 OTHER FUEL FILTERS
3024	8-150VCS-T/G-10	INSULATING SEALING SYSTEM, 8", S150..ANSI B16.5..P/N: 8-150VCS-T/G-10..MFG: PIKOTEK
3025	8 ULFM 01G	BUTTERFLY VALVE 8" ULFM 01G 300PSI..P/N: 8ULFM 01G..MFG: KENNEDY VALVE..SCHEDULE B: #8481801090 BUTTERFLY VALVES
3026	8"-FH-BR-BR-US-325	TYPE: NO.325, 0.0018", ASTM E-11 (H): 2", REF: TYLER STD SCREEN, 8" FRAME BRASS, CLOTH BRASS..P/N: 8"-FH-BR-BR-US-325..MFG: HC
3027	8" ANSI 300#	8" AMSO 300# RF LINE STOP FITTING WITH COMPLETION PLUG AND BACKING STRIP..P/N: 8" ANSI 300#..MFG: FURMANITE
3028	8" HOT TAP	8" HOT TAP CUTTER HSS..P/N: 8" HOT TAP..MFG: FURMANITE
3029	80-389F	ABRASIVE COMMUTADOR CLEANER..THK: 2", W: 3", LG: 4", TYPE: REFURFACER TOOL TYPE,..P/N: 80-389F..MFG: IDEAL CORP.
3030	80-454M	ABRASIVE COMMUTATOR CLEANER, THK:1", W: 1-1/2", LG: 6 1/2", TYPE: RESURFACER TOOL TYPE..P/N: 80-454M IDEAL (P/N: COMMXLS87
3031	80-461C	ABRASIVE COMMUTATOR CLEANER..THK: 1", W: 2:, LG: 8", TYPE: SURFACER TOOL TYPE..P/N: 80-461C..MFG: IDEAL..SCHEDULE B: # 6804
3032	80-461M	ABRASIVE COMMUTATOR CLEANER..THK: 1", W: 2:, LG: 8", TYPE: SURFACER TOOL TYPE..P/N: 80-461M IDEAL (COMMXLS850M)..MFG: MA
3033	80-461P	ABRASIVE COMMUTATOR CLEANER, THK: 1", W: 2", LG: 8", TYP: RESURFACER TOOL TYPE..P/N: 80-461P..MFG: IDEAL CORP...SCHEDULE
3034	80-6108-3398-2	VINYL ELECTRICAL COLOR CODING TAPE, WHITE- 3/4,3/4 " X 66 FT(19MM X 20.1 M),100 PER CASE ..P/N: 80-6108-3398-2..MFG: 3M (SCOTC
3035	80-6114-6968-7	STANDARD CABLE TIE CT15NT50-D, NATURAL NYLON, 50 LBS, 0.18 IN X 14.60 IN. 500 PER BAG, 2500 PER CASE..P/N: 80-6114-6968-7..MFG
3036	8000-217	COMPRESSOR WA372C00..P/N: 8000-217..MFG: BARD YORK..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
3037	8000-7006	1510A PRECISION DIGITAL SOURCE..P/N: 8000-7006..MFG: MTI INSTRUMENTS..SCHEDULE B: # 8471300100 AUTOMATIC DATA PROCESSI
3038	80014	ICE SCRAPER, HOPKINS SUBZERO, WITH BUIT-IN SHOCK ABSORVER..P/N: 80014..MFG: HOPKINS..SCHEDULE B: # 8205300000 OTHER HA
3039	80025-296-07	FUSES..TYPE A18R, 390A, 64KA AT 550V..P/N: 80025-296-07..MFG: ALLEN BRADLEY..SCHEDULE B: # 8535.10.0040 OTHER FUSES
3040	80025-523-01	CAPACITOR SNUBBER;MODEL GT-1710..0.5 µF, ±5%. 2300V DC, 3800V DC PEAK, 4500V DC SURGE. 5/16" THREADED ENDS. 2" DIAMETER
3041	80025-523-02	CAPACITOR SNUBBER MODEL GT-2612; 2.0UF +/- 5%; 2600 VDC, 3800V PEAK;4500V SURGE;SIZE 3.75" X 3.5"..P/N:80025-523-02..MFG:NCL.
3042	80026-121-01	POWER SUPPLY, SPEC: POWER 48 VOLTS, MODEL PM3398B-6-1-3-E,..TYPE: 48D31-1Z-8FUVZ-25-150-151-HC..P/N: 80026-121-01..MFG: PIC
3043	80026-845-13R	FAN AND MOTOR ..(V)-460VAC;(FREQ)-60HZ(POW)-5HP;(RPM)-1800(DWG)-80026-845;(SPEC)-MOTOR BALDOR NEMA, PREMIUM EFFICIEN
3044	8002617224R	SINGLE PHASE POWER SUPPLY, AC/DC, 120 VDC,50 HZ, FOR POWER FLEX 7000...P/N: 8002617224R (OFFER P/N: PM3398B-6)..MFG: ROCK
3045	800265-1	GENERATOR CELL/SENSOR, HIGH FLOW, CALIBRATION-2 (CE)..P/N: 800265-1..MFG: SENSIDYNE INC.
3046	8002652401R	POWER SUPPLY, 1500W, 1PH, AC, DC..P/N: 8002652401R..MFG: ALLEN BRADLEY..SCHEDULE B: # 8504.40.7018 OTHER POWER SUPPLY
3047	800266-1	GENERATOR CELL/SENSOR, STANDARD FLOW CALIBRATOR-2 (CE)..P/N: 800266-1..MFG: SENSIDYNE INC.
3048	800277-1	GENERATOR CELL/SENSOR, LOW FLOW CALIBRATOR-2 (CE)..P/N: 800267-1..MFG: SENSIDYNE INC.
3049	800467	GRIP PACK TENSIONER ..SPECIFICATIONS..STRAPPING: MAGNUS® OR APEX PLUS™ STEEL STRAPPING..STRAPPING SIZE:..3/4" – 1-1/4"
3050	800973	GRIP PACK SEALER..STRAPPING: MAGNUS® OR APEX PLUS™ STEEL STRAPPING..STRAPPING SIZE:..3/4" OR 1-1/4"X 0.025" TO 0.031" (19
3051	800F-11WE283	LEGEND HAND-O-AUTO P/N:800F-11WE283..ALLEN BRADLEY
3052	800F-ALM	METAL LATCH CONTACTOR P/N:800F-ALM..ALLEN BRADLEY
3053	800F-N3R	LED 24VDC RED ..P/N:800F-N3R ..ALLEN BRADLEY
3054	800F-X01	CONTACTOR PUSH BUTTON N.C. ..P/N:800F-X01 ..ALLEN BRADLEY

	Item	Description
3055	800F-X10	CONTACTOR PUSH BUTTON N.O. ..P/N:800F-X10..ALLEN BRADLEY
3056	800FM-LSM34	SELECTOR METAL 3 POSITION RED P/N:800FM-LSM34..ALLEN BRADLEY..
3057	800H-3HZ4R	ENCLOSURE PUSH BUTTON..SPEC: 3 HOLE WITH 1-3/4" DIAMETER..MAT: GLASS POLYESTER, TYPE: 4/4X/13 NEMA: 4X..P/N: 800H-3HZ4
3058	800H-BR2A	PUSH BUTTON..P/N: 800H-BR2A..MFG: ALLEN BRADLEY
3059	800H-BR2B	PUSH BUTTON..P/N: 800-BR2B..MFG: ALLEN BRADLEY
3060	800H-BR6A	PUSH BUTTON..P/N: 800H-BR6A..MFG: ALLEN BRADLEY
3061	800H-BR6B	PUSH BUTTON..P/N: 800H-BR6B..MFG: ALLEN BRADLEY
3062	800H-PR16G	PILOT LIGHT;120 VAC; TYPE: TRANSFORMER;COLOR:GREEN;FREQ:50-60 HZ..P/N:800H-PR16G..MFG:ALLEN BRADLEY
3063	800H-R2A	PUSH BUTTON..P/N: 800H-R2A..MFG: ALLEN BRADLEY
3064	800H-R2B	PUSH BUTTON..P/N: 800H-R2B..MFG: ALLEN BRADLEY
3065	800H-R6A	PUSH BUTTON..P/N: 800H-R6A..MFG: ALLEN BRADLEY
3066	800H-R6B	PUSH BUTTON..P/N: 800H-R6B..MFG: ALLEN BRADLEY
3067	800H-R6D1	PUSH BUTTON, NON ILLUMINATION..P/N: 800H-R6D1..MFG: ALLEN BRADLEY..SCHEDULE B#: 8536509065 OTHER SWITCHES
3068	800SSC	TRUE STRECTHC COMMERCIAL..800SSC..MFG: TRUE..SCHEDULE B: # 9506.91.0000 ARTICLES AND EQUIPMENT FOR GENERAL PHYSICA
3069	800T- D6B	RED PUSH BUTTON, MUSH. HEAD, RED 2NO-2NC..P/N: 800T-D6B..MFG: ALLEN BRADLEY..SCHEDULE B: # 8536.50.9065 OTHER PUSH BUT
3070	800T-169 (120V)	LAMP MINIATURE, NO. LAMP TRADE: 120 MB, V: 120V, POW: 3W..P/N: 800T-169 (120V)..MFG: EIKO
3071	800T-D6A	SWITCH;PUSH BUTTOM; COLOR:RED; SPEC:TYPE 4,13 MUSHROOM HEAD;1 N.O./N.C...P/N:800T-D6A..MFG:ALLEN BRADLEY
3072	800T-H2B	SWITCH, SELECTOR..ALLNBRAD 800T-H2B..C/U 14.000 86.30 1,208.20 15.05.2017..(V)-600V;(NO.-POSITIONS)-2(NO.-CONTACT-NORMAL-OPI
3073	800T-J2A	SWITCH SELECTOR; 600V 3 POSITIONS;REF:NEMA4/13 N.O. CONTACT:1 N.C. COTACT:1..ALLEN BRADLEY..P/N:800T-J2A
3074	800T-N26R	LENS PILOT RED, FOR PUSH BUTTON..P/N: 800T-N26R..MFG: ALLEN BRADLEY..SCHEDULE B: # 7014002000 OTHER SIGNALING GLASSWA
3075	800T-N310	PUSH-PULL STAINLESS PROTECT GUARD..P/N:800T-N310..MFG: ALLEN BRADLEY
3076	800T-N310J	PUSH-PULL SELECT SWITCH STAIN JUMBO PROTECT GUARD..P/N:800T-N310J..MFG: ALLEN BRADLEY
3077	800T-N339	PUSH-BUTTOM RAMP GUARD..P/N:800T-N339..MFG: ALLEN BRADLEY
3078	800T-N82	INSTALLER LAMP FOR PUSH BUTTOM SWITCH..P/N: 800T-N82..MFG:ALLEN BRADLEY
3079	800T-P16A	PILOT LIGHT, INCANDESCENT, 120VAC, AMBER, 30MM, NEMA 4/13..P/N:800T-P16A..MFG:ALLEN BRADLEY..SCHEDULE B: # 8531.20.0040 O
3080	800TPH16G	PILOT LIGHT ; SERIEST 120V-AC;50-60HZ;TYPE: 800T; CLR: GREEN LED LENS;W/HIGH VISIBILITY PILOT LIGHT NIB..P/N:800TPH16G..MFG:A
3081	801-010C	1" CPVC SCHEDULE 80 TEE SOCKET..P/N: 801-010C..MFG: SPEARS..SCHEDULE B: # 3917.40.0000 FITTINGS
3082	8010-3000	BATTERY CHARGER,12 V SYSTEM E-9148/ E-9149..P/N: 8010-3000..MFG: CONTROL CHIEF..SCHEDULE B: #8504406018 OTHER BATTERY C
3083	80111	CONDUIT FLEXIBLE..DIA: 1/2", TYPE: EF11, CLR: GRAY..REF: SEALTITE PVC..P/N: 80111..MFG: ELECRI-FLEX COMPANY..SCHEDULE B: #
3084	80122	CONDUIT METALLIC FLEXIBLE, DIA: 3/4", TYPE: EF12, CLR: GRAY, REF: LIQUIDTIGHT PVC JACKET..P/N: 80122..MFG: ELECTRI-FLEX COMP
3085	80152	CONDUIT FLEXIBLE..DIA: 1-1/2", TYP: EF15, CLR: GRAY, REF: SEALTITE PVC..P/N: 80152..MFG: ELECTRI-FLEX COMPANY..SCHEDULE B: #
3086	80156-815-53-R	MATCHED SET SCR..SPEC: I:500A, TYPE: SCR, MOD: VFG-1557, SPEC: MATCHED FOR 3 EA SERIES OPERATION..P/N: 80156-815-53-R..MFC
3087	80159-693-51R	MODULE ELECTRONIC, SPEC: CONVERTER, SWITCHING POWER SUPPLY..P/N: 80159-693-51R..MFG: ALLEN BRADLEY CO...SCHEDULE B:
3088	80162	CONDUIT METALLIC FLEXIBLE, DIA: 2", TYPE: EF16, CLT: GRAY, REF: LIQUIDTIGHT PVC JACKET..P/N: 80162..MFG: ELECTRI-FLEX COMPAI

	Item	Description
3089	80190-380-02R	TESTED, SPEC: SCB-INV, PRODUCTION ASSY..P/N: 80190-380-02R..MFG: ALLEN BRADLEY..SCHEDULE B: # 8534.00.0040 OTHER CIRCUIT I
3090	802T-AP	SWITCH LIMIT, V-RANGE: 120-600 VAC, I: 10A, REF: AB , PLUG STYLE OIL TIGHT, NEMA 13, LEVER TYPE SPRING..P/N: 802T-AP..MFG: ALLE
3091	802TKP	LIMIT SWITCH, NEMA TYPE 4 AND 13 OILTIGHT CONSTRUCTION, PLUG-IN, SIDE PUSH ROLLER, VERTICAL, 2-CIRCUIT..P/N: 802TKP..MFG
3092	803025020	WASHER..P/N: 803025020..MFG: PHIPPS & BIRD..SCHEDULE B: # 4016930000 GASKET, WASHER AND OTHER SEALS
3093	80400	LAYOUT FLUID, BLUE, 8 OZ. BOTTLE..P/N:80400..BRAND: PRECISION BRAND..MFG:DYKEM- STEEL BLUE ..CAJA/ 12 WEIGHT: 6.13..ORIGIN:
3094	8040T25	STEP, SPEC: MODULE STEP IS 19" WD X 9" DP, LOWER STEP, IS 20" WD X 9" DP, TOP STEP SIZE 18" X 12", CAP 500 LB..P/N: 8040T25..SCH
3095	8045-20	KEY,SWITCHING.- DEFROST TIMER 240V..(REF)-FOR CONTROL PARAGONFROST O MATIC..P/N:8045-20..MFG:PARAGON..SCHEDULE B: #
3096	806-BR-TC-P	BALLAST, FLUORESCENT ..(V)-120V;(POW)-75W;(FREQ)-60HZ (U/O)-2 FLUORESCENT TYPE F96T12 (LG)-11-3/4";(W)-3-3/16" (DOC/EXT)..P/N
3097	8080A24H01	SPACER..P/N: 8080A24H01..MFG: EATON..SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES..
3098	8080A59H01	PLATE..P/N: 8080A59H01..MFG: EATON..SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES..
3099	809351	GAS REFRIGERANT..CALIBRATION 10 PPM..P/N: 809351..MFG: MINE SAFETHY APPLIANCES COMPANY
3100	80S0150100	SUSPENSION ISOLATOR 15 KV..P/N: 80S0150100..MFG: CHANCE..SCHEDULE B: #8546200060 - OTHER INSULATOR
3101	81-10528-A4	SWITCH, LIMIT..(TYPE)- SQUARE LEVERLESS LIMIT SWITCH (V-RAN) - 120 VAC - 24 VDC; (VMAX)-600VAC(I)-3-10 A;(SER)-80(DOC/EXT)-Y/N
3102	81-20516-A3	SWITCH,LIMIT..(TYPE)- SQUARELEVERLESS LIMIT SWITCH (V-RAN)-120 VAC-24VDC;(VMAX)-600VAC(I)-3 10 A;(SER)-80 (DOC/EXT)-Y/N..MF
3103	8100-T-14EI-R-14I-E71	SMARTCHART 8100 MODEL..EIGHT CHANNEL DATA LOGGER WITH:..(2) 14EI 250 VAC INPUTS..(2) R- RESISTANCE INPUTS(SPECIFY RAN
3104	810007	FILLING SOLN 3M KCL X60ML PK5 ..ORION™ PH ELECTRODE FILLING SOLUTION, THERMO SCIENTIFIC..SHIPPING DIMENSIONS WEIGHT
3105	8103-016	CONDENSER MOTOR..P/N: 8103-016 ..MFG: BARD INTL..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
3106	8103-020	CONDENSER MOTOR..P/N: 8103-020..MFG: BARD YORK..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
3107	8105-033	BLOWER MOTOR (460)..P/N: 8105-033..MF: BARD YORK..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
3108	8105055	CARBON BRUSH IND D 1.2500X06250X1.8750..P/N: 8105055..MFG: MORGAN..SCHEDULE B: # 8545200000 CARBON BRUSHES..
3109	8117001	TRACK WIPER ASSY, MEASUREX..P/N: 8117001..MFG: HONEYWELL
3110	815L-11-22-36-TT/VPVL-500-SR4-	8" BUTTERFLY VALVE, LUG,CARBON STEEL, ACTUATOR, MODEL 815L-11-22-36-TT/VPVL-500-SR4-5, ..P/N: 815L-11-22-36-TT/VPVL-500-SR4
3111	815W-11-22-36-TT/VPVL-200-DAI	4" BUTTERFLY VALVE, C, MODEL 815W-11-22-36-TT/VPVL-200-DAB-AS, RACK AND PINION,ACTUATOR TYPE R&P MATERIAL CS, ENSAMBL
3112	815W-11-22-36-TT/VPVL-350-DAI	8" BUTTERFLY VALVE, C, MODEL 815W-11-22-36-TT/VPVL-350-DAB, RACK AND PINION,ACTUATOR TYPE R&P CONEXION WFR MATERIAL
3113	815W-11-2236-TT/VPVL-450-DAB	12" BUTTERFLY VALVE, G MODEL 815W-11-22-36-TT/VPVL-450-DAB, RACK AND PINION, ACTUATOR TYPE R & P CONEXTION WRF MATER
3114	815W-11-2236TT-M10-Q	BUTTERLFY VALVE, ANSI 150, 10 IN, VALVE CS BODY 316SS DISC AND SHAFT PTFE SEAT MOUNTED TO GEAR W/HAND WHEEL..P/N: 815
3115	816	CLEANER CONTACT, TYPE NON FLAMMABLE, TRADE NAME: ELECTRA X, FORM: AEROSOL, PKG SIZE: 12 OZ, PKG TYPE: CAN..P/N: 816 (0
3116	81624	CABLE MINING, TYPE; W, VAC: 600-2000V, TEMP: 90 C, COND: 4, AWG: 6, SPEC: W SUPER SERVICE STR 500 FT..P/N: 81624..MFG: GENER/
3117	81644	CABLE MINING..TYPE: W ROUND, VAC: 600-2000V..TEMP: 90C, #COND: 4, AWG: 4, SPEC: W SUPER SERVICE STR..PKG: 500 FT...P/N:
3118	8170	LAMP GUARD..P/N: 8170..MFG: MC. GILL..SCHEDULE B: # 9405990000 OTHER PARTS LAMPS
3119	819-B	MEGOHMMETER, VAC: 250-500-1000,..RES: 500-1000-2000 MOHM..P/N: MOD 819-B (R/B: 6503 OFER AEMC)..MFG: HERMAN STICHT CO., INC
3120	81PS1F68-8	VALVE RELIEF SAFETY, 3/4 IN, FNPT INLET, 1 IN, 150 PSI..P/N: 81PS1F68-8..MFG: KEYSTONE PENTAIR
3121	82-004	ABRASIVE COMMUTATOR CLEANER, THK: 1", W: 2", LG: 5", TYP: POWER POLISH, FLEXIBLE ABRASIVE..P/N: 82-004 IDEAL (R/B: RUBBX62
3122	82-006	ABRASIVE COMMUTADOR CLEANER..THK: 1/8", W: 1", LG; 5', ..TYP: POWER POLISH FLEXIBLE ABRASIVE..P/N: 82-006..MFG: IDEAL..SCHED

	Item	Description
3123	8200-001	MOTOR MOUNT..P/N: 8200-001..MFG: BARD INTL..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
3124	8200-031	MOTOR MOUNT..P/N: 8200-031..MFG: BARD YORK..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
3125	82020S30	PARTS KIT,AXIAL PISTON PUMP..P/N: 82020S30..MFG: SAUR SUNDSTRAND
3126	82075 OLP	REEL AND HOSE, DIA-HOSE: 1/2", LG: 75 FT, PRE: 300 PSI, SPEC: RETRACTIL SPRING DRIVE HOSE WATER/AIR..P/N: 82075 OLP..MFG: REI
3127	82100 OLP	REEL AND HOSE, DIA: 1/2", LG: 100 FT, PRE: 300 PSI, SPEC: RETRACTIL SPRING DRIVE HOSE WATER/AIR..P/N: 82100 OLP..MFG: REELCR/
3128	82108005112	TRUE UNION CHECK BALL VALVE, FLANGED, DIA: 1-1/2", BODY: PP, SEAT: EPDM, SEAL: EPDM, PRESSURE: 150 PSI AT 30C..P/N: 8210800
3129	82108005223	TRUE UNION CHECK BALL VALVE, THREADED, DIA: 3/4", BODY: PP, SEAT: EPDM, PRESSURE: 150 PSI AT 30C..P/N: 82108005223..MFG: AS
3130	82108005224	TRUE UNION CHECK BALL VALVE, THREADED, DIA: 1-1/2", BODY: PP, SEAT: EPDM, PRESSURE: 150 PSI AT 30C..P/N: 82108005224..MFG: A
3131	8210G0022	VALVE SELENOID, PRE: AI300/WA 225, WAY: 2, POW: 20W, V: 120V, FRE: 60 HZ, PIP: 1-1/2", SIG: AC..P/N: 8210G022..MFG: ASCO..SCHEDUL
3132	8210G100	VALVE SELENOID WAY:2, POW: 6.10 W, V: 120V, FREQ: 60 HZ, PIPE: 2", SIGNAL: AC..P/N: 8210G100..MFG: ASCO..SCHEDULE B: #8481803
3133	8212.0820	TYPE 821 WCB 1.0619 ;1479PSIG H01 H03 ????..VALVE SIZE: 6" X 8"..ORIFICE: QFLANGE CLASS IN X OUT: 600# X 150#..PRESSURE SET PC
3134	8215G33	VALVE SELENOID, PRE: AI 125 PSI, WAY: 2, POW: 10W V: 120V, FREQ: 60 HZ, PIP: 3/4"..P/N: 8215G33..MFG: ASCO..SCHEDULE B: # 8481.80.
3135	8220	COUPLING FOR ELECTRICAL CONDUITS..DIA: 3/4", MAT: MALLEABLE IRON, TYPE: RIGID..P/N: 8220..MFG: THOMAS & BETTS..SCHEDULE E
3136	822E-6BS-M202-W193	TYPE: 822E BULB AND CAPILLARY, TWO SPDT OUTPUTS, EXTERNAL INDICATION, EXPLOSION PROOF..MODEL 6BS, ADJUSTABLE SET I
3137	82329	GAUGE, PRESSURE AIR; (PRE)-0-150PSI;(SIZE)-2-1/16"; FAMILY DLX;CHROME BEZEL..P/N:82329..MFG:STEWART WARNER
3138	82340007	MICROMOTOR 2.5W 0.1A 24V CLOCKWISE..P/N: 82340007..MFG: CROUZET..SCHEDULE B: #8501.10.4060 OTHER ELECTRIC MOTORS..COL
3139	8253.00	LUFFT OPUS 10 TPR TERMPERATURE/ AIR PRESSURE DATA LOGGER (THIS INCLUDES RS232 CABLE, SMARTGRAPH 2 SOFTWARE, MAN
3140	8259	CABLE COAXIAL, TYPE: RG-58A/U, AWG: 20, Z: 50 OHM, DIA: 0.035", SPEC: STRANDING 19X33 TINNED COPPER, PKG: 500 FT. ROLL..P/N: 8
3141	8262G6	VALVE SELONOID..WAY: 2, POW: 6W, V: 120VAC, HZ:60HZ, PIP: 1/8"..P/N: 8262G6..MFG: AUTOMATIC SWITCH CO...SCHEDULE B: #8481809
3142	82721	MARKER (TYPE)-CRAYON STICK SOLID;(CLR)-YELLOW (DOC/EXT)-Y/N..P/N: 82721..MFG: MARKAL
3143	8275	SPRAYER HAND TRIGGER ACTION PUMA SPRAYERS..P/N: 8275..MFG: FOG-MAKER
3144	82856	STOP ASSEMBLY FOR CONVEYOR CART(COMPLETE),RUBBER STOP..P/N:82856..MFG: NORTON CLIPPER..SCHEDULE B: # 8428.33.0000 C
3145	8289A17H01	6 INCH PORCELAIN INSULATOR..P/N: 8289A17H01..MFG: EATON..SCHEDULE B: # 8546.20.0090 OTHER INSULATORS
3146	83-1T	CONNECTOR COAXIAL, REF: UHF TEE ADAPTER, JACK PLUG-JACK..P/N: 83-1T (M-358)..MFG: AMPHENOL..SCHEDUEL B: # 8544200000 CO
3147	83064	CLAMP ASSEMBLY, REF: SUSPENSION..P/N: 83064 (R/B: MS60N)..MFG: OHIO BRASS
3148	83200	COMPOUND EPOXY PATCH..P/N: 83200 (NEW P/N: 1373425)..MFG: LOCTITE DANGEROUS GOODS..SCHEDULE: # 3907300000 EPOXIDE RE
3149	83304	SERIES 5000 ULTRA DUTY PRESSURE SWITCH 100 PSI..P/N: 833304
3150	83321E	CABLE LEAD AND HIGH TEMPERATURE..TYPE: STRANDING, AWG: 18, COND: 2, V: 600V, TEMP: -200C..SPEC: WIRE COPPER BRAIDED
3151	834228GT	GREASE CAP, MATERIAL CODE 70127780..P/N: 834228GT..MFG: TEREX
3152	8342G722	VALVE SELENOID, PRE: AI 120/ WA 120. OI 120 PSI, WAY: 4, POW: 16.1 W, V: 120V, FREQ: 60 HZ, PIP: 3/8", SIG: AC..P/N: 8342G722..MFG: AS
3153	835	ADJUSTABLE VOLUME MACROPIPETTES 1000ul-10,000ul (1 ml-10 ml) 1 CHANNEL, MODEL ACURA 835..P/N: 835..MFG: SOCOREX..SCHEDUI
3154	8353J39	VALVE DUST COLLECTOR, 2W NC, 1 1/2 IN COIL CLASS FT 120/60HZ, WEIGHT PER UNIT: 5 LBS..P/N: 8353J39 (or 8353J039) K 322108..MFG
3155	83777	CONVEYOR CART COMPLETE..P/N:83777..MFG: NORTON CLIPPER..SCHEDULE B: # 8428.33.0000 OTHER CONVEYOR PARTS
3156	83895	BACKSTOP..P/N:83895..MFG: NORTON CLIPPER..SCHEDULE B: # 8428.33.0000 OTHER CONVEYOR PARTS

	Item	Description
3157	839051	CHISEL FOR N3 SERIES SCALING HAMMERS, 1/2" SQUARE SHANK TYPE, D-200-7, 71/2 NARROW CHISEL, 3/4" CUTTING EDGE..P/N: 83905
3158	83907	TOP FPR CUTTING TABLE(WOOD & RUBBER) W/ HARDWARE..P/N:83907..MFG:NORTON CLIPPER..SCHEDULE B: # 8428.33.0000 OTHER C
3159	83F065-IN-BTB	FUSE CURRENT LIMITING, VAC: 8.3KV, I: 65A..P/N: 83F065-IN-BTB..MFG: COOPER INDUSTRIES
3160	84-9060	TERMINAL BATTERY; STRAIGHT- (AWG)-3/0;(POLAR)-NEGATIVE. CLAMP BARREL,COOPER DIE CAST TIN MATERIAL,3/O GAUGE,BOLT CC
3161	84-A219939P7	AIR FILTER ELEMENT 24"..P/N: 84-A219939P7..MFG: GENERAL ELECTRIC
3162	84-A219939P8	AIR FILTER WRAP 24"..P/N: 84-A219939P8..MFG: GENERAL ELECTRIC
3163	840	SHEET INSULATING..LG: 533.4MM, W: 457.2MM, THK: 1.5875MM, REF: STOCK ENGRAVING PHENOLIC LAM.COLOR BLACK 1/16 X 18 X 21 IN
3164	84020-40	PLATE WALL ELECTRICAL..TYPE: STD, MAT: S/S 302, LG: 4 1/2", W: 2-3/4"..P/N: 84020-40..MFG: LEVITON..SCHEDULE B: #8536908010 ELEC
3165	8422-70E	INSULATOR SPOOL, MAT: PORCELAIN, CLR: LIGHT GRAY, LG: 3", OD: 3.11", ID: 0.94", ANSI: 29.3, CLASS: 53-2..P/N: 8422-70E..MFG: LAPP IN
3166	8442-70	INSULATOR SPOOL, MAT: PORCELAIN, CLR: LIGHT GRAY, LG: 3", OD: 3.11, ID: 0.94", ANSI: 29.3, CLASS: 53-2, (255 LOCKE/ P532G PLH/ 8442
3167	84447822	PRESSURE SWITCH; MODEL DG 50T..P/N:84447822..MFG:KROMSCHRODER..SCHEDULE B: # 8535300080 OTHER SWITCHES..WEIGHT 1 LI
3168	84447832	PRESSURE SWITCH; MODEL DG 150T..P/N: 84447832..MFG: KROMSCHRODER..SCHEDULE B: # 8535300080 OTHER SWITCHES..WEIGHT:
3169	8448	CORD AWM AWG: 18, V: 150V, TEMP: 80C, # COND: 8,..P/N: 8448..MFG: BELDEN..SCHEDULE B: #7408190000 OTHER COPPER WIRE
3170	847-200CF	CAP SOCKET CPVC, SCHEDULE 80, 20", 22" X 12-3/4"..P/N: 847-200CF..MFG: SPEARS
3171	84E901203G24	CYLINDER LINER V228, SATELLITE..P/N: 84E901203G24..MFG: GENERAL ELECTRIC
3172	850190-1	CONTROL BASE, 9 PIN, CALIBRATOR (CE)..P/N: 850190-1..MFG: SENSIDYNE INC.....
3173	8501KPD12V51	RELAY ASSEMBLY..V: 12V, I: 12A, V-CONT: 120-240 VAC..P/N: 8501KPD12V51..MFG: P & BRUMFIELD..SCHEDULE B: # 8536410060 OTHER RE
3174	8501XO40V2	RELAY CONTROL, TYPE: X, NEMA, NO. POLES: 4, REF: AR 4P 120 VAC O CONT..P/N: 8501XO40V2..MFG: SQUARE D..SCHEDULE B: # 85364
3175	85097-02	HOURMETER..V: 12-60V, SPEC: GAUGE, QUARTZ, 3 SCREW MOUNT, 10-80 VDC, 1/4 IN BLADE TERMINATION..P/N: 85097-02..MFG: HONEY
3176	851019	HYDRAULIC VALVE THREADED CARTRIDGE SELENOID, 120 VAC, 17W, FOR ELECTROVALVE DS201NRMA 120 HD-20TE..P/N: 851019..MFG
3177	8517700	LEVEL PROBE FOR CONDUCTIVE LIQUIDS; 1 ELECTRODE; UNIPOLAR PROBE SN1;MODEL11SN1 DIMENSIONS 100X 200 MM; MAT; STAINL
3178	852 519 SM-L	CYLINDRICAL AIR FILTER..P/N:852 519 SM-L..MFG:MAHLE..
3179	8538M 25	ROD NYLON 1- 1/4" X 8 FT..1.250" DIAM. NATURAL NYLON ROD..(8 FEET PIECES) ..P/N: 8538M 25 (NYLNATROD 1.250)..MFG: RIDOUT PLA
3180	855367	2649578..INDUSTRIAL ELECTRICITY SET,..ENCLOSED IN FACOM TOOL CASE,..INCLUDING:..1 X MULTIFUNCTION CRIMPING PLIERS; 82141
3181	85565588	FILTER ELEMENT F108IGE..P/N: 85565588..MFG: INGERSOLL RAND
3182	85565596	FILTER ELEMENT F108IHE..P/N: 85565596..MFG: INGERSOLL RAND
3183	85565612	FILTER ELEMENT F108IDE..P/N: 85565612..MFG: INGERSOLL RAND
3184	85598	CONNECTOR; DUPLEX SINGLEMODE PVC FIBER OPTIC CABLE - YELLOW; FIBER OPTIC FOR NETWORK DEVICE LC MALE ST MALE OS1 5
3185	855E10BR4	CONTROL TOWER STACK LIGHT 120V AC FUL VOLTAGE 50 MM RED STROBE..P/N:855E10BR4..MFG: ALLEN BRADLEY..WEIGHT:0.17 LBS
3186	855EB10SA3	CONTROL TOWER STACK LIGHT, 120V AC..FULL VOLTAGE..P/N:855EB10SA3..MFG: ALLEN BRADLEY
3187	855HBA10AD	INDUSTRIAL HORN 110V AC 50/60 HZ,100 DB/10 TOWER GRAY STANDARD BASE - BACK FEED OR CONDUIT FEED..P/N: 855HBA10AD..MFC
3188	855HBCA10BDR4	INDUSTRIAL HORN WITH BEACON , 120V AC 50/60 HZ , 104 DB/32 TONE GRAY STANDARD BASE . BACK FEED OR CONDUIT FEED 5 JOUL
3189	8569-1018	PIN LOCKING..P/N: 8596-1018..MFG: GRADALL..SCHEDULE B: # 7319300000 OTHER PINS
3190	8580B	NOZZLE ASEEMBLY 35195, NOZZLE 80, HAGO CAPACITY .85 GPH, 80 SPRAY ANGLE , TYPE CODE B-SOLID, H8580B, ..030G2909..P/N: 8580

	Item	Description
3191	85898	LAMP MIXED-LIGHT..V: 220V, POWE: 250W, BASE: E-40, BULB: E-28..P/N: 85898 GE(OFFER P/N: ML250W E40 PHILIPS)..MFG: PHILIPS..SCHE
3192	8596-1019	PINK LOCK..MAT: RUBBER..P/N: 8596-1019..MFG: GRADALL CO...SCHEDULE B: # 7319300000 OTHER PINS
3193	85H00001	VB015 100-240V ELECTRIC ACTUATOR WITH METRIC THREAD, CONNECTION TUBE 1/2"..P/N: 85H00001..MFG: VALBIA..SCHEDULE B: # 85(
3194	86.00.0.240.0000	TIMER MODULE 12-240V AC/DC..P/N: 86.00.0.240.0000..MFG: FINDER..SCHEDULE B: # 8536.41.0030 OTHE RELAYS
3195	860	COVER BLANK, LG: 4-1/4", W: 2-1/2", REF: BLANK RAISED BOX..P/N: 860 RACO (OFFER P/N: 58C1)..MFG: THOMAS & BETTS..SCHEDULE B: :
3196	8614-KBWT-16	SOLID STATE MOTOR SPEED DRIVE 6A..P/N: 8614-KBWT-16 (OR P/N: KBWT-16-8614A)..MFG: KB ELECTRONICS INC...SCHEDULE B: # 8537
3197	8618	MULTI-CONDUCTOR-AUDIO, CONTROL AND INSTRUMENTATION CABLE, 16 AWG STRANDED (19X29) TINNED COPPER CONDUCTORS, C
3198	86210	LAMP MINIATURE, NO. LAMP TRADE: 755, V: 6.30V, POW: 0.95W..P/N: 86210 THERMOGA (R/B: 755)..MFG: GENERAL ELECTRIC
3199	86326-01A-604	GEARMOTOR,60RPM,.25HP,90DC,INLINE,CSA..P/N: 86326-01A-604 (CODE V138576.B01/ 600M-752 42Y5BEPM-F3)..MFG: BODINE..SCHEDULE
3200	864901	ELECTRICAL BOX/ MOTOR ASSEMBLY..120V, 60 HZ, 1 PH..P/N: 854901..MFG: MCELROY
3201	866125	FILTER, MATERIAL CODE 70127696..P/N: 866125..MFG: TEREX..SCHEDULE B: # 8426.12.0000 OTHER PARTS
3202	8665-1013	TOOTH STD 25..P/N: 8665-1013..MFG: GRADALL CO...SCHEDULE B: # 8431499057 OTHER PARTS
3203	866800	BELT, MATERIAL CODE 780780..P/N: 866800..MFG: TEREX
3204	867-10-1465-01	SHOE PORT, REF: F.E. STRAINER 22",..P/N: 867-10-1465-01..MFG: FLUID ENGINEERING
3205	868-10-1661-09	PORT SHOE SHIM 723 AUTOMATIC 24 GAUGE DWG 10-1661 MONEL..P/N: 868-10-1661-09..MFG: FLUID ENGINEERING..SCHEDULE B: # 8413
3206	86SCA-11-033-00	HIGH ACCURACY PROCESS SONIC CONCENTRATION ANALYZWER WITH TEMP COMPENSATION COMPLETE WITH TRANSMITTER, LCD
3207	87-V	MULTIMITER DIGITAL..V-MAX; 1000V, TYPE: TRUE RMS, WITH CARRYING CASE, ELECTRICAL BOOK AND HEAVY DUTY TEST LEAD SET..P
3208	870-N5	HORN ASSEMBLY, SPEC: FLUSH MOUNTING, 60 HZ, 120V, TYPE 870, 9107..P/N: 870-N5..MFG: EDWARD GS..SCHEDULE B: # 8531.80.0030 H
3209	8705TSA020C1W0E1B3Q4	SENSOR, 8705 FLANGED, 020 ROSEMOUNT™ 8705 PROCESS SENSOR; 2 INCH (50 MM); FLANGED PROCESS CONNECTIONS..8705020 - S
3210	8705TSA040C1W0E1B3Q4	SENSOR, 8705 FLANGED, 040 ROSEMOUNT™ 8705 PROCESS SENSOR; 4 INCH (100 MM); FLANGED PROCESS CONNECTIONS..8705040-S
3211	8707	BOLT, MACH SQH .500 X 7..P/N: 8707..
3212	8721T1	DIGITAL VIBRATION METER..P/N: 8721T1..MFG: MCMASTER
3213	8760	18 AWG STRANDED (16X30) 1 PAIR TINNED COPPER CONDUCTORS, POLYETHYLENE INSULATION, TWISTED PAIR, OVERALL BELDFOIL(
3214	87603-200	SOCKET CLEVIS..P/N: 87603-200..MFG: HUBBELL-ANDERSON FARGO..SCHEDULE B: #7326190000 - OTHER FORGED ARTICLES
3215	8770-100	CABLE BELDFOIL ALUMINIUM STRD 100FT/SPOOL..AWG: 18, 3/C, TEMP: 80C, PKG: ROLL PER 100 FT..P/N: 8770- 100 ..MFG: BELDEN..SC(
3216	8770-500	CORD AWM..AWG: 18, V: 300V, 3/C..TEMP: 80C, PKG: ROLL PER 500 FT..P/N: 8770-500 (18 AWG, 3/C) ..MFG: BELDEN..SCHEDULE B: #85
3217	879-08-03-01-09	BOLT HEX HEAD INCH..P/N: 879-08-03-01-09..MFG: FLUID ENGINEERING..SCHEDULE B: # 7318.15.2000 OTHER BOLTS
3218	879-26-09-13-10	STUD SHAFT..P/N: 879-26-09-13-10..MFG: FLUID ENGINEERING..SCHEDULE B: # 7318155000 STUDS
3219	87BK6100GNF	SET OF BRAKE..P/N: 87BK6100GNF..MFG: BALDOR
3220	87V/E 2 KIT	MULTIMETER DIGITAL TRUE RMS,..RESIST 50 mOHM, MEASURE TEMP, VOLTAGE AND VARIATION OF SPEED..INCLUDE:..CABLE TEST TL
3221	88-223B	DIODE BRIDGE..V-PI: 600V, I: 100A,..TYPE: RECTIFIER..P/N: 88-223B..SCHEDULE B: # 8540890040 DIODES..
3222	8800DD100SA1N1D1I5M5R33Q4\	8800D Product Description: Vortex Flowmeter..D Meter Style: Dual..100 Line Size: 10 in. (250 mm)..S Wetted Materials: 316L wrought stainless and CF3
3223	8800DR010SA6N1D1E1Q4	2602308..FLOWMETER, VORTEX..MODEL: 8800DR010SA6N1D1E1Q4..Manufacturer Part No : 8800DR010SA6N1D1E1Q4..Manufacturer : ROSEM
3224	8800DR010SA6N1D1E1Q4M5	2616096..FLOW METER, VORTEX,..8800DR010SA6N1D1E1Q4M5..Manufacturer Part No : 8800DR010SA6N1D1E1Q4M5..Manufacturer : EMERSOI

	Item	Description
3225	88050-21	POWDER MOLIKOTE TYPE Z..PKG: 10 OZ, SPEC: MOLY POWDER..100% MOS2..P/N: 88050-21..MFG: DOW CORNING....SCHEDULE B: #81
3226	8810	SQUARE HEAD MACHINE BOLT GALV..P/N: 8810..MFG: CHANCE..SCHEDULE B: # 7318152000 BOLTS AND THEIR NUTS
3227	8812	BOLT HEX INCH..DNO: 5/8", LG: 12", THD: NC, MAT: STEEL..P/N: 8812..MFG: CHANCE..SCHEDULE B: # 7318152000 BOLTS AND THEIR NUTS
3228	88135	BUST ANCHOR EXPANDING ANCHOR FOR 8" (203 MM) HOLE USED WITH 0.625" (15.9 MM) OR 0.75" (19.1 MM) DIAMETER ROD ..P/N: 88135.
3229	88135G	ANCHOR 8" EXPANDING GALVANIZED..P/N: 88135G..MFG: CHANCE..SCHEDULE B: #7326190000 - OTHER FORGED ARTICLES
3230	8814	BOLT HEX INCH,..DNO: 5/8", LG: 14", GDE: 8, THD/IN: NC, MAT: STEEL, ..P/N: 8814 ..MFG: CHANCE..SCHEDULE B: # 7318152000 BOLTS AND
3231	8816	MACHINE BOLT, 5/8 X 16 IN..P/N: 8816..MFG: CHANCE..SCHEDULE B: # 7318190000 OTHER NUTS
3232	881603	TYPE K PROBE FOR 78RR..P/N: 881603
3233	88162-74	PASTE MOLIKOTE..REF: TYPE G-N DOWCORNING 2.08 OZ..P/N: 88162-74 (OFFER P/N: DC-GN-2.8)..MFG: DOW CORNING..SCHEDULE B: #
3234	882-10-6119	GEAR ASSEMBLY, REDUCER ITEM 4..P/N: 882-10-6119..MFG: FLUID ENGINEERNG..SCHEDULE B: # 8483409000 OTHER GEARS OTHER GE
3235	8820K16	SWITCH TOGGLE..VAC: 125-250V, POL: 3,..P/N: 8820K16..MFG: EATON-VICKERS..SCHEDULE B: # 8536509065 OTHER SWITCHES..COUNTR
3236	8853B	HEATER..REF: QUARTZONE 449B MOD RT-30 240V 12.5A, 60 CY, COMPLETE HEATER UNIT W/TUBE ..P/N: 8853B (OFFER P/N: 1154A & RT
3237	8862	BOLT, DA .625 X 12
3238	8864	BOLT, DA. 625 X 14..P/N: 8864..
3239	8866	BOLT, DA .625 X 16..P/N: 8866
3240	8882	BOLT, DA .750 X 12..P/N: 8882
3241	8882-1500/F	COMPOUND..TYPE: HIGH GEL REENTERABLE;..CAP: 1500GR..P/N: 8882-1500/F..MFG: 3M..SCHEDULE B: # 3919102055 OTHER FOILS ADHI
3242	889D-R4AC-10	Quick Disconnect Cordset 4 pin DC Micro, 10 meter..p/n: 889D-RAC-10..Mfg: Allen Bradley
3243	89052R10-D	CUTOUTS OVERHEAD DISTRIBUTION SYSTEMS..P/N: 89052R10-D..MFG: MACLEAN POWER SYSTEMS
3244	89092R11-D	CUTOUTS OVERHEAD DISTRIBUTION SYSTEMS..P/N: 89092R11-D..MFG: MACLEAN POWER SYSTEMS
3245	89095-640	THERMOMETER ; PFA SAFETY-COATED LIQUID-IN-GLASS (ORGANIC LIQUID)THERMOMETERS;DBLSF (RANGE -TEMP) -20 TO 110 C; (LEI
3246	89107-836	GLOVE VINYL 5MIL MEDIUM, ..P/N: 89107-836..MFG:
3247	8910DPA44V14	CONTACTOR DEFINITE PURPOSE ;TYPE DPA ; 4 POLE ;3 PHASE; COIL 24V 50/60HZ 600 VAC;40 A..P/N:8910DPA44V14..MFG:SQUARE D..SC
3248	89295976	ELEMENT AIR FILTER..P/N: 89295976..MFG: INGERSOLL RAND
3249	899-20-2403-09	BACKWASH, SPEC: PORT ITEM 27..P/N: 899-20-2403-09..MFG: FLUID ENGINEERING..SCHEDULE B: # 7326200000 OTHER ARTICLES OF IRC
3250	8995A11	MAGNETIC COMBINATION SQUARE..P/N: 8995A11..MFG: MCMASTER
3251	8A-198	ROLLER GUIDE BEARING 1 IN (POSN)- FRONT..P/N: 8A-198..MFG:CLAUSING INDUSTRIAL INC...SCHEDULE B:# 9010.90.0002 PARTS AND A(
3252	8AWG1/C	CABLE THHN..TYPE: STRANDING, AWG: 8, #COND: 1,..#THD: 19, V: 600, CLR: BLACK, TEMP: 105C, SPEC: GASOLINE AND OIL RESISTANCE
3253	8AWG1/C600V	CABLE LEAD AND HIGH TEMPERATURE..TYPE: SRG SRML/SF-2,M VAC: 600V, AWG: 8, NO. STRANDS: 133, TEMP: 90C, SPEC: WIRE SILIC(
3254	8BC370-3	DOT3AA2900 9” X 61” OXYGEN CGA540 OXYGEN CLEANED; PAINTED GREEN CYLINDER CAP ..HEAT TREATED PALLET FOR OCEAN TRAN
3255	8BC373-3	ISO9809-1 9” X 57” 50L 200BAR, CGA540..OXYGEN CLEANED; PAINTED GREEN CYLINDER CAP ..HEAT TREATED PALLET FOR OCEAN TRA
3256	8BCXF-65	MEDIUM VOLTAGE FUSE..8.3 KV, 65 A..P/N: 8BCXF-65..MFG: CUTLER HAMMER..
3257	8G1063	BALLAST FLUORESCENT, V: 120V, POW: 55-42W, TYPE: F40T10-F40T12/ES..P/N: 8G1063 (R/B: 412LSLHTCP)..MFG: GENERAL ELECTRIC..S
3258	8LN21	UPPER AND LOWER CASING ASSEMBLY..DRESSER PUMP CENTRIFUGAL..SERIAL # B0972008-1/2/3, REF..CASING 1..P/N: 8LN21..MFG: ING

	Item	Description
3259	8M-0801-02	CABLE LEAD AND HIGH TEMPERATURE..TYP: SRG SRML/SFF-2, VAC: 600V, AWG: 8, #STRAND: 133, TEMP: 90C..SPEC: WIRE SILICONE RE
3260	8P40P1CS	BK81 MOTOR, PHASE, TOTALLY ENCLOSED, FAN COOLED TEFC, 30 HP, 3600 RPM, 460 V, FRAME 324TS..P/N: 8P40P1CS..MFG: US MOTO
3261	8TGG-1201	CABLE LEAD HIGH TEMPERATURE, TYPE: TGGT, VAC: 600V, AWG: 12, STRAND: 65, TEMP: 250 C..P/N: 8TGG-1201..MFG: SOUTH WIRE CAI
3262	8TGG-1401	CABLE LEAD HIGH TEMPERATURE, TYPE: TGGT, VAC: 600V, AWG: 14, CONDUCTOR: 1, STRAND:41, TEMP: 250 C..P/N: 8TGG-1401..MFG: F
3263	9-11011492P006	BONDED SEAL WASHER..P/N:9-11011492P006..Core Tech Industrial Corp...SCHEDULE B: #8487.90.0080 OTHER MACHINERY PARTS....
3264	9-11011492P012	RELEASE DISK REPLACEMENT KIT..P/N:9-11011492P012Core Tech Industrial Corp...SCHEDULE B: #8487.90.0080 OTHER MACHINERY PARTS
3265	9-11011530P001	Gas Pressure Cylinder..P/N:9-11011530P001..MFG: Core Tech Industrial Corp...SCHEDULE B: #8487.90.0080 OTHER MACHINERY PARTS
3266	9-11061493P006	HYDRAULIC RELEASE VALVE..P/N:9-11061493P006..MFG: Core Tech Industrial Corp...SCHEDULE B: #8487.90.0080 OTHER MACHINERY PART
3267	9-11061493P007	DELTA P VALVE..P/N: 9-11061493P007 ..MFG:Core Tech Industrial Corp...SCHEDULE B: #8487.90.0080 OTHER MACHINERY PARTS
3268	9-11061493P008	PNEUMATIC SLAVE VALVE..P/N:9-11061493P008..Core Tech Industrial Corp...SCHEDULE B: #8487.90.0080 OTHER MACHINERY PARTS..
3269	9-11061493P010	CYLINDER ADAPTER..P/N:9-11061493P010..Core Tech Industrial Corp...SCHEDULE B: #8487.90.0080 OTHER MACHINERY PARTS
3270	9-11061493P011	GPU WATER INLET FILTER ELEMENT..P/N:9-11061493P011..Core Tech Industrial Corp...SCHEDULE B: #8487.90.0080 OTHER MACHINERY PAI
3271	9-11061493P012	WATER TANK LEVEL SWITCH..P/N:9-11061493P012..Core Tech Industrial Corp...SCHEDULE B: #8487.90.0080 OTHER MACHINERY PARTS
3272	9-11061493P013	FLEXIBLE PRESSURE HOSE..P/N:9-11061493P013..MFG:Core Tech Industrial Corp...SCHEDULE B: #8487.90.0080 OTHER MACHINERY PARTS
3273	9-6 CORD	TWINE LINEN WARED,..CLR: GREEN, DNO: 0.046", SPEC: LACING CORD, PKG: 1200FT..P/N: 9-6 CORD..MFG: LUDLOW-C..SCHEDULE B: # 5
3274	9.802-285.0	THERMOSTAT ADJUSTABLE..P/N: 9.802-285.0..MFG: KARCHER..SCHEDULE B: # 8451900020 OTHER PARTS FOR WASHING MACHINE
3275	9.802-530.0	RECTIFIER BRIDGE, MB156 (615.0,617.0)..P/N: 9.802-530.0..MFG: KARCHER..SCHEDULE B: # 8451900020 OTHER PARTS FOR WASHING MA
3276	9.802-695.0	NUT, 10/32" KEPS (615.0,617.0)..P/N: 9.802-695.0..MFG: KARCHER..SCHEDULE B: # 8451900020 OTHER PARTS FOR WASHING MACHINE
3277	9.802-793.0	NUT CAGE, 1/4" X 16 GAUGE..P/N: 9.802-793.0..MFG: KARCHER..SCHEDULE B: # 8451900020 OTHER PARTS FOR WASHING MACHINE
3278	9.803-609.0	SCREW 4MM X 12 MM..P/N: 9.803-609.0..MFG: KARCHER..SCHEDULE B: # 8451900020 OTHER PARTS FOR WASHING MACHINE
3279	9.803-628.0	BREAKER CIRCUIT, 20 AMP..P/N: 9.803-628.0 (R/B: 8.933.008.0)..MFG: KARCHER..SCHEDULE B: # 8451900020 OTHER PARTS FOR WASHIN
3280	90-10-1-002	POWER SUPPLY (V-DC)-24V; (I) - 64/72A..P/N: 90-10-1-002..MFG: CONTROL CHIEF..SCHEDULE B: # 8504409540 OTHE POWER SUPPLY
3281	90-10-2-011	CHARGER ASSEMBLY 7.4V 2 CELL W/2 HLDRS..P/N: 90-10-2-011..MFG: CONTROL CHIEF..SCHEDULE B: #8504406018 OTHER BATTERY CH
3282	90-10-3-004	ASSEMBLY BATTERY PACK 7.4V 2CELL LI-ON..P/N: 90-10-3-004..MFG: CONTROL CHIEF..SCHEDULE B: # 8507.20.0090 OTHER BATTERIES
3283	90-70-0-040	KIT, CABLE, ANTENNA (LG) 20"; (W)-CONNECTOR TNC..P/N: 90-70-0-040..MFG: CONTROL CHIEF..SCHEDULE B: # 8529.10.9000 OTHER ANT
3284	90-70-0-058	SPEAKER AND CAP, TRANSMITTER..P/N: 90-70-0-058..MFG: CONTROL CHIEF..SCHEDULE B: # 8483909500 OTHER PARTS FOR TRANSMIS
3285	90-70-0-064	KIT ASSEMBLY SWITCH, SPEC: FOR E STOP THE TRANSMITTER..P/N: 90-70-0-064..MFG: CONTROL CHIEF
3286	90.02	RELAY; SOCKET RELAY; (N PINS)-8; (V-AC)-300-400V; (I)-12-10A;; (REF)-RUNDEL OCTALS..P/N:90.02..MFG: FINDER..SCHEDULE B: # 85364
3287	9001	SIREN MODEL 9001..MFG: HAWS CORP...SCHEDULE B: # 8531100025 OTHER ELECTRIC SOUND OR USUAL SIGNALING APPARATUS
3288	9001KA2G	PUSH BOTTON CONTACT, 600 VAC, 10 A, 30 MM, T-K..P/N: 9001KA2G..MFG: SQUARE D..SCHEDULE B: # 8536.50.9065 OTHER SWITCHES
3289	9001KA3G	PUSH BUTTON CONTACT 600 VAC, 10 A, 30MM, T-K..P/N: 9001KA3G..MFG: SQUARE D..SCHEDULE B: # 8536.50.9065 OTHER SWITCHES
3290	9001KS42B	SELECTOR SWITCH OPERATOR 30MM TYPE K, ..P/N: 9001KS42B..MFG: SQUARE D
3291	90030-BX	SWITCH, REF: PUSHBUTTON TMS 875..P/N: 900030-BX COLE HEERSE (OFFER P/N: 7872000066)..MFG: GROVE..SCHEDULE B: # 853650906
3292	90064-3001	O. BRASS CROSS ARMING MOUNTING BRACKET..P/N: 90064-3001..MFG: HUBBELL

	Item	Description
3293	9007B19	LIMIT SWITCH LEVER ARM..P/N: 9007B19..MFG: SQUARE D
3294	9007TUB5	LIMIT SWITH..P/N: 9007TUB5..MFG: SQUARE D
3295	90081A700	CASE WITH NAILS, TYPE EASY DRIVE, FOR SHEET METAL, PLASTIC AND PLYWOOD...MATERIAL: STEEL, FINISH/COATING: ZINC-PLATED
3296	900RB12BN	INDICATOR BATTERY..P/N: 900RB12BN..MFG: CURTIS BALKAN LTD...SCHEDULE B:# 9030890100 BATTERY TESTER..COUNTRY OF ORIGIN
3297	9012GAW-4	SWITCH, PRESSURE CLASS 9012;ADJ DIFF, 1.5 TO 75 PSIG, DIAPHRAGM, SPDT, 0.25 IN NPTF; 10 A; 600 VAC..P/N: 9012GAW-4..MFG:SQUA
3298	9012GAW-5	PRESSURE SWITCH, SPDT, CLASS: 9012, PRE: 3-150 PSI, 220MA, 125V..P/N: 9012GAW-5..MFG: SQUARE-D..SCHEDULE B: # 8535300080 OT
3299	9012GBW-1	SWITCH INDUSTRIAL PRESSURE, CLASSS: 9012, PSI: 250, SER: C, TYPE: GBW-1..P/N: 9012GBW-1..MFG: SQUARE D..SCHEDULE B: # 8536.
3300	9012GCW-1	SWITCH PRESSURE, CLASS: 9012, PRE: 20-1000 PSI, 200 MA, 125 V..P/N: 9012GCW-1..MFG: SQUARE -D..SCHEDULE B: # 8535300080 OTHE
3301	9012GCW-2	SWITCH PRESSURE, CLASS: CLASS 9012, PRE: 90-1900 PSI..P/N: 9012GCW-2..MFG: SQUARE D
3302	902288	NUT FOR MODEL LT-650..P/N: 902288..MFG: DYNAPAC..
3303	90252-06-F	WRENCH, ASSEMBLY, 5/16"..P/N: 90252-06-F..MFG: SEWER EQUIPMENT..SCHEDULE B: # 8708998175 PARTS FOR CLEANING MACHINE
3304	90254-00-F	HANDLE. BAR TURNING, UNIVERSAL..P/N: 90254-00-F..MFG: SEWER EQUIPMENT..SCHEDULE B: # 8708998175 PARTS FOR CLEANING MA
3305	90263-00-P	DRIVE POWER ROD, COMP, 3.5 HP..P/N: 90263-00-P..MFG: SEWER EQUIPMENT..SCHEDULE B: # 8708998175 PARTS FOR CLEANING MAC
3306	90271	DISK HIGH STRENGTH HS-DC 7" X 7/8"..MFN (50/BOX)..P/N: 90271..MFG: 3M....SCHEDULE B: 8465930090 - OTHER SANDING DISC..SCHED
3307	903V0192	COMPRESSOR FOR AIR CONDITIONING,..SD5H14, MODEL S6668 SANDEN, SERIAL 0891607780, USE FOR A/C CRANE RT670..P/N: 903V019
3308	904131	3" VITON MAIN VALVE KIT: ..PART NUMBER: 904131..OCV CONTROL VALVES..FOR 3" REPAIR KIT 3100 SERIES VITON..P/N: 904131..MFG: C
3309	904230	WASHER 10.5X22X2 FOR DYNAPAC LF90..P/N: 904230..MFG: DYNAPAC
3310	90560	O-RING; MAIN COVER SEAL, MAT: BUNA-N VIKING 1& 2; O DIA- 9-3/16" THICKNESS 7/32"..CI-90560 CENTRAL ILLINOIS MFG.CO...P/N 90560
3311	9063	HOLDER LAMP,..POW-LAMP: 650W, VAC: 250V, TYPE: MED BASE, KEYLESS PLASTIC..P/N: 9063..MFG: LEVITON..SCHEDULE B: # 85366100(
3312	90650	BACKPAK FOR TOOLS..P/N: 90650..MFG: TOOL PAK..
3313	90847	MINIATURE CIRCUIT BREAKER LOCKOUTS..PIN IN STANDARD; FIBERGLASS REINFORCED NYLON RED AND BLUE COLOR ..DIMENSIONS
3314	909-300-01	AC-DC SEAL IN RELAY, INPUT 460 VAC. OUTPUT 125 VDC..P/N: 909-300-01..MFG: QUALITROL..SCHEDULE B: # 8536.49.0080 OTHER RELAY
3315	909662000	SOCKET EYE..P/N: 909662000..MFG:ANDERSON..WEIGHT:5,684 LBS
3316	909672000	SOCKET EYE 50 KLB/ 2110 KN..P/N: 909672000..MFG: HUBELL..SCHEDULE B: #7326.90.8595 OTHER ARTICLES OF IRON
3317	91-04-0-053	DOOR BATTERY TRANSMITTER, SPEC: MERCURY..P/N: 91-04-0-053..MFG: CONTROL CHIEF
3318	910-0903-EU-R	GILAIR® PLUS STP SINGLE STARTER KIT, EURO CORD..P/N: 910-0903-EU-R..MFG: GILAIR
3319	910 TYPE A SIZE 10	BERGEN-POWER FIGURE 910 TYPE A SIZE 10..MFG: BERGEN..P/N: 910 TYPE AZ SIZE 10..SHEDULE B # 7326908530 HANGERS AND SIMILA
3320	910 TYPE A SIZE 11	BERGEN-POWER FIGURE 910 TYPE A SIZE 11..P/N: 910 TYPE A SIZE 11..MFG: BERGEN..SHEDULE B # 7326908530 HANGERS AND SIMILAF
3321	910 TYPE A SIZE 12	BERGEN-POWER FIGURE 910 TYPE A SIZE 12..P/N: 910 TYPE A SIZE 12..MFG: BERGEN..SHEDULE B # 7326908530 HANGERS AND SIMILAF
3322	910 TYPE A SIZE 7	BERGEN-POWER FIGURE 910 TYPE A SIZE 7..P/N: 910 TYPE A SIZE 7..MFG: BERGEN..SHEDULE B # 7326908530 HANGERS AND SIMILAR S
3323	910 TYPE A SIZE 8	BERGEN-POWER FIGURE 910 TYPE A SIZE 8..P/N: 910 TYPE A SIZE 8..MFG: BERGEN..SHEDULE B # 7326908530 HANGERS AND SIMILAR S
3324	910307	AIR FILTER GENERATOR PD50YS, YEAR 2012, CALLED: ZT1378/ZT1397, ELLIPSE: GETZT1378..P/N: 910307(114250-12581 MFG: YANMAR)..M
3325	91072	PLATE, WALL, ELECTRICAL...(SPEC)- BAKELITE TUMBLER, BROWN...P/N 91072..MFG: ARROW HART..SCHEDULE B: # 8536509065 OTHER
3326	9107BN	ELECTRON PH ORION..P/N: 9107BN..MFG: THERMO SCIENTIFIC

	Item	Description
3327	911031	NATIONAL CRANE HYDRAULIC PUMP..P/N:911031..MFG: NATIONAL CRANE..SCHEDULE B: 8413.20.0000 OTHER HYDRAULIC PUMPS
3328	912	LAMP MINIATURE, NO. LAMP TRADE: 912, V: 12.80V, POW: 12.80W..P/N: 912..MFG: IMPORT BRAND..SCHEDULE B: # 8539228050 OTHER LA
3329	9122407101	TRANSMISSION FILTER..P/N: 9122407101..MFG: MITSUBISHI/ CAT
3330	912498	SPRING DYN FOR DYNAPAC LF90..P/N: 912498..MFG: DYNAPAC..
3331	91256	CANVAS PLIERS HOLSTER..P/N: 91256..MFG:WIHA..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
3332	9133RT-150-200-LH	2" BALL VALVE, 9100 SERIES, 2 PC, FULL PORT, 316 SS BODY, BALL & STEM, RTFE SEATS, TFE SEAL, 150# RF-FE, MOUNTING PAD, LOCK
3333	91401	CABLE SEAL PUMP NS 50/26NB; NEOPRENE RUBBERCABLE SEAL FOR PUMPS KKS 40GMA16AP010/40GMA17AP010 MODEL NS 50/26NB..I
3334	91401.	CABLE SEAL PUMP NS 65/32N;NEOPRENE RUBBERCABLE SEAL FOR PUMP KKS 40GMA25AP001/40GMA26AP001 MODEL NS 65/32N T..P/N
3335	9142-CASE	CARRYING CASE..P/N: 9142-CASE..MFG: FLUKE..SCHEDULE B: #4202190000 OTHER CASES
3336	9144-A-P	FIELD METROLOGY WELL, 50 TO 660 C, PROCESS with 9144-INSX, WITH PROCESS ELECTRONICS..P/N: 9144-A-P..MFG: FLUKE..SCHEDUI
3337	9144-INSD	METRIC COMPARISON HOLES, INSERT D..P/N: 9144-INSD..MFG: FLUKE..SCHEDULE B: #7419.91.0050 OTHER MOLDED ARTICLE
3338	9144-INSZ	9144 BLANK INSERT "Z"..P/N: 9144-INSZ..MFG: FLUKE..SCHEDULE B: #7419.91.0050 OTHER MOLDED ARTICLE
3339	91505-1	CRIMPING TOOL..P/N: 91505-1..MFG: TYCO
3340	9153	STAPPLE COPPERWELD ROLLER POINT, DIM: A=1 3/4, B= 3/8, C=.144 42 9107/9108..P/N: 9153..MFG: CHANCE..SCHEDULE B: # 7415.10.0000
3341	91542-1	CRIMPING TOOL..P/N: 91542-1..MFG: TYCO
3342	9157BN	THREE IN ONE COMBINATION PH/ATC PROBE..P/N: 9157BN..MFG: THERMO FISHER..SCHEDULE B: # 9026800000 OTHER INSTRUMENTS C
3343	9157BNMD	TRIODE 3-IN 1 PH/ATC PROBE..P/N: 9157BNMD..MFG: THERMO FISHER..SCHEDULE B: # 9026800000 OTHER INSTRUMENTS OR APPARAT
3344	9170-CASE	CARRYING CASE FOR 9170-3..P/N: 9170-CASE..MFG: HART SCIENTIFIC..SCHEDULE B: #4202190000 OTHER CASES
3345	9171-A-R	METROLOGY WELL..-30C TO 155C..P/N: 9171-A-R..MFG: HART SCIENTIFIC..SCHEDULE B: # 9025805050 OTHER INSTRUMENTS
3346	9186101600	AIR FILTER..P/N: 9186101600..MFG: MITSUBISHI/ CAT
3347	91900	RUBBER DIAPHRAGM PUMP NS 50/26NB; NEOPRENE RUBBER RUBBER DIAPHRAGM FOR PUMP KKS 40GMA16AP010/40GMA17AP010 MO
3348	91900.	RUBBER DIAPHRAGM PUMP NS 65/32N;NEOPRENE RUBBERRUBBER DIAPHRAGM FOR PUMP KKS 40GMA25AP001/40GMA26AP001 MODE
3349	920054-02	1-1/2 STEAM TRAP SW YARWAY 40, DWG: YA-421103, MODEL 60R, SOCKET ENDS (ANSI), SIZE: 1 1/2, REPLACED BY 40D..P/N: 920054-02
3350	92045-0107	BALL BEARING ..P/N: 92045-0107..MFG: KAWASAKI..SCHEDULE B: # 8482101000 BALL BEARINGS
3351	92049-1298	SEAL OIL..P/N: 92049-1298..MFG: KAWASAKI..SCHEDULE B: # 4016930000 GASKET, WASHER AND OTHER SEALS
3352	9210438	TOTAL CHLORINE SENSOR FILL ..SOLUTION 4 OZ (OLD P/N: R434-4OZ)..P/N: 9210438..MFG: ROSEMOUNT ANALYTICAL LIQUID DIVISION..S
3353	922-197	REGULATOR (AVR) R-230A..P/N: 922-197..MFG: F.G. WILSON..SCHEDULE B: # 8511804000 OTHER VOLTAGE REGULATOR
3354	923844	PLUG PLASTIC FOR DYNAPAC CA25..SERIE 7098652 ..P/N: 923844 (R/B: 4700923844)..MFG: DYNAPAC..SCHEDULE B: # 8431.49.1010 OTHER
3355	925200-1	P/N: 925200-1..LAVADEROS DE PINOCHO..(PLEASE ADVISE YOUR CORRECT TRANSLATION)..MFG: STANG INDUSTRIAL
3356	925580Q	FILTER HYDRAULIC ELEMENT,..ID: 25MM, OD: 45MM, H: 115 MM...P/N: 925580Q..MFG: PAKER HANNIFIN
3357	929360	CLUTCH LINING FOR DYNAPAC LF90..P/N: 929360..MFG: DYNAPAC
3358	92T075	CONNECTOR, FOR EMT CONDUIT, TWO PIECE, SIZE: 3/4"..P/N: 92T075..MFG: APPLETON..SCHEDULE B: #8536695050 OTHER CONNECTOI
3359	930369Q	ELEMENT FILTER MODEL 15CN-1..P/N: 930369Q..MFG: PARKER..SCHEDULE B: # 8421230000 OIL OR FUEL FILTERS
3360	93137	GAS OIL FILTER (COMBUSTIBLE) GENERATOR PD50YS, YEAR: 2012, CALLED: ZT1378/ZT1379, ELLIPSE: GETZT1378..P/N: 93137 (114299-3

	Item	Description
3361	931C0036BY-75	SWITCHBOARD MAT, BLACK, DIAMOND, 3 X 75 FT ..WITH YELLOW BORDER, MAT SURFACE PATTERN DIAMOND PLATE, MAX. USE VOLT/
3362	93200	MOISTURE SENSOR 1/4" BSP PUMP NS50/26NB; MOISTURE SENSOR FOR PUMP KKS 40GMA16AP010/40GMA17AP010 MODELO NS 50..P/N
3363	93200.	MOISTURE SENSOR 1/4" BSP PUMP NS 65/32N;MOISTURE SENSOR 1/4" BSP FOR PUMP KKS 40GMA25AP001/40GMA26AP001 MODEL..P/N
3364	932300	BUSHING 2 1/8" BORE Q-2..P/N: 932300..MFG: TEREX-SIMPLICITY..SCHEDULE B: # 8431100090 OTHER PARTS FOR MACHINERY
3365	9324-RLD700NXENE	1746665..Software..Type : RSLOGIX 5000..Version : PROFESSIONAL EDIT..Drawing : NG-ENG-11-KR23-179003 PAGE 88 ITEM PLC..USE: EMERC
3366	932612Q	FILTER HYDRAULIC ELEMENT..ID: 25.4MM, OD: 44.45 MM, H: 114.3MM, SPEC: 100XF..P/N: 932612Q..MFG: PARKER HANNIFIN
3367	932623Q	FILTER; MICROGLASS HYDRAULIC AND LUBE OIL ELEMENT ..25/30P-15QELEMASSYVITON..P/N: 932623Q (REPLACESP/N G02723Q)..MFG
3368	9333101455	SENSOR LENGTH..P/N: 9333101455..MFG: GROVWE
3369	935115	1340 VITON PILOT OVERHAUL KIT:..PART NUMBER: 935115..OCV CONTROL VALVES..P/N: 935115..MFG:OCV CONTROL VALVES
3370	935125	1340P VITON PILOT OVERHAUL KIT: ..PART NUMBER: 935125..OCV CONTROL VALVES..P/N:935125..MFG: OCV CONTROL VALVES
3371	935636	NILOS RING FOR DYNAPAC LF90..P/N: 935636..MFG: DYNAPAC
3372	936710Q	CONT OIL FILTER ELEMENT;40CN-2 CORELESS 2Q ELEMENT; 40CN SERIES HYDRAULIC AND LUBE OIL ELEMENT..P/N:936710Q..MFG:PAF
3373	9373 H1L5	SOLID SEAL,OIL 3.125" ID X 4.125" OD X 0.438" THK, NBR MATERIAL, RUP STYLE..P/N: 9373 H1L5..MFG: PARKER HANNIFIN / CLIPPER..SCH
3374	937476	SPARK PLUG FOR MODEL LT-650..P/N: 937476..MFG: DYNAPAC
3375	937954	RESORTE EMBRAGUE..VIBROPISON FOR MODEL LT-650..P/N: 937954..MFG: DYNAPAC..
3376	93900	GASKET FOR BEND PUMP NS50/26NB NS65/32N; NON ASB GASKET FERROLITE NAM37 OR EQUIVGASKET FOR BEND FOR PUMP KKS 40(
3377	939361R	HMT LED 45 WITH RED DISPLAY..P/N: 939361R..MFG: BODET..COUNTRY OF ORIGIN: FRANCE
3378	93BB-1DAO-OORG	CONTROL ASSEMBLY, (TYPE): TEMPERATURE, SPEC: CODE CTL90000 POWER SUPPLY" 120 VAC 50/60 HZ ELECTROMATIC..P/N: 93BB-1D
3379	94.74	RELAY DIN RAIL PANEL MOUNT SCREW TERMINAL (PLATE CLAMP) SOCKET..P/N: 94.74..MFG: FINDER..SCHEDULE B: #8536.69.5050 OTHE
3380	9402-86	WORK TENT - DELUXE; 2 DOORS (7 1/2' H x 6' W x 8' D)..P/N: 9402-86..OFFER 9402-88 (7 1/2" H X 8" W X 8" D) 2 DOORS..MFG:ALLEGRO..SCH
3381	941047Q	OIL FILTER ELEMENT WPF-2 10QH ELEMENT ASSY;MICRO GLASS III;SEAL MATERIAL: FLUORCARCON..P/N: 941047Q..MFG:PARKER
3382	941345	NATIONAL CRANE, CABLE, 9/16IN X 325,..15 TN, MANITOWOC ..P/N: 941345..MFG: MONITOWOC CRANES..SCHEDULE B: # 8426.49.0090 OT
3383	9413750	THERMOCOUPLE,EXHAUST (TT-XD-) ..PART NUMBER: 381A6581P004.. 381A6581P004 GENERAL ELECTRIC..GE TC 381A6581P004 REV.B..D
3384	9414102	THERMOCOUPLE EXHAUST TT-XD- 381A6581P011 ..PART NUMBER: 381A6581P011..GENERAL ELECTRIC; DRAWINGNR 522340-011..STATI
3385	9414103	THERMOCOUPLE,EXHAUST ..TT-XD-8,9,15 & 16 ..PART NUMBER: 381A6581P006..THERMOCOUPLE EXHAUST TT-XD- 381A6581P006 GENEI
3386	943-771-001	UNMANAGED INDUSTRIAL ETHERNET RAIL SWITCH, STORE AND FORWARD SWITCHING MODE, ETHERNET (10 MBIT/S) AND FAST-ETHI
3387	943-897-001	SFP TRANSCEIVER ;SFP FIBER OPTIC GIGABIT ETHERNET TRANSCEIVER, EXTENDED TEMPERATURE RANGE..FX (OPTICAL) PORT CON
3388	943-957-001	ETHERNET SWITCH UNMNGED 8 PORT 10/100MB 8-RJ45 DIN SPIDER II 8 TX..P/N: 943-957-001..MFG: HIRSCHMANN..SCHEDULE B: # 8517.
3389	943259	1-1/2 40D STEAM TRAP REPAIR KIT..DWG YA-421103, MODEL 60R, YARWAY FOR IMPULSE STEAM TRAP SIZE 1-1/2", REPLACED BY 40D ..F
3390	9439-9130	MAINSHAFT FOR 7FT STANDARD MACHINE CRUSH..P/N: 9439-9130..MFG: SYMONS CRUSHER..SCHEDULE B: #8483308090 OTHER PLAIN S
3391	944-R	BATTERY 6V..P/N: 944 R..MFG: RAY-O-VAC
3392	94424	LUBRICATION PUMP PMAX 350 BAR/5076PSI, U24 VDC P-78 ..P/N: P203.4XNBO1K60-24-1..MFG: LINCOLN..SCHEDULE B: # 8413.81.0040 OTI
3393	9464709500	FORK SHAFT ARM..(BRAZO DE CARGA MITSUBISHI)..P/N: 9464709500 (R/B: 9464719500)..MFG: MITSUBISHI
3394	949-10-1460	MOTOR..P/N: 949-10-1460..MFG: FLUID ENGINEERING

	Item	Description
3395	950-500	O-RING (ID)-9.30MM;(OD)-14.50MM;(W)-2.6OMM;..P/N: 950-500(950-5000)..MFG:PRICE PFISTER..SCHEDULE B: # 4016.93.0000 OTHER RUBBI
3396	9500	NPS 4 9500 VALVES COATINGS AND PAINT 1052 SIZE 40 ACTUATORS COATING AN PAINTS..TAG: FCV-11..P/N: FS95-1238S & FS1052K-127
3397	950F-34	TRUCK HAND DOUBLE CYLINDER, DIM-BASE: 13" X24", H: 60"M W: 37", MAT: STEEL, SPEC: MAX. DIA, OXYGEN CYLINDER 9-1/4", ACETYLE
3398	9510190	KIT D/RETEN P/BBA SAUER ..P/N: 9510190 ..MFG: SAUER
3399	951202	SOLUTION FILL FOR AMMONIA ISE BTL 60ML ..ORION™ ISE FILLING SOLUTIONS, THERMO SCIENTIFIC..SHIPPING DIMENSIONS WEIGHT
3400	951204	ORION™ ION SELECTIVE ELECTRODE ACCESSORIES, THERMO SCIENTIFIC..SHIPPING DIMENSIONS WEIGHT / SIZE (L*W*H) PER UOM :
3401	9512BNWP	ORION AMMONIA ELECT BNC ..ORION™ AMMONIA ION SELECTIVE ELECTRODES, THERMO SCIENTIFIC..SHIPPING DIMENSIONS WEIGHT
3402	951300MFA	VALVE RELIEF; 1/2""NPTX1" FNPT PRES SET17.25 BARCAPACITY 490M3/H;INLET 1/2"NPT;OUTLET 1"FNPT..1/2 X 1 CS RELIEF VLV MPT OM
3403	951301 MFA	VALVE RELIEF3/4""NPTX1" FNPT PRES SET 37 BAR;CAPACITY 1500 M3/H; INLET 3/4"NPT;OUTLET 1" FNPT..3/4X1 CS RELIEF VLV MPT OMN
3404	951301MFA	VALVE RELIEF 3/4 "NPTX1" FNPT PRES SET 49 BAR;CAPACITY 1500M3/H;INLET 3/4"NPT;OUTLET 1" FNPT..3/4X1 CS RELIEF VLV MPT OMNI
3405	95140	DISPENSER LOCTITE..P/N: 95140..MFG: PERMATEX..SCHEDULE B: #3401190000 OTHER HANDSOAP SANITARY
3406	954-30-06-15-47	NUT SHAFT..1-1/18"-12 HEX HEAD WITH NYLON INSERT ZINC PLATE 18"-20"..P/N: 954-30-06-15-47..MFG: FLUID ENGINEERING..SCHEDULE
3407	955-04-02-09	WASHER LOCK SPRING..P/N: 955-04-02-99..MFG: FLUID ENGINEERING..WASHER LOCK SPRING..P/N: 955-04-02-99..MFG: FLUID ENGINEEF
3408	955301MFA	VALVE RELIEF ; 3/4" "NPTX1" FNPT PRES SET 168.3BAR;CAPACITY 2500M3/H;INLET 3/4"NPT;OUTLET 1" FNPT..3/4X1 CS RELIEF VLV MPT V
3409	960-702	PRECISION FRAME LEVEL 200 X 44 X 200..V ANGLE:140°;ACCURACY:DIN 2267;MAX. PERMISSIBLE ERROR(INDICATION ACCURACY):20% C
3410	9600	HEAD SEAL FOR 80E S/H..VESSEL..P/N: 9600..MFG:CODELINE..SCHEDULE B:# 8421.99.0040 PARTS FOR MACHINERY AND APPARATUS F
3411	96000	HEAD SEAL..P/N:96000..CODELINE..SCHEDULE B:# 8421.99.0040 PARTS FOR MACHINERY AND APPARATUS FORFILTERING OR PURIFYIN
3412	9600322	FILL SENSOR LEVEL SOLID; (V) 115 VAC;((TYPE) SEM500/115 (W)THREADED BOSS 1-1/2"GAS;ROTATING BLADE (SPEC)SEG A ELICA (COD
3413	96077	F/C PORT SEAL SQR 1.5" 96077..PART#GA96077..P/N:96077..MFG: CODELINE..SCHEDULE B:# 8421.99.0040 PARTS FOR MACHINERY AND
3414	961-10-1678-33	O RING, REF: COVER, F.E. STRAINER..P/N: 961-10-1678-33..MFG: FLUID ENGINEERING
3415	961301MFA	VALVE RELIEF;3/4 "NPTX1" FNPT PRES SET8.05 BAR;CAPACITY 483M3/H;INLET 3/4"NPT;OUTLET 1" FNPT..3/4X1 CS RELIEF VLV MPT OMNI
3416	96160	SEALING PLATE..P/N:96160..MFG: CODELINE..SCHEDULE B:# 8421.99.0040 PARTS FOR MACHINERY AND APPARATUS FORFILTERING OF
3417	96162	PERMEATE PORT..P/N:96162..MFG: CODELINE..SCHEDULE B:# 8421.99.0040 PARTS FOR MACHINERY AND APPARATUS FORFILTERING (
3418	96163	THRUST CONE..P/N:96163..MFG: CODELINE..SCHEDULE B:# 8421.99.0040 PARTS FOR MACHINERY AND APPARATUS FORFILTERING OR
3419	96266/FAN-AS5-12M	THERMAL COMPOUND, BULK ..P/N: 96266/FAN-AS5-12M (MFG P/N: FAN-AS5-12)..MFG: ARTIC SILVER 5..SCHEDULE B: # 3811190000 OTHE
3420	966006605	Horsepower 7.5 hp*.. Engine/Motor Electric.. Standard Saw Features:.. Blade Guard Capacity 20 in. ..Arbor Size 1 in... Blade Shaft 2510 rpm.. Max. Dept
3421	96675	LOCTITE PC 7393 RAPID RUBBER REPAIR; LOCTITE FIXMASTER 13.5 OZ (400 ML)..P/N:96675..MFG: LOCTITE / HENKEL..COUNTRY OF OR
3422	967901	THERMO SCIENTIFIC ORP STANDARD, ORION ORP STANDARD FOR REDOX/ ORP ELECTRODES, 475 ML BOTTLE, REF: 967901..MFG: THE
3423	96X51/2X31/2	CROSSARM..P/N: 96X51/2X31/2..MFG: HUGHES BROTHERS
3424	97	LAMP MINIATURE..LT: 97, V: 12V, POW: 8W,..P/N: 97..MFG: WAGNER MINING..SCHEDULE B: #8539228050 OTHER LAMPS
3425	97-3057-12 (624)	CABLE CLAMP AN3057, GREEN ZINC ALLOY..P/N: 97-3057-12 (624)..MFG: AMPHENOL
3426	970	3-1/2 & 4 STEEL CONDUIT BODY COVER..P/N: 970..MFG: CROUSE HINDS
3427	97005-268	STAINLESS STEEL UTILITY CART ANG-LEG..STD DUTY CART 300 LBS CAPACITY..P/N:97005-268..MFG:VWR INTERNATIONAL
3428	97137	FUEL FILTER..P/N: 97137..MFG: MASE

	Item	Description
3429	9726-C	SOCKET LAMP, VAC: 125 V, POW: 660W, BAS: MEDIUM, PORCELAIN FOR BOX OCT TYPE N, INCLUDE; SCREW..P/N: 9726-C..MFG: LEVITON
3430	973102A-20-7SY639	CONNECTOR MOUTING PANEL INSERT ARRANGEMENT 20-7, NO. CONTACT: 8, CONTACT TERMINATION: SOLDER..P/N: 97-3102A-20-7SY(
3431	973106A-20-7PY639	CIRCULAR CONNECTOR STRAIGHT PLUG, INSERT ARRANGEMENT, 20-7, NO. OF CONTACTS: 8, CONTACT: TERMINATION: SOLDER..P/N:
3432	975256	NATIONAL CRANE, VALVE ASSEMBLY - SELENOID COMPLETE ASSEMBLY..P/N: 975256..MFG: MONITOWOC CRANES..SCHEDULE B: # 8426
3433	97536	OIL FILTER ELEMENT GENERATOR PD50YS, YEAR: 2012, CALLED: ZT1378/ZT1379, ELLIPSE: GETZT1378..P/N: 97536..MFG: MASE GENERA
3434	9754	SCREW LAG GALVANIZE 1/2 X 4 IN..P/N: 9754 HUBBARD (CHANCE P/N: 508500)..MFG: CHANDE
3435	976-378 506SDA TFX	SIMPLEX 976-378 506SDA TFX ASDA BOARD WITH FACE PLATE..NOTIFICATION APPLIANCE MODULE KIT..P/N :976-378 506SDA TFX..MFG:
3436	97606	TAP AND DIE SET, SZIE: 1/4" TO 1", PKG: 66 PCS..P/N: 97606..MFG: IRWIN..SCHEDULE B: #8467115090 OTHER TOOLS
3437	97643	VOLTAGE REGULATOR FOR GENERATOR MODEL PD50YS, VIN G120483, YEAR 2012..P/N: 97643..MFG: MASE
3438	9770	22-3C STRANDED TNC PP FOIL SHIELD PVC JACKET CM ROHS..P/N: 9770..MFG: BELDEN
3439	97722404	PUMP DIGITAL DOSING, TYPE: DDA-7.5-16FC-PVC/V/C-F-31I003BG, MODEL A97722404, V: 100-240V F: 50/60 HZ, MAX. POWER: 24W, IP: 65,
3440	977904012	PADDLE GEAR AND SHAFT..P/N: 977904012..MFG: PHIPPS & BIRD..SCHEDULE B: # 8483409000 OTHER GEARS
3441	977904013	IDLER GEAR AND SHAFT..P/N: 977904013..MFG: PHIPPS & BIRD..SCHEDULE B: # 8483409000 OTHER GEARS
3442	977904014	DRIVING DOG..P/N: 977904014..MFG: PHIPPS & BIRD..SCHEDULE B: # 8536695050 OTHER CONNECTORS
3443	978-0071356756	BOILER OPERATIONS QUESTIONS AND ANSWERS 2ND EDITION 2000. HARDCOVER, ENGLISH..ISBN-10: 0071356754, ID: ISBN-13: 978-007
3444	978-0071743006	NALCO GUIDE TO BOILER FAILURE ANALYSIS 2ND EDITION, 2011, HARDWARE-ENGLISH, ISBN-10: 0071743006, ISBN-13: 978-0071743006../
3445	978-0470167670	HANBOOK OF LARGE TURBO-GENERATOR OPERATION AND MAINTENANCE, 2ND EDITION, 2008, HARDCOVER - ENGLISH, ISBN-10: 0470
3446	978-1593700096	TURBINE STEAM PATH MECHANICAL DESIGN AND MANUFACTURE VOLUME IIIa, 2004 HARDCOVER, ENGLISH..ID: ISBN-10: 1593700091, IS
3447	978-1593700102	TURBINE STEAM PATH MECHANICAL DESIGN AND MANUFACTURE VOL IIIb, 2004, HARDCOVER, ENGLISH, ISBN-10: 1593700105, ID: ISBN-
3448	9780791831106	PTC 30.1 - 2007 Air-Cooled Steam Condensers..[English. Print -Book]..ID: ISBN 9780791831106..Author: Publisher ASME..SCHEDULE B: # 4901.99
3449	9801-040	TEE OF CPVC DIA: 4", SCHEDULE 80..P/N: 9801-040..MFG: GEORGE FISCHER
3450	9801-060	TEE OF CPVC DIA: 6", SCHEDULE 80..P/N: 9801-060..MFG: GEORGE FISCHER
3451	9801-080	TEE OF CPVC DIA: 8", SCHEDULE 80..P/N: 9801-080..MFG: GEORGE FISCHER
3452	9801-100	TEE OF CPVC DIA: 10", SCHEDULE 80..P/N: 9801-100..MFG: GEORGE FISCHER
3453	981781	EXTENSION ROD 275 MM..P/N:981781..MFG: MITUTOYO..SCHEDULE B:# 9017.30.8000 OTHER PARTS FOR MICROMETERS
3454	981782	EXTENSION ROD 300 MM..P/N: 981782..MFG: MITUTOYO..SCHEDULE B:# 9017.30.8000 OTHER PARTS FOR MICROMETERS
3455	9820-626H	10" X 6" RED CROSS GF CPVC..P/N: 9820-626H..MFG: GEORG FISCHER
3456	9829-100	10" CPVC GF N80 COUPLING ..P/N: 9829-100..MFG: GEORG FISCHER
3457	9829-626H	10" X 6" GF CPVC N80 COUPLING..P/N: 9829-626H..MFG: GEORG FISCHER
3458	983505	ROD 75 MM..P/N:983505..MITUTOYO..SCHEDULE B:# 9017.30.8000 OTHER PARTS FOR MICROMETERS
3459	983531	ROD 250 MM..P/N: 983531..MFG: MITUTOYO..SCHEDULE B:# 9017.30.8000 OTHER PARTS FOR MICROMETERS
3460	983533	ROD 275 MM..P/N:983533..MFG:MITUTOYO..SCHEDULE B:# 9017.30.8000 OTHER PARTS FOR MICROMETERS
3461	983535	ROD 300 MM..P/N: 983535..MFG: MITUTOYO..SCHEDULE B:# 9017.30.8000 OTHER PARTS FOR MICROMETERS
3462	983C	FIBER DISC 983C, 7 in x 7/8 in, SIZE GRAIN: 36, BOX OF 100EA..P/N: 36-983C..MFG:3M..SCHEDULE B: # 6805.30.0000 Natural or artificial abrasive

	Item	Description
3463	9854-010	1" VANSTONE FLANGE SOC CPVC, SCHEDULE 80..P/N: 9854-010..MFG: GEORGE FISCHER
3464	9854-015	1-1/2" VANSTONE FLANGE SOC CPVC SCHEDULE 80..P/N: 9854-015..MFG: GEORGE FISHER
3465	9854-020	2" VANSTONE FLANGE SOC CPVC, SCHEDULE 80..P/N: 9854-020..MFG: GEORGE FISCHER
3466	9854-025	2-1/2" VANSTONE FLANGE SOC CPVC, SCHEDULE 80..P/N: 9854-025..MFG: GEORGE FISCHER
3467	99-100930-00	NEBULIZATOR KIT..P/N: 99-100930-00..MFG: VARIAN INC...SCHEDULE B: # 9027905430 OTHER PARTS
3468	99-5008	NOSE ASSEMBLY 5/8"..P/N: 99-5008..MFG: ALCOA-HACH..SCHEDULE B: #8467115090 OTHER PNEUMATIC TOOLS
3469	99-5013	NOSE ASSEMBLY 3/4"..P/N: 99-5013..MFG: ALCOA -HACH..SCHEDULE B: # 8467115090 OTHER PNEUMATIC TOOLS
3470	99-5021	NOSE ASSEMBLY 1/2"..P/N: 99-5021..MFG: ALCOA-HACH..SCHEDULE B: # 8467115090 OTHER PNEUMATIC TOOLS
3471	9900182	EYE BOLT ; 1/4" X 1" S-279 MACHINERY EYE BOLT - 650 LBS WLL..P/N:9900182..MFG:CROSBY..SCHEDULE B: #7318159000 OTHER BOLTS
3472	9900217	EYE BOLT 1/2" X 1-1/2" S-279 MACHINERY EYE BOLT - 2600 LBS WLL ..P/N: 9900217..MFG:CROSBY..SCHEDULE B: #7318159000 OTHER BO
3473	9900226	EYE BOLT 5/8" X 1-3/4" S-279 MACHINERY EYE BOLT - 5200 LBS WLL..P/N:9900226..MFG: CROSBY..SCHEDULE B: #7318159000 OTHER BOL
3474	9900235	EYE BOLT; 3/4" X 2" S-279 MACHINERY EYE BOLT - 7200 LBS WLL..P/N: 9900235..MFG:CROSBY..SCHEDULE B: #7318159000 OTHER BOLTS
3475	990055	ANALOG OUTPUT MODULE, 4-20MA..P/N: 990055..MFG: ABB
3476	9905-020-P	UNIT CONTROL..VDC: 20V/40V, FREQ: 2K-6KHZ..MOD: 2301A, SERIE 2544886..P/N: 9905-020-P (R/B: 9907-018)..MFG: WOODWARD GOVE
3477	991712-2	FAN AXIAL..DIA: 500 MM, V: 575 V, RPM: 3600, MODEL : 50 JM/31/2/6/14, SPEC: LH 0662, MOTOR: TOSHIBA AM2010C,..60 HAZ, 575V, 10.3A, 3
3478	991900	BALL BEARING KIT..SUNTEC. MODEL T-3 ;CARBON STEEL ;1750 KG/H;..400-690V ; 3000 RPM ..P/N: 991900..MFG:SUNTEC..
3479	993169	AN302-03 SILENCER..AIR/FLUID POWER-ALL OTHERS; AN 3/8INCH STANDARD(PT); AN SILENCER..P/N: 993169..MFG:SMC..SCHEDULE B: #
3480	994801	AN202-02 SILENCER; AIR/FLUID POWER-ALL OTHERS..AN ¼ INCH STANDARD (PT);AN SILENCER..PART NUMBER: 994801..MFG: SMC..SC
3481	995269	AS420-02 SPEED CONTROL AS FLOW CONTROL.. CONN ¼ INCH; IN LINE STANDARD PT..P/N:995269..MFG:SMC..SCHEDULE B:# 9013.90.0(
3482	995291	IT600-010-0 ELECTROMECHANICAL TRANSDUCER;..AIR PREPARATION EQUIPMENT..IT600 NO SIZE PT VERSION..IT600 E/P REGULATOR.
3483	998-0510-22	SERV VALVE KIT 1/2 FLARE..P/N: 998-0510-22..MFG:COPELAND..SCHEDULE B: # 8481.80.1095 OTHER VALVES..ORIGIN:USA
3484	9A-1901-4	BLOCK AND ROLLER GUIDE ,ASSEMBLY(U/O)-H9A AND W/1" BLADE, SPEC: BAND SAW CUT, MAKE KALAMAZOO MODEL 13-AB, SERIAL 2
3485	9A-1922-4	SHOULDER SCREW..P/N: 9A-1922-4..MFG:CLAUSING INDUSTRIAL INC...SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES
3486	9A-193-2	CAM GUIDE (POST): FRONT..P/N: 9A-1983-2..MFG: CLAUSING SERVICE CENTER..SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES
3487	9A-196-1	WASHER SHIM..P/N: 9A-196-1..MFG: CLAUSING SERVICE CENTER..SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES
3488	9C84277B02	FUSE HOLDER;TWO WAY RADIO MOBILE FUSE HOLDERFOR MOTOROLA (REF)-FUSE IN LINE 1-1/8 PG FOR MITREK..P/N:9C84277B02..MF
3489	9F60BBD001	FUSE, EJ0-1..V: 4.80K, I: 1A,..P/N: 9F60BBD001..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8535100020 FUSES OVER 2300 V
3490	9F60FMH015	FUSE TYPE EJO-1D..MAX KV 15.5, AMP 15E, MAX I/C 60 KA ASYM, HZ: 60, ..CATALOG: GEI-10951..P/N: 9F60FMH015..MFG: GENERAL ELECT
3491	9F60FMH025	FUSE TYPE EJO-1D..MAX KV 15.5, AMP 25E, MAX I/C 60 KA ASYM, HZ: 60, ..CATALOG: GEI-10951..P/N: 9F60FMH015..MFG: GENERAL ELECT
3492	9F60FMH030	FUSE TYPE EJO-1D..MAX KV 15.5, AMP 30E, MAX I/C 60 KA ASYM, HZ: 60, ..CATALOG: GEI-10951..P/N: 9F60FMH030..MFG: GENERAL ELECT
3493	9FIN OIL FILLED HEATER	VONHAUS 2000W OIL FILLED RADIATOR, 50/60 HZ, 220V..FEATURES 9 OIL-FILLED FINS TO EFFECTIVELY HEAT SMALL, MEDIUM AND LAR
3494	9L20AXX015AHS	HEAVY DUTY, SURGE ARRESTER LIGHTING, 15 KV..P/N: 9L20AXX015AHS..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8535100020 FUSES
3495	9SL11160	METER HOUSING ASSEMBLY, MATERIAL CODE 70127690..P/N: 9SL11160..MFG: LINCOLN..SCHEDULE B: # 8515.80.0080 OTHER PARTS
3496	9SM19368	METER BEZEL, MATERIAL CODE 70127692..P/N: 9SM19368..MFG: LINCOLN..SCHEDULE B: # 8515.80.0080 OTHER PARTS

	Item	Description
3497	9SM21328-21	DOOR DECAL & LATCH ASSY..P/N: 9SM21328-21..MFG: LINCOLN..SCHEDULE B: # 8515.80.0080 OTHER PARTS
3498	9SS1785-1	FUEL GAUGE, MATERIAL CODE 70127689..P/N: 9SS1785-1..MFG: LINCOLN..SCHEDULE B: # 8515.80.0080 OTHER PARTS
3499	9SS24630	HOUSING ASSEMBLY, MATERIAL CODE 70127691..P/N: 9SS24630..MFG: LINCOLN..SCHEDULE B: # 8515.80.0080 OTHER PARTS
3500	9ST14807-9	FILTER LENS, MATERIAL CODE 70127693..P/N: 9ST14807-9..MFG: LINCOLN..SCHEDULE B: # 8515.80.0080 OTHER PARTS
3501	9T23B3872	TRANSFORMER 480V DELTA PRIMARY..SECONDARY 208Y/ 120 VOLTS..TYPE QL, 30 KVA, ..P/N: 9T23B3872 (R/B: 9T83B3872)..MFG: GENER
3502	9T51B0008G03	TRANSFORMER CONTROL, VP: 480V, VS: 240V, VA: 500, PH: 1..P/N: 9T51B0008G03..MFG: GENERAL ELECTRIC..SCHEDULE B: #8504210020
3503	9T51B0010	TRANSFORMER VOLTAGE, V-PRIMARY: 480/ 240 V, V-SECONDARY: 240/120V, POW: 1 KS, NO. PHASES: 1, NEMA: 3 R, VA: 1 KVA, FREQ: 60
3504	9T51B0507	TRANSFORMER CONTROL, VP: 480V/240V, VS: 240V/120V, POW: 250W, PHASE: 1, NEMA: 3R, VA: 0.25KVA, FREQ: 50 HZ, TYPE: QB-ENCAP
3505	9T58K0504G30	TRANSFORMER CONTROL..VP: 480V, VS: 120V, VA: 150, PH: 1..P/N: 9T58K0504G30..MFG: GENERAL ELECTRIC..SCHEDULE B: #8504210020
3506	9T73C9873	TRANSFORMER 45KVA 480/208Y-120V, 3f, 60Hz..P/N: 9T73C9873..MFG: GENERAL ELECTRIC..
3507	9T83B3872G62	30KVA 3 PH VENTED ALUMINUM..60 HZ 150C RISE TYPE QL-TP1 IMPEDANCE 5.6, PRI: 480 (+2,-4 2.5%_ SEC: 208Y/120..ELEC SHIELD: NO..F
3508	9T86B3872G03	TRANSFORMER 67E..30KVA, 3 PHASE, NOISE ISOLATION GUARD II ALUMINUM..60 HZ, 150C RISE TYPE QL-TP1 IMPEDANCE: 5.6..PRI: 480\
3509	9T89367	SCREWDRIVER SET; 7 PIECE WITTRON INSULATED SLOTTED AND PHILLIPS SCREWDRIVER SET W/ CASE..SLOTTED SCREWDRIVER:1.
3510	9Y2289	ADAPTER, IGNITION SYSTEM,.. PART NO: 9Y2289.. MANUFACTURER: ALTRONIC INC..
3512	A-120	SIREN MOD: A, VAC: 120V, I: 1.80A, FREQ: 60 HZ, DB: 108, CLR: RED..P/N: A-120..MFG: FEDERAL SIGNAL
3513	A-12106CHNFSS	BOX RECORD STAINLESS, LG: 12" A: 10", P: 6", TYPE: 4X CHNFSS, SPEC: HINGED LID AND CLIP, INCLUDE GROUNDING KIT..P/N: A-12106C
3514	A-148	CAP VALVE, ASSEMBLY VC-6..P/N: A-148..MFG: HALTEC..OFFER DILL P/N: 25501..MFG: DILL/ MYERS TIRES
3515	A-24.411.100	Analyzer AMI Sodium P Analyzer for the measurement of sodium ions, 1 sample ..stream. Complete on 28 cm mounting panel with sensors, flow cell and
3516	A-414	SENSOR; 316SS STAINLESS STEEL, PRESSURE ADAPTER, BARBED CONNECTION..P/N: A-414..MFG: DWYER..SCHEDULE B: # 8531.10.004
3517	A-75.100.000	QA-Monitor AMI INSPECTOR pH Portable QA..-Monitor:Transmitter AMI INSPECTOR with flow cell QV-Flow IS1000 and Swansensor pH FL + Referen
3518	A-75.310.000	QA-Monitor AMI INSPECTOR Conductivity Portable QA..-Monitor Transmitter AMI INSPECTOR with flow cell QV..-Flow UP-CON SL and Swansensor U
3519	A-83.595.120	OUTER TUBE WITH O-RING FOR FLOW CELL, PMMA TUBE, DIA 60/50 X 170 MM WITH O-RING FOR FLOW CELLS OF AMDES, COMPACT 40
3520	A-85.142.400	Silica standard 100ppm, 100ml..P/N: A-85.142.400..Mfg: Swan Analytical..SCHEDULE B: 8486.90.0000 NON INSTRUMENTS
3521	A-SAAB-F-51 5"	RUBBER DRAW LATCH..SPEC: 5", WITH NYLON CATCH AND SCREW, 2 PER TYPE 87SE BOX..P/N: A-SAAB-F-51 5"..MFG: INTERTEC INSTR
3522	A/R	ADAPTER KIT; (INCLUDES O'RINGS PWT)..P/N: A/R..MFG:CODELINE..SCHEDULE B:# 8421.99.0040 PARTS FOR MACHINERY AND APPARA
3523	A015-100S6RDSA015NRE	FIRE HOSE RED COLOR 1.5" X 30 METERS..WITH ALUMINUM THREADED COUPLINGS..NST (NH) DE 1.5"..1.5" X 30M (98.4252 FT) AL1.5RL N
3524	A025-100S6RDSA025NRE	FIRE HOSE RED COLOR 2.5" X 30 METERS..WITH ALUMINUM THREADED COUPLINGS..NST (NH) OF 2.5"..2.5" X 30M (98.4252 FT) AL2.5RL N
3525	A037351	REPAIR KIT PUMP..U/O: VACUUM PUMP MAINTENANCE..P/N: A037351..MFG: THERMO FISHER SCIENTIFIC..SCHEDULE B: # 8413919520 OT
3526	A041C933	FILTER FUEL (TRIPLE FILTER ELEMENT)..SS#A041C933; P/N:A044N382..P/N: A041C933 (A044N382)..MFG:CUMMINS....ORIGIN:MEXICO..SCI
3527	A051B2DAR0-18R	A051B2DAR0-18R 390A 5.08KV FUS..390A 5.08KV Fus..P/N: A051B2DAR0-18R..P/N: MERSEN-FERRAZ
3528	A051B2DAR0-38R	AMP-TRAP R-RATED MEDIUM VOLTAGE FUSE, BOLT-IN, INDICATING, 5.08KV, MAX IR AC 65KA, 700A, 700 AMP, UL RECOGNIZED, TWO BA
3529	A055D1DSR0-9R	5.5 KV AMP-TRAP CURRENT LIMITING MOTOR CIRCUIT 50/60 HZ..P/N: A055D1DSR0-9R..MFG: FERRAZ SHAWMUT..COUNTRY OF ORIGIN:
3530	A08-02108-00	3/4" X 2" KEY..P/N: A08-02108-00..MFG: TEREX-SIMPLICITY..SCHEDULE B: # 8431100090 OTHER PARTS FOR MACHINERY

	Item	Description
3531	A1107BLU	PADLOCK, TYPE HIGH SAFETY, SHACKLE DIAMETER 76 MM, WITH KEY..P/N: A1107BLU..MFG: AMERICAN LOCK..0.4LB/EA
3532	A1107RED	PADLOCK, TYPE HIGH SAFETY, SHACKLE DIAMETER 76 MM, WITH KEY, 0.4 LBS EA..P/N: A1107RED..MFG: AMERICAN LOCK..SCHEDULE B
3533	A12P-G	CHANNEL STRUCTURAL..W: 41.275 MM, H: 41.275 MM, 10 FT LENGTH..SPEC: PVC COATED..P/N: A12P-G ..MFG: OCAL BLUE..SCHEDULE
3534	A16-30-10-81	CONTACTOR MAGNETIC; AC NON-REVERSING IEC CONTACTOR A SERIES; V COIL 24 VAC, 1NO AUX CONTACT INCLUDED..230-690VAC;
3535	A1662-RB-SL	PUBLIC UTILITY SNATCH BLOCK FITTED WITH TAPERED ROLLER BEARINGS A1662-RB ($154) WITH EXTRA FOR STEEL SHEAVE LINER ($
3536	A17251V2HBLA-S	FAN 220V, 60 HZ, 36 W, 171 X 151 X 51 MM,..P/N: A17251V2HBLA..MFG: SYMBANG..
3537	A19MED	LAMP A 19 MED BASE IF 100 W A 125V..P/N: A19MED..SCHEDULE B: #8539228050 - OTHER LAMPS
3538	A19MED60W	LAMP A MED BASE IF 60W 60A 130V..P/N: A19MED60W..MFG: ..SCHEDULE B: #8539228050 - OTHER LAMPS
3539	A1CAC	.80 - .90 ANTHRACITE UC 1.5 IN, 1 C.F. 50 LBS-BAG ON PALLETS ..P/N: A1CAC..MFG: SPINTEK FILTRATION..SCHEDULE B: #2701.11.0000 AN
3540	A2-0290	PNEUMATIC RELAY VALVE..P/N: A3-0290..MFG: YZ SYSTEMS
3541	A20-4	7.5" PORCELAIN INSULATOR 15KV/110KV..PART NUMBER: A20-4..MEISTER INTERNATIONAL LLC..14.4kv, 110kv BIL - 7.5"H, 4.25"D, 1/2"-13..F
3542	A201K2CA	CONTACTOR NON-REVERSING 3 PHASE, V: 120-110V, FREQ: 60/50 HZ, NO.POLES: 3, ICUR: 45A, SIZE: 2, TYPE:A200 NEMA..P/N: A201K2CA
3543	A2ACDQ3SPA	1000 SERIES BARE BUMP..PUMP, SODIUM SILICATE INJECTION..(TAG)-6594P, (SPEC)-BAR SHAFT PUMP..P/N: A2ACDQ3SPA..MFG: MOYNO
3544	A2EA-6257	CLEAN CUT OIL PUMP 3450 RPM, INCLUDES A SET OF ADAPTER, SCREW AND ELBOW WITH A IPD TIMER 21887..P/N: A2EA-6257 (CORRE
3545	A2R-2199	PNEUMATIC MOTOR, MODEL 73303BA7 COOPER..P/N: A2R-2199..MFG: CLECO..SCHEDULE B: # 8501316000 OTHER MOTORS
3546	A30833-1	CONTROLLER INDICATOR..SPEC: MC3 W/MOUTING NEMA 4, 2 ANA OUT, 1 ANA IN..P/N: A30833-1..MFG: MERRICK INDUSTRIES INC...SCHE
3547	A37-1-K-L-48	THERMOWELL TYPE K..P/N: A37-1-K-L-48..MFG: NANMAC..SCHEDUEL B: #9032900000 THERMOCOUPLE PARTS & ACCESORIES
3548	A37-1-K-L=48	THERMOWELL TYPE K..P/N: A37-1-K-L=48..MFG: NANMAC
3549	A3C40179841	PRIMERGY 2.5" SFF SAS / SATA HOT SWAP HARD DRIVE TRAY ;HDD CADDY FUJITSU..FORM FACTOR:2.5" SFF;HOTPLUG COMPATIBLE; CO
3550	A4-0010	NJEX 300 SERIES SELENOID VALVES..P/N: A4-0010..MFG: YZ SYSTEMS
3551	A40SPLY626	LOCKSET PLYMOUTH PRIVACY LOCK SCHALAGE, TYPE: CYLINDER, MAT: S/S DOOR, THICKNESS: 1-3/8"-1-3/4", BACKSET: 2-3/8", A40S-PL
3552	A46772-1	SENSOR SPEED..SPEC: DSP 825..P/N: A46772-1..MFG: MERRICK..SCHEDULE B:#9029.20.5000 OTHER SPEEDOMETERS
3553	A480T4E	FUSE CURRENT LIMITING GOULDSHAW(V-AC)-4800V; (I-MAX)- 50KA(DIA)-20.6 MM; (LG)-143 MM (MOD)-A480T;(CLASS)-E-RATED ;(DESC
3554	A50QS100-4	Fuse, High Speed, Class Semiconductor, Series A50QS, Voltage Rating 500VAC/500VDC, Fuse Amps 100, Fast Acting, No, Single Element, Fiberglass
3555	A5153-RB-GA	BLOCK CROSSARMS, W/ SHEAVE 5", MAT: ALLOY ALUMINUM HIGH RESISTANCE, LOAD: 3000 LBS, SPEC: MAXIMUM DIAMETER CABLE 1-3
3556	A5182-RB-GA	BLOCK CROSSARM, WITH SHEAVE 8", MAT: ALLOW ALUMINUM HIGH RESISTANCE, LOAD: 3500 LBS, SPEC: MAX DIAMETER CABLE 1-3/4"
3557	A550C50-75	CAPACITOR FUSE..P/N: A550C50-75..MFG: FERRAZ..SCHEDULE B: # 8532.30.0090 OTHER SPARE FOR CAPACITOR
3558	A5850 OLP	REEL AND HOSE, SPEC: HOSE WATER / AIR, DIA-HOSE: 1/2", LG: 50 FT, PRE: 300 PSI, ..P/N: A5850 OLP..MFG: REELCRAFT..SCHEDULE B: #
3559	A59-306FW-FGFMJ4	A59---306FW---FGFMJ4..59 - Fiberglass Direct Drive Wall Ventilator..Volume Flow Rate: 14,032.0 cfin..Static Pressure: 0.000 in wg..Density: 0.075 lhs/f
3560	A5E01171569	MAG 8000 TRANSMITTER PCB REPLACEMENT KIT..P/N: A5E0117569..MFG: SIEMENS
3561	A6010M-120	COMPLETE SET FOR THERMOSTATIC CONTROLVALVE FPE..P/N: A6010M-120..MFG: FLUID POWER ENERGY- SULZER
3562	A60X100-4	FUSE SEMICONDUCTOR..I: 100A, VAC: 600V..P/N: A60X100-4..MFG: SHAWMUT
3563	A6T400	FUSE 400A..P/N: A6T400..MFG: FERRAW SHAWMUT..
3564	A6X30096453	A6X30096453 "DOCUMENTATION (DIGITAL)..OWNERS MANUAL..SPARE PARTS LIST..CERTIFIED DRAWING..ASSEMBLY DRAWING"..P/N: A

	Item	Description
3565	A707DE	AMMETER MODEL2526L ; R:40-80 MVDC..P/N:A707DE..MFG:WESCHLER INSTRUMENTS..SCHEDULE B:# 9031.80.8080 OTHER MEASURING
3566	A70P125-4	FORM 101 SEMICONDUCTOR FUSE, FAST ACTING 700V 125 AMP, TRAP FUSE..P/N: A70P125-4..MFG: FERRAZ SHAWMUT
3567	A70QS5014F	700V 50A 14x51mm Fast Acting Amp-Trap Fuse ..P/N: A70QS5014F..Mfg: Ferraz
3568	A75210B00	FUSE; A75 GPV, 1500 VDC, ..10X85 MM, 15 A..P/N: A752150b00..MFG: ADLER
3569	A752120B00	FUSE A75 GPV 10 X 85MM 12A 1500VDC ..P/N: A752120B00..MFG:ADLER..SCHEDULE B:# 8536.10.0040 OTHER FUSES..ORIGIN:CHINA
3570	A7R2630A3B3C50P6	ROLLING LADDER, WELDED, HANDRAIL, PLATFORM 70IN H..P/N: A7R2630A3B3C50P6..MFG: COTTERMAN..SCHEDULE B: # 7326908560 OT
3571	A8-1001	DRIVER DB..P/N: A8-1001..MFG: RAPID POWER TECHNOLOGIES INC...SCHEDULE B: # 8523.80.2000 OTHER SMART CARD
3572	A88JBX21.3+80JBX35+76ZYT060	MOTOR 24 VDC;MODEL XD033..P/N:A88JBX21.3+80JBX35+76ZYT060(241000)..MFG:WUXI HONGHU MAGNETO-MOTORS FACTORY
3573	A9-VV401VV003	ISOLATOR, DUAL..P/N: A9-VV401VV003..MFG: RAPID POWER TECHNOLOGIES INC...SCHEDULE B: # 9030.33.0080 OTHER INSTRUMENTS
3574	A90090000	BOLT TENSIONING DEVICE SSV M48X3,..P/N: A90090000..MFG: SCHAAF
3575	A9700D1S	BULB, V: 12/24, POW: 35 W..P/N: A9700D1S..MFG: PHILIPS..SCHEDULE B: # 8539214040 OTHER FILAMENT LAMPS
3576	AA0251C67-SS	THERMOMETER, BIMETALLIC; (SIZE)- 3"'(SIZE CONN)-1/2" NPT (TEMP RANGE)- 0-250C(MAT) S/S 316..INDUSTRIAL BIMETAL DIAL THERMC
3577	AA941-358SI	PUMP, DOSE, ELECTROMAGNETIC..(PRE)-250PSI;(FLOW)-2.2L/H..(V-AC)-110V;(FREQ)-60HZ, SINGLE PHASE..(SPEC)-HEAD PVC, CONNECT
3578	AAC00012	TUBING TYGON,FLEXIBLE (ID)-3/16",(OD)-5/16";(THK)-1/16" (CLR)-TRANSPARENCY;(LG)-50 FT (REF)-R-3603 (DOC/EXT)-Y/N..P/N: AAC00012
3579	AAO4	FUSE LINK, I: 4A/ 550V, TYPE: H..P/N: AAO4..MFG: BUSSMAN
3580	AB810-6	HEX HEAD BOLT 7/8" X 10", WITH NUT..P/N: AB810-6..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318.15.2000 OTHER BOLTS
3581	AB814-6	HEX HEAD BOLT 7/8"X14", WITH NUT..P/N: AB814-6..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318.15.2000 OTHER BOLTS
3582	AB816-6	HEX HEAD BOLT 7/8"X16", WITH NUT..P/N: AB816-6..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318.15.2000 OTHER BOLTS
3583	AB86-2-1/2	HEX HEAD BOLT 7/8" X 6", WITH NUT..P/N: AB86-2-1/2..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318.15.2000 OTHER BOLTS
3584	AB88-3	HEX HEAD BOLT 7/8" X 8", WITH NUT..P/N: AB88-3..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318.15.2000 OTHER BOLTS
3585	ABF-3/10-F	FILTER RESPIRATOR..ID-THD: 57.15 MM, FLANGE ADAPTER SAE J829, OD: 95.25 MMM G: 89.69 MM..P/N: ABF-3/10-F..MFG: SCHROEDER IN
3586	ABH403V578NVSTKNW	ALBEO LED LUMINAIRE ABH2, UPGRADE TO ABH4, VOLTAGE: 120/277 V, 3 MODULES, DRIVE CURRENT: VERY HIGH OUTPUT, LED COLO
3587	ABM-1700	BNC- MALE CRIMP FOR RG58,CABLE LMR 195 SERIES..P/N: ABM-1700..MFG: HYPERLINK..SCHEDULE B: # 8535908040 OTHER CONNECTO
3588	ABM2S-AT-C0	ADHESIVE BACKED, WEATHER RESISTANT..P/N: ABM2S-AT-C0..MFG: PANDUIT..SCHEDULE B: # 8424909500 OTHER PARTS
3589	ABS	ABS OPTIONAL ADJUSTABLE BRACKET..P/N: ABS..MFG: CALEX
3590	ABV3560H575CQVSTKQW	LED HIGH BAY LUMINAIRE ..P/N: ABV3560H575CQVSTKQW..MFG: GENERAL ELECTRIC
3591	ABV3560T575CQVSTKQW	LED HIGH BAY..P/N: ABV3560T575CQVSTKQW..MFG: GENERAL ELECTRIC
3592	AC-100	SIMRAN AC-100, 100 WATTS STEP UP AND DOWN VOLTAGE CONVERTER TRANSFORMER 110-220 VOLTS FOR CONTINUOUS..P/N: AC-1(
3593	AC-1211	HYGROLOG NT AC ADAPTER..P/N: AC-1211..MFG: ROTRONIC..
3594	AC-1614-02	RS-485 CABLE (2 MT) WITH TINNED ENDS FOR THE HYGROLOG NT DOCKING STATION..P/N: AC-1614-02..MFG: ROTRONIC
3595	AC-46	SPRAY INSULATOR..PKG:15-3/4 OZ PER CAN (OFFER 20 OZ)..P/N: AC-46 (P/N: DS-AC-46-AF)..MFG: JOHN C. DOLPH CO...SCHEDULE B: #32
3596	AC-NT64MB	FLASH MEMORY CARD..P/N: AC-NT64MB..MFG: ROTRONIC
3597	AC WALL CHARGER ADAPTER	GETAC X500 NOTEBOOK SPARE AC WALL CHARGER ADAPTER..MFG:GETAC..SCHEDULE B:# 8504.90.0080 OTHER POWER SUPPLIES FO
3598	AC104-1A-SIDE	SENSOR SIDE KIT SENAC ;MULTIPURPOSE ACCELEROMETER,100 m V/g SIDE CONNECTOR;STANDARD 1/4 28 MOUNTING SCREW..P/N: /

	Item	Description
3599	AC2-12-1271	CCFL INVERTER - QUAD LAMP..P/N: AC2-12-1271..MFG: APPLIED CONCEPTS
3600	ACB30C-12P-NT-4	NITROGEN ACCUMULATOR 3 GL, 5000 PSI..P/N: ACB30C-12P-NT-4..MFG: KOCSIS
3601	ACC-001-03	AUTOMOBILE POWER ADAPTER-12V..P/N: ACC-001-03..MFG: AZENTEC, LLC..SCHEDULE B: # 8504406018 OTHER ADAPTOR
3602	ACC-006-14	IVC 360 EXTERNAL BATTERY BACK..P/N: ACC-006-14..MFG: AZENTEC, LLC..SCHEDULE B: # 8507908000 OTHER BATTERIES
3603	ACC-008-22	DISPLAY ENABLED DESK TOP CHARGING CRADLE..P/N: ACC-008-22..MFG: AZENTEC, LLC..SCHEDULE B: #8471410150 OTHER AUTOMATI
3604	ACC-008-24	VEHICLE MOUNTIN CRADLE..P/N: ACC-008-24..MFG: AZENTEC, LLC..SCHEDULE B: # 9003110000 FRAME AND MOUNTING OF PLASTICS
3605	ACC-010-09	TABLET CARRYING CASE WITH KEYBOARD..P/N: ACC-010-09..MFG: AZENTEC LLC..SCHEDULE B: # 4202290000 OTHER CASES
3606	ACD-56HPQ	AMMETER DIGITAL..RANGE: 10-800 AMPERE, TYPE CLAMP,..DIM: 205MM X 64MMX 39MM..MULTIPLE..P/N: ACD-56HPQ..MFG: AMPROBE
3607	ACF-11-C	ALUMINUM STRAIGHT BOLT TERMINAL CABLE TO FLAT..P/N: ACF-11-C..MFG: ANDERSON
3608	ACF-3000AK	TRANSDUCER FLEXIBLE CURRENT..RANGE: 30-3000A, SPEC: POWER SUPPLY 2 X AA MN1500 1.5V, DIGITAL..P/N: ACF-3000AK..MFG: AMP
3609	ACF00023	TUBING TYGON, FLEXIBLE (ID)-5/16" , (OD)- 7/16", (THK)- 1/16" (CLR)- TRANSPARENCY; (LG)- 50 FT..P/N: ACF00023..MFG: TYGON..SCHEDU
3610	ACF24-A	ACTIVATED CARBON FILTER WITH 24” STEEL TANK AUTOMATIC WITH DIAPHRAGM VALVES,MEDIA,DIGITAL STAGER 110V/60HZ,150 PSI
3611	ACF7C	ALUMINUM STRAIGHT BOLTED TERMINAL CABLE..P/N: ACF7C..MFG ANDERSON..
3612	ACID FREE PERM ADHESIVE RE	ACID FREE PERM ADHESIVE REFILL CARTRIDGE..FOR XRN900 9" CREATIVE STATION 40 FT..MFG: XYRON..SCHEDULE B: 9613.90.0000 C
3613	ACS06AF-10SL-4S (025)	SPEED PROBE CIRCULAR CONNECTOR GOVERNOR 505 E WW, MX 11..P/N: ACS06AF-10SL-4S (025)..MFG: AMPHENOL..COUNTRY OF ORI
3614	ACS2001A-R3	BLACK BOX NETWORK SERVICES : DVI-D W/ DDC COPY EXTENDE W/ UNIVERSAL PS..P/N: ACS2001A-R3..MFG: BLACK BOX
3615	ACT 3/230	DIGITAL TACHOMETER..P/N: ACT3/230VAC (R/B: ACT 3X/230)..MFG: MONARCH INSTRUMENT..SCHEDULE B: # 9029.20.5000 OTHER TACHC
3616	ACT3 X/230 VAC	DIGITAL TACHOMETER..P/N: ACT3X/230VAC..MFG: MONARCH INSTRUMENT
3617	ACU4222A	SERVESWITCH BRAND USB MICRO EXTENDER KIT, DUAL VGA WITH SERIAL AND AUDIO..P/N: ACU4222A..MFG: BLOCK BOX..SCHEDULE
3618	ACU5050A-R2	VGA, SERVSWITCH WIZARD USB KVM EXTENDER W/ AUDIO OVER CAT X CABLE..P/N: ACU5050A-R2..MFG: BLACK BOX
3619	ACU5501A-R4	DVI-D, USB KVM EXTENDER W/AUDIO, CATX 50M, SERVSWITCH WIZARD SRX..P/N: ACU5501A-R4..MFG: BLACK BOX..SCHEDULE B: # 853
3620	ACU6001A	SWITCH-SERVIDOR, APROBACION CE: SI, CONECTORES: UNIDAD LOCAL VIDEO INPUT: 1UN HD15 M,..VIDEO OUTPUT: 1UN HD15 F, USB
3621	AD2006S	METAL DETECTORS..P/N: AD2600S..MFG: ADAMS ELECTRONICS..SCHEDULE B: #8531800025 OTHER PANEL INDICATORS
3622	AD202KN	ISOLATION AMPLIFIERS; ANALOG DV;SERIES AD202;2 CHANNELS..P/N: AD202KN..MFG:ANALOG DEVICES INC
3623	AD22-22DS-120-G	22 MM GREEN 120 VOLT LED PILOT LIGHT..P/N: AD22-22DS-120-G..MFG: TELEMECANIQUE..SCHEDULE B: # 8531.20.0040 OTHER INDICATC
3624	AD7391ARZ	IC, 10BIT DAC, SMD, SOIC8, 7391; RESOLUTION (BITS):10BIT; .. SAMPLING RATE:17KSPS; INPUT CHANNEL TYPE:SERIAL; SUPPLY VOLTA
3625	AD941-828SI	PUMP DOSE ELECTROMAGNETIC, PRE: 250 PSI, FLOW: 2.23 L/H, VAC: 110V, FREQ: 60HZ, SINGLE PHASE, SPEC: HEAD PVC, CONNECTIO
3626	ADP-210C	VACUUM OVEN PROGRAMMABLE 10L 220V..P/N: ADP-210C..MFG: YAMATO SCIENTIFIC AMERICA..
3627	ADP-310C	VACUUM OVEN PROGRAMMABLE 27L 220V..P/N: ADP-310C..MFG: YAMATO SCIENTIFIC AMERICA
3628	ADR-6034	RECEPTABLE WATERPROOF, I: 60A, TYPE: RECEPTACLE ONLY, VAC: 600, VDC: 250, FREQ: 50/400HZ, NO.POLES: 4..P/N: ADR-6034..MFG:
3629	ADR25	LUG TERMINAL (AWG)-6 STR - 250KCMIL;(MAT)-ALUMINUM (SPEC)- SINGLE CONDUCTOR, ONE - HOLE..P/N: ADR25..MFG: THOMAS & BET
3630	ADR3044	RECEPTACLE WATERPROOF, I: 30A, TYPE: RECEPTACLE ONLY, VAC: 600, VDC: 250, FREQ: 60/400 HZ, NO. WIRES: 4, NO. POLES: 4..P/N: A
3631	AE/C5-OP	PHOTOELECTRIC SMOKE DETECTOR ..DC:POWERSUPPLY 15 -35 VDC; STANDBY CURRENT: 35 µA; ALARM CURRENT: 70 MA MAX. ..LOO
3632	AE100170	GLASS BEAD, SPEC: POTTERS BALLOTINI IMPACT BEADS, SIZE: 10, U: 150-90 MICRONS, PKG: 5 GAL PER PAIL. (4 PAILS OF 50 LBS EA)..P

	Item	Description
3633	AE133	GAUGE-PRESS BLOWER 1/4 NPT(SP)..PN:AE133..MFG:GAST
3634	AE134	GAUGE-VAC 2 5/8 FAC E 1/4 (SP)..P/N:AE134..MFG:GAST
3635	AEA1343AXA	COMPRESSOR, HERMETIC..(V-AC)-115-100 V, (FREQ)-60HZ, (HP)-1/6, (#PH)-1, 62021L8912 AE 1343A 9110..MOD.AE6ZD7,HERMETIC UNIT W
3636	AEA3430YXA	COMPRESSOR 1/4 HP, R134A H/T 115V..P/N: AEA3430YXA..MFG: TECUMSEH..SCHEDULE B: # 8414304000 COMPRESSORS
3637	AEA3440YXA	COMPRESSOR, 1/3 HP, R134A, 115 V..P/N: AEA3440YXA..MFG: TECUMSEH..SCHEDULE B: # 8414304000 COMPRESSORS
3638	AED	DEFIBRILLATOR PHILIPS HEARTSTART..ONSITE, INCLUDE CARRYING CASE, ADUTL PADS, 4 YEAR BATTERY, WARRANTY SCISSORS AN
3639	AF0805M11FF48	FOUR BALL PUMP SERIES..AIR INLET PRESSURE: 30 @ 120 PSI..FLUID PRESSURE RANGE: 150 @ 702 PSIG..FLOW 32.8 GPM @ 70 CYCLE
3640	AF25553	AIR FILTER ELEMENT..ORIG. 62420..P/N: AF25553..MFG: CUMMINS..SCHEDULE B: # 8421310000 AIR FILTERS
3641	AF40-06D-8-A	FILTER 3/4"..P/N:AF40-06D-8-A..MFG:SMC..SCHEDULE B: # 8481.10.0040 FILTER-REGULATORS AND FILTER-REGULATOR-LUBRICATORS..(
3642	AF4000-04D-8	FILTER AIR, SIZE: 1/2", DRAIN: AUTOMATIC, TYPE: COALESCENT FILTER ELEMENT, FILTER -5 U MICRON..P/N: AF4000-04D-8..MFG: SMC
3643	AF6030BRACE	ALUMNA FORM BRACE AF6030 60" SPAN 30" DROP ..P/N: AF6030..MFG: ALUMNA FORM
3644	AFA-K1	BELT ALIGNMENT SWITCH, ARMS SUPPORT FOR AFA20..P/N: AFA-K1..MFG: CROUSE HINDS..SCHEDULE B: # 8536509065 OTHER ELECTF
3645	AFA20	CONVEYOR BELT SWITCH, ALIGMENT, NEMA 4..P/N: AFA20..MFG: CROUSE HINDS..SCHEDULE B: # 8536509065 OTHER ELECTRONIC AC S
3646	AFM8050	AIR FILTER;MARINE ENGINE AIR FILTER REPLACEMENT, STRAIGHT SHAPE. AF M ELEMENT...DIMENSIONS: DIAMETER : 7.1 IN (180MM);
3647	AFU0333-01	SWITCH CONVEYOR CONTROL, SPEC: SINGLE END RIGHT, PULL CORD, VAC: 600V, I: 15A, NO. CONTACT-NORMAL OPEN-2, NO. CONTAC
3648	AFU0333-05	SWITCH CONVEYOR CONTROL, SPEC: SINGLE END RIGHT, PULL CORD, VAC: 600V, I: 15A, NO. CONTACT NORMAL-OPEN: 2, NO. CONTA(
3649	AFU0333-50	SWITCH CONTROL CONVEYOR..LEFT SINGLE END, PULL CORD, VAC: 600V, ; 7.5 A..P/N: AFU0333-50..MFG: CROUSE HINDS..SCHEDULE B
3650	AG-3-SW	GMC Staperm for salt water service, silver-silver chloride (Ag-AgCl)..with 50 ft of 14 AWG wire...Model AG-3-SW ..Mfg: Farwest Corresion
3651	AG/AGCL	SILVER CHLORIDE WATER, PERMANENT CELL AG/AGCL UNDERWATER TYPE WITH 50 FT OF # 14 AWG CABLE..P/N: AG/AGCL..MFG: MAT
3652	AG258	REL. VALVE *AG252*/*AG255*(SP)..P/N:AG258..MFG:GAST
3653	AG3DH-312D	OIL PUMP FOR PAPER MACHINE, TYPE THREE SCREW, ROTATION CCW ..P/N: AG3DH-312D..MFG: IMO PUMP..SCHEDULE B: # 8413.50.00
3654	AG3DH-350	OIL PUMP FOR PAPER MACHINE, TYPE THREE SCREW, ROTATION CW ..P/N: AG3DH-350..MFG: IMO PUMP..SCHEDULE B: # 8413.50.0090
3655	AGC-1	FUSE GLASS BODY, V: 250V, I: 1A..P/N: AGC-1..MFG: BUSSMANN..SCHEDULE B:# 8536.10.0040 OTHER FUSES
3656	AGC-3	FUSE GLASS TUBE 3A 250V..P/N: AGC3..MFG: BUSSMAN
3657	AGC - 1/4	FUSE BODY GLASS..V: 250V, I: 0.25..P/N: AGC-1/4 ..MFG: BUSMANN
3658	AGC1-1/2	FUSE, TYPE: 3AG, VAC: 250V, I: 1-1/2A, REF: 65X890033..P/N: AGC1-1/2..MFG: BUSSMAN MFG..SCHEDULE B: # 8536100040 OTHER FUSES
3659	AGC2	FUSE GLASS TUBE 2A 250V..P/N: AGC2..MFG: BUSSMAN..SCHEDULE B: # 8536100040 OTHER FUSES
3660	AGC3/4	FUSE BODY GLASS V: 250V, I: 3/4A, DIM: 1/4" X 1-1/4"..P/N: AGC 3/4..MFG: BUSSMANN
3661	AGDR-71C	BOARD SHOT, TRANSISTOR OF POWER IGBT, V: 1200, I: 225A..P/N: AGDR-71C (R/B: AGDR-81C)..MFG: ABB
3662	AGM-200	BATTERY ,AGM-200,2 VOLT 200 AH VRLA AGM BATTERY, 125V 200AH BATTERY SYSTEM (60 EA /KIT)..P/N:AGM-200..MFG:SBS..SCHEDULE
3663	AGM-200 MODULAR	BATTERY, AGM-200, 2 VOLT, 200 AH, VRLA, AGM MODULAR ..P/N: AGM-200..MFG: SBS..SCHEDULE B: # 8507.20.0090 OTHER BATTERIES
3664	AH-111L	LUBRICATOR 1" NPT GAST PMAX 250PSI, TMAX 175F..P/N: AH-111L..MFG: GAST..SCHEDULE B: # 8424.90.9500 MECHANICAL APPLIANCES
3665	AH-5262-I	RECEPTACLE DUPLEX GROUNDED I: 15A, VAC: 125V, NO. WIRES: 3, NO. POLE: 2..P/N: AH-5262-I (R/B: AH-5262-V)..MFG: ARROW HART..SC
3666	AH1547	CONNECTOR WIRE WITH GROUND,..VAC: 125 V, I: 15A, # POLES: 2, # WIRES: 3, TYPE: U BLADE GRIP..P/N: AH1547 (OR P/N: 1547)..MFG: A

	Item	Description
3667	AH30MS1B-M2	NON-FUSED MANUAL DISCONNECT SWITCH, NEMA 4X, 30A, 600V..P/N: AH30MS1B-M2..MFG: COPPER WIRING DEVICES
3668	AH326F	SWING CHK VALVE 2 N PT (SP)..P/N:AH326F..MFG:GAST
3669	AIR-CAP2702I-A-K9	CISCO AIRONET 2700, ACCESS POINT WI-FI, INCLUDE: 1 CON-SNT-AIRCIAK9 P/3, 1 SWAP2700-CMB-A1-K9, 1 AIR-AP-BRACKET-1, 1 AIR-AF
3670	AJ-400	CONTACTOR LUG KIT FOR MRC-330A..MFG: FRANKLYN..
3671	AJ115	EMERGENCY FIRE TOOL SET,FORCE AXE 30" PRO..P/N:AJ115..MFG: DARLEY..SCHEDULE B: #8205.59.9000 OTHER TOOLS
3672	AJ121F	MUFF FOAM SUB8/CP=10..P/N: AJ121F..MFG:GAST
3673	AJ126F	FILTER 2 NPT (FEMALE) (SP)..P/N:AJ126F..MFG:GAST
3674	AJ151G	GAST IN-LINE FILTER2 1/2SDR5/6(SP)..P/N:AJ151G..MFG:GAST
3675	AJT175	FUSE TYPE AJT, CLASS: J, VAC: 600V, I: 175A..P/N: AJT175..MFG: MERSEN FERRAZ SHAWMUT..SCHEDULE B: # 8536.10.0040 OTHER FUSE
3676	AK-2-25-1	FEEDER TYPE AK-2-25-1, 600 AMP, 600 V, 60 CYCLE, 3 POLES, 600A Max Air Breaker AK-2A-25-1, AK-2A-25 M/O D/O, FULLY REBUILT WITH O
3677	AK021B	HOOD, P84 NOTCH SHDR (BLK)..P/N:AK021B..MFG:DARLEY..SCHEDULEB:# 5503.19.0000 OTHER SYNTHETIC FIBERS OF NYLON OR OTHE
3678	AK9000HB	FOOT STAND FOR ABOVE..P/B: AK9000HB..MFG: CREUSEN
3679	AKA5512EXA	COMPRESSOR 1 HP, 12000BTU, R22 CO COMPRESSOR 115 V..P/N: AKA5512EXA..MFG: TECUMSEH
3680	AKM 80 15 S 40 PK	M80 CROSSOVER MANIFOLD SYSTEM-ERM..P/N: AKM 80 15 S 40 PK..MFG:APTECH..SCHEDULE B: # 9032.90.0000 AUTOMATIC REGULATIN
3681	AL-207/10	SAFETY PADLOCK HANDY FOR 10 LOCKS..P/N:AL-207/10 (R/B: AL-212 FOR 12 LOCKS INSTEAD 10)..MFG: CATU..SCHEDULE B: # 8301.10.(
3682	AL-230-111-EX	SAFETY PADLOCK 50MM..P/N:AL-230-111-EX..MFG: CATU..SCHEDULE B: # 8301.10.0000 PADLOCKS
3683	AL-230-S-111-EX	SAFETY PADLOCK,70MM..P/N:AL-230-S-111-EX..MFG: CATU..SCHEDULE B: # 8301.10.0000 PADLOCKS
3684	ALF5/16	LOOM FABRIC, MAT: ASPHALT, ID: 5/16", LG: 50 FT, SPEC: AUTOMOTIVE..P/N: AL516..MFG: BWD
3685	AM-5G17-90	ANTENA 5GHZ MIMO 17DBI 90 DEG..P/N: AM-5G17-90..MFG: UBIQUITI..SCHEDULE B: 8517.69.0000 OTHER APPARATUS FOR COMMUNICAT
3686	AMC3	MAGNET ASSEMBLY..P/N: AMC3..MFG: GO SWITCH..SCHEDULE B:# 8511.20.0000 IGNITION MAGNETOS;MAGNETOS-DYNAMOS;MAGNETIC
3687	AMD-1223	ANTI-TWO BLOCK SWITCH ASSEMBLY..P/N: AMD-1223..MFG: APPLETON MARINE, INC...SCHEDULE B: # 8431.49.1010 OTHER PARTS
3688	AMD70D-10-B	MICRO MIST SEPARATOR 0.01UM..P/N: AMD70D-10-B..MFG:SMC..SCHEDULE B: # 8481.10.0040 FILTER-REGULATORS AND FILTER-REGUL
3689	AMD90D-20-H	MICRO MIST SEPARATOR 0.01 UM..P/N:AMD90D-20-H..MFG:SMC..SCHEDULE B: # 8481.10.0040 FILTER-REGULATORS AND FILTER-REGUL
3690	AME-2000-2148	AMETEK GEMCO ROTARY LIMIT SWITCH PART AME-2000-2148 SERIES 2000 WORM GEAR TYPE WITH BRONZE GEARS & STEEL CAMS 2(
3691	AMF900-N250-CAE80-010-N	ALIA MODEL AMF900-N250-CAE80-010-N MAGNETIC FLOW METER SIZE 6"..COMPLETE WITH A MODEL AMC3100-AC-SW-NN-HT SIGNAL C
3692	AMG200A	FUSE SPECIFIC..I: 200A, VAC: 32V, TYP: AUTOMOTIVE, W: 15.40MM, LG: 68.40MM..P/N: EJ3204 KOMATSU..OFFER P/N: AMG200A..MFG: BUS
3693	AMG350-04D	SEPARATOR WATER AUTOMATIC, SER: AMG, SIZE CONNECTION: 1/2", PRE-MAX: 1.0MPA, FLOW RATED ;1500 L/MIN, MAT: ALUM. DIE CAS
3694	AML-1178	LAMP MINIATURE,..LT: 1178, V: 12 V, POW: 25/8 W..P/N: AML-1178..MFG: ADVANCE MICRO DEVICES..SCHEDULE B: # 8539228050 OTHER L/
3695	AML-757	LAMP MINIATURE..LT: 757, V: 24V, POW: 3,..P/N: 2496 677 GE (OFFER P/N: AML-757)..MFG: AML..SCHEDULE B: # 8539228050 OTHER LAMPS
3696	AMO-5G13	ANTENA 5GHZ MIMO 13DBI ..P/N: AMO-5G13..MFG: UBIQUITI..SCHEDULE B: 8517.69.0000 OTHER APPARATUS FOR COMMUNICATIONS AN
3697	AMP0020F33S	CAPACITOR; 20 KVAR; 480 VAC; 60 HZ; 230 µF; 3 FASES;..P/N: AMP0020F33S ..MFG: AEROVOX..SCHEDULE B: # 8532.21.0080 OTHER CAP/
3698	AMP00225F33S	CAPACITOR 480 VAC, 60 HZ, 22.5 KVAR, 259 UF, DELTA CONNECTION, AEROVOX, ..P/N: AMP00225F33S..MFG: AEROVOX..MADE IN USA..S
3699	AN500	HOT WIRE THERMO-ANEMOMETER..P/N: AN500..MFG: EXTECH
3700	AN56NN0AB	REVERSING MOTOR STARTER SIZE 4..PART NUMBER: AN56NN0..MAX AC RATINGS: 135A - 600 VAC..CUTLER HAMMER..SERIES: B1 -COIL

	Item	Description
3701	AN63E	FIILTER..P/N: AN63E..MFG: VORTOX
3702	AN63F	FILTER ..P/N: AN63F..MFG: VORTOX
3703	AP-33P	DIGITAL PRESSURE SENSOR, 0 TO 45 PSI, PNP, 2 M CABLE..P/N: AP-33P..MFG: KEYENCE
3704	AP2M122A	MINIATURE PILOT LIGHT, AMBER..P/N: AP2M122A..MFG: IDEC..
3705	AP2M122G	MINIATURE PILOT LIGHT, GREEN..P/N: AP2M122A..MFG: IDEC
3706	AP2M122R	MINIATURE PILOT LIGHT, RED..P/N: AP2M122R..MFG: IDEC
3707	AP2M122W	MINIATURE PILOT LIGHT, WHITE..P/N: AP2M122W..MFG: IDEC
3708	AP2M122Y	MINIATURE PILOT LIGHT, YELLOW..P/N: AP2M122A..MFG: IDEC
3709	AP6000-2	RECHARGEABLE BATTERY..TYPE C, 6000MAH, PK OF 2..P/N: AP6000-2..MFG: ACCUPOWER..SCHEDULE B: # 8507800000 OTHER STORAGI
3710	AP77	BELT; SUPER BLUE RIBBON CHECKMATE V-BELT, RUBBER, 79.3" LENGTH, 1/2" WIDTH, 0.344" THICKNESS..P/N: AP77..MFG:CARLISLE..SC
3711	APD1126N-G	PILOT LIGHT VAC: 120V, TYPE: TWTD, CLR: GREEN, REF: DOME LENS W/ INCANDESCENT LAMP..P/N: APD1126N-G..MFG: IDEC CORP...
3712	APD1246N-G	PILOT LIGHT, GRN, 240V XFMR, INCAND, XFMR RATED, 30MM MOUNTING, IMCAND, CHROME METAL BEZEL..P/N: APD1246N-G..MFG: IDEC
3713	API5262.0172	MODEL # API5262.0172 1435 PSIG H01 H03 ??.??..BODY MATERIAL: CARBON STEEL WCB 1.6019..VALVE SIZE: 1" X 2" WITH 600X150 LB FLA
3714	APKT0903PPRF55WTP35	PASTILLE MILL INTERCHANGEABLE RAD: 0.4MM, TYP: POSITIVE..P/N: APKT0903PPRF55WTP35..MFG: WALTER TOOLS..SCHEDULE B: # 8
3715	APMT0903PPRD55WAK15	PASTILLE MILL INTERCHANGEABLE RAD: 0.4MM..P/N: APMT0903PPRD55WAK15..MFG: WALTER TOOLS..SCHEDULE B: # 8207705000 OTH
3716	APMT0903PPRF56WQM35	PASTILLE MILL INTERCHANGEABLE RAD: 0.4MM, TYP: POSITIVE..P/N: APMT0903PPRF56WQM35..MFG: WALTER TOOLS..SCHEDULE B: #
3717	APPAREL	4 BLOUSES, 2 SKIRTS,3 DRESSES, 2 PANTS, AND 1 SCARF..COUNTRY OF ORIGIN: GUATEMALA, INDIA, BANGLADESH, VITENAM, CHINA A
3718	APSX6048VRNET	6000W INT INVERTER CHARGER, 230V 48 VDC AVR ATS RJ45 SINE WAVE HW..P/N: APSX6048VRNET..MFG: TRIPP LITE..INCLUDES:.. TS-6
3719	AQ5000-04	QUICK EXHAUST VALVE; 1/2"..P/N: AQ5000-04..MFG: SMC..SCHEDULE B: # 8481.20.0080 OTHER PNEUMATIC VALVES AND PARTS THEREC
3720	AR-0322	ROAD FOR ACSR 4/0 (ARMOR RODS)..P/N: AR-0322..MFG: CHANCE....SCHEDULE B: #7214300000 - OTHER RODS..
3721	AR-053	CRUCIBLE GRAPHITE..PKG: 1000..P/N: AR-053 R/B: AR-6247..MFG: ALPHA RESOURCES..SCHEDULE B:# 2530.90.8060 OTHER MINERAL SU
3722	AR-181	EVACUATED PIN TUBES 3.5 MM ID..P/N: AR-181(PKG/1000)..MFG: ALPHA RESOURCES..SCHEDULE B: #7017100000 FUSED SILICA GLASS
3723	AR-182	EVACUATED PIN TUBES 4.0 MM ID..(PKG/1000)..P/N: AR-182..MFG: ALPHA RESOURCES..SCHEDULE B: # 7017100000 FUSED SILICA GLASS
3724	AR-4005	STANDARD AR -4005 % C 1.42 +/- 0.05 %S 1.41 +/-0.06..P/N: AR-4005..MFG: ALPHA RESOURCES..SCHEDULE B: # 9030890100 OTHER
3725	AR-4006	STANDARD AR -4006 % C 4.40 +/- 0.10 %S 4.24 +/-0.20 ..P/N: AR-4006..MFG: ALPHA RESOURCES..SCHEDULE B: # 9030890100 OTHER
3726	AR-4017	STANDARD AR -4017 % C 0.47 +/- 0.03 %S 0.52 +/-0.03 ..P/N: AR-4017..MFG: ALPHA RESOURCES..SCHEDULE B: # 9030890100 OTH
3727	AR-4019	STANDARD AR -4019 % C 0.102 +/- 0.008 %S 0.100 +/-0.005 ..P/N: AR-4019..MFG: ALPHA RESOURCES..SCHEDULE B: # 9030890100 OT
3728	AR-5120	ROD PREFORMED COPPERWELD 55"..P/N: AR-5120..MFG: PLB
3729	AR AL200	GUN WITH 14" WAND ND20001..509286 0200909010...P/N: AR AL200..MFG: CAM SPRAY...SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR P
3730	ARI-12.450.0050.G1-PR	ARI-STEVI® 450..CONTROL VALVE - 3-WAY-FORM..BODY MATERIAL : EN-JL1040..CONNECTION : FLANGED..PRESSURE CLASS : PN 16..S
3731	ARMTO-2155T2	SUMERGIBLE HEATER FOR OIL, WITH 1500W, 240V, THREADED OF STEEL NPT 2"..P/N: ARMTO2155T2..MFG: CHROMALOX
3732	ARTM750TH	SUMERGIBLE HEATER FOR WATER,..THREADED NPT 1", T: 60-240F..P/N: ARTM750TH..MFG: CHROMALOX..
3733	ARTM750TL	SUMERGIBLE HEATER FOR WATER,..THREADED NPT 1"..P/N: ARTM750TL, 240 V, 0-127f..MFG: CHROMALOX
3734	AS-25-L	SHACKLE ASSEMBLY, REF: ANCHOR 5/8 IN, MK: ANDERSON..P/N: AS-25-L..MFG: HUBBELL POWER SYSTEM INC...SCHEDULE B: #7326.19

	Item	Description
3735	AS-35	ANCHOR SHAKLE FOR 3/4" ..P/N: AS-35..MFG: ANDERSON..SCHEDULE B: #7326190000 - OTHER FORGED ARTICLES
3736	AS-404	MARKERS,KIT 4 COLORS BLACK ,BLUE,RED & GREEN..P/N: AS-404..MFG:CATU
3737	AS-50	ANCHOR SHAKLE FOR 3/4" ..P/N: AS-50..MFG: ANDERSON..SCHEDULE B: #7326190000 - OTHER FORGED ARTICLES..
3738	AS120Y	SEALANT RADIATOR SEALER COMPLETE CARE..P/N: AS120Y..MFG: PRESTONE..SCHEDULE B: # 3214.90.5000 RESIN CEMENTS,CAULKIN(
3739	AS127	SEALANT, TYPE: 1102 325MC, RADIATOR DUPONT..P/N: AS127..MFG: PRESTONE
3740	AS2000-SPL	20 CAL/CM² WEIGHT BALANCING FACE SHIELD WITH PRISMSHIELD™..P/N: AS2000-SPL..MFG: SALISBURY..SCHEDULE B: # 9025.90.0000 (
3741	AS2550-26B	CROSSARM DOUGLAS FIR 3-5/8 X 5-5/8-10-0 X 5-5/8, 4 PINS 11/16" DIA PIN SPACING C-38", S-36", D-5", B-B VERTICAL 9/16" 60" APART, T-11
3742	AS2550.26B	CROSSARM DOUGLAS FIR 3-5/8 X 5-5/8-10-0 X 5-5/8, 4 PINS 11/16" DIA PIN SPACING C-38", S-36", D-5", B-B VERTICAL 9/16" 60" APART, T-11
3743	AS2731-B	GUY WIRE THIMPLES, STRAND SIZE 1/2"..P/N: AS2731-B..MFG: HUGHES BROTHERS..SCHEDULE B: # 7308.9090.90 OTHER SHAPES, SECT
3744	AS50	ANCHOR SHACKLE 3/4"..SHACKLE, FORGED STEEL, 0.875" OPENING, 0.750" PIN, UTS 50,000 LB..P/N: AS50..MFG: ANDERSON/ HUBBELL
3745	AS5000-04	SPEED CONTROLLER IN LINE TYPE; 1/2"..P/N:AS5000-04..MFG:SMC..SCHEDULE B: # 8481.20.0040 FLOW CONTROL VALVES AND PARTS T
3746	AS60BNK	ANCHOR SHACKLE..P/N: AS60BNK..MFG:ANDERSON..WEIGHT:4.292 LBS
3747	ASF2-20RD-170734R	ASF2-20RD-170734R 2 1.709,26 3.418,52..A-SF2/20RD-VLFM, PUMPENAGGREGAT, 2-20 BAR..1,1 KW, 1000, 230/400V, 50HZ, IP55, ISO.F, B5, I
3748	ASK3Z-128GB	
3749	ASK3Z-64GB	
3750	ASN111-B	SWITCH SELECTOR..V: 220V, POS: 3, REF: RETURN,..P/N: ASN111-B..MFG: IDEC CORPORATION..SCHEDULE B: # 8536509065 OTHER SWI
3751	ASP7450	ANTENNA 3DB, 136-174 MHZ , CAR VHF ..P/N: ASP7450 (R/B: ASP7455)..MFG: MOTOROLA..SCHEDULE B: # 8529.10.9000 OTHER ANTENNAS
3752	ASP7455	PCTEL 138-174 MOSAIC VIBRATION-RESISTANT COLLINEAR ANTENNA WITH SPRING ; 3DB GAIN PERFORMANCE; PROVIDES COVERAGE
3753	ASR6034F	RECEPTACLE SWITCHED INTERLOCKED..VAC: 600, I: 60A, W: 3, POL: 4..TYPE: FUSED, SPEC: MATING POWER PLUG ACP6034BC..P/N:
3754	ASTM-B188-02	1.5 BUS TUBE, 1.5" X 20 FT..COPPER PIPE, SCHEDULE 80, C102, ALLOY..ASTM-B188-02..MFG: STORM COPPER....SCHEDULE B: #8544594(
3755	ASTM059F	ASTM 59F RANGE 0 TO 180F REFILL THERMOMETER..P/N: ASTM059F..MFG: LUFKIN
3756	ASTM059SFS	59F BLUE SPIRIT FILLED THERMOMETER RANGE 0F TO 180F TANK REFILL..P/N: ASTM059SFS..MFG: LUFKIN
3757	ASTM097F	ASTM 97F MERCURY GLASS THERMOMETER RANGE 0F TO 120 F..TANK REFILL..P/N: ASTM097F..MFG: LUFKIN..
3758	AT-75Z727D214	THYRISTOR, CAB..P/N: AT-75Z727D214..MFG: AMETRADE
3759	AT-BS38293	IMPELLER, SPEC: CW, U/O: BLOWER HAUCK MODEL TBA24-40-T (3) CW..P/N: HK19925..MFG: HAUCK..SCHEDULE B: # 8414.90.1080 OTHE
3760	AT-SPEX	AT-SPEX 2KM MMF 1310NM-1000BSX SFP HOTSWAP..AT-SPF SERIES; DATA NETWORKING APPLICATION..INTERFASES / PORTS DETAILS
3761	AT10-048-030-F	CHARGING SYSTEM FOR 50G13:..DIGITAL BATTERY CHARGER, 48 VDC/ 30 AMP, BATTERY FILTERING, AC INPUT: 3 PH 208V, 1 PALLET =
3762	AT216-4	JACK WALL, REF: 4 WIRE..P/N: AT216-4..MFG: ALLEN TEL..SCHEDULE B: # 3926.90.9987 OTHER PLASTIC PARTS
3763	AT31-230	AT31-230 ALL TEST PRO WITH CONDITION CALCULATOR V4 SOFTWARE.IS A PASS/FAIL MOTOR AND WINDING TROUBLESHOOTING TO(
3764	AT468-4	MODULAR JACK SURFACE, SPEC: SCREW TERMINALS AND DOUBLE SIDE TAPE..P/N: AT468-4..MFG: ALLENTEL..SCHEDULE B:# 8536.69.5
3765	AT575-5W-TNCF-000-RG-36-NM	AEROANTENNA, WHITE, CONNECTOR TNCF FEMALE, 36 DB..P/N: AT575-5W-TNCF-000-RG-36-NM..MFG: AEROANTENNA TECHNOLOGY IN
3766	AT801001	T28 CARRIAGE HOSE KIT..MFG: MCELROY MANUFACTURING INC
3767	ATC-24S	AC-DC POWER MODULE CONVERTER, INPUT RANGE: 100-240 VAC..OUTPUT RANGE: 24 VDC; OUTPUT CURRENT: 426mA..10W;SINGLE 2
3768	ATHS-30-12-A	TACHOMETER GAUGE, 300 RPM..P/N: ATHS-30-12-A (R/B: ATH-30-A)..MURPHY INDUSTRIES

	Item	Description
3769	ATJH-012CGPXXXX	ATJH ..ATMOSPHERIC INJECTOR-HIGH PRESSURE ..CONFIGURED MODEL NBR: ATJH-012CGPXXXX..SPECIAL OPTIONS?: NO..KEY NUMB
3770	ATJH-016CGP1202	ATJH ..ATMOSPHERIC INJECTOR-HIGH PRESSURE ..CONFIGURED MODEL NBR: ATJH-016CGP1202..SPECIAL OPTIONS?: NO..KEY NUMBE
3771	ATM20	FUSE FAST ACTING..V: 500V, I: 20A, I-MAX: 10 KA..REF: MODEL ATM, DIM: 1 1/2 X 13/32"..P/N: ATM20..MFG: FERRAZ SHAWMUT INC...SCHEI
3772	ATMR1-1/2	FUSE;FUSE MIDEGET TIME DELAY; CLASS CC ;FAST ACTING; 600 VAC; 1.5A..P/N: ATMR1-1/2..MFG: FERRAZ..SCHEDULE B:# 8536.10.0040
3773	ATMR2-1/2	FUSE'FUSE MIDGET TIME DELAY;CLASS CC;FAST ACTING; 600VAC; 2.5A..P/N:ATMR2-1/2..MFG:FERRAZ..SCHEDULE B:# 8536.10.0040 OTH
3774	ATMR3	FUSE, CONTROL 3 TO 600 V..P/N: ATMR3..MFG: GOULD SHAWMUT..SCHEDULE B: # 8536100040 OTHER FUSES
3775	ATQR2	FUSE, V: 600V. I: 2A..P/N: ATQR2..MFG: FERRAZ SHAWMUT..SCHEDULE B:# 8536.10.0040
3776	ATQR3	FUSE V: 600V, I: 3A, AMP-TRAP, TIME DELAY..P/N: ATQR3..MFG: FERRAZ SHAWMUT
3777	AW042	MANIFOLD,1.5" NH MULTIMANIFOLD..INLET: NST 1.5"..MULTI OULET:NPS 3/4" 6 OUTLETS..MULTIMANIFOLD 1.5"NH INLET/6-1/4"-TURN ON
3778	AW60-06BDG-2-B	FILTER/REGULATOR 3/4" CONNECTION..P/N:AW60-06BDG-2-B..MFG:SMC..SCHEDULE B: # 8481.10.0040 FILTER-REGULATORS AND FILTE
3779	AWB 120	1002482492 ..BENCH SCALE,AWTX,AWB 120,9Vdc,800mA ..Weighing systems..Type BENCH SCALE..Capacity 300 kg..Type, display LCD..Mat, plat
3780	AWR234SUXXXX	SULTAN REMOTE ELECTRONICS..AWR234: Remote 2/3/4 Wire, 5 Relays, Modbus ..S: (Housing) Polycarbonate ..U: (Power Supply) 12-30VDC and
3781	AX-250 PLUS	PHOTOELECTRIC DETECTOR..P/N: AX-250 PLUS (R/B: OPT-SL350QN)..MFG: OPTEX..SCHEDULE B:# 8531.80.0050 PHOTOELECTRIC BEAM
3782	AX-500 PLUS	PHOTOELECTRIC DETECTOR..P/N: AX-500 PLUS..MFG: OPTEX..SCHEDULE B: #9030890100 OTHER INSTRUMENTS
3783	AX1300	HOLLOW PUNCH KIT, STANDARD, 11 PCS...P/N: AX1300..MFG:ALLPAX..SCHEDULE B: # 820719.5030 OTHER PARTS FOR TOOLS..ORIGIN:F
3784	AX1601	CUTTING BLADES, HEAVY DUTY, 2" L, ..HEAVY CUTTING; WIDTH: 13/16 IN; LENGTH: 1 39/64 IN; THICKNESS: 0.09 IN;CARBIDE STEEL; BLAI
3785	AX3511	CENTER PINS, M, 1-7/16"..REPLACEMENT CENTER PINS FOR ALLPAX MEDIUM DUTY AND LIGHT DUTY EXTENSION-STYLE GASKET CUTT
3786	AXF050G-PNAL1L-CA11-2NB	YOKOGAWA AXF SERIES MAGNETIC FLOWMETER..2.0" ID TUBE..0-3.2131 TO 0-321.2 GPM MIN/MAX SPAN..G: GENERAL PURPOSE AREA
3787	AXFA14G-E21/CGP	YOKOGAWA AXF SERIES MAGNETIC FLOWMETERS CONVERTER..G: GENERAL PURPOSE (MUST CHOOSE / CGP OPT)..E: 4-20 MADC OU
3788	AXFC-4-L0050F	YOKOGAWA AXF SERIES MAGNETIC FLOWMETER CABLE..4: TERMINATED FOR THE AXFA11/14 CONVERTERS..* 50 FEET OF INTERCONI
3789	AY 105-1 + HY 991	ARALDYTE AY 105-1 RESIN 1 KG/ CAN + ARALDYTE HY 991 HARDENER QT 6/CASE)..P/N: AY 105-1 + HY 991..MFG: HUNSTMAN..UNIPRICE:
3790	AZ008-24	SET OF MOUNTAING CRADDLE ..P/N: AZ008-24 (ACC-008-23) W RAM MOUNT 9 IN RISER..MFG: AZENTEK, LLC..SCHEDULE B: # 9003900000
3793	B0-5001	COMPLETE MODEL 8000 ODORANT PUMP..P/N: B0-5001..MFG: YZ SYSTEMS..
3794	B00TWGL3LI	GALLEYS :SAFETY GLASSES FOR MEN'S EYES..COLOURTRANSPARENT..FRAME MATERIAL:POLYVINYL CHLORIDE..LENS MATERIAL:POLY
3795	B0500 XL-9	GLOVES, NYLON COATED SZ XL BLACK/GRAY 6 DC/CASE..P/N:B0500 XL-9..MFG: SHOWA..SCHEDULE B:# 6216.00.9000 OTHER GLOVES
3796	B0508306	..PTFE MEMBRANE FILTER 50/PACK FOR USE WITH GAS/LIQUID SEPARATOR B0507959..P/N:B0508306..MFG:PERKIN ELMER..WEIGHT: 1 L
3797	B076GW3DQL	TACTICAL GLOVES FOR MEN OF MILITARY RUBBER FOR KNUCKLES, ..RESISTANT GLOVES FOR OUTDOORS, AIRSOFT GLOVES, IDEAL F
3798	B08Y1KGMDF	ADVANCED COMPACT PEPPER SPRAY CLIP –FORMULA 3 IN 1 (PEPPER SPRAY, CS TEAR GAS & UV MARKING DYE), ..POLICE FORCE SEI
3799	B1-12D2150-3A200	HYDRAULIC STARTER, CMA-308006..R/B: B1-12D2150-3A200..MFG: KOCSIS
3800	B121-94S	CHEM JECTOR PUMP..RATED FOR : 0.012 TO 2.5 GPH & 100 PSI, 120V, 1 PHASE, 60 HZ, TEFLON DIAPHRAM METERING, PVC HEAD 4 FITT
3801	B14-10	TERMINAL PRESSURE LOW VOLTAGE, TYPE: RING, AWG: 18-14, INSUL: NO, STUD-HOLE: #10, SPEC: STA-KON..(DOC/EXT)- Y/N..P/N: B14
3802	B14-10F	TERMINAL PRESSURE LOW VOLTAGE, TYPE: FORK, AWG: 18-14, INSUL: NO, STUD-HOLE: #10, SPEC: STA-KON..P/N: B14-10F T & B..OFFE

	Item	Description
3803	B14-250F	TERMINAL PRESSURE LOW VOLTAGE..TYPE: FEMALE, AWG: 16-14, INSUL: NO, SPEC: STAKON, QUICK DISCONNECTS..P/N: B14-250F T&E
3804	B14-6F	TERMINAL PRESURE LOW VOLTAGE, TYPE: FORK, AWG: 18-14, INSUL: NO, STUD HOLE: # 6, SPEC: STAKON..P/N: B14-6F..MFG: THOMAS
3805	B14-8	TERMINAL PRESSURE LOW VOLTAGE, TYPE: RING, AWG: 18-14, INSUL: NO, STUD-HOLE: #8, SPEC: STA-KON..(DOC/EXT)- Y/N..P/N: B14-8
3806	B14A	BOLT EYELET 5/8", THREADLESS, DUCTILE IRON, STD: SATM A-536, MOUNTING BOLT: 5/8", FINISH: GALVANIZED, W/O THREAD, U/O: BOL
3807	B15	CATERPILLAR CAT B15 IP67 ULTRA RUGGED BLACK FACTORY UNLOCKED DUAL SIM CELL PHONE(SIM 1 : 2G 850/900/1800/1900 & 3G 900
3808	B150-0833-8	TRANSFORMER 480 VAC/120VAC 15A 50/60HZ TEMP.CL 105C WITH PORTA FUSE 3516040..P/N: B150-0833-8(OFFER B150BTZ13RBF)..MFG
3809	B2101-3-7	PORT PLUG & O' RING KIT..FOR MODEL B2101-1 14-PORT SELECTOR GAUGE VALVE MANIFOLD PARTS LIST..P/N:B2101-3-7 (REPLACES E
3810	B2101-3-8	SPARE O'RING SEAL KIT..FOR MODEL B2101-1 14-PORT SELECTOR GAUGE VALVE MANIFOLD PARTS LIST..P/N: B2101-3-8(REPLACES B2
3811	B210LP	BASE CONVENTIONAL U.S.FLANGED LOW PROFILE MOUNTING BASE,F/D. INTELLIGENT BASE..P/N: B210LP..MFG: NOTIFIER..SCHEDULE
3812	B234SR120M-A10C	BALLAST FLUORESCENT..V: 120V, POW: 40-34W, FREQ: 60 HZ, U/O: 2 FLUORESCENT, TYPE F40T12, LG: 9-1/2", W: 2-3/8"..P/N: B234SR120M
3813	B2391.22CWQC	3-3/4 X 4-3/4 X 8' 0" CROSSARM, DISTRIBUTION 3-3/4 X 4-3/4 X 8' 0" REA DRG. M-19 TYPE O3..P/N: B2391.22CWQC..MFG: HUGHES BROTHE
3814	B24-SA	SPHERICAL PLANE ANGULAR CONTACT BEARINGS..P/N: B24-SA..MFG: RBC BEARINGS
3815	B2557-S	METALLIC CROSSPIECE ..P/N: B2557-S..MFG: HUGHES BROTHERS..25 LBS
3816	B2T-M32SS-CS	SWITCH PRESSURE INDUSTRIAL, RANGE: 11-221 BAR, ML: 331 BAR..P/N: B2T-M32SS-CS..MFG: BARKSDALE CONTROLS..SCHEDULE B: #
3817	B2TA-8260	PUMP FUEL, UNIT FUEL 1ST STAGE SUNSTRAND, RPM: 3450, PRE: 20PSI, OLD P/N A2TB7151, INCLUDES SHAFT ADAPTER P/N 3754753..F
3818	B3013	LAMP SIGNAL ; SINGLE-CONTACT BAYONET 10/PACK..130V; 2.6W; 20MA BASE: BA9S..SHAPE: 10MM X 28MM; LIFE HOURS: 1500..FILAMEN
3819	B3456	LAMP MINIATURE, V: 24V, POW: 2W, BASE: BA9S, CLR: CLEAR, DIA: 10.3MM, LG: 28 MM..P/N: MB34562 OSRAM (OFFER: B3456) ..MFG: ORI
3820	B4-63-S-XFS06	PRESSURE SWITCH 0- 60 PSI (INCREASING PRESSURE 40 PSI)..P/N: B4-63-S-XFS06..MFG: ASHCROFT..SCHEDULE B:# 8535300080 OTHEF
3821	B507833	COIL 110V, 120V 60..P/N: 507833..MFG: VICKERS
3822	B510-4	SQUARE HEAD BOLT 1/2 X 10", THREAD=4" W/N50 SQ NUT HOT DIP GALVANIZED,CONFORMS TO ANSI C135.1..MFG:HUGHES..P/N:B510-4
3823	B512-4	SQUARE HEAD BOLT 1/2 X 12",THREAD=4", W/N50 SQ NUT HOT DIP GALVANIZED,CONFORMS TO ANSI C135.1..MFG:HUGHES..P/N:B512-4
3824	B512-6	SQUARE HEAD BOLT, 1/2 X 12",W/ NUT ..P/N:B512-6..MFG:HUGHES
3825	B56-3	SQUARE HEAD BOLT, 1/2" X 6", WITH NUT..P/N: B56-3..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318152000 BOLTS AND THEIR NUTS
3826	B57-3	SQUARE HEAD BOLT 1/2" X 7"..P/N: B57-3..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318152000 BOLTS AND THEIR NUTS
3827	B58-4	SQUARE HEAD BOLT, 1/2" X 8", WITH NUT..P/N: B58-4..MFG: HUGHES BROTHER..SCHEDULE B: # 7318152000 BOLTS AND THEIR NUTS
3828	B610-6	SQUARE HEAD BOLT 5/8 X 10", THREAD=6",W/N60 SQ NUT HOT DIP GALVANIZED,CONFORMS TO ANSI C135.1..MFG:HUGHES..P/N:B610-6
3829	B614-6	SQUARE HEAD BOLT, 5/8" X 14", WITH NUT..P/N: B614-6..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318152000 BOLTS AND THEIR NUTS
3830	B616-6	SQUARE HEAD BOLT 5/8" X 16"..P/N: B616-6..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318152000 BOLTS AND THEIR NUTS
3831	B716-6	SQUARE HEAD BOLT, 3/4" X 16", WITH NUT..P/N: B716-6..MFG: HUGHES HUGHES..SCHEDULE B: # 7318152000 BOLTS AND THEIR NUTS
3832	B72G-2AK-AE1-RMG	FILTER REGULATOR B72G 1/4 NPT 10 BAR, 5 um, ALUMINUM BODY, METALLIC VASE, W/ MANOMETER..P/N: B72G-2AK-AE1-RMG..MFG: NC
3833	B74G-4AK-AD3-RMN	REGULATOR,FLTR,NORGREN,B74G-4AK-AD3-RMN ..Air filter regulator..Fluid COMPRESSED AIR..Bowl type METAL..Bowl pressure, max 17 bar..E
3834	B74G-4GK-QD1-RMG	FILTER REGULATOR B74G 1/2G, 10 BAR, 5 um, ALUMINUM BODY, METALLIC VASE, W/ MANOMETER..P/N: B74G-4GK-QD1-RMG..MFG: NOR
3835	B7901	FIN PROTECTANT BLUE TINT 1 GAL..P/N: B7901 (OR P/N: S1-B-7901)..MFG: HYDRO BALANCE..SCHEDULE B: # 9025900000 OTHER PARTS
3836	B816-6	SQUARE HEAD BOLT 7/8 X 16..P/N: B816-6..MFG: HUGHES

	Item	Description
3837	B818-6	SQUARE HEAD BOLT 7/8 X 18..P/N: B818-6..MFG: HUGHES
3838	B820-6	SQUARE HEAD BOLT 7/8 X 20..P/N: B820-6..MFG: HUGHES..SCHEDULE B: # 7318152000 BOLTS AND THEIR NUTS
3839	B822-6	SQUARE HEAD BOLT 7/8 X 22..P/N: B822-6..MFG: HUGHES
3840	B86-2-1/2	SQUARE HEAD BOLT 7/8 X 6..P/N: B86-2-1/2..MFG: HUGHES..SCHEDULE B: # 7318152000 BOLTS AND THEIR NUTS
3841	B88-3	SQUARE HEAD BOLT 7/8 X 8..P/N: B88-3..MFG: HUGHES
3842	B91028-24100	SIGNALING LAMP 24 VAC, 100 MA, 2.4 W..P/N: B91028-24100..MFG: BAILEY
3843	B931-368SI	PUMP, METERING, LMI, GPH MAX: 4.50, PSI:50, VAC: 120, HZ: 50/60, A:1.50..P/N B931-368SI..MFG: MILTON ROY..
3844	B9841	9841 MULTI-CONDUCTOR LOW CAPACITANCE COMPUTER CABLE..24AWG-1P, 7X#32, STR TNC PE FOIL+90% BRD ..SHD PVC JACKET, C
3845	BA-1	CONVEYOR BELT ALIGNMENT CONTROL WITH 1 SP/DT MICROSWITH, 20A @ 125, 250, 480 VAC, 10A @ 125 VAC "L" 1 HP@ 125 VAC, 2 HP
3846	BA-55	OPTIONAL BREAK AWAY, MOUNTING WITH SWITCH W/ 1 SP/DT MICROSWITCH..P/N: BA-55..MFG: CONVEYOR COMPONENTS COMPANY
3847	BA120	QUICKLAG TYPE BA..AUTOMATIC CIRCUIT BREAKER..INPUT CONNECTOR 1..MAX ELECTRIC CURRENT 20A..VOLTAGE REQUIRED: AC 12
3848	BA15DMHMTPU	BANTAM 2000 (BA):BA 150 WATT METAL HALIDE MEDIUM BASE MULTITAP 120,208,240,277 VOLTS,PENDANT MOUNT, (U) PRISMPACK..EN
3849	BA9S130	INCANDESCENT BULB 130V AC/DC 2.0W..P/N: BA9S130 GE (B3013)..MFG: LAMP TECHNOLOGY INC...SCHEDULE B: 8539294000 OTHER LA
3850	BAB1015	MOLDED CASE CIRCUIT BREAKER BAB 1015..TYPE BA, 15 AMP, 1 POLE , 120-240 V..P/N:BAB1015..MFG: CUTTLER- HAMMER
3851	BAB1020	MOLDED CASE CIRCUIT BREAKER BAB 1020 TYPE BA, 20 AMP, 1 POLE,120-240V..P/N:BAB1020..MFG:CUTLER HAMMER
3852	BABBITRITE 30LBS	METAL BABBITRITE 30 LBS BOX..(BARS)..MFG: ACROSALES & ENGINEERING INC...SCHEDULE B: # 6812990020 SEALS..class 60
3853	BABY BREAST FEED	SET OF: 2 BABY PACIFIERS, 2 BREAST PADS, 1 WARMING NAPKIS, 1 HANDLE BREASTFEEDING PUMP, 4 BRUSHES, 1 BABY THERMAL BC
3854	BAC-200-25RC	GAUGE PRESSURE WITH GLYCERIN, SIZE: 2-1/2", SZ-CONN: 1/2" NPT MALE, RAN-PRE: 0-200 PSI, TYPE: BAC, MAT: BRASS CASE..P/N: BA(
3855	BAC-30-25RC	GAUGE, PRESSURE, WITH GLYCERIN, SIZE: 2-1/2, SZ-CONN: 1/2" NPT BACK, RAN-PRE: 0-30 PSI, TYPE BAC: MAT BRASS CASE..P/N: BAC-
3856	BAC-300-25RC	GAUGE PRESSURE WITH GLYCERIN SIZE: 2-1/2", SZ-CONN: 1/2' NPT BACK, RAN-PRE: 0-300 PSI, TYPE: BAC, MAT: BRASS CASE..P/N: BAC
3857	BAC-5M-25RC	PRESSURE GAUGE - BRASS CASE(SIZE)-2-1/2";(SIZE CONN)-1/2"NPT BACK; (RAN-PRE)--0-5000 PSI;(TYPE)-BAC;(MAT)-BRASS CASE..P/N: E
3858	BACK UP CD	BACK UP CD FOR AZENTEC PC CARS..MFG: AZENTEC..SCHEDULE B: # 8519814050 OTHER DISCS
3859	BAG 1265 x 3285 MM	UNINFLATED AIR BAG CONSERVATOR DIMENSIONS..- WIDTH = 1265 MM..- LENGHT = 3285 MM..- DISTANCE BETWEEN ANCHORS POINTS
3860	BARRACUDA 10K	CONCRETE STRIPPER;NON-CORROSIVE ;FORMED WITH EMS' PATENTED SYNTECH (100% SYNTHETIC ACID); NON-D.O.T. REGULATED;
3861	BAT618	18V LITHIUM-ION FAT PACK BATTERY..MFG: BOSCH..P/N BAT618
3862	BATTERY PACK 8700MAH	GETAC X 500 NOTEBOOK SPARE MAIN BATTERY PACK 8700MAH..MFG:GETAC..SCHEDULE B:# 8504.90.0080 OTHER POWER SUPPLIES FO
3863	BAV99	RECTIFIER70V, 20 mA A7 SOT 23..P/N: BAV99..MFG: FAIRCHILD SEMICONDUCTOR..SCHEDULE B: # 8541.10.0080 OTHER DIODES..COUNTF
3864	BB3672B	HIGH DECK CUSHION LOAD PLATFORM TRUCK ..36" X 72" X 21" ; 2500 LB. CAPACITY..MCMASTER 2535T17..P/N: BB3672B..MFG: LITTLE GIA
3865	BB5535EVL	ARO CUCHILLO LLANTAS..P/N: BB5535EVL..MFG: TOPY AMERICA..SCHEDULE B: # 8487.90.0080 OTHER PARTS
3866	BBL50	31 PCS METRIC DRILL & PIN VISE SET- 0.3mm to 1.00 mm, 15 pcs 1.05mm to 2.00 mm, 1 porta drill ..P/N: BBL50..MFG: WIDGE SUPPLY..SCHDEI
3867	BC-30	CLEVIS BALL, STRENGHT: 30,000 LBS..P/N: BC-30..MFG: HUBBELL POWER SYSTEMS..SCHEDULE B: #7326190000 - OTHER FORGED ARTIC
3868	BC154	DC DRIVE CONTROL MOTOR, 120 VAC, 2 HP..P/N: BC154..MFG: BALDOR..
3869	BC30	CLEVIS BALL, STRENGHT: 3000 LBS,..P/N: BC30..MFG: HUBBELL POWER..SCHEDULE B: 7326.90.8595 OTHER ARTICLES OF IRON OR STEE
3870	BC4N030-4	MOTOR, PHASE: 3, VOLTAGE: 230/460V, 1800 RPM, 60 HZ, CLASS F, 4500 MSNM, 286 T FRAME, ENCLOSURE: TEFC..P/N: BC4N030-4..MFG:

	Item	Description
3871	BCCM41500001A003VX44T2050C	CONNECTIVITY ACCESSORY..P/N: BCC M415-0000-1A-003-VX44T2-050-C013..MFG:BALLUFF..SCHEDULE B: # 8544493040 OTHER CONNEC
3872	BCM5751	BROADCOM NETXTREME GIGABIT PCI-EXPRESS NETWORK CARD ETHERNET ADAPTER NIC FOR DELL 10/100/1000 BASE T FOR DELL W
3873	BCW61D	TRANSISTOR, BIPOLAR, PNP, -32V, -100MA, TO-236AB-3; TRANSISTOR ..POLARITY:PNP; COLLECTOR EMITTER VOLTAGE V(BR)CEO:-32V;
3874	BCWD140	SC3343, KBPC-240D, WHITE, WITH #9, 1HP, 115V/2H-220V/KBPC-240D/5CR NEMA 4..P/N: BCWD140..MFG: BALDOR
3875	BD144L	GLOVES LG ELK/PIG NFPA..BD144L..PAIR..P/N:BD144L..MFG:DARLEY..SCHEDULE B:#6216.00.9000 OTHER GLOVES
3876	BDE-46-S	BRONZE STRAIGHT LINE DEAD END STRAIN..P/N: BDE-46-S..MFG: ANDERSON..SCHEDULE B:# 7307.19.9090 OTHER CLAMPS
3877	BE-2RV2-A4	MICROSWITCH, SPEC: ROLLER LEVER SPDT, I: 25A, V: 480 VAC..P/N: BE-2RV2-A4..MFG: HONEYWELL..SCHEDULE B: # 8536.50.9065 OTHE
3878	BE-8703S	IRBE-8703S" ERGO INSULATED SCREWDRIVER FOR HEX HEAD SCREWS, MULTI-COLOUR, 197 MM..P/N: BE-8703S..MFG: BAHCO..SCHED
3879	BE-8704S	ERGO INSULATED SCREWDRIVER FOR HEX HEAD SCREWS, MULTI-COLOUR, 197 MM..P/N: BE-8704S..MFG: BAHCO..SCHEDULE B:# 8203.
3880	BE-8705S	SCREWDRIVER HEXAGON VDE 5 MM TIP 175 MM ALLOY STEEL, VDE/1000V APPROVED; ERGO RANGE 1000 V INSULATED SCREWDRIVE
3881	BE-8706S	ERGO INSULATED SCREWDRIVER FOR HEX HEAD SCREWS, MULTI-COLOUR, 322 MM..P/N: BE-8706S..MFG: BAHCO..SCHEDULE B:# 8203.
3882	BE-8708S	ERGO INSULATED SCREWDRIVER FOR HEX HEAD SCREWS, MULTI-COLOUR, 322 MM..P/N: BE-8708S..MFG: BAHCO..SCHEDULE B:# 8203.
3883	BE-8725S	ERGO INSULATED SCREWDRIVER FOR HEX HEAD SCREWS, MULTI-COLOUR, 197 MM..P/N:BE-8725S..MFG:BAHCO..SCHEDULE B:# 8203.2
3884	BEARIUM B10 5.50"	BEARIUM B10, 3.5" ID X 5.5" OD X 13" LONG..MFG: METALTEK
3885	BEARIUM B10 8.00	BEARIUM B10 8.00 X SOLID X 17.5" LENGHT..MFG: METALTEK..SCHEDULE B:#7402.22.0000 OTHER PARTS MADE OF COPPER -TIN BASE A
3886	BES-516-300-S135-S4-D	PROXIMITY SWITCH 10-30 VDC 200MA. 1.5 MM..P/N: BES-516-300-S135-S4-D..MFG: BALLUF..SCHEDULE B: # 8536509065 OTHER SWITCHES
3887	BES-517-224-U5-E	INDUCTIVE PROXIMITY SENSOR..P/N: BES-517-224-U5-E..MFG: BALLUFF
3888	BES-517-460-U5-L-D	SENSOR INDUCTIVE, 20-250 VAC, 45-65 HZ, 5-500, 4 NO, 2 NC..P/N: BES517-460-U5-L-D..MFG: BALLUFF..SCHEDULE B: # 8536509065 OTHER
3889	BES M08EH-PSC40F-S04G	INDUCTIVE SENSOR BES001H SN=4MM;..DC ; PNP (NO)..P/N: BES M08EH-PSC40F-S04G..MFG:BALLUFF
3890	BES M18MN-USU80B-S21G	INDUCTIVE SENSOR, AC/DC 2-WIRE , TUBULAR HOUSING, M18X1, 250MA/110VAC DISTANCE OPERATION: 8 MM, NORMALLY OPEN..P/N: E
3891	BETA 30P SCF Z 88 FC 38	HYDRAULIC COUPING, ROTOFLUID SIZE P, COUPLING TYPE: "Z" - "I", DIMENSIONS FROM THE FIELD: A=325MM. B=230MM (218MM-262MM
3892	BF1212	FILTER FOR HEAVY DUTY FUEL..P/N: BF1212..MFG: BALDWIN..SCHEDULE B: # 8421230000 FUEL FILTERS..
3893	BF20226-24B	LAMP CCFL 1275V 2.0 MM X 226 MM..P/N: BF20226-24B..MFG: JKL COMPONENTS
3894	BF4N.33-2C	HORIZONTAL ELECTRICAL MOTOR, 0.33 HP, 1800 RPM, 3 PH, 56 C FRAME, TEFC, ..P/N: BF4N.33-2C..MFG: BROOK-CROMPTON
3896	BGIC-5	CLEANER, PKG 5 GALLON, BLUE GOLD,..P/N: BGIC-5..MFG: MODERN CHEMICAL INC...SCHEDULE B #3402195000 OTHER WASHING PREP
3897	BH-14C	CLIP ALLIGATOR..P/N: BH-14C ..MFG: BORG WAGNER
3898	BH-71	CLAMP CABLE WHITAKER BOOSTER SET PER 2..P/N: BH-71..MFG: BORG WARNER..SCHEDULE B: # 7307110060 OTHER CLAMPS..
3899	BH15B NEG	TERMINAL BATTERY..POLAR: NEGATIVE..REF: 1/0, 2/0..P/N: BH15B NEG..MFG: AUTOMOTIVE SYSTEMS, INC...SCHEDULE B: 8536908085
3900	BH305	TERMINAL WALDOM UNIVERSAL BATTERY NEG, INTERRUPTORS 170 KV..P/N:BH305..MFG: BWD..SCHEDULE B:# 8536.90.8085 OTHER BA
3901	BH427	TERMINAL BATTERY, TYPE: SCREW..P/N: BH427 (R/B: BH440)..MFG: BORG WARNER..SCHEDULE B: # 7307110060 OTHER CLAMPS
3902	BI5-G18-AZ3X-B3431	PROXIMITY SENSOR; L TYPE, 5MM SENSING DISTANCE; NO; AC/DC; FLUSH MOUNT.. 20 TO 250VAC/DC RANGE 5MM LED 70'C IP67 M12 C
3903	BIPC-300004-04	FIBER OPTIC TRANSMITTER + STATUS CARD..P/N: BIPC-300004-04..MFG: BENSHAW
3904	BIPC-300013-01	RELAY CARD, 4 CHANNEL MICRO..P/N: BIPC-300013-01..MFG: BENSHAW..

	Item	Description
3905	BIPC-300014-01	7.2KV, DIVIDER CARD ASSEMBLY..P/N: BIPC-300014-01..MFG: BENSHAW
3906	BIPC-300040-08	CPU, Micro II - Devicenet-20 MHz..P/N: BIPC-300040-08..MFG: BENSHAW
3907	BIPC-300047-01	FIBER OPTIC HARD GATE DRIVE..MV - 5/7.2 KV..P/N: BIPC-300047-01
3908	BIPCDVDT - 3MV	MV RC SNUBBER CARD..47UF, 33 OHM..P/N: BIPCMLCD..MFG: BENSHAW..
3909	BIPCMLCD	MICRO LCD DISPLAY..P/N: BIPCMLCD..MFG: BENSHAW..
3910	BIRDXPELLER	ELECTRONIC BIRD REPELLER PRO VERSION 1..P/N: BIRDXPELLER..SCHEDULE B: # 8436.99.0080 OTHER ELECTRONICS DEVICE..MFG: BI
3911	BISCR6601818	THYRISTOR, TYPE SILICON CONTROLLED RECTIFIER, VOLTAGE: 1800V, CURRENT: 660A, SCR-1708..1 LB EA..MFG: BISCR6601818..MFG: I
3912	BJ238JHL	BIG JAKE 2 RAINWEAR ..PVC / NOMEX® FLAME RESISTANT JACKET..ANSI CLASS 3 HIGH VISIBILITY STANDARD..HRC2 / CAT2, ARC RATI
3913	BJ238JHM	BIG JAKE 2 RAINWEAR..PVC / NOMEX® FLAME RESISTANT JACKET..ANSI CLASS 3 HIGH VISIBILITY STANDARD..HRC2 / CAT2, ARC RATIN
3914	BJ238PWL	BIG JAKE® 2..PVC / NOMEX® FLAME RESISTANT ELASTIC WAIST PANT..ANSI 107 CLASS E HIGH VISIBILITY STANDARD..ARC RATING AT
3915	BJ238PWM	BIG JAKE® 2..PVC / NOMEX® FLAME RESISTANT ELASTIC WAIST PANT..ANSI 107 CLASS E HIGH VISIBILITY STANDARD..ARC RATING AT
3916	BK/MDL-2-1-2-R	FUSE; CYLINDER; TIME LAG; 2.5A; SZ 3AG; DIMS0.25X1.25"; GLASS; CARTRIDGE; 250VAC..P/N: BK/MDL-2-1-2-R..MFG: BUSSMANN..
3917	BKS-S 32M-60	CONNECTOR ,CONN TYPE (HEADER1)-FEMALE M16; (CONN CONF)-STRAIGHT;(N COND)-8(OPER VOLTAGE UB MAX AC (V)-60.0V;(CABLE
3918	BKT2BW	THERMOSTAT; BUILT-IN THERMOSTAT KIT (DPST) - BRIGHT WHITE.. BASEBOARD HEATER THERMOSTAT; MODEL BKT2BW UPC:11488..I
3919	BL-A400H8-WH	BALLAST; HUBBELL LIGHTING BLA-400P8-WH-EX SUPERBAY SERIES BALLAST HOUSING; 120/208/240/277 VOLT, 400 WATT, 1-LAMP, PULS
3920	BL071YL	SUIT(LG) YLW CHEMMAX 4 ,SIZE L,LEVEL B ENCAPSULATED..P/N: BL071YL..MFG:DARLEY..SCHEDULE B:6211.49.8000 OTHER SUITS
3921	BL071YXL	SUIT,(XL) YLWCHEMMAX 4 ENCAPSULATED,LEVEL B..MODEL BL071..P/N:BL071YXL..MFG:DARLEY..SCHEDULE B:6211.49.8000 OTHER SUI
3922	BL092	HOSE,5/8" GHT X 50 RED TUFF GUARD..P/N:BL092..MFG:DARLEY..SCHEDULE B: # 3917390002 OTHER HOSES
3923	BL50	LOCKNUT, THEREADED, ID: 1/2", OD: 3/4", MAT: STEEL..P/N: BL50..MFG: APPLETON..SCHEDULE B:#7318.16.0000 NUTS OF IRON OR STEEL
3924	BL810	AWG: 3/0, POLAR: NEGATIVE,..P/N: BL810 (OFFER P/N: BH15)..MFG: BORG WAGNER..SCHEDULE B: # 8535908020 TERMINALS
3925	BLA-400H8-WH	SUPER BAY BALLAS HOUSING, HUBBELL..120/208/240/277 V-60 Hz- MPS 4.0/2,3/2.0/1.75 A-C-LAMP 400W MH M59..P/N: BLA-400H8-WH..MFG
3926	BLADES	PROPELLER ASSEMBLY (6 BLADES SET) 30" DIAMETER, FIBERGLASS, FOR MODEL EXHAUSE FANS A59-306FWFGMJ4..P/N: BLADES..MFG
3927	BLP10MHVLP	SPRAY GUN FULL SIZE, 1.0 MM TIP, HVLP..P/N: BLP10MHVLP..MFG: BLUE POINT..SCHEDULE B: # 8468201000 HAND DIRECTED SPRAY GU
3928	BLP15HVLP	SPRAY GUN FULL SIZE, 1.5 MM TIP, HVLP..P/N: BLP15HVLP..MFG: BLUE POINT..SCHEDULE B: # 8468201000 HAND DIRECTED SPRAY GUN
3929	BLUE RIBBON 0-30 PSI	GAUGE OF GLYCERIN, RANGE 0-30 PSI DIAL 2 1/2 X 1/4" NPT, BOX STAINLESS STEEL..P/N: BLUE RIBBON 0-30 PSI..SCHEDULE B: # 851690
3930	BLUE RIBBON 0-60 PSI	GAUGE OF GLYCERIN, RANGE 0-60 PSI DIAL 2 1/2 X 1/4" NPT, BOX STAINLESS STEEL..P/N: BLUE RIBBON 0-60 PSI..SCHEDULE B: # 851690
3931	BOARD	BOARD COMPLETE OPERATING SPARE ..P/N: SPARE BOARD FOR LJ45..MFG: CONTROL CHIEF..SCHEDULE B: # 8526920000 RADIO REMC
3932	BP5000P08	BRUSH, REF: CARBON,..P/N: BP5000P08..MFG: HELWIG CARBON PRODUCTS, INC..SCHEDULE B: # 8545.20.0000 BRUSHES
3933	BPIC-300030-14	MICRO II, POWER CARD FOR..MV FO
3934	BPT11FGA250	TRANSMITTER, SPEC: HYDRAULIC PRESSURE, 250 BAR, TYPE: UPA5-25031103000..OFFER P/N: BPT11FGA250..MFG: BARKSDALE..SCHED
3935	BR00343	ELECTRODE REF: No.4-12, MOD: 180-C..SXBR00343, PAIF RO EH & EHA BURNERS..P/N: BR00343..MFG: SIOUX..SCHEDULE B: 8311.10.0000
3936	BR125 IR 250W E27 230-250V RE	LAMP; INFRARED; DOUBLE REFLECTOR SYSTEM ;SPLASH WATER RESISTANT..MODEL INCANDESCENT 230-250V BR125 250W 230-250V
3937	BR213A	BATTERY GENERAL PURPOSE..V: 3V, SIZE: 2/3A, CYLINDRICAL, NOR: IEC BR17335, TYPE: LITHIUM-POLY CARBONMOFLUORIDE..P/N: BR-
3938	BRG01546	BEARING;PILLOW BLOCK,BALL,1 7/16 BORE,BOA SHAFT LOCK..P/N: BRG01546..NON RETURNABLE..MFG: TRANE

	Item	Description
3939	BRS-83-S	STRAIN AND SUSPENSION CLAMP..P/N: BRS-83-S..MFG: ANDERSON..SCHEDULE B: 7307199090 OTHER CLAMPS
3940	BRS60S	BRONZE STANDARD SUSPENSION CLAMP, SOCKET FTTING, CLAMPING RANGE .20-.60 INCH..P/N: BRS60S..MFG: ANDERSON..SCHEDULE
3941	BRS83S	GRAMPA CURVA PRA AISLADOR DE 11 KV TIPO CAMPANA..P/N: BRS83S..MFG: CHANCE..SCHEDULE B: 7307199090 OTHER CLAMPS
3942	BRT-3	REFLECTOR BACK, DIA; 84MM, SPEC; FACTOR REFLEXTION 1, LENS ACRYLIC CLEAR..P/N: BRT-3..MFG: BANNER ENGINEERING..SCHEDU
3943	BS100T5HO	ILLUMINA LINEAR FLUORESCENT..P/N: BS100T5HO
3944	BS160-160J	BACKSTOP CAM CLUTCH..P/N: BS160-160J..MFG: TSUBAKI..SCHEDULE B: # 8505.90.8000 OTHER PARTS FOR CLUTCHES
3945	BS303-0229	AIR FILTER WITH FITTING FOR CONNECTION 1/4" LINE & 10 FT OR 1/4" TYGON TUBING..P/N: BS303-0313
3946	BSD-55-S	CLAMP BRONZE QUADRANT DEAD END STRAIN RANGE COPPER #4 SOL -4/0 STR..P/N: BSD-55-S..MFG: ANDERSON..SCHEDULE B: # 8205
3947	BSD-68-S	STRAIN CLAMP,QUADRANT, HEAVY DUTY.;BRONZE ..BOLTED DEAD ENDS;BSD SERIES; CONDUCTOR ..RANGE: 0.3"-0.68"; FITTING SOCK
3948	BSD-84-S	STRAIN CLAMP, QUADRANT; HEAVY DUTY, BRONZE..TERMINAL BRONZE CLAMP;CONDUCTOR RANGE 0.475" - 0.84"..P/N: BSD-84-S..MFG
3949	BSW1513VR	FLEX CORE DRILL MOTOR ..P/N: BSW1515VR..MFG: FLEX
3950	BT-40	VERSAFLO™ HEAVY DUTY NEOPRENE RUBBER BREATHING TUBE..HEAT-RESISTANT NEOPRENE RUBBER MATERIAL FOR RUGGED AP
3951	BT-922	3M™ VERSAFLO™ BREATHING TUBE COVER BT-922/W-3228-10, 10 EA/CASE ..P/N:BT-922..MFG:3M
3952	BT-926	3M™ VERSAFLO™ HIGH TEMPERATURE BREATHING TUBE COVER BT-926/L-199SG, 1 EA/CASE ..P/N:BT-926..MFG:3M
3953	BT839-10	FILTER HYDRAULIC SEAL..ID-THD: 1", OD: 93.70MM, H: 136.50MM,..P/N: BT839-10..MFG: BALDWING
3954	BU-100	CONDUIT BUSHING;1" DIA; THREADED; MALLEABLE IRON..P/N: BU-100..MFG:APPLETON
3955	BU-100I	BUSHING ISOLATED DIA: 1", MAT: MALLED ..P/N: BU-100I..MFG: APPLETON..SCHEDULE B: # 7326200000 OTHER ARTICLES OF IRON
3956	BU-24APN	CLIP ELECTRICAL, REF: 25" TO 3"..P/N: BR-24APN..MFG: MUELLER..SCHEDULE B: # 8536904000 OTHER CONNECTORS
3957	BU-3030-A-24-0	CLIP ELECTRICAL ALLIGATOR, BLACK COLOR..P/N: BU-3030-A-24-0..MFG: MULLER..SCHEDULE B: # 7806008000 - OTHER TEST LEAD
3958	BU-3131-A-12-2	CLIP, ELECTRICAL..(TYPE) - ALLIGATOR..(CLR) - RED..P/N: BU-3131-A-12-2....SCHEDULE B: # 7806008000 - OTHER TEST LEAD..MFG: MUE
3959	BU 85-C	COCODRILE CLIP 85, PAT CLIP..P/N: BU 85-C..MFG: MUELLER....SCHEDULE B: #7302909000 - OTHER CLIPS OF STEEL
3960	BU 87-0	VINYL INSULATOR BLACK..P/N: BU 87-0..MFG: MUELLER....SCHEDULE B: 8546200090 - ELECTRICAL INSULATOR
3961	BU 87-2	VINYL INSULATOR RED..P/N: BU 87-2..MFG: MUELLER....SCHEDULE B: #8546200090 - ELECTRICAL INSULATOR
3962	BU300I	BUJE(DIA)-3";(MAT)-MALLEABLE IRON(FINISH)-ZINC ELECTROPLATED(SPEC)-INSULATED, THREADED(DIA)-3";(MAT)-MALLEABLE IRON(FI
3963	BU63-0	CLIP,ELECTRICAL (TYPE)-ALLIGATOR (REF)-W/SCREW 10 AMP Y BLACK INSULATOR..P/N:BU63-0..MFG: MUELLER..SCHEDULE B: #78060
3964	BU63-2	CLIP, ELECTRICAL..TYPE: ALLIGATOR..W/SCREW 10 AMP & RED INSULATOR..MFG: ALLIED ELECTRONICS....SCHEDULE B: #7806008000
3965	BU75I	BUSHING INSULATED, DIA: 3/4", MAT: MALLED IRON,..P/N: BU75I..MFG: APPLETON..SCHEDULE B: # 7326200000 OTHER ARTICLES OF IRO
3966	BUL-120 MB	LAMP MINIATURE..P/N: BUL-120 MB..MFG:....SCHEDULE B: #8539228050 - OTHER LAMPS
3967	BUL-LB24	LAMP MINIATURE..V: 24V, POW: 1.20W, BASE: MIN. BAY..P/N: BUL-LB24 (OFFER P/N: A945-99)..MFG: GENERIC..SCHEDULE B:#8539228050
3968	BVHC12-12F	QUICK COUPLING FEMALE BRASS..P/N: BVHC12-12F..MFG PARKER/SNAP TITE..SCHEDULE B: # 8483608000 OTHER COUPLINGS
3969	BW30-2540	BRACKISH WATER REVERSE OSMOSIS MEMBRANE ELEMENTS, 4" X 40",..P/N: BW30-2540..MFG: DOW FILMTECH
3970	BW30-4040	BRACKISH WATER REVERSE OSMOSIS MEMBRANE ELEMENTS, 4" X 40"..P/N: BW30-4040..MFG: DOW FILMTECH
3971	BX9C-MD	WELDING JACKET; COTTON BLACK W / RED FLAMES SIZE MEDIUM (BBX9C-MD); 9 OZ. FLAME-RESISTANT COTTON;..WELDER'S COLLAR
3972	BZE62RN-0120	SWITCH, V-RAN; 125-250-480 VAC, I; 15A, HP: 1/8-1/4..MFG: HONEYWELL..P/N: BZE62RN-0120..SCHEDULE B: # 8536509065 OTHER SWITCH

	Item	Description
3973	C-27	CONDULET CONDUIT RIGID 3/4 IN..P/N: C-27..MFG: THOMAS & BETTS
3974	C-304	YOKE AND BEARING SUB-ASSEMBLY C-304..MODEL N°: C-660P-230VAC..SERIAL N°: 000315191-151201..MAX. PSI: 60..MAX FEED: 4.6 GPH@
3975	C-325	
3976	C-73	TERMINAL STA-KON 12-10 WIRE..P/N: C-73..MFG: THOMAS & BETTS..SCHEDULE B: #8536.90.4000 OTHER TERMINALS
3977	C-LB45-A005	TURBINE FLOW METER WITH 316L STAINLESS STEEL BODY, 5000 PSI, 5-50 GPM, 1" x 1" MALE NPT, 1" BORE SIZE..P/N: C-LB45-A005..R/B:
3978	C00169	BAND IT, STEEL, BANDING TOOL..P/N: C00169..MFG: BAND-IT..SCHEDULE B: # 8205599000 OTHER HAND TOOLS
3979	C0050E2A	TRANSFORMER CONTROL..V-PRIM: 460/230V, V-SEC: 115 V, VA: 50 VA, NO. PHASE: 1,..P/N: C0050E2A..MFG: CUTLER HAMMER
3980	C1-3007-0302	CONVERTER..VAC: 100V/240V, FREQ: 50/60HZ, WATT: 1.6W, SPEC:MV/CURRENT 4-20 MA..P/N: C1-3007-0302..MFG: ASCON
3981	C10-10	ERMINAL PRESSURE LOW VOLTAGE..TYPE: RING, AWG: 12-10..INSUL: NO, STUD-HOLE: # 10, SPEC: STAKON..P/N: C10-10..MFG: THOMAS
3982	C10-14	TERMINAL PRESSURE LOW VOLTAGE..TYPE: RING, AWG: 12-10..INSUL: NO, STUD-HOLE: # 1/4, SPEC: STAKON..P/N: C10-14..MFG: THOMA
3983	C10-250F	TERMINAL PRESSURE LOW VOLTAGE..TYPE: FEMALE, AWG: 12-10, INSUL: NO, SPEC: STAKON, QUICK DISCONNECTS..P/N: C10-250F..MF
3984	C10-6	TERMINAL PRESSURE LOW VOLTAGE,..TYPE: RING, AWG: 12-10, INSUL: NO, STUD-HOLE: #6, SPEC: STAKON..P/N: C10-6-SK..MFG: THOM
3985	C10-8	TERMINAL PRESSURE LOW VOLTAGE, TYPE RING, AWG: 12-10, INSUL: NO, STUD-HOLE: #8, SPEC: STAKON..P/N: C10-8 (OR P/N: C10-8SK
3986	C1000S52/ALTO	LAMP, SODIUM STEAM, HIGH PRESSURE (POW)-1000W; (V)-250V (SPEC) -GE 44058, LUCALOX/CERAMALUX MOGUL BASE (DOC/EXT)-Y/N.
3987	C100S54/ALTO	LAMP SODIUM STEAM, HIGH PRESSURE, POW: 100W, V: 55V, SPEC: MOGUL BASE LUCALOX/ CERAMALUX..P/N: C100S54/ALTO..MFG: PHI
3988	C100S54/M	LAMP SODIUM STEAM HIGH PRESSURE, POW: 100W, V: 55V, BASE: MEDIUM, BULB: ED17, CLR: 2100K, LUMEN: 8550, LG: 5-7/16..P/N: C100
3989	C101-10	CABLE CONNECTORS AND ASSEMBLIES FOR ACTIVE AND PASSIVE PICKUPS, 2 PIN, 10 FT..P/N: C101-10..MFG: DYNALCO..SCHEDULE B
3990	C105-06FRLBJCB	UNIT OF MAINTENANCE,(MOD)-QUBE; (TYP)- 105;(SIZE)- 3/4" NPT.. (RAN-PRE)- 0-125PSI;(SPEC)- FIL-REG-LUB-GAUGE..P/N: C105-06FRLB
3991	C121739	HEATER REMOTE SWITCH CLARK FIRE..P/N: C121739..MFG: CLARK FIRE..SCHEDULE B: # 9032896040 TEMPERATURE CONTROL INSTRU
3992	C129E259SG	BODY VALVE, TYPE: CHECK-LINED HYPALON SIZE NO. 3..P/N: C129E259SG..MFG: DORR-OLIVER EIMCO
3993	C15055SD	LAMP SODIUM LUCALOX ELIPTIC DIFUSE 150 W..P/N: C15055SD..MFG: PHILIPS
3994	C150S55	LAMP SODIUM STEAM HIGH PRESSURE, TUBULAR CLARA..POW: 150 W, V: 55V..P/N: C150S55..PHILIPS
3995	C150S55/ALTO	LAMP SODIUM STEAM HIGH PRESSURE..POW: 150 W, V: 55V, BASE: MOGUL E-40..BULB: D23.5, LUMEN: 16000..MOD: LUCALOX/CERAM
3996	C150S55/M	LAMP SODIUM STEAM HIGH PRESSURE, POW: 155W, V: 55V, BASE: E26, BULB: ED17, T-CLR: 2100L, LUMEN: 1600, DIA: 54 MM, DIST=CLR:
3997	C156	VALUCLIPS 3/4" STAINLESS STEEL, BAND-IT, 100/BOX..P/N: C156..MFG: BAND-IT..
3998	C200-WC1	COLLECTOR W/WEATHER CUFF 200 AMP..P/N: C200-WC1..MFG: UNIVERSAL..SCHEDULE B: # 8426190000 MOBILE LIFTING PARTS FOR E
3999	C203-0194	POLE BAND ADJUSTABLE, 4 WAY 90 DEGREES FOR 6" X 11-1/2"..P/N: C203-0194..MFG: CHANCE..SCHEDULE B: # 8431499057 OTHER PART
4000	C207-0047	RACK, ASSEMBLY (REF)-LOCK 3 LINE HEAVY TYPE SECONDARY..P/N: C207-0047..MFG: A.B. CHANCE COMPANY..SCHEDULE B: # 8538907(
4001	C25	RUGGEDIZED MULTIMETER SOFT CASE..P/N: C25..MFG: FLUKE..SCHEDULE B: #4202190000 OTHER CASES
4002	C250S50/ALTO	LAMP SODIUM STEAM, HIGH PRESSURE, POW: 250W, V: 100V, SPEC: LUCALOX, MOGUL BASE..P/N: C250S50/ALTO PHILIPS (OFFER P/N:
4003	C25DNF240B	DEFINITE PURPOSE CONTACTORS, C25 SERIES 40A; 2P ; 240VAC OPEN..P/N: C25DNF240B..MFG: EATON..SCHEDULE B: # 8538.90.7080 O
4004	C27CG	CONDULET CONDUIT BODY RIGID..DIA: 3/4", TYPE: C, SHP: 7, MAT: MALLED IRON..P/N: C27CG..MFG: CROUSE HINDS, OFFER ..P/N: C27C(
4005	C3-A30DX/024VDC	RELAY C3-A30DX 10A / 250 V 24VDC COMAT..P/N: C3-A30DX/024VDC (OFFER: R4175)..RELECO MR-C RELAYS..MFG:RELECO TURCK..SCH
4006	C30EN3	RELAY OVERLOAD..U/O: MOTOR SAFT 40 HP, 100A, SZ 3, TYPE OPEN..P/N:C30EN3 (OFFER C30GN3)..MFG: CUTLER HAMMER

	Item	Description
4007	C320KGT20	AUXILIARY CONTACTS, 2NO-1NO (EC)-1NC (LO)..P/N: C320KGT20..MFG: EATON..SCHEDULE B:#8538.90.7080 OTHER CONTACTORS
4008	C3400	WASHER INCH ID: 1/4", W: 0.108", MAT: STEEL, REF: CURVED SQUARE WASHER 3 X 3 X 1/4 ..P/N: C3400 HUBBARD (OFFER P/N: 6823 CHA
4009	C3798.2C	SPLICED ARM ASSEMBLY SPLICED..ARM ASSEMBLY DOUBLE WOOD..ARMS. 2-5/8X9-1/2X43-9..P/N:C3798.2C..MFG: HUGHES
4010	C38-G	CONDULET CONDUIT BODY PVC COVERED, DIA: 1", TYPE: C, SHP: 8..P/N: C38-G..MFG: THOMAS & BETTS..SCHEDULE B: #8547900030 JOI
4011	C3970.3B	ASSEMBLED ARM,2-5/8" X 9-1/2" X 16'-6" WITH 1 - ADJUSTABLE SPACER FITTING..MFG: HUGHES..P/N:C3970.3B..SCHEDULE B: #44071001(
4012	C4-0133	ACTUATION FILTER ELEMENT 300 SERIES SILVER CANISTER..P/N: C4-0133..MFG: YZ SYSTEMS
4013	C400S51/ALTO	LAMP SODIUM STEM, HIGH PRESSURE..POW: 400W, V: 100V, TYPE: BASE MOGUL, CLR: CLEAR, BULB: ED18..P/N: C400S51/ALTO..MFG: PI
4014	C403-1022	STANDARD DUTY TELESCOPIC DISCONNECT TOOL, 35 FT..P/N: C403-1022..MFG: HUBBELL POWER SYSTEMS..SCHEDULE B:#9613.90.000
4015	C417-6067	SNATCH BLOCKS..SPEC: 2500 LB BLOCK..P/N: C417-6067..MFG: CHANCE..SCHEDULE B: # 7601209500 OTHER BLOCK ALUMINUM ALLOYS
4016	C50LRBR24-8	PIN DOWEL 1/IN TO 3/4 IN REMACHE 3/4 AG..P/N: C50LRBR24-8..MFG: HUCK..SCHEDULE B: # 7318152000 BOLTS AND THEIR NUTS
4017	C550	TOOL BAG..INCLUDE: VINYL COVER WITH ZIPPER, PROOF LEADS,SHEET INSTRUCTIONS, 3 YEAR WARRANTY..P/N: C550 (C550E)..MFG:
4018	C600-0198	SNAP ON GROUNDING CLAMPS (DUCK BILL TYPE)..MAIN LINE RANGE- MAX 1000 KCMILL CU..1500KCMILL ACSR (1.506")..MIN #6 SOL. CU (
4019	C6000198	SNAP-ON (DUCKBILL- TYPE) GROUNDING CLAMP; MOUNTED CLAMP ALUMINUM BODY;SERRATED JAWS; BRONZE EYESCREW WITH AC
4020	C6000619	SUBSTATION GROUNDING SET WITH PRESSURE-TYPE TERMINALS;400 AMP;4" BUS CAPACITY UTIILZING A G3369 GROUND CLAMP MOU
4021	C6002604	GROUNDING FERRULE - UNSHROUDED THREADED - 2/0 AL..DIE SIZE - SECTION A: U165..MAT: ALUMINUM..UNSHROUDED..TERMINAL CO
4022	C6200	SIMPLEDIST - 18-PLACE MANIFOLD KIT W/OUT BLOCK <5.00 %> -154.75..THE SIMPLEDIST MANIFOLD KIT IS AN 18-POSITION SYSTEM THA
4023	C662-06	COMMUNICATION CABLE; PART NO. C662#0101 (C662-06) SEL-C662/C663 USB SERIAL CABLES ; SEL-C662 USB TO SERIAL PORT CABLE...
4024	C6ER9-RY	CASTER RIGID, REF: CASTER RIGID LD SILENT STL BASSICK..P/N: C6ER9-RY (6ER9-2)..MFG: COLSON CASTER CORP...SCHEDULE B:# 83(
4025	C70S62D	LAMP SODIUM LUCALOX 70W..P/N: C70S62D..MFG: PHILIPS..SCHEDULE B: #8539320020 SODIUM VAPOR
4026	C710-311-PBS	CUT OUT TYPE "C" CHANCE STAINLESS..LINE MATERIAL AND EQUIPMENT..VAC: 27000V, I: 100A, TYP: C, S/COOPER ALLOY EXTRA CORR
4027	C710313PB	STANDARD PORCELAIN CUT OUT..27 KV, 100 A, 150KV BIL..P/N: C710313PB..MFG: CHANCE- HUBBELL POWER SYSTEMS, INC.
4028	C75-04FRLBJCB	FILTER REGULATOR, TYPE 75, SIZE: 1/2", RAN-PRE: 0-125 PSI, SPEC: FIL-REG LUB GAUGE..P/N: C75-04FRLBJCB..MFG: WATTS PARKER H
4029	C7DC	LAMP INCANDESCENT- (V)-120; (POW)-10W..P/N: C7DC (OFFER PHILLIPS 10C7DC)..MFG:PHILLIPS
4030	C8008-100AB	10" PIPE CPVC, SCHEDULE 80, 20 FT LENGTH..P/N: C8008-100AB..MFG: GEORGE FISCHER
4031	C9-A41 X	RELAY DC 125V 5 A AC 120 V 5A DC 30V..C9-A41 X..MFG: RELECO..SCHEDULE B: # 8536490055 OTHER RELAYS
4032	C9-A4X	RELAY DC 24V 5A AC 120V 5A DC 30V..DC 24V 5A AC..120V 5A DC 30 V..P/N C9-A4X DC 24V..MFR: RELECO..SCHEDULE B: # 8536490055 OT
4033	C9612-3	SWTICH TERMINAL INDUSTRIAL..RAN-OP: 17.2-207 BAR, ML: 483 BAR..P/N: C9612-3..MFG: BARKSDALE CONTROL..SCHEDULE B: # 853650
4034	C9930B	CABLE, BATTERY, (TYPE) 3311, CL905, (AWG) 3/0 (V) 600V, (TEMP) 90 C, (I) 350A, (OD) 0.785" (THK) 0.095 INSULATION (No STRANDS) 1653,
4035	CA-046300/C-88651	COUPLER BODY W/ MALE PIPETHREAD 1/4 IN..P/N: CA-046300/C-88651..MFG: CHICAGO PNEUMATIC..SCHEDULE B: # 7307199090 OTHER (
4036	CA 18/10 HD	SURGE ARRESTER 18KV 10 KV..P/N: CA 18/10 HD..MFG: DTR ELECTRIC
4037	CA046301	NIPPLE W/FEMALE PIPE THREAD 1/4 IN, FITTING ..P/N: CA046301..MFG: CHICAGO PNEUMATIC..SCHEDULE B: #7307225000 OTHER NIPPL
4038	CA10A221-600-EF-V	DOUBLE THROW SWITCHES WITHOUT OFF 60 ..P/N: CA10A221-600-EF-V..MFG: KRAUS & NAIMER..SCHEDULE B:# 8543.90.9000 OTHER SV
4039	CA10A342-600-EF-V	ON/OFF SWITCH WITH 60 SWITCHING..P/N: CA10A342-600-EF-V..MFG: KRAUS & NAIMER
4040	CA10A370-600-EF-V	DOUBLE THROW SWITCHES WITHOUS OFF 60..P/N: CA10A370-600-EF-V..MFG: KRAUS & NAIMER

	Item	Description
4041	CA1517033	DUCTILE IRON, CLEVIS EYE, TYPE CA..P/N: CA1517033..MFG: ANDERSON HUBBELL POWER SYSTEMS..SCHEDULE B: #7326190000 - OTHE
4042	CA2DN22U6	RELAY CONTROL, V: 220V,..P/N: CA2DN22U6 (R/B: CAD32U7)..MFG: TELEMECANIQUE..SCHEDULE B: # 8536.49.0080 OTHER RELAYS
4043	CA4KN40BW3	RELAY (SPEC) CONTACTOR..P/N: CA4KN40BW3 TELEMECHANIQUE..MFG: CONTROL CHIEF..SCHEDULE B: # 8536410030 OTHER RELAY
4044	CA5-22M	AUXILIARY CONTACT BLOCK, .. 4-P 2NO/2NC TOP MOUNT..P/N: CA5-22M (CA5-22M-ABBG)..MFG: ABB..SCHEDULE B:#8538907080 OTHER (
4045	CABLE 4C/6AWG	CALBE MIN STRAND 133/ GAUGE No.30, 150 FT..P/N: CABLE 4C/ 6AWG..MFG: GLEASON REEL..SCHEDULE B: # 7413001000 STRANDED WI
4046	CAJ4461	COMPRESSOR 1/2HP, VAC: 110V, FREQ: 60, NO.PHASE 1, FOR R134A, ..P/NI CAJ4461 (R/B: AKA4460YXA)..MFG: TECUMSEH PRODUCTS C
4047	CALCERTA	OPTIONAL CALIBRATION..P/N: CALCERTA..MFG: CALEX
4048	CAM103	BURNER CAM103..P/N: CAM103..MFG: CAM SPRAY...SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR PRESSURE WASHER.
4049	CAP-CT-12	12" INDUSTRIAL GRADE (IR)WINDOW,TRANSPARENT POLYMER ,FULL COVER..P/N: CAP-CT-12..MFG: IRISS
4050	CAP-CT-24	24" INDUSTRIAL GRADE (IR) WINDOW;TRANSPARENT POLYMER;FULL COVER..P/N: CAP-CT-24..MFG: IRISS
4051	CAP-CT-6	6" INDUSTRIAL GRADE (IR) WINDOW;TRANSPARENT POLYMER, FULL COVER..P/N: CAP-CT-6..MFG:IRISS
4052	CARBON X M	CARBONX ULTIMATE BASELAYER AND FABRIC SIZE M...INCLUDES SHIRT CB2CX54M AND PANT CB2CX55M
4053	CARBON X L	CARBON X ULTIMATE BASELAYER AND FABRIC, SIZE L. INCLUDES: SHIRT CB2CX54L AND PANT CB2CX55L
4054	CART-300-S-FR	VESTIL PREMIUM SCISSOR CART, PLATFORM SIZE 17 3/4" W X 30" L. CAPACITY 300 LBS..P/N: CART-300-S-FR..MFG: VESTIL
4055	CAS-683-1	3 LL CASE ASBY; GAUGE LEVEL LIQUID MAGNETIC/CASE ASBY SEALED AGAINST DUST & MOISTURE, PAINTED WITH ASA #70-LT. GRAY.
4056	CAT WNO	CONTACT BLOCK NO ..WNO-SER B, W22 CONTACT BLOCK NORMALLY OPEN..CAT WNO..A600AC..Q600DC..IEC 60947-5..AC13 240V 3A..D
4057	CAT141	LOCK NUT CONDUIT..DIA: 1/2", MAT: STEEL..P/N: CAT141 (OR P/N: 141)..MFG: THOMAS & BETTS..SCHEDULE B: # 7318160000 NUTS OF ST
4058	CATALOGS	NILCOR CATALOGS..SCHEDULE B: #4911100050
4059	CB-55	CLEVIS BALL 70689..P/N: CB-55..MFG: HUBBELL....SCHEDULE B: #7326190000 - OTHER FORGED ARTICLES.....
4060	CB-AF-8-HVG9M	8 FT, CONNECTS, HVG-2020B-THCD-101-LOG..P/N: CB-AF-8-HVG9M..MFG: TELEDYNE
4061	CB00002-5040	CIRCUIT BOARD POWER..U/O VARIATOR 50 HP..P/N: CB00002-5040..MFG: CUTLER HAMMER..SCHEDULE B: # 8534000040 OTHER CIRCUIT
4062	CB00007-5040	CIRCUIT BOARD ADAPTER..U/O: VARIATOR 50 HP..P/N: CB00007-5040..MFG: CUTLER HAMMER
4063	CB00061-5040	CIRCUIT BOARD CONTROL..VARIATOR 50 HP..P/N: CB00061-5040..MFG: CUTLER HAMMER..SCHEDULE B: # 8534000040 OTHER CIRCUIT B
4064	CB2CX54L	SHIRT UNDERWARE KNIT MOCK TURTLENECK LARGE KNIT CARBON X BLACK..P/N: CB2CX54L..MFG: ULTIMATE BASELAYER..SCHEDULI
4065	CB2CX54M	SHIRT UNDERWARE KNIT MOCK TURTLENECK SIZE: MEDIUM CARBON-X ..P/N: CB2CX54M..MFG: ULTIMATE BASELAYER..SCHEDULE B:#
4066	CB2CX55L	PANTS UNDERWARE LARGE KNIT CARBON X-FIRE ..P/N: CB2CX55L..MFG: ULTIMATE BASELAYER..SCHEDULE B:# 6103.10.2500 OTHER SI
4067	CB2CX55M	PANTS MEDIUM CARBON X-FIRE ..P/N: CB2CX55M..MFG: ULTIMATE BASELAYER..SCHEDULE B:# 6103.10.2500 OTHER SUITS MADE OF SY
4068	CBK	ELECTRICAL DUCT HEATER, 175 KW, 460/3 VOLT/PHASE, 210.49 AMPS, 24 CTRL VOLT, 9 STEP, 60.00 DUCT WIDTH, 40 DUCT HEIGHT, 1 M
4069	CBL / TA-18 / S / 0 / 100	CABLE; SHIELDED CABLE 2X1 STANDARD..100 METERS..2 PIN, 80419-P..P/N: CBL / TA-18 / S / 0 / 100..MFG:CEMB..SCHEDULE B:# 8544.60.4
4070	CBR-4-3-A	CABLE BREAKOUT, D-B: USE RANGE 30-89MM, SPEC: LEGS USE RANGE 14-36MM..P/N: CBR-4-3-A ..MFG RAYCHEM..SCHEDULE B:# 8531.
4071	CBX4WH-A	MODULE BLANK, REF: SURFACE MOUNT BOX 4, ..P/N: CBX4WH-A..MFG: PANDUIT..SCHEDULE B: #8536.90.8085 OTHER CONNECTORS
4072	CBXJ2WH-A	MODULE BLANK, SURFACE MOUNT BOX 2 MODULE SPACE..P/N: CBXJ2WH-A..MFG: PANDUIT..SCHEDULE B: #8536.90.8085 OTHER CONNI
4073	CC-1120	COMPOUND POLYBUTADIENE RESIN..CAP: 3.5KG, UNFILLING COMPOUND FOR ELECTROMAGNET..P/N: CC-1120 JOHN C. DOLPH CO...S
4074	CC-IP0101	MODULE EXTENSION,..P/N: CC-IP0101..MFG: HONEYWELL..SCHEDULE B: #8471.80.9000 OTHER PARTS

	Item	Description
4075	CC-WSXGA-CD1	Scienscope CC-WSXGA-CD1 Widescreeen 2-Megapixel Color Camera with Remote and Image Capture on SD Card..p/n: CC-WSXGA-CD1..Mfg: Scien
4076	CC1538Q	STRAP WELD, LG:1.5", W: 0.8", 1-1/2 X 3/8 X .162", SPEC: STAPLE COPPER WELD CUT POINT..P/N: CC1538Q..MFG: REDMORE PRODUCTS.
4077	CC4N1.5-2C	MOTOR AC, THREE PHASE, INDUCTIONS, VAC: 230-460V, HP: 1.50, RPM: 1720, FRAME: W-DA145TC-K, I: 1.80A, FREQ: 60 HZ, SERV-F: 1.15.
4078	CCGT120408PM2WXN10	INSERT POSITIVE TURNING, CCGT R0.8MM..P/N: CCGT120408PM2WXN10..MFG: WALTER TOOLS..SCHEDULE B: # 8207705000 OTHER TO
4079	CCMR 60 AMP	FUSE 600 VAC, 60 AMP..P/N: CCMR 60 AMP..MFG: LITTELFUSE..SCHEDULE B: # 8536100040 OTHER FUSES
4080	CCMT120404PF4WPP20	INSERT, POSITIVE TURNING, CCMT R 0.4MM..P/N: CCMT120404PF4WPP20..MFG: WALTER AG..SCHEDULE B: # 8207.70.5000 OTHER TOOI
4081	CCMT120404PS5WAK20	INSTERT, POSITIVE TURNING, CCMT R 0.4MM..P/N: CCMT120404PS5WAK20..MFG: WALTER AG..SCHEDULE B: # 8207.70.5000 OTHER TOO
4082	CCMT120404PS5WAM20	INSERT, POSITIVE TURNING, CCMT R 0.4MM..P/N: CCMT120404PS5WAM20..MFG: WALTER AG..SCHEDULE B: # 8207.70.5000 OTHER TOO
4083	CD18-3815	VIBRATOR, 1.5 HP..P/N: CD18-3815..MFG: CARMAN INDUSTRIES..SCHEDULE B: #8428390000 OTHER VIBRATOR....Vibratory Motor: electric? V
4084	CD2410U2S-9-STDX-P3AF-BM2	JACK 10 TON CAPACITY* WORM GEAR MACHINE SCREW JACK, 24:1 RATIO GEARSET, UPRIGHT, TRANSLATING, T2 (LOAD PAD) END CO
4085	CDE-3121 PLP	GRIP GUY PREFORMED COPERWELD..P/N: CDE-3121 PLP..MFG: PREFORMED LINE PRODUCTS..SCHEDULE B: # 7419.99.5500 OTHER AR
4086	CDM	DIGITAL COMPARATOR CLOCK WITH SENSITIVITY 0.001MM / 0.00005IN..P/N: CDM..MFG: BAXLO
4087	CDO-TT 250W/828 E40 1SL	DISCHARGE LAMP HIGH INTENSITY TYPE MASTER CITY WHITE ..MODEL: CDO-TT 250W/828 E40 1SL..MFG: PHILIPS..SCHEDULE B: # 8539
4088	CDSA-45	SOLUTION, CONDUCTIVITY (REF)- CONDUCTIVITY STANDARD SOLUTION 45 MICROMHS, CDS#7010 SIZE 1 QUART BOTTLE. =/- 2% ACCU
4089	CDSA-450	SOLUTION, CONDUCTIVITY (REF)- CONDUCTIVITY STANDARD SOLUTION 450 MICROMHS, CDS#7010 SIZE 1 QUART BOTTLE. =/- 2% ACCI
4090	CE-7203	STRIPPER WIRE HAND..D-STR: 8-22 AWG..P/N: CE-7203..SCHEDULE B: # 8203205000 PLIERS.. BORG WARNER
4091	CE0209AV3-PRC-910	PIPE..DIMENSIONS: 2.7X4MM..COLOR: RED..MATERIAL: POLYAMIDE (PA)..PACKAGING: BY THE METER..FOR (EXAMPLE OF REFERENCINC
4092	CE0209AV3-PRC-912	1723212..PIPE DIMENSIONS: 2.7X4MM COLOR: BLACK MATERIAL: POLYAMIDE (PA)..PACKAGING: BY THE METER..FOR (EXAMPLE OF REFI
4093	CE0209AV3-PRC-913	1723213..PIPE DIMENSIONS: 2.7X4MM..COLOR: BLUE MATERIAL: POLYAMIDE (PA)..PACKAGING: BY THE METER..FOR (EXAMPLE OF REFE
4094	CE093-36X36SH	SHEET INSULATING..LG: 36", W: 36", THK: 3/32"..REF: MICARTA LINEN NATURAL..P/N: CE093-36X36SH (R/B: CE093-36-48SH)..MFG: INTERN
4095	CE250-36X36SH	SHEET INSULATING..LG: 36", W: 36", THK: 1/4", REF: MICARTA LINEN NATURAL..P/N: 51F033A (P/N: CE250-36X36SH)..MFG: INTERNATIONA
4096	CE250-36X48SH	SHEET INSULATING..LG: 36, W: 48" TH:1/4:..P/N:CE250-36X48SH..MFG:INTERNATIONAL PAPER..SCHEDULE B: SCHEDULE B: 4823.90.8850
4097	CE375-48X48SH	SHEET INSULATING..LG: 48", W; 48",THK: 3/8", SPEC: LINEN NATURAL, GRADE CE375..P/N: CE375-48X48SH .. MICARTA INDUSTRIAL LAMIN
4098	CE70KFN4R	FILTER PURIFIER GAS, NON REACTIVE SERIES, 70 KF, CE..P/N: CE70KFN4R..MFG: GATEKEEPER..SCHEDULE B: # 8421.39.8090 OTHER FI
4099	CEP95184B	COOPER FUSE 400 KVAR, 6640 VAR, 60 HZ, 95 KV..P/N: CEP95184B ..MFG: COOPER INDUSTRIES
4100	CEP95185B	COOPER FUSE 300 KVAR, 6640, 60 HZ, 95KV..P/N: CEP95185B..MFG: COOPER INDUSTRIES
4101	CEP95186B	COOPER FUSE 150 KVAR, 6640, 60 HZ, 95KV..P/N: CEP95186B..MFG: COOPER INDUSTRIES
4102	CEP95187B	COOPER FUSE 100 KVAR, 6640, 60 HZ, 95KV..P/N: CEP95187B..MFG: COOPER INDUSTRIES
4103	CF-537ALZYCM	PANASONIC TOUGHBOOK 53 CF-537ALZYCM 14" TOUCHSCREEN LED (CIRCULUMIN) NOTEBOOK - INTEL CORE I7 I7-3540M 3 GHZ - 4 GB
4104	CF-53JSLZY1M	"Win7, Intel Core i5-3320M 2.60GHz, vPro, 14.0"" HD Touch, 500GB(7200rpm), 4GB, Intel WiFi a/b/g/n, Bluetooth, Multi-drive, Toughbook Preferred" 4C
4105	CF-695-96	PULTRUDED FIBERGLASS ROD..P/N: CF-695-96..MFG: HUGHES..SCHEDULE B#: 3926909987 ..OTHER RODS
4106	CF-81	CENTER FEED, WITH SHRINK TUBE, 250 A..P/N: CF-81..MFG: UNIVERSAL..SCHEDULE B: # 8426190000 MOBILE LIFTING PARTS FOR BRID
4107	CF-82	CENTER FEED 520A/ SPLICE COVER..P/N: CF-82..MFG: UNIVERSAL..SCHEDULE B: # 8426190000 MOBILE LIFTING PARTS FOR BRIDE CRA
4108	CF-D2C-210	CONNECTOR CF SERIES;0.210"(5.3 MM)/ 121C;2 SOCKET MIL-CONNECTOR KIT COMPATIBLE WITH CABLE CB104..P/N: CF-D2C-210..MFG:(

	Item	Description
4109	CF-SX2JDAZ1M	PANASONIC TOUGHBOOK CF-SX2JDAZ1M 12.1" LED NOTEBOOK - INTEL CORE I5 I5-3320M 2.60 GHZ - 4 GB RAM - 320 GB HDD - DVD-WRI
4110	CF695-96	FIBERGLASS GUY STRAIN INSULATORS ..30,000 LBS CLEVIS/CLEVIS,NO ROLLER,L=96",CC=107-1/8"..P/N:CF695-96..MFG:HUGHES..SCHED
4111	CF992-78R2	GUY STRAIN INSULATOR..P/N: CR992-78R2..MFG: HUGHES BROTHERS, INC..SCHEDULE B: # 8546200090 OTHER INSULATOR
4112	CGB-195	CONNECTOR STRAIGHT BODY, MALE THREAD, DIA: 1/2", MAT: STEEL, SHAPE: B..P/N: CGB-195..MFG: CROUSE HINDS..SCHEDULE B: # 85
4113	CGB-292	CONNECTOR STRAIGHT BODY MALE THREAD, DIA: 3/4IN, MAT: ALLUMINUM..P/N: CBG-292..KALGLAS P/N: CHCGB292..MFG: CROUSE-HIN
4114	CGB-294	CONNECTOR STRAIGHT BODY MALE THREAD, DIA: 3/4", MAT: STEEL, SHP: 8..P/N: CGB-294..MFG: CROUSE HINDS..SCHEDULE B:# 8536.6
4115	CGB-296	CONNECTOR STRAIGHT BODY, MALE THREAD, DIA: 3/4", MAT: STEEL, SHP: C..P/N: CGB-296..MFG: CROUSE-HINDS..SCHEDULE B: # 8536
4116	CGB-397	CONNECTOR STRAIGHT BODY, MALE THREAD, DIA: 1", MAT: STEEL, SHP: C,..P/N: CGB-397..MFG: CROUSE HINDS..SCHEDULE B: # 853669
4117	CH00199	ALCOTEST TUBES, 0.08% BAC..P/N: CH00199 ..(Old P/N: CH237)..MFG: DRAEGER SAFETY..SCHEDULE B: #7017905000 OTHER TEST TUBE
4118	CH237	ALCOTEST TUBES, 0.08% BAC..P/N: CH00199 ..(Old P/N: CH237)
4119	CH255-3	HEATER..(V)-480V;(WATTS)-90Q;(SPEC)-CRCK..(U/O)-COMPRESSOR AA..(REF)-02533474480..P/N: CH255-3..MFG: TUTCO
4120	CHAINBAG01	#1 CHAIN HOIST BAG 8" X 8" X 12" WLL 500 LBS W/ SHACKLET & RFID..P/N: CHAINBAG01..MFG: BAIRSTOW..
4121	CHAINBAG03	#3 CHAIN HOIST BAG 10" X 10" X 13" WLL 500 LBS-W/ SHACKLE & RFID..P/N: CHAINBAG03..MFG: BAIRSTOW
4122	CHF	COVER HALF DAY..P/N: CHF..MFG: DAY-BRITE LIGHTING..SCHEDULE B: # 8536908030 JUCTION BOXES
4123	CHH-6165-17	Modelo :CHH-6165-17..Descripcion : REDUCTOR CYCLOIDAL HORIZONTAL..Lubricacion :POR ACEITE..Potencia del Motor Kw :5 HP..Velocidad de
4124	CHH-6185-13	Modelo :CHF-6185-13..Descripcion : REDUCTOR CYCLOIDAL HORIZONTAL..Lubricacion :POR ACEITE..Potencia del Motor Kw :22 KW...Velocidad
4125	CHHM-5-6205DA-B-377	Descripcion :MOTORREDUCTOR..Marca : SUMITOMO..Modelo :CHHM-5-6205DA-B-377..Lubricación : ACEITE..Potencia Mtor Kw : 5 HP..Velocidad
4126	CI-20	INDICATOR FILTER, RANGE: 0-60 PSI..P/N: CI-20..MFG: ZINGA..SCHEDULE B: # 9026900000 PARTS AND ACCESORIES
4127	CI-2130-A1/B	SWITCH SPEED, I-AC: 10A, VAC: 125-250V, I-DC: 1/2-1/4A, V-DC: 125-250V, TYP: SPDT..P/N: CI-2130-A1/B..MFG: CONTROL CONCEPTS..SCH
4128	CIMR-AU4A0031AAA	MULTI-PURPOSE INVERTER - YASKAWA (A1000) - RATED VOLTAGE INPUT / SUPPLY (3-PHASE INPUT) 380-480VAC - RATED OUTPUT CUF
4129	CIMR-VU4A0004BAA	V DRIVE, 480V 3-PH, 4.1/3.4A, OPEN..P/N: CIMR-VU4A0004BAA ..MFG: YASKAWA
4130	CIMR-VU4A0005BAA	V DRIVE, 480V 3-PH, 5.4/4.8A, OPEN..P/N: CIMR-VU4A0005BAA..MFG: YASKAWA
4131	CJ588KRD	UNIVERSAL KEYED,..REF: 8 POSITION, 8 WIRE KEYED T568B..P/N: CJ588KRD..MFG: PANDUIT..SCHEDULE B: # 8536695050 OTHER ELECTI
4132	CJ64WH	MODULAR JACK, NO. POSITIONS: 6, NO. WIRES: 4, RJ11..P/N: CJ64WH (R/B: CJ64WHY)..MFG: PANDUIT..SCHEDULE B: #8536908010 ELEC
4133	CJAL-0150-TAD-001	COPELAND™ C-LINE COPELAMETIC™ AIR-COOLED CONDENSING UNITS..MODEL CJAL-0152-TAD; BOM 001; ELECTRICAL COMPRESSOR
4134	CKB-38-77120	RELAY TIME DELAY, I-CMAX: 10A, V: 240 V, T: 1.2-120 S..P/N: CKB-38-77120..MFG: TYCO-POTTER & BRUMFIELD..SCHEDULE B: # 853649008
4135	CKK-00300-461	NCC, SOLID STATE TIMER, TIME RANGE 3 TO 300 SEC, 120 VAC..P/N: CKK-00300-461..MFG: NCC..SCHEDULE B: # 9107000000 TIME SWITC
4136	CKT4443M	BALL END HEXAGONAL KEY SET..P/N: CKT4443M..MFG: CK TOOLS..
4137	CL-100	CLAMP CONDUIT RIGID 1 HOLE 1 IN..P/N: CL-100..MFG: APPLETON..SCHEDULE B: # 7307.19.9090 OTHER CLAMPS
4138	CL25	11 TC, CALIBRATION THERMOMETER..P/N: CL25..MFG: OMEGA ENGINEERING
4139	CL27	11 TC, RTD CALIBRATION THERMOMETER..P/N: CL27..MFG: OMEGA ENGINEERING
4140	CL2T2	FAN FOR VENTILATING, VAC: 115 V, SPEC: AVC CABINET COOLING 50/60 HZ, 1.0/0.88A, THERMALLY PROTECTED, MODEL: CLE2T2..P/N: C
4141	CL3515R	CALIBRATION THERMOMETERE..P/N: CL3515R..MFG: OMEGA ENGINEERING
4142	CL64EELOCD-HTE15K-ERH30K	DISHWASHER, CONVEYOR TYPE..Hobart Model No. CL64E+BUILDUP..Conveyor Dishwasher, two tank, 342 racks/hour, insulated hinged..doors, .39

	Item	Description
4143	CL75	CLAMP CONUDIT ELECTROGALVANIZED..TYPE: RIGID, STEEL , DIA : 3/4..NO. HOLES: 1..P/N: CL75 APPLETON (OFFER P/N: 411)..MFG: CRC
4144	CLOTH MASK	CLOTH MASK WITH SET OF FILTERS..MFG: IMPORT BRAND
4145	CLRD-0001-A	STARLED 75W EQUIVALENT ROUND 4" DIMMABLE LED PANEL LIGHT 3000K WHITE..Warm - CLRD-0001-A..3000K WHITE..P/N: CLRD-0001-A
4146	CM-1-335	MODULE, CONDITIONING, TYPE: ANALOG CURRENT, INPUT: 4-20MA, OUTPUT VOLT: 1-5V, SPEC: ISOLATED ANALOG..P/N: CM-1-335..MFG
4147	CM. E18	2640315..115PC ELECTRICIAN'S METRIC TOOL SET..Manufacturer Part No : CM. E18..Manufacturer : FACOM INTERNATIONAL
4148	CM1864	LAMP MINIATURE, NO. LAMP TRADE: 1864, V: 28A, POW: 4.76W..P/N: CM1864
4149	CMA-308008-B	HYDROTOR B SERIES (CMA-308008-B)..P/N: B1-11C2183-3A200..MFG: KOCSIS
4150	CMA308002B	HYDRAULIC STARTER, 10 T..P/N: CMA308002B (R/B: B1-10D2125-1A200) ..MFG: KOCSIS
4151	CMM2321-AK-000T	IC AMPLIFIER RF PWR 2.4Ghz SMT..P/N: CMM2321-AK-000T (CMM2321-AK-000T/r 00d/c)..MFGF: CELERITEK..SCHEDULE B: # 8543.70.9655 O
4152	CMP68	METER INDICATOR, 4 DIGITS + 2 DECIMALS. REVOLUTION INDICATOR: 5 DIGITS. ZERO -SETTING PUSH BUTTON...DIGIT'S HEIGHT: 8MM-
4153	CMS-1GE	SWITCH; COMPACT ROTARY MOTION SENSING CONTROL WITH EPOXY COATED ALUMINUM HOUSING;ADJUSTABLE SIGNAL SPEED RA
4154	CN15DN3	CONTACTOR; 3-PHASE 115-600V; 10HP; 3-POLE NON REVERSING NEMA SIZE 1; 27 A..P/N: CN15DN3..MFG:EATON / CUTLER HAMMER..SC
4155	CN77544	CONTROLLER TEMPERATURE..ACC: +-0.5/-0.5, V-R: 90-250 VDC/VAC..I-OUT: 0.20MA..P/N: CN77544..MFG: OMEGA ENGINEERING..SCHEDU
4156	CNF-6438D9-1X36	TAPE COTTON, CLR: WHITE, PKG: 33M (36 YD), W: 1", THK: 0.007"..P/N: CNF-6438D9-1X36..MFG: CAROLINA NARROW FABRIC..SCHEDULE
4157	CNMG120404NF3WPP20	INSERT, SPEC: NEGATIVE TURNING, CNMG R0.4 MM..P/N: CNMG120404NF3WPP20..MFG: WALTERAG..SCHEDULE B: # 8207705000 OTHE
4158	CNMG120404NF4WAM20	INSERT (SPEC)-NEGATIVE TURNING,CNMG R0.4MM ..P/N: CNMG120404NF4WAM20..MFG: WALTER AG..SCHEDULE B: # 8207705000 OTHE
4159	CNMG120408NM4WAM20	INSERT, SPEC: NEGATIVE TURNING, CNMG R0.8 MM..P/N: CNMG120408NM4WAM20..SCHEDULE B: # 8207705000 OTHER TOOLS FOR MIL
4160	CNMG120408NM4WPP20	INSERT, NEGATIVE TURNING, CNMG, R0.8 MM..P/N: CNMG120408NM4WPP20..MFG: WALTER TOOLS..SCHEDULE B: # 8207705000 OTHER
4161	CNMG120412NM9WPP20	INSERT NEGATIVE TURNING CNMG, R1.2MM..P/N; CNMG120412NM9WPP20..MFG: WALTER TOOLS..SCHEDULE B: # 8207705000 OTHER T
4162	COMMX210	ABRASIVE, COMMUTATOR CLEANER..THL: 2", W: 3", LG: 4"..TYP: REFURFACER TOOL TYPE,..THE GRADE IS BELOW:..EP(EXTRA POLISH :
4163	CON-100016-00	CONTACTOR, VACUUM..(VMAX) - 5KV; (I)-400A ..(SPEC) -120 VAC COIL..P/N: CON-100016-00..MFG: BENSHAW
4164	CON/FO/FO-4/HS	MULTIPLEXOR 18-72 VDC FIBER OPTIC DIPLEXER..FO IN 01 ; FO OUT 04..CON/FO/FO/10M..MODEL CON/FO/FO-4/HS- FIBER OPTIC CONVE
4165	COND 11/2-G	CONDUIT RIGID PVC..LG: 10 FT, DIA: 1-1/2"..P/N P0015 1-1/2 X 10 (OFFER COND 11/2-G) ..MFG: THOMAS & BETTS..SCHEDULE B: #85479000
4166	COND 3/4-G	CONDUIT RIGID PVC, 10 FT..LG: 10FT, DIA: 3/4G,..SUPREME COATED..P/N: COND 3/4 - G (WITH COUPLING CPL-3/4G)..SCHEDULE B #85
4167	COND1-G	CONDUIT, RIGID, PVC..LG - 10 FT; DIA - 1"..MAT: STEEL, PVC, SUPREME, COATED..P/N: COND1-G (WITH COUPLING CPL1-G)..MFG: THOM
4168	COND2-G	CONDUIT RIGID PVC..LG: 10 FT, DIA: 2"..P/N P0020 2 X 10 (OFFER COND2-G, WITH CPL2-G 2" COUPLINGS) ..MFG: THOMAS & BETTS..SCHE
4169	COND3/4-G	CONDUIT RIGID PVC..LG: 10FT, DIA: 3/4"..MAT: SUPREME, COATED..P/N: P0007 3/4" X 10FT (COND-3/4G..WITH COUPLINGS CPL3/4-G)..MFG
4170	CONDUIT 1-1/2" X 10 FT	CONDUIT RSC..LG: 10 FT, DIA: 1-1/2", TYPE: RIGID STEEL CONDUIT, REF: HOT DIPPED GALVANIZED, SPEC: BOTH ENDS THREATED, INCL
4171	CONDUIT 1" X 10 FT.	CONDUIT RIGID GALV. STEEL 1" X 10 FT...LG: 10 FT, DIA: 1", TYP: RIGID STEEL CONDUIT, SPEC: BOTH ENDS THREATED, INCLUDES A GA
4172	CONDUIT 3/4" x 10 FT	CONDUIT RIGID GALV. STEEL 3/4" X 10 FT...P/N: CONDUIT 3/4 X 10..MFG: ALLIED TUBE..SCHEDULE B# 8547.90.0040- OTHER CONDUIT...
4173	CONDUIT RIGID 10" X 10 FT	CONDUIT RIGID GALVANIZED STEEL..DIA:..MFG: THOMAS & BETTS..SCHEDULE B: # 7306302000 - OTHER STEEL GALVANIZED PIPE
4174	CONDUIT RIGID 2"	CONDUIT RSC..LG: 10 FT, DIA: 2", NOR: NMX-B-208, TYPE: RIGID STEEL CONDUIT, REF: HOT DIPPED GALVANIZED,INCLUDES A GALV CO
4175	CONDUIT RIGID 4"	CONDUIT RIGID GALVANIZED STEEL..P/N: CONDUIT RIGID 4"..MFG: WEATHLAND
4176	COR-C-4	PRE WIRED CURRENT TEST PLUG..1SNA167932R1500..P/N:COR-C-4..MFG: ESSAILEC..SCHEDULE B:# 8536.50.9045 OTHER ELECTRICAL

	Item	Description
4177	COR-T-5	PREWIRED VOLTAGE TEST PLUG..1SNA 167 933 R1600..P/N: COR-T-5..MFG:ESSAILEC..SCHEDULE B:# 8536.50.9045 OTHER ELECTRICAL A
4178	CP-00946-08	STAINLESS STEEL CART 19X31X34 ..P/N: CP-00946-08..MFG: COLE PARMER..SCHEDULE B:#8716.80.5010 INDUSTRIAL HAND TRUCKS AND
4179	CP-06427-16	TUBING MASTERFLEX C-FLEX SPOOLED, L/S16, 400 FT...CP-06427-16..MFG:MASTERFLEX..SCHEDULE B:# 3917.32.0000 OTHER TUBES PI
4180	CP-06427-24	TUBING MASTERFLEX C-FLEX SPOOLED, L/S 24, 400 FT...P/N:CP-06427-24..MFG:MASTERFLEX..SCHEDULE B:# 3917.32.0000 OTHER TUBES
4181	CP-06440-16	TBNG MFLEX TYGON ELFL #16 25'..P/N: CP-06440-16..MFG:COLE PARMER..SCHEDULE B:# 3917.32.0000OTHER TUBES PIPES AND HOSES
4182	CP-07528-10	PUMP DRIVE; MASTERFLEX L/S VARIABLE-SPEED DRIVE W/ REMOTE I/O; 600 RPM FLOW RATE 0.06 TO 3400 ML/MIN (DEPENDS ON DRIV
4183	CP-08895-03	2L ULTRASONIC CLEANER 230V WITH DIGITAL TIMER AND HEAT..P/N: CP-08895-03..MFG: COLE PARMER
4184	CP-41807-46	LED ILLUMINATED MAGNIFIER, SILVER, 7.5" CIRCULAR LENS, ..100-240 VAC, BRAND OC WHITE CODE 62400-4..P/N: CP-41807-46..MFG: CC
4185	CP-77200-04	MOUNTING HARDWARE F/4-HEADSSS..P/N: CP-77200-04..MFG:COLE PARMER..SCHEDULE B:# 8413.91.9520 OTHER PARTS FOR PUMPS
4186	CP-95501-00	TUBING HDPE 1/8"X1/4" 100';456 PSI;TEMP 70 F; 100FT /PACK..P/N:CP-95501-00..MFG:COLE PARMER..SCHEDULE B:# 3917.32.0000 OTHER T
4187	CP01086	TERMINAL BLOCK..SPEC: 5/500V/AI-CU..U/O: VARIATOR SV900, 50 HP..P/N: CP01086..MFG: CUTLER HAMMER
4188	CP01180	COOLING FAN; 9000X SERIES COOLING FAN 380-500V..P/N:CP01180..MFG:EATON..
4189	CP01268	DIODE THYRISTOR MODULES; 9000X SERIES DIODE/THYRISTER MODULE .. FR8 380-500V..P/N:CP01268..MFG:EATON..
4190	CP0611	#5 SPLINE IMPACT WRENCH CP0611 PASEL..P/N: CP0611..MFG: CHICAGO PNEUMATIC
4191	CP220-1-4B-V-0-E-A-300	VALVE RELIEF..P/N: CP220-1-4B-V-0-E-A-300 ..MFG: COMATROL..SCHEDULE B: #8481.40.0000 RELIEF VALVES
4192	CP2828	CLAMP, PARALLEL, (REF)-4/0 TO 4/0 COPPER..P/N: CP2828..MFG: BURNDY..SCHEDULE B: # 7307199090 OTHER CLAMPS
4193	CP58	GROUND CLAMP ROD DIAM 5/8"..P/N: CP58..MFG:NVENT ERICO..SCHEDULE B: # 8205.70.0090 OTHER CLAMPS..ORIGIN:USA
4194	CPA16001S	WEIGHING MACHINE, 16000 GRX 0.1G..P/N: CPA16001S..MFG: SARTORIUS..SCHEDULE: # 8423900040 DIGITAL WEIGHT INDICATORS
4195	CPF81D-7LH21	PH SENSOR, DIGITAL, ORBIPAC, CPF81D, MEMOSENS, COMPACT ELECTRODE, PPS, HOUSING, 3/4INCH NPT PROCESS CONNECTION FC
4196	CPH1105	FIBERGLASS INSULATOR, CPH75M12 75H, M12, 23 F, 52D..P/N: CPH1105..MFG: COMPRHEX..SCHEDULE B: #8546.90.0000 OTHER ELECTRI
4197	CPM253-MR0005	LIQUISYS M CPM253 MODEL NO: CPM253-MR0005 (CPM253-MR0005) TRANSMITTER, PH/ORP. FIELD MOUNTING: 247X170X115MM, IP65. A
4198	CPPKL2850690	PACKING LENGHT DURAMID SQUARE..SECTION SS 38MM LG 12 M..P/N: CPPKL2850690..MFG: JAMES WALKER
4199	CPPKL2850704	PACKING LENGHT DURAMID SQUARE..SECTION SS 25MM LG 32M..P/N: CPPKL2850704..MFG: JAMES WALKER
4200	CPS11-2BA2ESA	SENSOR OF PH..P/N: CPS11-2BA2ESA..MFG: ENDRESS + HAUSER..SCHEDULE B: # 9026800000 OTHER INSTRUMENTS AND APPARATUS
4201	CPS11D-7BA21	ORBISINT CPS11D MEMOSENS MODEL NO: CPS11D-7BA21 (CPS11D-7BA21) PH COMB. ELECTRODE MEMOSENS FUNCTIONALITY DIAPH
4202	CPT-100014-00	FUSE..CPT, 4160-120VAC, 2KVA..P/N: CPT-100014-00..MFG: BENSHAW
4203	CR 123C303B	HEATER OVERLOAD..P/N: CR 123C303B..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516800000 - ELECTRIC HEATING RESISTOR
4204	CR 123H 4.86A	HEATER OVERLOAD..P/N: CR123H 4.86A..SCHEDULE B: 8516800000 - ELECTRIC HEATING RESISTOR..MFG: GENERAL ELECTRIC
4205	CR 306D002	STARTER MOTOR..P/N: CR306D002..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536504000 - MOTOR STARTERS
4206	CR 309C004	STARTER, MAGNETIC..P/N: CR 309C004MFG: GENERAL ELECTRIC..SCHEDULE B: 8536504000 MOTOR STARTER..SCHEDULE B: #8536504
4207	CR 309D104	STARTER REVERSING MAGNETIC..3 POLE, SIZE 2,..P/N: CR 309D104..MFG: GENERAL ELECTRIC....SCHEDULE B: #8536504000 - MOTOR S
4208	CR 324C310F	RELAY OVER LOAD SIZE 1..P/N: CR 324C310F..MFG: GENERAL ELECTRIC..
4209	CR101H1	STARTER DRIVE..(REF) - MANUAL, 2 POLE, 1 HP, ..115/230 V..P/N: CR101H1..SCHEDULE B: # 8511400000 STARTER MOTOR
4210	CR101Y	GE SWITCH MOTOR T STARTING W/O BOX..P/N: CR101Y..MFG: GENERAL ELECTRIC

	Item	Description
4211	CR104P-BT11R1S2	PUSH BUTTON, SWITCH LIGHTED, VAC: 240V, VDC: 6V, POW: 3W MAX, NO. CONTACT NORMALLY OPEN:1, NO. CONTACT NORMALLY CL
4212	CR104P-XC01	CONTACT BLOCK ..P/N: CR104P-XC01..MFG: GENERAL ELECTRIC..SCHEDULE B:#8538907080 OTHER CONTACTOR
4213	CR104PBG91B1	SWITCH SELECTOR..V: 600V, #POS: 2, #NC: 1, #NO: 1, REF: BLACK..P/N: CR104PBG91B1..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536
4214	CR104PBG91R1	NON-ILLUMINATED PUSHBUTTONS, CR104P SERIES..NON-ILLUMINATED PUSHBUTTONS, CR104P SERIES..PUSHBUTTON, MOM, RED, FL
4215	CR104PEG12G	PUSHBUTTON STATION..WATERTIGHT/OILTIGHT PUSHBOTTON STATION, PILOT AND SIGNALING DEVICES..22MM MOUNTING SIZE, HEA
4216	CR104PLG22G	LIGHT INDICATOR (CLR) GREEN (V-AC) 120V..P/N: CR104PLG22G..MFG: GENERAL ELECTRIC..SCHEDULE B: #8539228050 - OTHER LAMPS
4217	CR104PLG32G	LAMP INDICATING GREEN..P/N: CR104PLG32G..MFG: GENERAL ELECTRIC..SCHEDULE B: #8539228050 - OTHER LAMPS
4218	CR104PLG32M	LAMP INDICATING AMBER..P/N: CR104PLG32M..MFG: GENERAL ELECTRIC..SCHEDULE B: #8539228050 - OTHER LAMPS..
4219	CR104PLG32R	LAMP INDICATING RED..P/N: CR104PLG32R..MFG: GENERAL ELECTRIC..SCHEDULE B: #8539228050 - OTHER LAMPS
4220	CR104PXA19	LAMP INDICATING..VAC: 120V, TY: MIN BAYONET..BASE: NEON..SPEC: NE51H-R..P/N: CR104PXA19..MFG: GENERAL ELECTRIC..SCHED
4221	CR1062R1B	SWITCH, TOGGLE, VAC: 600V, HP: 2, ..P/N: CR1062R1B (R/B: CR1062R3AAT2000)..MFG: GENERAL ELECTRIC CO...SCHEDULE B: # 8536509
4222	CR1062S1B	SWITCH TOGGLE, VAC: 600V, POL: 3,..HP: 7.5..P/N: CR1062S1B (CR1062S3AAT2000)..MFG: GENERAL ELECTRIC..SCHEDULE B: #85365090
4223	CR115E121101	CR115E, GE, GEARED ROTARY LIMIT SWITCH, SNAP-ACTING, NEMA TYPE 1..P/N: CR115E121101 (79Z976D1 P & H)..MFG: GE..
4224	CR115E441101	GEARD ROTARY LIMIT SWITCH..P/N: CR115E441101..MFG: GENERAL ELECTRIC
4225	CR115E442101	GEAR ROTARY LIMIT SWITCH..P/N: CR115E442101..MFG: GENERAL ELECTRIC
4226	CR120A04202AA	RELAY CONTROL..V: 115 VDC, I: 10A, TYPE: CR 120A..FREQ: 60HZ, #NO: 4, #NC2..P/N: CR120A04202AA..MFG: GENERAL ELECTRIC..SCH
4227	CR123C071A	HEATER OVERLOAD, IMAX: 0.67A..P/N: CR123C071A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516.80.0000 - ELECTRIC HEATING RESIS
4228	CR123C097A	HEATER OVERLOAD, IMAX: 094A..MFG:CR123C097A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516.80.0000 - ELECTRIC HEATING RESIS
4229	CR123C10.40B	HEATER OVERLOAD..P/N: CR123C10.40B (OFFER P/N: CR123C104B)..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516800000 - ELECTRIC H
4230	CR123C113B	HEATHER OVERLOAD..P/N: CR123C113B..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516800000 - ELECTRIC HEATING RESISTOR
4231	CR123C118A	HEARTER OVERLOAD..P/N:CR123C118A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516.80.0000 - ELECTRIC HEATING RESISTORS
4232	CR123C125B	HEATER OVERLOAD..P/N: CR123C125B..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516800000 - ELECTRIC HEATING RESISTOR
4233	CR123C131A	HEATER OVERLOAD, IMAX: 1.30A..P/N: CR123C131A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516.80.0000 - ELECTRIC HEATING RESIS
4234	CR123C137B	HEATER OVERLOAD..P/N: CR123C137B..MFG: GE CO...SCHEDULE B: 8516800000 - ELECTRIC HEATING RESISTOR
4235	CR123C15.10B	HEATER OVERLOAD ..P/N: CR123C15.10B (R/B: CR123C151B)..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516800000 - ELECTRIC HEATING
4236	CR123C163A	HEATER OVERLOAD..I-MAX: 1.61A..P/N: CR123C163A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516800000 - ELECTRIC HEATING RESIST
4237	CR123C163B	HEATER THERMAL OVERLOAD ; CR123C SERIES TYPE CR15.1 A..P/N: CR123C163B..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516.80.00
4238	CR123C180B	HEATER OVERLOAD..P/N: CR123C180B..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516.80.0000 - ELECTRIC HEATING RESISTORS
4239	CR123C184A	HEATER OVERLOAD,..P/N: CR123C184A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516.80.0000 - ELECTRIC HEATING RESISTORS
4240	CR123C2.39A	HEATER OVERLOAD..P/N: CR123C2.39A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516800000 - ELECTRIC HEATING RESISTOR
4241	CR123C268A	HEATHER OVERLOAD, I-MAX: 2.68A, ..P/N: CR123C268A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516800000 - ELECTRIC HEATING RES
4242	CR123C273B	HEATER OVERLOAD IMAX: 27A, PKG: 3 EA..P/N: CR123C273B..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516.80.0000 - ELECTRIC HEATIN
4243	CR123C3030.B	HEATER OVERLOAD..P/N: CR123C3030.B..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516800000 - ELECTRIC HEATING RESISTOR
4244	CR123C303B	HEATER OVERLOAD..P/N: CR123C303B..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516800000 - ELECTRIC HEATING RESISTOR

	Item	Description
4245	CR123C326A	HEATER OVERLOAD..P/N: CR123C326A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516800000 - ELECTRIC HEATING RESISTOR
4246	CR123C379A	HEATER OVERLOAD, 3 PKG..P/N: CR123C379A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516.80.0000 - ELECTRIC HEATING RESISTORS
4247	CR123C4.66A	HEATER OVERLOAD CR 123C4.66A..P/N: CR123C4.66A..MFG: GENERAL ELECTRIC
4248	CR123C419A	HEATER OVERLOAD, IMAX: 4.08A,..P/N: CR123C419A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516.80.0000 - ELECTRIC HEATING RESIS
4249	CR123C526A	HEATER OVERLOAD..P/N: CR123C526A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516.80.0000 - ELECTRIC HEATING RESISTORS
4250	CR123C592A	HEATER OVERLOAD, ..P/N: CR123C592A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516.80.0000 - ELECTRIC HEATING RESISTORS
4251	CR123C695A	HEATER OVERLOAD, IMAX: 6.83A..P/N : CR123C695A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516.80.0000 - ELECTRIC HEATING RESIS
4252	CR123C7.78A	HEATER OVERLOAD..P/N: CR123C7.78A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516800000 - ELECTRIC HEATING RESISTOR
4253	CR123C778A	HEATER OVERLOAD..P/N: CR123C778A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516800000 - ELECTRIC HEATING RESISTOR
4254	CR123C867A	HEATER OVERLOAD..P/N: CR123C867A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516.80.0000 - ELECTRIC HEATING RESISTORS
4255	CR123C955A	HEATER OVERLOAD..P/N: CR123C955A..MFG: GE..SCHEDULE B: 8516800000 - ELECTRIC HEATING RESISTOR
4256	CR123H377A	HEATER OVERLOAD..P/N: CR123H377A..MFG: GENERAL ELECTRIC..SCHEDULE B: 8516800000 - ELECTRIC HEATING RESISTOR
4257	CR123H950A	HEATER OVERLOAD..P/N; CR123H950A..MFG: GENERAL ELECTRIC
4258	CR20-I	RECEPTACLE DUPLEX..V: 125 VAC, I: 20A, # WIRES: 3, # POLES: 2, CLR: IVORY, SPEC: SELF GROUNDING, AWG: 14-10, MAT BODY: NYLOI
4259	CR224E310F	BLOCK PANEL MOUNTED OVERLOAD HEATER, SIZE:3, VAC: 600 V,..P/N: CR224E310F..MFG: GENERAL ELECTRIC
4260	CR2810-A14-AC	RELAY WITH COIL..P/N: CR2810-A14-AC..WITH COIL 220135G3..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536.49.0080 OTHER RELAYS
4261	CR29-0426-G058	AIR CONDITIONER V: 460V/220V, FREQ:50/60HZ, #P: 1, BTU: 3500/4000, TEMP MAX: 55C, SPEC: TYPE 4X STAINLESS STEEL..P/N: CR29-042(
4262	CR290416-G068	COOLING, POW: 1028/1172W, V: 115VAC, FREQ: 60HZ, PRE-HIGHT: 350 PSI, PRE-LOW: 150 PSI, BTU: 3500/4000 BTU, ..P/N: CR29-0416-G06(
4263	CR2940AJ202A	PUSH BOTTON HEAVY DUTY OILTIGHT..NO: 1, NC: 1, SPEC: 600 VAC..P/N: CR2940AJ202A..MFG: GENERAL ELECTRIC....PUSH BUTTON.
4264	CR2940NJ202A	PUSH BUTTON..P/N: CR2940NJ202A (R/B: CR104PEG12G)..MFG: GENERAL ELECTRIC..SCHEDULE B: #8536.50.9065 OTHER PUSH BUTTON
4265	CR2940U200M	CAP FOR LAMP CLR: WHITE..P/N: CR2940U200M..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8531900002 PARTS
4266	CR2940U200P	CAP LIGHT BLACK..SPFE: F/TYPE UA OPERATOR..P/N: CR2940U200P..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8531900002 PARTS
4267	CR2940U200R	CAP LIGHT RED..SPFE: F/TYPE UA OPERATOR..P/N: CR2940U200R..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8531900002 PARTS.....
4268	CR2940U202	CONTACTOR BLOCK..V: 600V, NC: 1, NO: 1..P/N: CR2940U202..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8538907080 OTHER CONTACTO
4269	CR2940U203	CONTACT BLOCK F/PANEL MOUNTING..2NO-2NC..P/N:CR2940U203..MFG:GENERAL ELECTRIC..SCHEDULE B:#8538907080 OTHER CONTA
4270	CR2940U310	SWITCH HEAVY DUTY NO. CONTACT 600V,..P/N: CR2940U310..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536.50.9065 OTHER SWITCHE
4271	CR2940UA202B	BUTTON PUSH GEX - 10990..P/N: CR2940UA202B..MFG: GENERAL ELECTRIC
4272	CR2940UB200A	SELECTOR OPERATOR 2 POSITION BLACK..P/N:CR2940UB200A..MFG:GENERAL ELECTRIC..SCHEDULE B: # 8536509065 OTHER ELECTRC
4273	CR2940UB200B	SELECTOR OPERATOR 3 POSITION BLACK..P/N:CR2940UB200B..MFG:GENERAL ELECTRIC..SCHEDULE B: # 8536509065 OTHER ELECTRC
4274	CR2940WA202B	PUSH BUTTON PANEL BLACK 1NO-1NC..P/N: CR2940WA202B..MFG: GENERAL ELECTRIC..SCHEDULE B: #7014002000 - OTHER GLASS SIC
4275	CR2940WA202C	PUSH BUTTON PANEL RED 1NO-1NC..P/N: CR2940WA202C..MFG: GENERAL ELECTRIC..SCHEDULE B: #7014002000 - OTHER GLASS SIGN
4276	CR2943NJ202A	BUTTON PUSH START STOP..P/N: CR2943NJ202A (R/B: CR104PES12G + CR104PXG13)..MFG: GENERAL ELECTRIC..SCHEDULE B: #70140(
4277	CR305B004	CONTACTOR MAGNETIC, V: 460-480/440V, NO.POLES: 3, I-CUR1: 20A, U-CUR3: 20A, HP: 3-6, V-CONT: 600, SIZE: 0..P/N: CR305B004..MFG: G
4278	CR305C002	CONTACTOR MAGNETIC..V: 120V, NO.POLES: 3, ICUR1: 30A, ICUR3: 30 A, HP: 1, V-CONT: 600, SIZE: 1,..P/N: CR305C002..MFG: GENERAL EL

	Item	Description
4279	CR305E002	CONTACTOR MAGNETIC, SIZE: 3, I: 90A..P/N: CR305E002..MFG: GENERAL ELECTRIC..SCHEDULE B: 8708.30.0050 OTHER BREAKERS
4280	CR305X100E	CONTACT AUXILIAR, TYPE ADDER BLOCK SIZE 0-9, VAC: 600V, VDC: 250V, NO. CONTACT NORMAL OPEN: 1, NO. CONTACT NORMAL CLO
4281	CR305X200C	CONTACT AUXILIARY BLOCK SIZE 2,..P/N: CR305X200C..MFG: GENERAL ELEVCTRIC..SCHEDULE B:# 8537106000 MOTOR CONTROL CENT
4282	CR306002	STARTER MOTOR..VAC: 2000-575V, I: 27A, HP: 7.5-10, V: 120 VAC, FREQ: 60 HZ, SIZE: 1..P/N: CR306C002..MFG: GENERAL ELECTRIC
4283	CR306C002	STARTER MOTOR..VAC: 2000-575V, I: 27A, HP: 7.5-10,..V: 120VAC, FREQ: 60HZ, SIZE: 1..P/N: CR306C002..MFG: GENERAL ELECTRIC..SCHEI
4284	CR306C002AAA	STARTER MAGNETIC 3 POLE SIZE..P/N: CR306C002AAA..MFG: GENERAL ELECTRIC..SCHEDULE B: #8536504000 - MOTOR STARTERS
4285	CR306C002ACDT	STARTER, MAGNETIC, NEMA SIZE 1, 3PH, 120VAC COIL, 600VAC, 27A, OPEN..P/N: CR306C002ACDT..MFG: GENERAL ELECTRIC..SCHEDUL
4286	CR306C102	STARTER MAGENETIC..NO. POLES: 3, SIZE: 127, V: 120V,..P/N: CR306C102..MFG: GENERAL ELECTRIC
4287	CR306D002	STARTER MOTOR..I: 45A, V: 110-120VAC, FREQ: 50/60..P/N: CR3006D002..MFG: GENERAL ELECTRIC..SCHEDULE B: 8536504000 MOTOR ST
4288	CR306D004	STARTER, MAGNETIC..(TYP) - NON-REVERSING CONTROLLERS..(SPEC) - CR306, SZ 2, RATING 45A, 460/480V 25HP D004, 60HZ, OPEN TYI
4289	CR306E022	STARTER MAGNETIC 3 POLE SIZE 3..P/N:CR306E022..MFG:GENERAL ELECTRIC..SCHEDULE B: 8536504000 MOTOR STARTER
4290	CR309C002AKA	STARTER 60 HZ 120 V..P/N: CR309C002AKA..MFG: GENERAL ELECTRIC
4291	CR309C004	STARTER MAGNETIC..TYPE: REVERSING CONTROLLERS..SPEC: CR309, SZ: 1, RATING 27A, 460/480V, 10 HP, W/MECHANICAL INSTALLAT
4292	CR309C004AAA	STARTER MAGNETIC, TYPE RESERVING CONTROLLERS, SPEC: 3 POLE, SIZE 1, 440 V..P/N: CR309C004AAA..MFG: GENERAL ELECTRIC
4293	CR309D104	STARTER MAGNETIC..TYPE: REVERSING..REF: 3 POLE, SIZE 2, 460V, COIL..120VAC, NEMA 1..P/N: CR 309D104..MFG: GENERAL ELECTR
4294	CR324C310F	RELAY OVERLOAD SIZE 1..P/N: CR324C310F..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536410030 OTHER RELAYS
4295	CR324CXES	RELAY, SOLID STATE (V-AC)-600; (I-OP)-1.6-3.4A;(I-MAX)-15A (SIZE)-1..P/N: CR324CXES..MFG: GE CO...SCHEDULE B: # 8536410030 OTHER
4296	CR324CXFP	RELAY, SOLID STATE (V-AC)-600; (I-OP)-3.2-6.8A;(I-MAX)-25A (SIZE)-1..P/N: CR324CXFP..MFG: GE CO...SCHEDULE B: # 8536410030 OTHER
4297	CR324CXFS	RELAY, SOLID STATE (V-AC)-600; (I-OP)-3.2-6.8A;(I-MAX)-50A (SIZE)-1..P/N: CR324CXFS..MFG: GE CO...SCHEDULE B: # 8536410030 OTHER
4298	CR324CXGS	RELAY SOLID STATE, VAC: 600V, IOP: 6.2-13.5, I-MAX: 50A, SIZE: 1..P/N: CR324CXGS..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536.41.0
4299	CR324CXHS	RELAY, SOLID STATE (V-AC)-600; (I-OP)-13-27A;(I-MAX)-100A (SIZE)-1..P/N: CR324CXHS..MFG: GE CO...SCHEDULE B: # 8536410030 OTHER
4300	CR324DXHS	RELAY SOLID STATE..VAC: 600V, I-OP:13-27A, I-MX: 100A, SIZE: 1..P/N: CR324DXHS..MFG: GENERAL ELECTRIC..SCHEDULE B: # 853641003
4301	CR324DXJS	RELAY SOLID STATE..VAC: 600V, I-OP: 25-50A, I-MX: 200A, SIZE: 2..P/N: CR324DXJS..MFG: GENERAL ELECTRIC..SCHEDULE B: # 853641003
4302	CR324E210F	RELAY OVER LOAD SIZE 3..P/N: CR324E210F..MFG: G.E.
4303	CR324E660A	RELAY OVERLOAD, VAC: 600 VAC, I-OP: 90A, SIZE: NEMA 3, NO. CONTACT-NORMAL-OPEN: 1, NO. CONTACT-NORMAL-CLOSE: 1..P/N: CR3
4304	CR324FXLS	RELAY SOLID STATE..VAC: 600V, I-OP: 35-70A, I-MX: 250A, SIZE: 3-4..P/N: CR324FXLS..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536410(
4305	CR324FXMS	RELAY SOLID STATE..VAC: 600V, I-OP: 65-135A, I-MX: 400A, SIZE: 3-4..P/N: CR324FXMS (R/B: 324FXMS)..MFG: GENERAL ELECTRIC..SCHED
4306	CR353AC3BH1BD	CONTACTOR COMPRESSOR, 3 P, 600 V, 30 A, WITH SPDT AUX, RATED 10A @ 250VAC..P/N: CR353AC3BH1BD GE (OFFER: 072500908)..MF
4307	CR35K6E-TFD-970	COMPRESSOR COPELAND,..36000 BTU, VOLTAGE: 460, 3 PH, 60 HZ,OLD MODEL CR35K6-TFD-970..R/B: CR35K6E-TFD-970(CR35K6E-TFD-8
4308	CR35KG-TFD-970	COMPRESSOR COPELAND,..36000 BTU, VOLTAGE: 460, 3 PH, 60 HZ,OLD MODEL CR35KG-TFD-220..R/B: CR35KG-TFD-970..R/B: CR35K6E-T
4309	CR43-0826-047	AIR CONDITIONER V: 460/220V, FREQ: 50/60HZ, #P: 1, BTU: 7500/8000, TEMP-MAX: 55C, SPEC: TYPE 4X STAINLESS STEEL..P/N: CR43-0826
4310	CR4420S-30	TRANSDUCER 4-20mAMP, CR 4-20 m AMP..ANALOG 4-20 M AMP OUTPUT; 0-30 AAC..P/N: CR4420S-30..MFG: CR MAGNETICS..SCHEDULE B
4311	CR4420S-75	TRANSDUCER ; 4-20 m AMP,CR;MAX 75 AMP; ANALOG 4-20 MA OUTPUT;24 VDC..P/N: CR4420S-75..MFG: CR MAGNETICS..SCHEDULE B: #
4312	CR453AC3HBBA1LB	CONTACTOR, SPEC: COMPRESSOR 5.10 HP..P/N: CR453AC3HBBA1LB..MFG: GENERAL ELECTRIC

	Item	Description
4313	CRAN-400MH-4-W	LAMPHOLDER HALOGEN, POWER: 400W, VAC: 460 V, INCL: NON BALLATED, SPEC: CRANELITE, MOGUL BASE, SYSTEM WATTAGE: 400W
4314	CRC 2-26.02005	CLEANER RELAY AND CONTACT..16 OZ..P/N: CRC 2-26.02005..SCHEDULE B: #3403115000 OTHER LUBRICANTS
4315	CRL4X8480X	BELT WET-DRY ABRASIVE 5 OF BOX, 80X4X84 (102X2134MM)..P/N: CRL4X8480X..MFG: C.R. LAURENCE COMPANY..SCHEDULE B: # 6805.30
4316	CRN5-0500-TF5-522	COMPRESSOR,(HP)- 5HP;(V) - 230 V;(N0 FASES) - 3 ; (FREC) - 60 HZ..P/N:CRN5-0500-TF5-522..MFG: COPELAND..OFFER P/N: (AVB5558EXT
4317	CRT30-R10L-77894	INDUCTIVE ROTATION CONTROLLER 18/50Vdc, 18/240Vac..P/N: CRT30-R10L-77894 (CODE S3431 CRT30-R10 L)..MFG: AECO..SCHEDULE E
4318	CRV34612-1	CHECK VALVE FOR 1" THREADED PIPE..CAT 346 1/2, 1000 CWP, 700 PSI, 550 FMAX, GT BRITAIN, 8A/ 9A..FOR WATER PUMP SEALED 39C/3
4319	CRYPTOSAMPLE	SAMPLE CRYPTODATA IMPULSE K1..P/N: L1K1CDTA..MFG: CRYPTODATA..COUNTRY OF ORIGIN: PRC..
4320	CRYTALCALHP-NPT	MODEL: CRYTALCALHP-NPT..COMPONENTS:..GAUGECALHP PRESSURE COMPARATOR (UP TO 15000 PSI / 1000 BAR)..5102 FINE AD
4321	CS115	SWITCH VAC: 120-277V, I: 15A, REF: TUMBLER, 1 POLE..P/N: CS115..MFG: HUBBELL..SCHEDULE B: # 8536509065 OTHER SWITCHES
4322	CS1222I	SWITCH TOGGLE, I: 20A, VA: 125 /T-250V, NO. POLES: 2, SINGLE CIRCUIT, SPEC: COMMUTATOR, SWITCH IVORY..P/N: CS1222I..MFG: HU
4323	CS320-2I	SWITCH TOGGLE..I: 20A, VAC: 120-270V, POL: 3,..P/N: CS320-2I..MFG: LEVITON..SCHEDULE B: # 8536509065 OTHER SWITCHES
4324	CS62050020K00B1045	RESISTOR; CUSTOM RIBWOUND RESISTOR, 500W, 20K OHMS..P/N:CS62050020K00B1045..MFG:VISHAY
4325	CS6365N	NYLON PLUG WITH CORD GRIP, 3-POLE 4-WIRE 50 AMP 125//250V AC..P/N: CS6365N (CS6365L)..MFG: BRYANT HUBBELL..SCHEDULE B: #
4326	CSBS0000000000	CONTROL UNIT; 9000X SERIES CONTROL UNIT 208-500V .. ALL FRAMES..P/N:CSBS0000000000..MFG:EATON
4327	CSE-83HEFQ	Pump Serial No.-D2193..Pump Model No.-CSE-83HEFQ..Pump was constructed of 316 stainless steel, not 316L stainless steel, Power cable length was
4328	CSK-U02DB	ENTRY LEVEL USB PORT LOCK KEY..KEY CODE: DARK BLUE; 1101..P/N:CSK-U02DB..MFG: SMART KEEPER..SCHEDULE B:# 9010.90.0002 F
4329	CSK-UL02DB	ENTRY LEVEL USB PORT LOCK. BLUE; 1001..P/N: CSK-UL02DB..MFG:SMART KEEPER..SCHEDULE B:# 9010.90.0002 PARTS AND ACCESOR
4330	CSSB755	BRONZE HORIZONTAL BUS SUPPORT, ANDERSON..SUBSTATION CONNECTORS : BRONZE HORIZONTAL BUS SUPPORT, CABLE OR TUE
4331	CSW1717S0H5TA2Q	LAMPHOLDER SODIUM, PO: 175W, V: 120/208/240/277V, SZ-CONN: 3/4, INCL: BALLAST HPF, SPEC: REQUIRE CWI BALLAST USE "G"..P/N: C
4332	CSXG10-24-R	OUTDOOR SINGLE STROKE EXPLOSION PROOF BELL 24V 10"..P/N: CSXG10-24-R..MFG:COOPER WHEELOCK..SCHEDULE B: # 8531.10.002
4333	CT-0155NSP-SB2L-E	MODULE SFP MM PROTECTION DIFFERENTIAL,SFP with DDMI, 155Mb/s, 2KM, MULTI-MODE, DUAL FIBRE, 850nm, VCSEL, 0 to 70°C, RoHS..F
4334	CT-100-B	TILT SWITCH MODEL CT, LEVEL CCC, 220 VAC..P/N: CT-100-B..MFG: CONVEYOR COMPONENTS
4335	CT-100000-00	STUD..(MAT) - BRASS..(SPEC) - CT, 2640:1, 2.25" I.D...10 - 32..P/N: CT-100000-00..MFG: BENSHAW
4336	CT-101B	TILT LEVEL CONTROL UNIT WITH DP/DT OUTPUT RELAY, NEMA 4 ENCLOSURE AND 18 VDC INDICATOR LIGHTS. 240 VAC INPUT POWER
4337	CT-105B	TILT LEVEL CONTROL UNIT, NEMA 4, 4X, WITH 1 DP/DT RELAY AND RED/GREEN INDICATOR LIGHTS, 240 VAC POWER UNIT..WEIGHT: 8
4338	CT-200	PROBE COMPACT SWITCH (LG) 6" (SPEC)-WITH STANDARD 3 FEET OF CABLE..P/N: CT-200..MFG: CONVEYOR COMPONENTS..SCHEDULI
4339	CT-201-15	STANDARD 9" PROBE WITH 3' CABLE OF CABLE FOR TILT LEVEL CONTROL. 2 CONDUCTOR (16-2 SO) CABLE...P/N: CT-201-15..MFG: CON
4340	CT-201G	STANDARD 9" PROBE WITH 25' OF CABLE TILT LEVEL CONTROL, 3 CONDUCTOR (16-3 SO) CABLE..P/N: CT-201..MFG: CONVEYOR COMPO
4341	CT-300	EXTRA TILT PROBE CABLE FOR USE WITH THE CT-120 TILT LEVEL PROBE. ..PRICE PER FOOT, USED TO EXTEND THE BASIC 3' DISTANC
4342	CT-311	TERMINAL PRESSURE LOW VOLTAGE..TYPE: MALE, AWG: 16-14..P/N: CT-311..MFG: BORG WARNER..SCHEDULE B: #8535908020 TERMIN
4343	CT-400	TILT PROBE MOUNTING BRACKET, 1-1/4" NPT..P/N: CT-400..MFG: CONVEYOR COMPONENTS
4344	CT-500	HEAVY DUTY 2" S-HOOK TO CONNECT TILT PROBE AND MOUNTING BRACKET..P/N: CT-500..MFG: CONVEYOR COMPONENTS CO.
4345	CT-703	CLIP ELECTRICAL..TYPE: BATTERY ALLIGATOR 25A - 1"..P/N: CT-703..MFG: BORG WARNER..SCHEDULE B: #8535908040 OTHER CONNEC
4346	CT-9002	CABLE ELECTRICAL (CT-9002)..P/N: 132000004525..(OFFER CABLE # 04525)..MFG: TOYO PUMPS..

	Item	Description
4347	CT0815AUAF	ROUND CABLE WITH STRAIN RELEASE STEEL WIRES FOR PENDANT PUSH BUTTON STATION, 50 METER MIN, PRICE PER METER..P/N: C
4348	CT18075M	TIE CABLE..LG: 102MM, CLR: WHITE..P/N: CT18075M..MFG: BURNDY..SCHEDULE B: #8536695050 OTHER CONNECTORS
4349	CT20	TENSIONER HEAVY DUTY..P/N: CT20..MFG: CRAIG-GROUP..SCHEDULE B: # 8203.20.8000 OTHER TOOLS
4350	CT2000	TRANSPORT CART..P/N: CT2000..MFG: CHECKERS INDUSTRIAL SAFETY
4351	CT30125M	TIE CABLE SELF LOCKING TYRAP..P/N: CT30125M..MFG: BURNDY..SCHEDULE B: 3926.90.9987 OTHER PLASTIC MATERIALS
4352	CT510PAN7	TRANSDUCER CURRENT, (I-INP): 0-5A, (I-OUT): 4-20MA..P/N: CT510PAN7..MFG: AMETEK..SCHEDULE B: # 8543.70.4000 OTHER TRANSDU
4353	CT703	CLIP ELECTRICAL TYPE BATTERY ALLIGATOR, 25 A, 1"..P/N: CT703..MFG: BORG WARNER..SCHEDULE B: #8535908040 OTHER CONNECT
4354	CTB-90004	CIRCUIT BREAKER, VISUAL SET POINT BLEED VALVE CONTROLLER NAME 4 ENCLOSURE..P/N: CTB-90004 (R/B: CNT-90016)..MFG: SPENC
4355	CTS-100	CONVEYOR TRIP SWITCH..VAC: 500, I: 15A...REF: IP65, GMC V 2036 VM 2037..P/N: CTS-100 (P/N: E1S100ST0)..MFG: ARCH ENVIRONMEI
4356	CTS-700 BSD	SWITCH BELT SPEED, 54" BELT..P/N: CTS-700 BSD (E1BOSUSR)..MFG: ARCH ENVIRONMENTAL..SCHEDULE B: # 8536908085 OTHER SWIT
4357	CU250P10N	FILTER OIL ELEMENT,..ID: 2.05", OD: 3.9", H: 8.3", MICRON: 10, TYPE: PLEATED PAPER..P/N: CU250P10N..MFG: MP FILTRI USA..SCHEDULE
4358	CUBICLE MCC GE	CUBIBLE SIZE 2 FVNR C/B STARTER UNIT..INCLUDES CPT, MM200 RELAY & DISPLAY,..2 LED XFMR LIGHTS, 1 AUX CONTACT, ..DEVICENE
4359	CUPS	CUPS, ADVERTISING. CERAMIC/GLASS..MFG:DISCOUNT MUGS
4360	CV41DSV1000	CHECK VALVE; MODEL CV41..CV41-DI 10" DUCTILE IRON DUAL DISC WAFER TYPE ..CLASS #150 ..VALVE TYPE: DUAL DISC - WAFER TYPI
4361	CVG-4000-S/S-10B-V	CLEARVIEW GLASS CALIBRATION CYLINDER;MODEL NUMBER CVG-4000-S/S-10B-V..CALIBRATION TUBE BOROSILICATE GLASS MEASUF
4362	CVO40U1262800I	AIR CONDITIONER..OUTDOOR AIR CONDITIONER; ..MODEL: PROTHERM ..POWER SUPPLY - PH-HZ = 400 460V -3- 50 60 ..COOLING CAP/
4363	CW120.2	DOUBLE CONTOUR ROLLER, LOWER IN HOUSE ASS'Y..P/N: CW120.2..MFG: PWT WORLD..SCHEDULE B: # 8205599000 OTHER HANDTOOI
4364	CW120.3	DOUBLE CONTOUR ROLLER, UPPER IN HOUSE ASSY..P/N: CW120.3..MFG: PWT WORLD..SCHEDULE B: # 8205599000 OTHER HANDTOOL
4365	CW130	SPLIT STL NIP ROLLER ..P/N: CW130..MFG: PWT WORLD..SCHEDULE B: # 8205599000 OTHER HANDTOOLS AND PARTS
4366	CW154-35	UPPER NIP CHAIN (52) #35 IN HOUSE ASS'Y..P/N: CW154-35..MFG: PWT WORLD..SCHEDULE B: # 8205599000 OTHER HANDTOOLS AND PA
4367	CW166	CAM..P/N: CW166..MFG: PWT WORLD..SCHEDULE B: # 8205599000 OTHER HANDTOOLS AND PARTS
4368	CW174	HAND RETRACT PLUNGER..P/N: PRSN-375P..MFG: PWT WORLD..SCHEDULE B: # 8205599000 OTHER HANDTOOLS AND PARTS
4369	CW181-35	LOWER NIP CHAIN (57) #35 CHAIN ASS'Y..P/N: CW181-35..MFG: PWT WORLD..SCHEDULE B: # 8205599000 OTHER HANDTOOLS AND PART
4370	CWE11.1	90 DEGREE THERMOCOUPLE ..P/N: CWE11.1..MFG: PWT PLASTIC WELDING TECHNOLOGY..SCHEDULE B: # 8205599000 OTHER HANDTC
4371	CXHA-XAV	CHECK VALVE..T-16A 4 PSI CRACK..P/N:CXHA-XAV..MFG: SUN HYDRAULICS..SCHEDULE B:# 8481.30.9000 OTHER CHECK VALVES
4372	CY520-02-N-S-9-LED-DIN	5/2 PILOT SOLENOID VALVE 24 VDC-5/2 VIAS..P/N:CY520-02-N-S-9-LED-DIN..MFG: SHAKO..SCHEDULE B: # 8481.80.1095 OTHER VALVES
4373	CYK10-A031	MEAS. CABLE CYK10 MEMOSENS MODEL NO: CYK10-A031 (CYK10-A031) APPLICATION: DIGITAL SENSORS WITH INDUCTIVE MEMOSENS
4374	D-LX10094EXCBL-S1X-PCG-00	ASSEMBLED SILICONE CABLE WITH PLASTIC CABLE GLAND, LENGTH 1,5 M,..PREINSTALLED AT FLAME MONITOR/SCANNER..P/N: D-LX1(
4375	D-LX100UA-P	UV FLAME SCANNER, 190-520 cm, AXIAL PLUG CONNECTION WITH 10 METER CABLE, IP67..P/N: D-LX100UA-P..MFG:DURAG..SCHEDULE B
4376	D-LX100UA/94-EX	SCANNER FLAM, ALL IN ONE, 24VDC, 5W, ..D-LX100UA/94-EX, OFFER, P/N: 1150425, P/N: D-LX100UA-B1/M3/94EX/PCG..MFG: DURAG..SCHE
4377	D07-13844-01	PLATE, SIDE, RIGHT HAND..P/N: D07-13844-01 (2824-DM140D-4595)..
4378	D07-13844-02	PLATE, SIDE, LEFT HAND..P/N: D07-13844-02 (2824-DM140D-4595)..
4379	D0807524	FUSE;(V)-600V;CLASS CC; (I)-3A ..P/N: D0807524 (OFFER FNQ-R-3 BUSS)..MFG:ASIROBICON INC...SCHEDULE B: # 8536.10.0040 OTHER EL
4380	D1VW4CNYCF	COIL 240 VOLT, 60 HZ, D1VW4CNYCF 75..P/N: D1VW4CNYCF..MFG: PARKER

	Item	Description
4381	D2300CPS	MODULE, CONNECTION FIBER..P/N: D2300CPS ..MFG:SIEMENS ..SCHEDULE B# 8471.60.1050 OTHER AUTOMATIC DATA PROCESSING..MF
4382	D23824511231A24	24 DI LUG NEC BFV SS/BUNA G/O 1 6896.870 EA 6896.87..BODY: DUCTILE IRON..STYLE: LUG ANSI 125/150..SEAL: TEFLON..SEAT: BUNA..GI
4383	D26MRD22A1	RELAY ELECTROMAGNETIC..V: 120V, #NC: 2, #NO: 2,..I: 10A, VAC: 600V, TYPE AA..W/120VDC BLOWOUT..P/N: D26MRD22A1..MFG: CUT
4384	D2E133-AM47-01	FAN, VAC: 230V, POW: 190/200W, FREQ: 50/60HZ, SIZE: 133 MM, SPEC: BLOWER, FRAME 7 (I): 0.84/0.88A, SPEC: FOR DRIVE..P/N: D2E133-
4385	D3-0102	MODEL 8000 PUMP SEAL KIT..P/N: D3-0102..MFG: YZ SYSTEMS
4386	D3-0103	BULK ODORANT FILTER ELEMENT REPLACEMENT KIT..P/N: D3-0103..MFG: YZ SYSTEMS
4387	D3-0126	VEROMETER FILTER KIT..P/N: D3-0126..MFG: YZ SYSTEMS..
4388	D3-0127	CHECK VALVE REPLACEMENT KIT..P/N: D3-0127..MFG: YZ SYSTEMS
4389	D3-0255	300 SERIES FUSE KIT..P/N: D3-0255..MFG: YZ SYSTEMS
4390	D3-0300	OVERFLOW PROTECTOR REPAIR KIT..P/N: D3-0300..MFG: YZ SYSTEMS
4391	D3-0301	PNEUMATIC RELAY VALVE REPAIR KIT..P/N: D3-0301..MFG: YZ SYSTEMS
4392	D3PR3A	RELAY; D3PR SERIES GENERAL PURPOSE PLUG-IN RELAY; TERMINAL STYLE:11 PIN OCTAL PLUG-IN;3PDT;120 VAC COIL;FREC 50-60HZ;
4393	D4A-1101N	LIMIT SWITCH..P/N: D4A-1101N..MFG: OMRON..SCHEDULE B: # 8536509055 LIMIT SWITCH
4394	D4A-C00	LIMIT SWITCH ..P/N: D4A-C00..MFG: OMRON..SCHEDULE B: # 8536509055 LIMIT SWITCH..
4395	D55A11	PUMP DIAPHRAGM HUSKY, 1/2" DIAMETER CENTER, WETTED PARTS PVDF, SEATS PVDF, BALLS PTFE, DIAPHRAGM PTFE...P/N: D55A11.
4396	D6208-1	LADDER STRAIGHT, MAT: FIBERGLASS, LG: 8 FT, W-B: 19", W-P: 1-1/2", TYPE: IA, 300 LB, EXTRA HEAVY DUTY, CLR: ORANGE..P/N: D6208-
4397	D6210-1	LADDER STRAIGHT, MAT: FIBERGLASS, LG: 10 FT, W-B: 18-1/2, W-P: 1-1/2", TYE: IA 300 LBS EXTRA HEAVY DUTY, CLR: ORANGE..P/N: D62
4398	D6220-1	LADDER STRAIGHT, MAT: FIBERGLASS, LG: 20 FT, W-B: 19", W-P: 1-1/2", TYP: IA 300 LBS EXTRA HEAVY DUTY, CLR: ORANGE ..P/N: D6220-
4399	D6220-2	LADDER, EXTENSION, MAT: FIBERGLASS, LG: 20 FT, LG-U/O: 17 FT, W-B: 19", W-P: 1-1/2", TYPE: IA 300 LB EXTRA HEAVY DUTY, CLR: ORAI
4400	D6604US	1-1/2" DOUBLE GUY EYE ATTACHMENT, HOT DIP GALVANIZE PER ASTM A123 AFTER FABRICATION, 100 KIP [445,000 N] ULTIMATE TENSII
4401	D6735	1 1/4" 2300 FT/LB ROUND SHAFT EXTENSIONS..P/N: D6735..MFG: MACLEAN POWER SYSTEMS
4402	D7116-2	EXTENSION LADDER 16 FTTYPE IAA D-RUNG ..P/N: D7116-2..MFG: WERNER
4403	D7120-2	FIBERGLASS EXTENSION LADDER, 20FT, TYPE IAA..P/N: D7120-2..MFG: WERNER..SCHEDULE B: # 7326908560 OTHER LADDERS..
4404	D7132-2	FIBERGLASS LADDER ..P/N: D7132-2..MFG: WERNER
4405	D7140-2	EXTENSION LADDER 40' FIBERGLASS..P/N: D7140-2..MFG: WERNER
4406	D8-14SK	TERMINAL PRESSURE LOW VOLTAGE, TYPE: RING, AWG: 9-7, INSUL: NO, STUD-HOLE: 1/4", SPEC: STAKON..P/N: D8-14SK..MFG: THOMAS
4407	D8-516	TERMINAL PRESSURE HIGH VOLTAGE, TYPE: RING, AWG: 9-7, INSUL: NO, STUD HOLE: 5/16", SPEC: STA-KON..P/N: D8-516..MFG: THOMAS
4408	D8516-053	ACTUATOR TG-17E, 2400 RPM..P/N: D8516-053..MFG: WOODWARD
4409	D90	EASLY LASER D90 BELT ALIGNMENT TOOL..P/N: 12-0415..MFG: EASY LASER..SCHEDULE B: 8456.10.0002 SCHEDULE B: 8456.10.0002 Ope
4410	D964	SUITCASE CLASSIC COLLECTION 15.6", CHECKFAST ROLLING LEATHER OVERNIGHTER..P/N: D964-4..MFG: SOLO..COUNTRY OF ORIGIN:
4411	D989	SIWTCH ASSEMBLY, SPEC: SELENOID/ ELECTRICAL ..P/B: D989..MFG: DELCO..SCHEDULE B: # 8536410030 OTHER RELAYS
4412	DA31-2-6	SWITCH PRESSURE CONTROL MERCOID 0-100 PSI..P/N: DA31-2-6..MFG: MERCOID..SCHEDULE B: # 8535300080 OTHER SWITCHES
4413	DAW-7033-153-8	PRESSURE SWITCH; MERCOID CONTROLS, DAW-7033-153-8 ..SERIES DA BOURDON TUBE PRESSURE SWITCH ..W/WEATHER-PROOF E
4414	DB-100	BELT RIP DETECTOR OR DAMAGE BELT DETECTOR,NEMA 4, 4X WITH 2 SP/DT MICROSWITCHES AND 10 CABLE ASSEMBLY, CAST ALLU

	Item	Description
4415	DB-11	BASE DETECTOR SMOKE..P/N: DB-11..MFG: SIEMENS..SCHEDULE B: # 9026800000 OTHER INSTRUMENTS OR APPARATUS
4416	DB100	DAMAGED BELT DETECTOR, NEMA 4, 4X WITH 2 SP/DT MICROSWITCHES AND 10 CABLE ASSEMBLY, CAST ALLUMINUM HOUSING..P/N: D
4417	DBB0248	BULK FILTER, WATER ABSORBING SPIN-ON..P/N: DBB0248..MFG: DONALDSON
4418	DBB8665	BLUE BULK SPIN-ON 7 MICRON..P/N: DBB8665..MFG: DONALDSON
4419	DC300K-E-2A0-20-0A00	MODULE ELECTRONIC..REF: CONTROLLER TEMPERATURE TIC-7..P/N: DC300K-E-2A0-20-0A00..MFG: HONEYWELL..SCHEDULE B: # 90328
4420	DC415KL	DRILL, SIZE: 4 1/2", V: 36 VDC, RPM: 0-6500RPM, TYPE: TOP HANDLE, INCLUDE: CHARGER 120V, GRINDING WHEEL TYPE 27..P/N: DC415K
4421	DC9096	BATTERY PACK; 18V,TIPY 1..P/N: DC9096..MFG: DEWALT
4422	DC9360	BATTERY PACK,36V;TIPY 1..P/N: DC9360..MFG: DEWALT
4423	DCLNL2525M12	HOLDER TOOL,..SPEC: OUTER TURNING, DCLNL 25 X 25 MM, 4 EDGES OF CUT..P/N: DCLNL2525M12..MFG: WALTER TOOLS..SCHEDULE E
4424	DCLNR252M12	HOLDER TOOL,..SPEC: OUTER TURNING, DCLNR 25 X 25 MM, 4 EDGES OF CUT..P/N: DCLNR2525M12..MFG: WALTER TOOLS..SCHEDULE
4425	DCR818SG4545	SCR ..P/N: DCR818SG4545 TOSHIBA..OBSOLETE, REPLACED BY AMETRONICS..P/N: ATDCR818SG4545..MFG: AMETRONICS
4426	DCS-5300	INTERNET CAMERA ..P/N: DCS5300..MFG: DLINK..SCHEDULE B: # 9006690150 OTHER CAMERAS..COUNTRY OF ORIGIN: TAIWAN
4427	DCS-W55	DIGITAL CAMERA, ..P/N: DCS-W55..MFG: SONY
4428	DE-3	INSULATED DEAD END ASSY/SHRINK TUBE, 250 SYSTEMS..P/N: DE-3..MFG: UNIVERSAL..SCHEDULE B: # 8426190000 MOBILE LIFTING PA
4429	DE12-17W41-02FNHHN	ACTUATOR 12V..P/N: DE12-17W41-02FNHHN..MFG: DANAHER
4430	DE24-17W41-02FNHHN	ACTUATOR 24V ..P/N: DE24-17W41-02FNHHN..MFG: DANAHER
4431	DE24-17W4102FNHHN	ACTUATOR 24V..P/N: DE24-17W4102FNHHN..MFG: DANAHER
4432	DESK STAND	DESK STAND FOR SPECTRUM THUNDERBOLT LIGHTNING DTECTOR..P/N: DESK STAND..
4433	DEX1517-91	SLIMCASE COLOR BLACK OPAQUE;OVERALL DIMENSIONS 13.5 X 9.5 X 1"..P/N:DEX1517-91..MFG:DEXAS..SCHEDULE B:# 3926.90.9987 OT
4434	DFC7500AAX	FOOD WASTE DISPOSERS..1 HP IN-SINK DISPOSER..CONTINUOS FEED 7 3/4 INCHES..P/N: DFC7500AAX (YDFC7500AAX)..MFG: MAYTAG..
4435	DFS1250ACB	STROBE LIGHT..SPEC: BLUE, DOULBE LIGHT, BULB ST-77, 60 HZ, 120V, 0.5 A, H-DIA: 9" x 9"..P/N: DFS1250ACB NORTH AMERICAN....SCH
4436	DGJ500010PMA	BODE SIDE MOULDING..P/N: DGJ500010PMA (R/B: VPLAP0012)..MFG: LAND ROVER
4437	DGMM0673	ADJUSTABLE MULTI-PURPOSE SWAT DROP LEG UTILITY WAIST POUCH CARRIER BELT BAG CASE . BLACK..P/N: DGMM0673..MFG:IMPO
4438	DH040C04L-TGC-P2E	LUMINARIES HAZARDOUS LIGHTING..H23, RAPID SERVICE PROGRAM,..400W, 120M, 277V MH..P/N: DH040C04L-TGC-P2E..MFG: HAZLUX-T
4439	DH362FRK	SWITCH SAFETY HEAVY DUTY,..VAC: 600 V, 1: 60A, NO. POLES: 3,..P/N: DH362FRK..MFG: CUTLER HAMMER
4440	DI-50E	PROGRAMABLE METER CONTROLER..P/N: DI-50E..CONFIGURATION DI-50E-DR-PS2-ITTC-S4-OR31-OA2. ..MFG: TEXMATE..SCHEDULE B:#
4441	DI-730-EN	SERIES DATA ACQUISITION SYSTEMS, 8-CHANNEL, HIGH VOLTAGE, ISOLATED SYSTEM WITH PRINTER PORT AND ETHERNET INTERFA
4442	DI0001	SENSOR INDUCTIVE PROXIMITY,..V: 20-250V AC/DC, DC: 100 MA, AC: 300MA, FREQ: 5-300 IMPLUSES/MIN, SENSING-RANGE: 10MM, SPEC:
4443	DI0002	DIA2010-ZROA/50-3000 l/MIN, COMPACT SPEED MONITOR, 30 mm DIAMETER METAL HOUSING, 2- WIRE AC/DC NORMALLY OPEN OUTPUT
4444	DIABOX87	ENCLOSURE GLASS POLYESTER, DIABOX 87, STANDARD SURFACE, LOCKING SE2, WITH FSV SAFETY GLASS, 1 PC STAINLESS STEEL I
4445	DJJ#2	BRITT JAR VANED VERSION, 220V, 60 HZ..P/N: DJJ#2 WITH DJJ#10..MFG: PAPER RESEARCH MATERIALS, INC...SCHEDULE B #8439.20.001
4446	DK-284-73	SWITCH TOGGLE, I: 8A, VAC: 125-250V, NO. POLES: 2, HP: 1 REF: SINGLE THROW..P/N: DK-284-73..MFG: CARLING..SCHEDULE B: # 853650
4447	DK5GD-2FANL	GROUNDING DISC/PROTECTION DISC;S/S PROMAG DK5GD DN250 10"..P/N:DK5GD-2FANL..ENDRESS+HAUSER
4448	DM-3-3-3-RL	100% BLUE DAC-MYL-DAC-36 inx 36yd..P/N: DM-3-3-3-RL..MFG: ISOLA..SCHEDULE B: #8547900040 OTHER INSULATING SHEETS

	Item	Description
4449	DM36B3	BRACKET, MOUNTING W/2" CG.B..P/N: DMD36B3
4450	DM5-N-25-S-HS7-2-DL-23060-PV	EMERGENCY LIGHTING, DM5 SERIES, DESOTO NEMA ENCLOSURE UNIT, BATTERY TYPE: NICKEL CADMIUM, BATTERY CHARGE 25W, BA
4451	DM620-00-C	CARTRIDGE FILTER ..P/NI DM620-00-C..MFG: HILLIARD FILTER..SCHEDULE B:# 8421.99.0080 OTHER PARTS FOR FILTERING MACHINERIES
4452	DM62101A	INJECTOR VALVE FOR LUBRICATION SYSTEM, ASSEMBLY..P/N: DM62101A..MFG: FARVAL..SCHEDULE B: # 8481100090 OTHER PNEUMATI
4453	DM839-00-C	CARTRIDGE FILTER ..P/N: DM839-00-C..MFG: HILLIARD FILTER..SCHEDULE B:# 8421.99.0080 OTHER PARTS FOR FILTERING MACHINERIES
4454	DMCTZ3PLK	DIGITAL CAMERA..MODEL DMCTZ3PLK (OFFER DMCTZ3 BLACK)..MFG: PANASONIC..WITH MEMORY CARD SDR01GUIA (DDSDFLS1-2G)..M
4455	DMD-100-3-3-3	PAPER ELECTRICAL INSULATOR..THK: 0.003", W: 36", LG: 36 YD, DACON MYLAR..SPEC: DRACON MYLAR..P/N: DMD-100-3-3-3..MFG: ISOLA
4456	DMD-100-3-5-3	PAPER ELECTRICAL INSULATOR..THK: 0.011", W: 24", LG: 36"..SPEC: DRACON MYLAR..P/N: DMD-100-3-5-3..MFG: ISOLA..SCHEDULE B: #68
4457	DMM-B-11-A	FUSE;FAST ACTING 11A ;1000V AC/DC ; L:38.1MM; DIA 10MM..P/N: DMM-B-11-A..MFG:BUSSMANN
4458	DMMB 44/100	FUSE 440mA 10 x 35 mm..P/N: DMMB 44/100..MFG: BUSSMANN
4459	DMO-080-2NCSP-V-4T	MANUAL ROTARY VALVE, PS-281B, PS-281C, PS-280A, PS-282, PS-281D, PS-281E, PS-281F, PS-281A..P/N: DMO-080-2NCSP-V-4T (OFFER P/
4460	DMO-080-2NCSP-V-6T	MANUAL ROTARY VALVE, PS-281B, PS-281C, PS-280B, PS-280B, PS-282, PS-281D, PS-281E, PS-281F, PS-281A..P/N: DMO-080-2NCSP-V-6T (
4461	DNC-T2010-R20	PROGRAM CONTROL LINE VOLTAGE: 105 TO 135 VAC, 50-60 HZ..P/N: DNC-T2010-R20..MFG: AMETEK..
4462	DOCUMENTS	DOCUMENTS
4463	DOL-1204-G02M	CONNECTOR FEMALE..P/N: DOL-1204-G02M (P/N: 6009382)..MFG: SICK..SCHEDULE B: # 8535908040 OTHER CONNECTORS
4464	DONATION	DONATIONS, CLOTHES, USED TOYS
4465	DP-75	ELECTROBOMBA CENTRIFUGA SUMERGIBLE CON AGITADOR, 75 HP DE POTENCIA, DE 6" DIAMETRO DE DESCARGA, 3 FASES, 60 HZ, 46
4466	DP-75B	ELECTROBOMBA CENTRIFUFA SUMERGIBLE ..MARCA: TOYO..P/N: DP-75B (DP-75)
4467	DP100	PRESSURE MAX 360, GAS VALVE ON ACCUMULATOR..P/N: M28X 1.5..MFG: SAIP
4468	DP200A-2123XST	AC COOLING FAN SERIES, 120X120X38MM, 220/240 VAC..P/N: DP200A-2123XST.GN..MFG: SUNON
4469	DP25B-RTD-230-AR	INDICATOR TEMPERATURE..MOD: DP25B-RTD-230-AR, V: 230VAC, POW: 8W..P/N: DP25B-RTD-230-AR..MFR: OMEGA..SCHEDULE B: #9032
4470	DP40-STD-14201	FILTER PANEL;14X20X1.TYPE DP 1-40 EXTENDED SURFACE AIRFILTERS -139 STD M8 SYN PLT PNL ..(0412139)..P/N: DP40-STD-14201..MF
4471	DPAC24402312A1A12841	DIGITAL CONTROLLER 48DI..PART NO. 2440#6DK7 (24402312A1A12841)..SEL-2440 DISCRETE PROGRAMMABLE AUTOMATION..CONTROLL
4472	DPD1T-A150SS	DIFFERENTIAL PRESSURE SWITCH 50-150 PSI..P/N: DPD1T-A150SS..MFG: BARKSDALE..SCHEDULE B: # 8536.50.9065 OTHER SWITCHES..
4473	DPI104-1-2BAR-G	2630741..GAUGE, DIGITAL PRESSURE, INTRINSICALLY SAFE,..RANGE: 0-2 BAR..TYPE: GAUGE (G)..CONNECTION: 1/4" NPT..INCLUDING EN
4474	DPM-105	DIGITAL PANEL METER..P/N: DPM-105..MFG: DYNALCO..SCHEDULE B: #8471300100 AUTOMATIC DATA PROCESSING MACHINE
4475	DRTP148NUN003731L12X3	TEMPERATURE SENSOR DUAL..D RTP 1 48 TEMPER (-60 - 450 DEG F)/PT100..TEMPERATURE TRANSMITTER KKS MBX06CT101..P/N: DRT
4476	DRYTYPE	DRY TYPE TRANSFORMER, ENCAPSULATED, 220/440 PRIMARY VOLTAGE, 110/220 SECONDARY VOLTAGE, 115 C TEMP. RISE, 3 KVA, 1 PH
4477	DS-Fi2/DS-L3	NIKON DIGITAL IMAGING PACKAGING, INCLUDES THE FOLLOWING CONFIGURATION:..MQA11020 DS-F12 DIGITAL CAMERA..MQA21020 D
4478	DS-K7PEB	EMERGENCY BREAK GLASS RED..P/N: DS-K7PEB..MFG: HIKVISION..SCHEDULE B: # 8431499057 OTHER PARTS..ORIGIN:CHINA
4479	DS-NT3 USB/RS485	DOCKING STATION FOR USE WITH POWER ADAPTER..P/N: DS-NT3 USB/RS485..MFG: ROTRONIC
4480	DS100-G	COVER BLANK BOX..TYPE: FS & FD..P/N: DS100-G..MFG: THOMAS & BETTS..SCHEDULE B: # 8536695050 OTHER RECEPTACLES
4481	DS1601ZJ-POLE	IP CAMERA POLE MOUNT/BRACKET FOR DOMO PTZ CAMERA..P/N: DS1601ZJ-POLE(OFFER: WMP-L
4482	DS1720S	SPECIAL FUCTION IC, DIGITAL THERMOMETER AND THERMOSTAT PROVIDES 9-BIT..P/N: DS1720S..MFG: MAXIM INTEGRATED PRODUCT

	Item	Description
4483	DS21-G	COVER BOX,..TYPE: FS&FD, U/O: RECEPTACLE TWIST-LOCK..P/N: DS21-G..MFG: THOMAS & BETTS..SCHEDULE B: # 8536695050 OTHER F
4484	DS21-TB	Single Gang Device Box Cover, Sheet Steel, Round Receptacle, Hole Diameter-1.405..P/N: DS21-TB..Mfg: Thomas & Betts..SCHEDULE B: # 85366950
4485	DS23G	COVER, BOX..TYP: FS&FD; U/O - RECEPTACLEW DUPLEX..P/N: DS23G..MFG: THOMAS & BETTS..SCHEDULE B: # 7310100050 OTHER BOX
4486	DS2DF5286-A	IP CAMERA TYPE DOMO PTZ; HIGH POE & 24VAC OUT DOOR;2.0M/1080,H264,30X OPTICAL ZOOM..P/N:DS2DF5286-A (OFFER:DS-2DF5286/
4487	DS32-G	COVER BOX, TYPE: FS & FD, SINGLE SWITCH..P/N: DS32-G..MFG: THOMAS & BETTS..SCHEDULE B: # 7310100050 OTHER BOXES
4488	DS32-TB	Single Gang Device Box Cover, Sheet Steel, Single Switch..p/n: DS32-TB..Mfg: Thomas & Betts..SCHEDULE B: # 8536695050 OTHER RECEPTACLE
4489	DS5060HAG-2	THE DISPLAY SHIELD 50-60" OUTDOOR ANTI GLARE DISPLAY ENCLOSURE WITH 2 FANS..P/N: DS5060HAG-2..MFG: PROTECTIVE ENCLOS
4490	DS60	PHOTOCELL..P/N: DS60 C-H..OFFER P/N: 30855..MFG: MULBERRY..SCHEDULE B: # 8541402000 LIGHT EMITING DIODES
4491	DS9300T	BENCH GRINDER ELECTRIX (3PH)..P/N: DS9300T..MFG: CREUSEN
4492	DSC-W80	CAMERA DIGITAL..P/N: DSC-W80..MFG: SONY
4493	DSC 14080-12	BRONZE STUD CONNECTOR. STUD TO CABLE TYP DSC..P/N: DSC 14080-12..MFG: ANDERSON..SCHEDULE B: # 8535908040 OTHER CONN
4494	DSC 14100-12	BRONZE STUD CONNECTOR. STUD TO CABLE 4/0..P/N:DSC 14100-12..MFG: ANDERSON..SCHEDULE B: # 8535908040 OTHER CONNECTOI
4495	DSGH-A-A3H-XXX-0	DETECTOR RADIATION..MAD: DSTH, INCL: DECTECTOR AND TRANSMITTER, VAC: 90-270, FREQ: 50/60HZ..P/N: DSGH-A-A3H-XXX-0..MFG:
4496	DSGH-A-ACH-XXX-00	RADIATION, DETECTOR ELECTRONICS : 4 ... 20 MA/HART CRYSTAL OPTIONS : 2" NAI SCINTILLATION CRYSTAL REMOTE LENGTH : WITH
4497	DSS100-TB	Single Gang Device Box Cover, Sheet Steel, Blank..P/n: DSS100-TB..Mfg: Thomas & Betts..SCHEDULE B: # 8536695050 OTHER RECEPTACLES
4498	DSS9NC52A222Q55B	FILTER, EMI/SUPPRESSION, 7A; FILTER TYPE:EMI, RFI; CURRENT ..RATING:7A; VOLTAGE RATING:100V; CAPACITANCE:2200PF; FILTER ..
4499	DST6PS11	PUSHBUTTON PENDANT, 87427044..P/N: DST6SP11 (R/B: DST6SP21)..MFG: DEMAG..SCHEDULE B: #8535.90.8090 PUSH BUTTONS..
4500	DT-168	SPANISH VERSION INSTRUCTOR'S KIT: DVD..P/N: DT-168..SCHEDULE B: # 8521900000 OTHER VIDEO RECORDING
4501	DT-169	SPANISH VERSION RESPONSE BOOKS (1-99)..P/N: DT-169..SCHEDULE B: # 4901990050 PROFESSIONAL BOOKS..
4502	DT-3893	CFM/CMM THERMO-ANEMOMETER REMOTE SENSOR FOR HVAC APPLICATIONS...FEATURES..1. DISPLAY AIR FLOW (CFM/CMM), OR AIR
4503	DT01	DUPLINE WIRE TERMINATION..P/N: DT01..MFG: CARLO GAVAZZI
4504	DTM-FC.AD	SOFTWARE USER INTERFACE FOR ADVANCED DIAGNOSTIC MODULES..ACCESS TO MOBILE ADM VIA USB-PORT..EMBEDDED EXPERT S
4505	DV-206686	DRIVE ASM (CW) (DV-200560) 11 T..P/N: DV-206686..MFG: KOCSIS
4506	DVC6030RTV 120psi	DVC6030 RTY ..DVC6030 RTY RotaryPositioner FSDVC6030F-307/G160B/FM..Type: DVC6030f / IS: FOUNDATION Fieldbus Diag: Performance-PD
4507	DVC6030RTY	DVC6030 RTY ..DVC6030 RTY RotaryPositioner FSDVC6030F-307/G160B/FM Type: DVC6030f / IS: FOUNDATION Fieldbus Diag: Performance-PD /
4508	DW-8	ULTRAVIOLET DESINFECTION, UV FOR WATER, 120 VAC, 60 HZ..P/N: DW-8..MFG: AQUAFINE CORP...SCHEDULE B: # 8421210000 OTHER /
4509	DW0825LG	12V MAX* 5 SPOT + CROSS LINE GREEN LASER..P/N: DW0825LG..MFG: DEWALT
4510	DW089LG	CORDLESS LASER LEVEL, 12V MAX 3 x 360 GREEN LINE LASER..P/N: DW089LG ..MFG: DEWALT
4511	DW4757EUHSA	RIM ASSEMBLY FOR WA120 KOMATSU WHEEL 47X57 TIRES MICHELLIN..INCLUDES:..DM4757EUHS RIM ASSEMBLY, SR6057AS FLANGE AS
4512	DW8424	GRINDING WHEELS (5/PACK)..P/N: W8424..MFG: DEWALT
4513	DX80	FLASHLIGHT LED RECHARGEABLE; IMALENT DX80 CREE XHP70; 32000 LM; BUILT- IN BATTERY PACK INCLUDES 8 EA 3000MAH HIGH DIS
4514	E-09631-2	ADV SPARE RECEIVER FOR SYSTEMS..P/N: E-09631-2..MFG: CONTROL CHIEF..SCHEDULE B: # 8517.69.0000 OTHER APPARTUS FOR TRA
4515	E-09631-3	LJ TRANSMITTER 466.60 MHZ..P/N: E-09631-3..MFG: CONTROL CHIEF..SCHEDULE B: # 8525.50.8040 OTHER TRANSMITTER
4516	E-1200	FUSE DUAL ELELMENT 250V 35 AMP..P/N: E-1200

	Item	Description
4517	E-1230	FUSE DUAL ELEMENT 250V, 20AMP..P/N: E-1230..MFG: EMERSON/ LIEBERT....
4518	E-2070	FUSE DUAL ELEMENT 250V 15AMP..P/N: E-2070..MFG: EMERSON/ LIEBERT..
4519	E-36-FL	E-DC SERIES FLOOD LIGHT E-36, 24W, 18-48VDC ..P/N: E-36-FL..MFG: PHOENIX STURDLITE
4520	E-3603	TUBING TYGONFLEXIBLE(ID)-5/16";(OD)-7/16";(THK)-1/16"(CLR)-TRANSPARENCY;(LG)-50FT..TYGON E-3603 5/16" X 1/2" X 50'..P/N: E-3603..M
4521	E-56-FL	E-DC SERIES FLOOD LIGHT E-56, 56W, 12-48VDC..P/N: E-56-FL..MFG: PHOENIX STURDLITE..
4522	E-73	TERMINAL PRESSURE LOW VOLTAGE..TYPE: RING, AWG: 6-5, INSUL: NO, STUD-HOLE: 3/8", SPEC: STA-KON..P/N: E-73..MFG: THOMAS & I
4523	E040035	FILTER ELEMENT ..P/N: E040035 (OFFERED P/N: 98-2605)..MFG: NYB..SCHEDULE B: # 8421230000 OTHER FILTERS
4524	E1012-63	MALE SET SCREW, COMPLETE SET..W/ INSULATOR 201281-712RM, RED FOR CABLE 1/0-3/0..P/N: E1012-63..MFG: COOPER CROUSE HIND
4525	E1012-71	FEMALE SET SCREW, COMPLETE SET..W/ INSULATOR 201281-712RF, RED FOR CABLE 1/0-3/0..P/N: E1012-71..MFG: COOPER CROUSE HI
4526	E10736	ANGLE BRACKET T FOR M18, SENSORS WITH SLOTTED HOLESFOR ADJUSTMENT..P/N: E10736..MFG: EFECTOR..SCHEDULE B: # 830250
4527	E1225E12B-FSR	FAN, AXIAL120X120X25MM 12 VDC;LEAD FREE;0.580 A;2 BALL; 2 WIRE LEADS..P/N: E1225E12B-FSR (1570-1043-ND)..MFG:MECHATRONICS
4528	E13-00E	SWITCH 5A, 125/250 VAC, 3/4 HP, 125 VAC, 1 1/2 HP, 250 VAC..P/N: E13-00E..MFG: CHERRY..SCHEDULE B: # 8536509065 OTHER SWITCHES
4529	E18203	3-WIRE RIGHT ANGLE MICRO AC CONNECTOR, NICKEL/ BRASS COUPLING NUT, 22 AWG, YELLOW TPE JACKET, 2M..WEIGHT: 0.35 LB..F
4530	E18214	3-WIRE RIGHT ANGLE MICRO AC CONNECTOR, NICKEL/ BRASS COUPLING NUT, 22 AWG, YELLOW PVC JACKET, 2M..WEIGHT: 0.16 LB..P
4531	E1P7SWP	SWITH ASSEMBLY, ARCHEQUIP CTS-700 SERIES, REF: BELT PROTECTION UNIT MISALIGMENT IP 66,15A..P/N: E1P7SWP..MFG: ARCH EN
4532	E22H2X6	LIGHT INDICATOR..CLR: RED (E22H2), VAC: 250V, POW: 3.5 W,W/LIGHT (E22D24)..P/N: E33H2X6..MFG: CUTLER HAMMER..SCHEDULE B: #
4533	E22H3X6	LIGHT INDICATOR ..COLOR: GREEN, VAC: 48V, POW: 3.5W,..P/N
4534	E26H	FILTER, SEPARATOR, ELEMENT..(TYPE)-WATER, RMF STAUFF..(TEMP-MAX)-80 C;(VISC)-20-100CST..(SPEC)-5 MICRON, FLOW 0.86GPM..P
4535	E26N	FILTER, SEPARATOR, ELEMENT..(TYPE)-WATER, RMF STAUFF..(TEMP-MAX)-80 C;(VISC)-20-100CST..(SPEC)-5 MICRON, FLOW 0.86GPM..P
4536	E3-1001	200 SERIES BATTERY PACK..P/N: E3-1001..MFG: YZ SYSTEMS
4537	E314RB	LINEMEN'S GLOVES, LENGHT 14", CLASS 3, RED/BLACK, SIZE 10..P/N: E314RB-10..MFG: SALISBURY....SCHEDULE B: #
4538	E5-024-C0400	TOTALIZER; 8-DIGIT LCD TOTALIZER; BATTERY POWERED 24X48MM;4-30 VDC..P/N: E5-024-C0400..MFG: EATON..SCHEDULE B: #90261070
4539	E5-126	ELECTRODE 9/16" X 4"..P/N: E5-126..MFG: WESTWOOD..SCHEDULE B: # 8516909500 OTHER ELECTROTHERMIC PARTS
4540	E5-20	FILTER ELEMENT..P/N: E5-20..MFG: HANKINSON..SCHEDULE B: # 8421.39.8090 OTHER FILTERS..ORIGIN IRELAND
4541	E50ARI	SWITCH MAX 600V..P/N: E50ARI..MFG: CUTLER HAMMER
4542	E6-38	TERMINAL PRESSURE LOW VOLTAGE, TYPE: RING, AWG: 6-5, INSUL: NO, STUD-HOLE: 3/8", SPEC: HYLUG..P/N: E6-38..MFG: THOMAS & B
4543	E8250-502	ACTUATOR HYDRAULIC-NEUMATIC ROTARY..P/N: E8250-502..MFG: WOODWARD..
4544	E9-20	FILTER ELEMENT..P/N: E9-20..MFG: HANKINSON..SCHEDULE B: # 8421.23.0000 OIL OR FUEL FILTERS..ORIGIN:IRELAND
4545	EA7-T10C	10-INCH C-MORE COLOR TFT TOUCH PANEL (10.4 INCH VIEWABLE SCREEN), 64K COLORS, 640 X 480 PIXEL VGA SCREEN RESOLUTION,
4546	EAC20P020	BREATHER FILTER ELEMENT; EAB20 ELEMENT 2 MIC ABS POLY..P/N: EAC20P020..MFG: PARKER..SCHEDULE B: # 8421.39.8090 OTHER FIl
4547	EAGLE20-0400999TT999TK9V9H	ETHERNET SWITCH ROUTER..MODEL EAGLE 20..P/N: EAGLE20-0400999TT999TK9V9HSE3F01.2..MFG:HIRSCHMANN..SCHEDULE B: # 8517
4548	EASCHK3F5501SBLCK	PN: EASCHK3F5501SBLCK..LUMINARIA LED EVOLVE AREA ESCALABLE ..(V)-347-480V;..(POW)-283W..(SER)-EASC, PHOTOMETRIC..(CLR-T
4549	EASYCAP USB 2.0	EASYCAP USB 2.0 VIDEO AUDIO VHS TO DVD HDD CONVERTER CAPTURE CARD ADAPTER;4 CONNECTORS ;COLOR BLACK; GREEN LEI
4550	EB220-50/2 S	ELHY THRUST ACTUATOR 460V, 60 HZ, ENCLOSURE TYPE: IP56, INCLUDES: LOWERING VALVES, CORROSION RESISTANT PAINT: RAL 5

	Item	Description
4551	EB27B04SC	TERMINAL BOARD..P/N: EB27B04SC..MFG: GENERAL ELECTRIC
4552	EB2U66Q2KG44M113TQ30-6.25	THERMOWELL, CONNECTION : 1/2" NPT, MAT: S/S 210, LG: 30", BORE SIZE: 0.265, CONNECTION PROCESS: 1.5", 3000#, TAG: TE/TW-3014(
4553	EBT731	STANDARD..2 FT X 2FT..(610 MM X 610 MM)..EBT BALOMETER..CAPTURE HOOD KIT..P/N: EBT731..MFG: TSI INCORPORATED
4554	EBT731-STA BUNDLE	BUNDLED 2 FT X 2FT (610 MM X 610 MM)..EBT BALOMETER CAPTURE HOOD KIT, W/ ANDROID TABLET LOADED WITH LOGDAT MOBILE..
4555	ECID-23R	RELAY MODULE, LINE = 120 VAC / 60 HZ/ 1.5 VA..P/N: ECID-23R..MFG: CLARK RELIANCE
4556	ECP3665T	MOTOR ELECTRIC, 5 HP, 460V, 6.1A, 1750 RPM, 60 HZ, RELIANCE MODEL P18G3338G..R/B: ECP3665T..MFG: BALDOR..SCHEDULE B: # 8501
4557	ECP50306L-2340	BALDOR MOTOR..300 HP, 1192 RPM, 3 PH, 60 HZ..AS PER SPEC SHEET ATTACHMENT..P/N: ECP50306L-2340..MFG: BALDOR
4558	ECP50306L-2341	BALDOR MOTOR, MADE TO ORDER..300 HP, 1190 RPM, FULL LOAD AMP 70/40, 2300/4160 VOLTS, 60 HZ, 3 PHASE, 1.15 S.F., TYPE: 20153M,
4559	ED0301-6	CALIBRATION FOR 434 ALTEK ..P/N: ED0301-6
4560	ED63A010	CIRCUIT BREAKER..(N0- POLES)-3;(V)-600;(I)-10A..MFG: SIEMENS INDUSTRIES..P/N:ED63A010..SCHEDULE B:# 8536.49.0080 OTHER ELECT
4561	ED63A025	CIRCUIT BREAKER ; (NO.-POLES)-3;(V)-600V;(I)-25A..P/N:ED63A025..MFG: SIEMENS..SCHEDULE B: # 8536.20.0040 OTHER CIRCUIT BREAKE
4562	ED63A030	CIRCUIT BREAKER..(N0- POLES)-3;(V)-600;(I)-30A..MFG: SIEMENS INDUSTRIES..P/N:ED63A030..SCHEDULE B:# 8536.49.0080 OTHER ELECT
4563	EDIE DRIVE ALERT	EDIE DRIVE ALERT ANTI-DRAWSY, FOR EARS..P/N:EDIEALARM..MFG:EDIE..SCHEDULE B: # 8512300050 OTHER ALARMS
4564	EDM2600B	MAGNETO OPTICAL DISK 5.25", 4 X REWRI 2.6 GB..P/N: EDM2600B (R/B: EDM2600CWW)..MFG: SONY..SCHEDULE B: # 8523294020 OTHER
4565	EDS-1	ECOLOGIC DIELECTRIC SOLVENT ..P/N: EDS-1..MFG: ITW CHEM
4566	EE-60	STATIONARY KETTLE, ELECTRIC, 60-GALLON CAPACITY, 2/3 JACKET, 316 STAINLESS STEEL LINER,..INSULATED & SHEATHED, OPEN TR
4567	EE-60 480V	STATIONARY KETTLE, ELECTRIC, 60-GALLON CAPACITY, 2/3 JACKET, 316 STAINLESS STEEL LINER,..INSULATED & SHEATHED, OPEN TR
4568	EE2-902X16'-6" (5M)	2-PLY, 2" X 16'-6" EYE & EYE NYLON SLING..W/ CORDURA-WRAPPED FLAT EYES TAPERED TO 1" AT BEARING POINT..6,600# VERTICAL (3
4569	EE2-902X9'-10" (3M)	2-PLY, 2" X 9'-10" EYE & EYE NYLON SLING..W/ CORDURA-WRAPPED FLAT EYES TAPERED TO 1" AT BEARING POINT..6,600# VERTICAL (3
4570	EE2-903X16'-6" (5M)	2-PLY, 3" X 16'-6" EYE & EYE NYLON SLING..W/ CORDURA-WRAPPED FLAT EYES TAPERED TO 1-1/2" AT BEARING POINT..8,900# VERTICA
4571	EE2-903X19'-8" (6M)	2-PLY, 3" X 19'-8" EYE & EYE NYLON SLING..W/ CORDURA-WRAPPED FLAT EYES TAPERED TO 1-1/2" AT BEARING POINT..8,900# VERTICA
4572	EE2-904X16'-6" (5M)	2-PLY, 4" X 16'-6" EYE & EYE NYLON SLING..W/ CORDURA-WRAPPED FLAT EYES TAPERED TO 2" AT BEARING POINT..12,000# VERTICAL (
4573	EEAPPAM-568-A32	PROPORTIONAL VALVE AMPLIFIER..MGF: VICKERS..P/N: MODEL EEAPPAM-568-A32..SCHEDULE B: # 8481.80.9040 OTHER PARTS FOR VAI
4574	EFB020SELT18A	MOTOR CONTROL CENTER, FASTRAC UNIT, ..E9000 EVOLUTION FEEDER..480 V AC, 60 HZ..CIRCUIT BREAKER, 150 A FRAME, 20 A TRIP,
4575	EFB060SEL2	12" 60A CIRCUIT BREAKER FEEDER BUCKET..P/N: EFB060SEL2..MFG: GENERAL ELECTRIC
4576	EFB060SEL8	6" 60A CIRCUIT BREAKER FEEDER BUCKET..P/N: EFB060SEL8 ..MFG: GENERAL ELECTRIC
4577	EFH1-01-H-EE-77-7-50-N-A-T1-DI	LED FLOOD LIGHT LUMINAIRE..- EFH1..- 01..-H: 347- 480VAC..-EE-77..-7: CRI..-50: 5000K..-N: NON-DIMM..-A: NO CONTROL..-T1: TRUNNION,
4578	EFM 100-120V - 100FT	ATMOSPHERIC ELECTRIC FIELD MONITOR.INCLUDES: EFM-100 ELECTRIC FILD MILLI,100 FT (30M) OF POWER CABLE;100 FT (30M) OF FIE
4579	EHA-PID-201-A-20	..MODEL: EHA-PID-201-A-20..MFG: VICKERS..ITEM # 01441168..SCHEDULE B: # 8537.10.9090 OTHER CONTROLLERS
4580	EK-403	COUPLING ERICSSON 1"..P/N: EK-403..MFG: THOMAS & BETTS..SCHEDULE B: # 7307199090 OTHER COUPLINGS
4581	EL101LT-0	SENSOR OF TEMPERATURE FOR INDICATOR UM330 YOKOGAWA..P/N: EL101LT-0 (R/B: PC151LT-0)..MFG: CALEX ELECTRONICS LTD..SCH
4582	EL11203	SINGLE PHASE MOTOR, TYPE 3411LC, OPEN ENCLOSURE, MOUNTING ARRANGEMET: F1, 48 FRAME, 1725 RPM, .25 HP..P/N: EL11203..MF
4583	EL1CR2BP	BATTERY LITHIUM, V: 3V, I: 800 MAH, DIA: 15.6 MM, H: 27MM, TYPE: CR2..P/N: EL1CR2BP..MFG: ENERGIZER..SCHEDULE B:# 8506.80.0000 C
4584	ELA RTT	TRANSMITTER REMOTE, U/O:LIGHT EMERGENCY MODEL INDX1254 H1212 XTRA..P/N: ELA RTT..MFG: LITHONIA LIGHTING..SCHEDULE B:

	Item	Description
4585	ELB0612A	BATTERIES FOR LITHONIA FIXTURE..THE LITHONIA FIXTURE USE 2 OF EACH..P/N: ELB0612A..MFG: LITHONIA
4586	ELPH350HS	POWERSHOT HD DIGITAL CAMERA, SILVER..•20.2 MP HIGH-SENSITIVITY CMOS SENSOR..•DIGIC 4+ IMAGE PROCESSOR..•12X OPTICAL Z
4587	EM-10110738-1	OPTIFIX SAFETY DISPENSER 2.0-10 ML EMD BOTTLE..P/N: EM-10110738-1 (029-510-017)..MFG: EMD CHEMICALS..SCHEDULE B: #8424.89.0(
4588	EM3710T	SPEC. NUMBER: 37H244T859, CATALOG NUMBER: EM3710T ..FL AMPS: 18.8/9.4, 208V AMPS: 21, BEARING-DRIVE-END: 6307 ..BEARINC
4589	EM4108T	
4590	EME400KIT	MACHINE CONDITION TESTER WITH BATTERY CHARGER, PROBE, TRANSDUCER..P/N: EME400KIT..MFG: SPM INSTRUMENT
4591	EMR210474	COMPRESSION SPRING EMR210474..P/N: EMR210474..MFG: ASIROBICON
4592	EMR210512	OBLIQUE BALL BEARING ..P/N: EMR210512..MFG: ASIROBICON
4593	EMR220665	GASKET, TERMINAL BOX, F/ OIL EXPORT BOOSTER PUMP MOTOR..P/N: EMR220665..MFG: ASIROBICON
4594	EMR252402	COVER INNERBEARING, NDE/ DE/F/ OILEXPORT BOOSTER PUMPMOTOR..P/N: EMR252402..MFG: ASIROBICON
4595	EMR276607	COVER OUTERBEARING, F/ OIL EXPORT BOOSTER PUMP MOTOR..P/N: EMR276607..MFG: ASIROBICON
4596	EMR277082	..SEAL LABYRINTH, EXTERNAL, IP56, F/ OIL EXPORT BOOSTER PUMP MOTOR ..P/N: EMR277082..MFG: ASIROBICON.....
4597	EMR277975	COVER OUTERBERING, DE, F/ OILEXPORT BOOSTER PUMPMOTOR..P/N: EMR277975..MFG: ASIROBICON
4598	EMX3-0380C-V7-C1-H	SOFT STARTER..EMX3 SERIES REDUCED VOLTAGE STARTER, 380-600VAC ..INPUT, 341A CONT., RATED 250HP@460V (STD DUTY); ..WI
4599	EN60	OVAL EYE NUT, 5/8"..P/N: EN60..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318160000 OTHER NUTS
4600	EN70	OVAL EYE NUT, 3/4"..P/N: EN70..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318160000 OTHER NUTS
4601	EN92	BATTERY SIZE AAA 1.5V..P/N: EN92..MFG: ENERGIZER
4602	ENRANGE FLEX 4EX	RADIO CONTROL SYSTEM ENRANGE FLEX 4 EX 120 VAC; FOUR 2 SPEED PUSH BUTTOMS(2-MOTION/2-SPEED,E-STOP AND OFF/ON/STA
4603	EP-400	CLUTCH MODEL EP-400, 24 VDC..P/N: EP-400 (5131-273-010)..MFG: WARNER ELECTRIC..SCHEDULE B#: 8505200000 ELECTROMAGNETIC
4604	EP-825	CLUTCH MODEL EP-825, 24 VDC..P/N: EP-825..MFG: WARNER ELECTRIC..SCHEDULE B: ## 8505200000 ELECTROMAGNETIC CLUTCHES
4605	EP641B71	SENSOR VIBRATION TRANSMITTER, RANGE: 0.0 TO 1.0 IN/SEC RMS, MA: 4-20MA, TEMP: -40 TO 85C, FREQ: 10-1000HZ, 1" PIPE THREAD, 1
4606	EPAX0500	RED LION EPAX, DIGIT EXTRA LARGE, DISPLAY PAX PANEL METER ANALOG, EPAX500:0..P/N: EPAX0500..MFG: EPAX..SCHEDULE B: #8471
4607	EPR20FB	VOLTAGE TRANSFORMER, INDOOR INSTALLATION, ..TYPE: EPR20FB SPARE PART FOR SERIAL NUMBER 1515500001:..F=60H..B.I.L.: 24/4(
4608	EPS-1000	CLUTCH ELECTROMAGNETIC WITH BRAKE, 630MM X 285MM X 360MM..P/N: EPS-1000 (MODEL WARNER 5232-273-005)..MFG: SHINKO..SCH
4609	EPS-1225	CLUTCH, ELECTROMAGNETIC WITH BRAKE, SPEC: 685MMX355MMX435MM..P/N: EPS-1225..MFG: SHINKO..SCHEDULE B: #8505200000 ELE
4610	EPW910W	PW9130L2000T-XL 9130 2kVA/1800W Tower 120V 5-20P UPS w/(4)5-20R & (1)L5-20R OUTLETS..P/N: EPW910W..MFG: EATON
4611	EPW911C	PW9130L3000T-XL 9130 3KVA/2700W TOER 120V L5-30P UPS W(4)5-20R & (1)L5-30R OUTLET ..P/N: EPW911C..MFG: EATON
4612	ERP400-12	POWER INVERTER 12VDC TO 220 VAC, 400W, 50HZ..P/N: ERP400-12..MFG: POWER BRIGHT..SCHEDULE B: # 8504407012 ELECTRICAL INV
4613	ERP900-12	POWER INVERTER 12VDC TO 220VAC,900W..P/N: ERP900-12..MFG: POWER BRIGHT..SCHEDULE B: # 8504407018 OTHER ELECTRICAL IN
4614	ERP90012	PowerBright ERP900-12 Power Modified Sine Wave Inverter 900W, 220 Volt 50Hz AC Output, Overload Shutdown, Short Circuit Shutdown, Short Circui
4615	ES-550A1230101-071	O-RING, 1" 2-022 .995 DIA (REV W)..TITAN HMXT-50 HYDROGEN GENERATOR..P/N: ES-550A1230101-071..MFG:TELEDYNE
4616	ES-551A1400097-009	INSERT ASSEMBLY KOH PUMP SHAFT (CERAMIC SPINDLE FOR IMPELLERMAGNET IN MARCH PUMP)..P/N:ES-551A1400097-009..MFG:TEL
4617	ES-XM34003-001	PRESSURE GAUGE, FIG A-1, ITEM 4..TITAN HMXT-50 HYDROGEN GENERATOR XM50000 REV. C..P/N: ES-XM34003-001..MFG: TELEDYNE
4618	ES_0103010801	ANEMOMETER PULSE; ROTATING ANEMOMETER WITH IMPULSIVE OUTPUT WITH CONNECTOR..ANEMO 4403 V3 CONN..P/N:ES_010301(

	Item	Description
4619	ESD201	ELECTRIC STORAGE DEVICE..SPEC: CAPACITANCE TRIP UNIT # H0041770..P/N: ESD201..MFG: BASLER..SCHEDULE B: # 9028900080 OTH
4620	ESG34FH0500G	CABLE SENSOR..P/N: ESG34FH0500G..MFG: BAUMER ELECTRIC..SCHEDULE B: # 9013900000 PARTS AND ACCESORIES
4621	ESG34FP0500B	CABLE..P/N: ESG34FP0500B (R/B: ESG34FH0500G) ..MFG: BAUMER ELECTRIC..SCHEDULE B: # 9013900000 PARTS AND ACCESORIE
4622	ESTT-40	HEATER ELECTRIC..CAP: 151.4 LT, TYPE; TABLE TOP, V: 220V, POW: 4500W, INCLUDE: RELIEF VALVE..P/N: ESTT-40..MFG: A.O. SMITH
4623	ESWP126	SWITCH PUSH BUTTON FOR CIRCUIT BREAKER..P/N: ESWP126..MFG: CROUSE HINDS
4624	ET101C	TIMER SEQUENTIAL..V-RAN: 120VAC, I: 30A,..V-OP: 120-240V, T-DEL: 24 HRS..8 SET POINT..P/N: ET101C (R/B: ET1105C)..MFG: INTERMATI
4625	ET151V1C10	HYDRAULIC FILTER ..P/N: ET151V1C10..MFG: WESTERN
4626	ET1725C	TIMER SEQUENTIAL..V-RAN: 120 VAC, I: 30 A, V-OP: 120V-240V, T-DEL: 7 DAY PROGRAMMING, 20 SET POINT..P/N: ET1725C ..MFG: INTERM
4627	ET279C	TIMER SEQUENTIAL..V-RAN: 120 VAC, I: 30 A, V-OP: 120V-240V, T-DEL: 7 DAY PROGRAMMING, 20 SET POINT..P/N: ET279C R/B(ET1725C
4628	ETE06012287000	AC EQUIPMENT FOR ELECTRIC CABINET. COOLING CAPACITY 510-600 W;POWER SUPPLY V-PH-HZ 400-2-50 / 460-2-60; DIMS 14" X 24" X
4629	ETEC LEFT MOTOR	OUTBOARD MOTOR, TYPE ETEC, CAPACITY: 200 HP LEFT..P/N: ETEC 200HP..MFG: EVINRUDE
4630	ETEC RIGHT MOTOR	OUTBOARD MOTOR, TYPE ETEC, CAPACITY: 200 HP RIGHT..P/N: ETEC 200HP..MFG: EVINRUDE
4631	ETN065-050-160CC	END SUCTION PUMP DESIGN, MATERIAL OF CONSTRUCTION: C..SUCTION FLANGE: 65MM, PN 16, EN 1092-1 AXIAL..DISCHARGE FLANGE
4632	EV35A2	QUICK EXHAUST VALVE ,2-POSITION,3-WAY EV35A2 21MBP10AA003..P/N: EV35A2..MFG: DELTROL..SCHEDULE B: # 8481.80.9050 OTHER
4633	EVC001	4-WIRE MICRO DC CORDSET, STRAIGHT..CONNECTOR, NICKEL PLATED BRASS COUPLING..NUT, 22 AWG, BLACK PUR JACKET, 2M...CO
4634	EVC004	RIGHT ANGLE CABLE CONNECTOR FOR SENSOR FLOW SI5004..P/N: EVC004 2MT..MFG: IFM EFECTOR..SCHEDULE B: # 3917400000 FITT
4635	EVE1251	LANTERN HAND..VDC: 3V, BAT: #2, 1.5V, D..MAT: PLASTIC..P/N: EVE1251(OFFER EVR 1251L)..MFG: ENERGIZER..SCHEDULE B: # 8513100
4636	EVE5109IND	LANTERN HAND LED LIGHT..VDC: 6V, #BAT: 1, 6V BATTERY 1209EN INCLUDED..MAT: PLASTIC..P/N: EVE5109IND (R/B: EVFL45SHEN)..MFG
4637	EVT001	4 WIRE STRAIGHT M12 CONNECTOR, 316 SS COUPLING NUT, EPDM O-RING, ORANGE PVC CABLE, 5M LENGHT..P/N: EVT001..MFG: IFM E
4638	EVT459LEDSYM	ROUGH FIXTURE TYPE LED, 59W, 120 VAC, 60 HZ, , WITH CEILING SUSPENDED SUPPORT..P/N: EVT459LEDSYM..MFG: HOLOPHANE..SCH
4639	EW-03217-57	150-MM CORRELATED FLOWMETER 0.99 ML/MIN WATER FLOW RATE..P/N:EW-03217-57..MFG:COLE PARMER..SCHEDULE B:# 9026.10.500
4640	EW-03226-10	FLOWMETER TRIPOD BASE FOR ONE METER..P/N: EW-03226-10..MFG:COLE PARMER
4641	EW-03226-30	FLOWMETER TRIPOD BASE FOR ONE, TWO, OR THREE METERS..P/N: EW-03226-30..MFG:COLE PARMER
4642	EW-06428-24	TUBING VITON 2-STOP #24 4/PK, L/S MASTERFLEX TWO STOP PUMP TUBINGS..P/N: EW-06428-24..MFG: MASTERFLEX..SCHEDULE B: # 85
4643	EW-06508-16	MASTERFLEX L/S® PRECISION PUMP TUBING, PHARMED® BPT, L/S 16; 25 FT (7.6 M)..TEMP RANGE:- 51 -132 CELSIUS DEGREES;BEIGE C
4644	EW-06796-10	EYEWASH STATION..STATION HOLDS 16 GALLONS OF EYESALINE, INCLUDE ONE BOTTLE OF CONCENTRATE HANGING ALL BRACKET A
4645	EW-07528-30	MASTERFLEX L/S VARIABLE-SPEED DRIVE W/ REMOTE I/O; 100 RPM..INCLUDES CORD /W PLUG 50001-70 EUROPEAN 230V ..P/N: EW-075
4646	EW-96403-16	SILICONE TUBING No.16, 500 ' (150m)..P/N: EW-96403-16..MFG: MASTER FLEX..SCHEDULE B: # 3917320000 TUBES AND PIPES, NOT REINFO
4647	EW-96407-16	SPOOLED MASTERFLEX PEROXIDE-CURED SILICONE TUBING, L/S 16, 250 FT..P/N: EW-96407-16..MFG: MASTERFLEX..SCHEDULE B: # 391
4648	EW4P394375047A01	FILTER ; PRE AND POST PANEL FILTERS..NOT CO2 FILTER..G4 394 X 375 X X47 MM PLASTIC FRAMED..PANEL;ACTUAL SIZE, BLACK PLAT
4649	EW6507	ELECTRIC OIL HEATER,..LENGHT: 27.10 CM, WIDTH: 15.30 CM, HIGH: 66.90 CM, 0.047 M3..P/N: EW6507..MFG: DELONGHI
4650	EWC439X10000KAA-396	EWC 439 CORRUGATED FLEX BARGE DOCK HOSE..10" DIAMETER X 10 METERS (33 FEETS)..CONEXIONES : FIXED X FIXED RF 150# ANSI
4651	EWC439X10000KAA-588	EWC 439 CORRUGATED FLEX BARGE DOCK HOSE..10" DIAMETER X 15 METERS (49 FEETS)..CONEXIONES : FIXED X FIXED RF 150# ANSI
4652	EXBIN-D-2	EXPLOSIN PROOF THERMOSTAT..P/N: EXBIN-D-2..MFG: SCHISCHEK..UNIT PRICE: $460.00..INCLUDE..SENSOR ..P/N: EXPRO-BT-100..MFG:

	Item	Description
4653	EXD-Q-3	MICRO SWITCH 10 AMP;125-250VAC/0.3 AMP; 125-250 VDC..P/N: EXD-Q-3..MFG:HONEYWELL..SCHEDULE B: # 8536509065 OTHER SWITCH
4654	EXLK-215	COUPLING FLEXIBLE, DIA: 3/4", LG- FLECIBLE: 15", MAT: FORGED BRASS, FINISH: PVC COATED..P/N: EXLK-215..MFG: APPLETON..SCHEDU
4655	EYF-50	EY VERTICAL CONDUIT FEMALE 1/2"..P/N: EYF-50..MFG: APPLETON..SCHEDULE B:#8547.90.0040 OTHER ELECTRICAL CONDUIT,TUBING A
4656	EZ-400-NMK	CONNECTORS..P/N: EZ-400-NMK..P/N: TIMES MICROWAVE SYSTEMS..
4657	EZ-400-TM	CONNECTORS..P/N: EZ-400-TM..MFG: TIMES MICROWAVE SYSTEMS
4658	EZ SENSE	EZ-Sense -1 with Indication,..Hydrogen Gas Leak Detector..Specificaciones:..# Model: EZ-Sense -1 with Indication,..# Gas Detected: LNG, LPG, CH4 FI
4659	EZFLOWII	DISPOSABLE AIR FILTER, 20x25x1, ONE-PIECE FRAME, UL 900 CLASS 2, UPC MARKED, NO MEDIA RETAINER ON EZ FLOW II..P/N: EZFLOW
4660	EZGB	MECHANICAL FLUID PUMP..CMP ELITE Z..P/N: EZGB..MFG: CAMBRIDGE MILL PRODUCTS INC...SCHEDULE B: #2710193080 VACUUM PUMP
4661	F-73	TERMINAL,PRESSURE LOW VOLTAGE(TYPE)-RING;(AWG)-4-3-(INSUL)- NO;(STUD-HOLE)-3/8"(SPEC)-STA-KON(DOC/EXT)-Y/N..P/N: F-73..M
4662	F0-0011	SERIES PRESSURE TRANSMITTER..P/N: F0-0011..MFG: YZ SYSTEMS
4663	F038	FIBER FILLER, 0.38 OZ PACKING FIBER ..P/N: F038 ..ITEM #: 002839 ..MFG: APPLETON..SCHEDULE B: # 8487.90.0080 OTHER SEALS
4664	F10A	10-INCH DIAMETER HIGH VELOCITY FAN, WITH RACK MOUNT, 115 VOLTS AC, 0.8..AMPS, 1300/1550 RPM, SHADED POLE, CONTINUOUS D
4665	F14L42	VALVE 1/2" BRONZE NC, 120 V/6 HZ, 110 PSI..P/N: F14L42 (OFFERED P/N: F14L42SC-ACTH)..MFG: MAGNATROL
4666	F15389	LOW LEVEL SWITCH..P/N: F15389..MFG:VIKING..SCHEDULE B: # OTHER PARTS 8539.90.0000
4667	F2010B080Z0609R714M	MILL CARTRIDGE, OD: 80MM, LG: 50MM, SPEC: ANGLE 90 POSITIVE, ..P/N: F2010B080Z0609R714M..MFG: WALTER AG..SCHEDULE B: # 820
4668	F2010B100Z0709R714M	MILL CARTRIDGE, OD: 100MM, LG: 50MM, SPEC: ANGLE 90 POSITIVE..P/N: F2010B100Z0709R714M..MFG: WALTER AG..SCHEDULE B: # 820
4669	F2010B125Z0809R714M	MILL CARTRIDGE, OD: 125MM. LG: 50MM, SPEC: ANGLE 90 POSITIVE..P/N: F2010B125Z0809R714M..MFG: WALTER AG..SCHEDULE B: # 820
4670	F203A0161	MAGNETIC STIRRER , 5 LT, 1100 RPM, MICROSTIRRER..P/N: F203A0161..MFG: VELP..SCHEDULE B: # 8479.82.0080 OTHER MIXING, KNEADI
4671	F20T12/D	LAMP,FLUORESCENT (V)-220V;(POW)-20W (TYPE)-T-12 (LG)-24"; (RT-LIFE)-9000HR (SPEC) - LUMENS 1200,COLOR 4100K (DOC/EXT)-Y/N..F
4672	F21-4S SET	1X TRANSMITTER F21-4S;..FEATURING THE FOLLOWING CONTROLS:..- 4 SINGLE-STEP PUSHBUTTONS..- 1X EMERGEN
4673	F30	AIR FILTER; FILTER CELLS F30 ; FILTER CLASS G2,G3; 492X 619 X 98 MM..CODE: 2282100215..P/N:F30..MFG:ALTI FILTER..16 EA 2 BOX 63 X
4674	F312-20X 25 X 1	FILTER DUST STOP GLASS FLANDERS F/GT/A..20 X 25 X 1 F312BASIC EFFICIENCY FILTERS, DISPOSABLE PANEL FILTERS,1" FIBERGLASS
4675	F312-20X20X1-C	FILTER DUST STOP GLASS 20 X 20 X 1 IN F312;..20X 20 X 2 F312 BASIC EFFICIENCY FILTERS,DISPOSABLE PANEL FILTERS 1" FIBERGLAS
4676	F32T8/SP30/ECO	LAMP FLOURESCENT..PRODUCT CODE 26666..POW: 32W, TYPE: T8, LG: 48", DIA: 1"..BASE: MEDIUM BIPIN G13..R-LITE: 20000H, LUMENS:
4677	F34CW/RS/EW/ALTO	LAMP FLUORESCENT..V: 220V, POW: 34W, TYPE: T-12, LG: 47", SPEC: ECON-O-WATT..P/N: F34CW/RS/EW/ALTO..MFG: PHILIPS..SCHEDUL
4678	F34T12/CW/RS/EW/ALTO	LAMP FLUORESCENT, BULB T-12, 4100K, COOL WHITE, 34 W, ENERGY SAVING, F34T12 CW RS EW ALTO TG 1LP..P/N: F34T12/CW/RS/EW
4679	F3CW/RS/W/M/ECO	LAMP T-12 FLUORESCENT BASE FLUOR 110V 3KV17..P/N: F3CW/RS/W/M/ECO..MFG: GE LIGHTING
4680	F4-0102	SENTRY 4 SOFTWARE W/ USB ADAPTER..P/N: F4-0102..MFG: YZ SYSTEMS
4681	F4-12	TERMINAL PRESSURE HIGHT VOLTAGE, TYPE: RING, AWG: 4-3, INSUL: NO, STUD-HOLE: 1/2", SPEC: STAKON..P/N: F4-12..MFG: THOMAS &
4682	F40/30BX/SPX35	LAMP INCANDESCENT..V: 120V, POW:40W, TYPE: T5..LG: 22.5", R-LIFE: 20000H..SPEC: LUMENS 2840, COLOR 3500K..COMPACT SHAPE.
4683	F40D/EX	LAMP FLUORESCENT, V: 110-240V, W: 40W, TYPE: T-12, SPEC: COLOUR DAYLIGHT, 2550 LUMENS, LG: 47"..P/N: F40D/EX..MFG: GENERAL
4684	F451004LHKN	FLOW INDICATOR IN LINE 3-30 GPM FLOW RANGE PENVALVE ROTAMER TYPE, 1" FNTP HASTELLOY C STEM AND FLOAT..P/N: F451004LH
4685	F48AA68A50	CONDENSER FAN MOTOR W/POWER PLUG ;1/4 HP, 208-230V, 1 PH, 850 RPM, CWLE, FRAME 48Y..P/N:F48AA68A50..MFG: A.O. SMITH YOR
4686	F48H59A48	CONDENSING FAN MOTOR W/POWER PLUG; 1/4 HP, 460/380-415V, 1 PH, 850/710 RPM, CWLE, FRAME 48Y..P/N: F48H59A48..MFG:A.O. SMIT

	Item	Description
4687	F554185.01	ROLLER BRG F554185.01 R42/47 P/N: F54185.01..MFG: INA..SCHEDULE B: # 8482.50.0000 OTHER CYLINDRICAL BEARINGS
4688	F607-OTS	GATE VALVE BRAND NIBCO, SIZE 6"..BODY CAST IRON ASTM A 126 CLASS B..STEM BRASS ASTM B 16 ALLOY C36000..STEM COLLAR BRA
4689	F607-OTS 10"	GATE VALVE BRAND NIBCO, SIZE 10"..BODY CAST IRON ASTM A 126 CLASS B..STEM BRASS ASTM B 16 ALLOY C36000..STEM COLLAR BF
4690	F96T12/CW/EX	LAMP FLUORESCENT, V: 110V, POW: 80W, TYPE: T-12, SPEC: ECON-O-WATT..P/N: F96T12/CW/EX..MFG: GENERAL ELECTRIC ..SCHEDULI
4691	F96T12CW/EW/ALTO	LAMP FLUORESCENT ..V: 110V, POW: 80W, TYP: T-12, SPEC: ECON-O-WATT (F96T12/CW/EX))..P/N: F96T12CW/EW/ALTO(OFFER F96T12C
4692	FA3H3	FUSE CUTOUT, VAC: 8300V, I: 3EA, SPEC: MC4..P/N: FA3H3..MFG: COPPER POWER SYSTEMS..SCHEDULE B:8536.10.0040 OTHER FUSES.
4693	FAN-04115-1(ES-100802)	TRANSFORMER BLOWER 4 ..120 VAC 2 (B1-3)..P/N: FAN-04115-1 (ES-100802)..MFG: TELEDYNE..SCHEDULE B: #8414901080 - OTHER FAN
4694	FB-11VG	V-GROOVE CLEANING SWABS (50/TUBE)
4695	FB-3610-92-HB-C	OUTDOOR HOUSING FOR IKWB21A..P/N: FB-3610-92-HB-C..MFG: TOSHIBA..SCHEDULE B: 8525805020 OTHERS
4696	FB004	NYLON HINGE..SPEC: FOR DIABOX ENCLOSURE WITH SCREW SUPPLIED, 2 PER TYPE 87SE BOX..P/N: FB004..MFG: INTERTEC INSTRUMI
4697	FBA_EH0002	5-TON ZONE TECH AUTO SIREN, ..WITH MICROPHONE, PA SPEAKER SYSTEM, EMERGENCY SOUND AMPLIFIER, I 60W ELECTRIC ALARM
4698	FC000004	ORING REPLACEMENT KIT FOR USE WITH LG-150 / LG-250.. NRO PARTE: FC000004..MFG: AFL..SCHEDULE B: # 8431499057 OTHER PARTS
4699	FC000006	UNIVERSAL AERIAL BRACKET FOR LG-150/LG-250/LG-350/LG-350-AC..UNIVERSAL AERIAL OFFSET..STRAND HANGER KIT FOR..LG150/250
4700	FC000070	FIBER ROUTER KIT AFL 1X6..MODEL: 1X6 FIBER ROUTER..1X6 FIBER ROUTER KIT WITH FURCATION TUBES..P/N:FC000070..MFG:AFL..SC
4701	FC000208	EXTENDED OFFSET BRACKET ..KIT EXTENDED OFFSET AERIAL MOUNTING BRACKET..FOR LG150, LG250, & LG350..P/N: FC000208..MFG:
4702	FC000592	POLE/WALL MOUNT BRACKET FOR LG-150/LG-250/LG-350/LG-350-AC..P/N: FC000592..MFG: AFL..SCHEDULE B: # 8431499057 OTHER PART
4703	FC000655	3 PORT FLAT DROP GROMMET KIT FOR STANDARD SIZE DROPS LG-150/ LG-250..MODEL LG-150/ LG-250 DROP KIT ..P/N: FC000655..MFG
4704	FC000683	OPGW DUAL CABLE BRACKET KIT FOR INSTALLIG CLOSURE ON OPGW CABLE ..LG-150/ LG-250 / LG-350..MODEL: OPGW DUAL BRACKET
4705	FC000704	SINGLE CABLE REPLACEMENT GROMMET KIT AFL LG-150/250..MODEL: LG-150 / LG-250 SINGLE KIT..1 SET/PORT..P/N: FC000704..MFG:AFI
4706	FC000746	OPGW QUAD CABLE BRACKET KIT ..LG-150/LG-250 OPGW QUAD BRACKET SEALED AFL OPGW CABLE BRACKET KIT FOR USE WHEN IN
4707	FCB 250A	(1) FCB 250A, MODEL 95, 21 (BACK TO BACK), CIRCUIT BREAKER, 480 3Ø3W DELTA AC, 60..HZ, 42,000, 1A - INDOOR GASKETED, 2,000, SIL
4708	FCB 400A	(1) FCB 400A,(1) FCB 400A_1--MCC UNIT ONLY..(1) FCB 400A, MODEL 95, 21 (BACK TO BACK), CIRCUIT BREAKER, 480 3Ø3W DELTA AC, 60
4709	FCG3201SBP	CABINET FLOOR TOOL..W: 32", DEPTH: 19", H: 73", MAT: STEEL, SHELVE: 3 ADJUSTABLE..P/N: FCG3201SBP..MFG: WATERLOO..SCHEDUL
4710	FCM-1	MODULE ;CONTROL, ADDRESSABLE BEL..P/N:FCM-1..MFG:NOTIFIER..SCHEDULE B:# 8531.10.0045 OTHER ELECTRICAL SOUND OR VISUA
4711	FCPS-24S6E	POWER SUPPLY REMOTE/SIGNAL CIRCUIT WITH BATTERY CHARGER..P/N:FCPS-24S6E..MFG: NOTIFIER..SCHEDULE B:# 8531.10.0045 OT
4712	FD160	INTERRUPTOR AUTOMATICO DE 3 POLOS..MARCA: GENERAL ELECTRIC..MODELO: FD160 ..Ui: 750V ..In=Ithe: 160A ..Circuit Breaker I
4713	FD63T250	UNIT TRIP 250 AMP..P/N FD63T250..MFG SIEMENS
4714	FDK-087L4213	MODBUS MODULE RS485..P/N: FDK-087L4213..MFG: SIEMENS
4715	FDR50-C1SDA	BARRIER SENSOR MICROWAVE EMITTER..P/N: FDR50-C1SDA..MFG: ENDRESS HAUSER..SCHEDULE B: # 9026800000 OTHER INSTRUMEN
4716	FDU80-UN2A	SENSOR PROXIMITY ULTRASONIC PROSONIC FDU 80..P/N: FDU80-UN2A..R/B: FDU91-UN2AA..MFG: ENDRESS+HAUSER..
4717	FDU82-UN3	Prosonic sensor proximity..Measurement: Level, Ultrasonic, contactless. Sensor for connection to FMU90/FMU95. Application: liquids, solids. Sensor: PV
4718	FDU84-UN3	SENSOR PROXIMITY, ULTRASONIC..PROSONIC..P/N: FDU84-UN3..MFG: ENDRESS + HAUSSER..SCHEDULE B: # 9026800000 OTHER INSTF
4719	FDU91-UN2AA	FDU91-UN2AA Endress+Hauser Prosonic S FDU91 Level measurement, Ultrasonic. Contactless. Usage: FMU90/FMU95. Sensor cable up to 300m con
4720	FDU92-UN3A	Prosonic sensor proximity..Measurement: Level, Ultrasonic, contactless. Sensor for connection to FMU90/FMU95. Application: liquids, solids. Sensor: PV

	Item	Description
4721	FDU95-E2N4A	PROSONIC S FDU95 ..MODEL NO.: FDU95-E2N4A ..LEVEL, ULTRASONIC, CONTACTLESS. SENSOR FOR CONNECTION TO FMU90/FMU95. A
4722	FE110916B	FRAME WITH YELLOW MEDIA 4"..PART NUMBER: FE110916B..24" x 24" x 4"..MFG: BRADEN....SCHEDULE B: #8421310000 - INTAKE AIR FO
4723	FE110916C	PSF-4 MEDIA INSERT ONLY..P/N: FE110916C.. MFG: BRADEN
4724	FERJ1816W	BOX NEMA, REF: 4X, 18X16X10 IN..P/N: FERJ1816W..MFG: ROBROY..SCHEDULE B: # 8536908085 JUNCTIONS BOXES
4725	FF-5457	FUEL FILTER..P/N: FF-5457..MFG: FLEETGUARD..SCHEDULE B: # 8421.23.0000 OIL OF FUEL FILTER
4726	FF-5481	FUEL FILTER..P/N: FF-5481..MFG: FLEETGUARD..SCHEDULE B: # 8421.23.0000 OIL OF FUEL FILTER
4727	FF1898T-0404S	ADAPTER, MALE O RING, TEE ..(OD-TUBE)-6.4MM/0.25" (THD-1)-9/16-18;(THD-2)-9/16-18 (THD-3)-9/16-18;(MAT)-STEEL (DOC/EXT)-N/N ..P/N :
4728	FF1898T-0606S	ADAPTER, MALE O RING, TEE ..(OD-TUBE)-9.7MM/0.38" (THD-1)-11/16-16;(THD-2)-11/16-16 (THD-3)-11/16-16;(MAT)-STEEL (DOC/EXT)-N/N ..M
4729	FF1898T-0808S	ADAPTER, MALE O RING, TEE ..(OD-TUBE)-12.7MM/0.50" (THD-1)-13/16-16;(THD-2)-13/16-16 (THD-3)-13/16-16;(MAT)-STEEL (DOC/EXT)-N/N ..
4730	FF1898T-1010S	ADAPTER, MALE O RING, TEE ..(OD-TUBE)-16MM/0.63" (THD-1)-1-14;(THD-2)-1-14;(THD-3)-1-14 (MAT)-STEEL (DOC/EXT)-N/N .. P/N:FF1898T-
4731	FF1898T-1212S	ADAPTER, MALE O RING, TEE ..(OD-TUBE)-19MM/0.75" (THD-1)-1 3/16-12;(THD-2)-1 3/16-12 (THD-3)-1 3/16-12;(MAT)-STEEL (DOC/EXT)-N/N ..
4732	FF2000T-0404S	ADAPTER, MALE O RING ..(OD-TUBE)-6.4MM/0.25" (THD-1)-9/16-18;(THD-2)-9/16-18 (MAT)-STEEL (DOC/EXT)-N/N ..P/N : FF2000T-0404S ..MFC
4733	FF2000T-0604S	ADAPTER, MALE O RING ..(OD-TUBE)-9.7MM/0.38" (THD-1)-11/16-16;(THD-2)-9/16-18 (MAT)-STEEL (DOC/EXT)-N/N ..P/N : FF2000T-0604S ..MF
4734	FF2000T-0606S	ADAPTER, MALE O RING ..(OD-TUBE)-9.7MM/0.38" (THD-1)-11/16-16;(THD-2)-11/16-16 (MAT)-STEEL (DOC/EXT)-N/N ..P/N : FF2000T-0606S..MI
4735	FF2000T-0808S	ADAPTER, MALE O RING ..(OD-TUBE)-12.7MM/0.50" (THD-1)-13/16-16;(THD-2)-13/16-16 (MAT)-STEEL (DOC/EXT)-N/N ..P/N : FF2000T-0808S..M
4736	FF2000T-1008S	ADAPTER, MALE O RING ..(OD-TUBE)-16MM/0.63" (THD-1)-1-14;(THD-2)-13/16-16 (MAT)-STEEL (DOC/EXT)-N/N ..P/N: FF2000T-1008S ..MFG :
4737	FF2000T-1010S	ADAPTER, MALE O RING ..(OD-TUBE)-16MM/0.63" (THD-1)-1-14;(THD-2)-1-14 (MAT)-STEEL (DOC/EXT)-N/N ..P/N: FF2000T-1010S ..MFG : AER
4738	FF2000T-1212S	ADAPTER, MALE O RING ..(OD-TUBE)-19MM/0.75" (THD-1)-1 3/16-12;(THD-2)-1 3/16-12 (MAT)-STEEL (DOC/EXT)-N/N ..P/N : FF2000T-1212S ..M
4739	FF2000T-1616S	ADAPTER, MALE O RING ..(OD-TUBE)-25.4MM/1" (THD-1)-1 7/16-12;(THD-2)-1 7/16-12 (MAT)-STEEL (DOC/EXT)-N/N ..P/N : FF2000T-1616S ..MI
4740	FF2035T-0404S	ADAPTER,MALE O RING (OD-TUBE)-6.4MM/0.25"; (ANGLE)--90;(THD-1)-9/16-18; (THD-2)-9/16-18; (MAT)--STEEL(DOC/EXT)-N/N..P/N:FF2035T-
4741	FF2035T-0604S	ADAPTER, MALE O RING ..(OD-TUBE)-9.7MM/0.38"; (ANGLE)-90;(THD-1)-11/16-16; (THD-2)-9/16-18;(MAT)-STEEL (DOC/EXT)-N/N ..MFG : AERC
4742	FF2035T-0606S	ADAPTER, MALE O RING ..(OD-TUBE)-9.7MM/0.38"; (ANGLE)-90;(THD-1)-11/16-16; (THD-2)-11/16-16;(MAT)-STEEL (DOC/EXT)-N/N ..P/N : FF20
4743	FF2035T-0808S	ADAPTER, MALE O RING ..(OD-TUBE)-12.7MM/0.50"; (ANGLE)-90;(THD-1)-13/16-16; (THD-2)-13/16-16;(MAT)-STEEL (DOC/EXT)-N/N ..P/N : FF2
4744	FF2035T-1010S	ADAPTER, MALE O RING ..(OD-TUBE)-16MM/0.63"; (ANGLE)-90;(THD-1)-1-14; (THD-2)-1-14;(MAT)-STEEL (DOC/EXT)-N/N ..P/N : FF2035T-1010
4745	FF2035T-1212S	ADAPTER, MALE O RING ..(OD-TUBE)-19MM/0.75"; (ANGLE)-90;(THD-1)-1 3/16-12; (THD-2)-1 3/16-12;(MAT)-STEEL (DOC/EXT)-N/N ..P/N : FF2C
4746	FF2035T-1616S	ADAPTER, MALE O RING ..(OD-TUBE)-25.4MM/1";(ANGLE)-90 (THD-1)-1 7/16-12;(THD-2)-1 3/16-12 (MAT)-STEEL (DOC/EXT)-N/N ..P/N : FF2035
4747	FFP.0S.302.CLAC42	CIRCULAR PUSH PULL CONNECTOR STRAIGHT PLUG CBL CLLT ANTI ROTATE ..P/N: FFP.0S.302.CLAC42..MFG: LEMO..COUNTRY OF ORIC
4748	FG100-1427-2	COOLER ASSEMBLY 1427-2..P/N: FG100-1427-2..MFG: BOWMAN..SCHEDULE B: # 8419.50.0000 HEAT EXCHANGE UNITS
4749	FG114-1	SINGLE LOAD HOLDER..P/N: FG114-1..MFG: MINCO..SCHEDULE B: #7307110060 OTHER FITTINGS
4750	FG2000B-004	FLASHGUARD MEDIUM INTENSITY SYSTEM WHITE TROBE..INCLUDETHE FLASHED 277-5047W..POWER SUPPLY 277-504861A..PHOTOCE
4751	FG24204	RECHARGEABLE LEAD ACID BATTERY, NON HAZ, OLD MODEL FGC24204..P/N: FG24204..MFG: FIAMM..
4752	FGH 14 EC-720G-90G-NG	FGH 14 EC-720G-90G-NG..(ID: 21763)....OPTIC ELECTRONIC HEAD..(EXCHANGEABLE SCANNING SYSTEM)..FOR TYPE: FGH 14 EC-720G-90
4753	FGK-17000-KW	ANALEX pqL - PQ Index Wear Debris..P/N: FGK-17000-KW..MFG: PARKER-KITTIWAKE..SCHEDULE B:# 9031.80.8080 OTHER INSTRUMENTS A
4754	FHF80	SNAP ON 3/8 RATCHET SOFT GRIP COMFORT HANDLE FHF80 FLEX HEAD MODEL DUAL 80..P/N: FHF80..MFG: SNAPON..SCHEDULE B: # 8

	Item	Description
4755	FHS-340R	FIRE ALARM HORN/STROBE, 33 SOUND ..OUTPUT 24 V DC; 5" W X2.5" D X 6.07" H..REGULATED VOLTAGE ; RED..INDOOR WALL MOUNT..I
4756	FIBER OPTIC CABLE	FIBER OPTIC CABLE FOR COLOR INFRARED TEMPERATURE TRANSMITTER..RL/S18/030U FOCUS DISTANCE 120"..RANGE M78-1500-3300
4757	FIELD-PRO	PERMANENT INSTALLATION LIGHTNING, LEDS 8 X 10, 125 DC, AUDIBLE AND VISUAL ALERTS, DUAL ANTENNA, BATTERIES AND ACCESC
4758	FIG. NO.=15SMZ / 15SMZ	CHECK VALVE COMPLETE ASSEMBLY 6-IN DIA..BRAY..SERIAL NUMBER=880208 / 880108..WAFER-TYPE SWING CHECK VALVE..SIZE=06..A
4759	FIL-2135	FILTER AIR..P/N: FIL-2135..MFG: NATIONAL AUTOMOTIVE PARTS ASSOCIATION..SCHEDULE B: # 8421990080 OTHER PARTS FOR DUST C(
4760	FILTER IQ	FILTER FOR IQ SERIES 076.0882.51..
4761	FIT221-1/16	ALPHA WIRE 1/16" IRPO HEAT SHRINK 2:1 MIL-I--230053/5B UL CSA 55C TO 135C BLACK..P/N: FIT221-1/16..MGG: ALPHA
4762	FIT221-1/2	ALPHA WIRE IRPO HEAT SHRINK 2:1 MIL - I 23053/5B UL CSA-55 TO 135C BLK..P/N: FIT221-1/2..MFG: ALPHA
4763	FIT221-3/8	ALPHA WIRE 3/8" IRPO HEAT SHRINK 2:1 TUBING FLEXIBLE..P/N: FIT221-3/8..MFG: ALPHA
4764	FL-093	MICRO-MATRIX COALESCING FILTER..MODEL OWA-50..P/N:FL-093..SCHEDULE B:# 8421.29.0065 OTHER PARTS FOR HYDRAULIC FLUID P(
4765	FL-150W	MODEL LSSFL W/ LED PHILIPS SMD3030 WITH DRIVER HLG-150-36A, INPUT VOLT 100-277 VAC, LUMEN 19500 LM..P/N: FL-150W..MFG: PHI
4766	FL-200W	MODEL LSSFL W/ LED PHILIPS SMD3030 WITH DRIVER HLG-240-48A, INPUT VOLT 100-277 VAC, LUMEN 26000 LM..P/N: FL-200W..MFG: PHI
4767	FL 1.515031617.25	FLANGED THERMOWELL..1-1/2' 150#RF 316ss bore=260..U=14.5" Straight. 75" OAL = 16.75" C/W..3/4"id x 0.15" wall tantalum sheath & 1/2" FNPT
4768	FL 11N50	FUSE LINK I: 50A, TYPE: N..P/N: FL11N50..MFG: MC GRAW....SCHEDULE B: #8536100040 - OTHER FUSES
4769	FL11K1-1R	FUSE LINK..I: 1A, TYPE: H,..P/N: FL11K1-1R..MFG: MC GRAW..SCHEDULE B: # 8536100040 OTHER FUSES
4770	FL11N5	FUSE LINK..I: 5A, TYPE: N,..P/N: FL11N5..MFG: MC GRAW..SCHEDULE B: #8536100040 - OTHER FUSES
4771	FLAG1-BG-160	FAN/MOTOR, GRILL AND SHROUDING, 3 PH C60-IL-2-2, 60 HZ, SPECIAL UNIT..P/N: FLAG1-BG-160..MFG: WISTRO
4772	FLAG1-BG-160-200	FAN/MOTOR & GRILL ONLY NO SHROUDING, 3 PH, C60-IL-2-2-, 60 HZ,..P/N: FLAG1-BG-160-200..MFG: WISTRO
4773	FLC830	FASTLINC INDUSTRIAL..SPEC: WIRELESS ETHERNET, VDC: 12-14 V, FREQ: 2.4 GHZ, POW: 300 MW, RANGE: 6 MILES, MK: FASTLINC..P/N:
4774	FLE26/2/R40XL827	LAMP CONTACT FLUORESCENT, V: 120V, POW: 23W, CLR: 2700K, LUMEN: 1200, RT-LIFE: 10000 HOURS, TYPE: GLASS SPEC. INTEGRAL B
4775	FLE42HLX/2/XL827	LAMP COMPACT FLUORESCENT..V: 120V, WATT: 42W, CLR: 2700K..LUMENS: 2650, RT-LITE: 10000 HRS..TYPE: INTEGRAL BALLAST..BA
4776	FLKIT	FLASHLIGHT KIT WITH CLIP..TASK LIGHT HAS AN OVERALL BRIGHTNESS OF 35 LUMENS. ..USES 2 AAA BATTERIES TO PROVIDE 14-15 H
4777	FLU11	FLUSIBLE 11A, 10 x 38MM..P/N: FLU 11..MFG: LITTEFUSE..
4778	FLUOROFLEX #9	FLUOROFLEX #9 EXPANSION JOINT U- DESIGN BET. SUPPLIED SPLICED ENDLESS & DRILLED WITH GASKET PER DRAWING # 333760-1E
4779	FLUXUS F601	- Two fully-configurable flow channels standard.. - Transit-Time (Doppler enabled) NEMA 4x rated Flowmeter.. - LCD Display, Datalogger & RS232 ou
4780	FM1-B02-LED-E1-T2-CTG156-WH	LUMINARIE ENDURE, LED WALL PACK ..P/N: FM1-B02-LED-E1-T2-CTG156-WH-FM1 (R/B: FM1-B02-LED-E1-T2-CTG156-WH-316SS)..MFG:CR(
4781	FML.30SS.LP.3EE3EECW.1CS.4N	FLOW-MON FLOW INDICATOR WITH SWITCHES (SPRING LOADED VANE STYLE)..FML.30.SS.LP.3EE3EECW.1CS.4N.S3.D1.UM..SCALED 0-:
4782	FMM-1	MONITOR MODULE ; ADDRESSABLE W/FL..FOR CONTROL PANEL..P/N: FMM-1..MFG: NOTIFIER..SCHEDULE B:# 8531.10.0045 OTHER ELEC
4783	FMR-0789-SA	VALVE FLOWMETER, ..P/N: FMR-0789-SA..MFG: MATHESON
4784	FMR51-12C63/0	MICROPILOT FMR51 ..MODEL NO: FMR51-12C63/0 ..LEVEL, RADAR, CONTACTLESS. ..PREMIUM DEVICE. ..APPLICATION: LIQUIDS. ..INTEGI
4785	FMU-90-R11CA132AA1A	SENSOR PROXIMITY LEVEL PROSONIC..115VAC +15/-22%, 50/60 HZ, IP 66, NEMA 4X, 66029E01050..P/N: FMU-90-R11CA132AA1A..MFG: END
4786	FMU40-TNB2C4	PROSONIC M FMU40..MODEL NO: FMU40-TNB2C4..(FMU40-TNB2C4)..LEVEL, ULTRASONIC, CONTACTLESS...APPLICATION: LIQUIDS, SOL
4787	FMU860-R1A1B3	SENSOR PROXIMITY LEVEL..PROSONIC 115VAC, +15-/22%..50/60 HZ, IP66, NEMA 4X..R/B: FMU90-R11KA131AA1A..MFG: ENDRESS + HAUS
4788	FMU862-U1A1B1	TRANSMITTER, ULTRASONIC LEVEL..P/N: FMU862-U1A1B1..R/B: FMU90-N11CA131AA1A..MFG: ENDRESS + HAUSER..SCHEDULE B: # 9026

	Item	Description
4789	FMU90-R11CA161AA1A	PROSONIC S FMU90 ..MODEL NO.: FMU90-R11CA161AA1A ..EVALUATION: LEVEL/FLOW, CONTINUOUS + SWITCH OUTPUT. APPLICATION
4790	FMU90-R11KA131AA1A	Prosonic S FMU90 Model No: FMU90-R11KA131AA1A .. Evaluation: Level/Flow,.. Continuous + switch output... Application: up to 2 sensors,.. Ex/non E›
4791	FMX21-DVN6/0	FMX21-DVN6/0..WATERPILOT FMX21..AA=APPROVAL: NON-HAZARDOUS AREA..2=OUTPUT: 4-20MA HART..2=PROBE TUBE: 316L, D=42MM
4792	FNB-80	BASE AND FRAME FITS ON 29" NARROW SPA SCAFFOLDS..P/N: FNB-80..MFG: WERNER..
4793	FNCVR 333L	CELL/BATTERY; .. NICKEL CADMIUM BATTERY – WET, FILLED WITH ALKALI..OPERATING TEMPERATURE RANGE: -50C TO +60C..TYPE: FI
4794	FNM-10	FUSE, MIDGET, TIME DELAY;(I)-10A; (V)-250V ; (I-MAX)-10KA..P/N:FNM-10..MFG:BUSSMANN..ORIGIN:MEXICO..SCHEDULE B: #8536.10.0040 (
4795	FNQ-R-3	FUSE; BUSSMANN, LIMITRON TIME DELAY FUSE 3 AMP, 600V, CLASS CC,..ASIROBI D0807524..P/N: FNQ-R-3..MFG: BUSSMAN LIMITRON..S
4796	FNQ-R-5	FUSE CLASS CC; (V-AC)-600V;(I)-5A; (I-MAX)-200KA;(SPEC)- LIMITRON TIME DELA FUSE; (DIM)-13/32" X 1-1/2";..P/N:FNQ-R-5..MFG:BUSSMAI
4797	FOM-1002	60 mm CLEAR- SPLICE SLEEVE
4798	FOM-BAG-LOGO	9"X12" BLK NYLON TOOL BAG W/FOM LOGO
4799	FOM-TK-VGROOVE	FOM FUSION SPLICER CLEANING KIT, USED TO CLEAN THE PRECISION V-GROOVES IN ALL FUSION SPLICERS(RIBBON AND SINGLE V-G
4800	FP-4	FUSE PULLER FOR 1-3/3" TO 2-1/2" DIAMETER FUSE..P/N: FP-4..MFG: BUSSMANN..SCHEDULE B: # 8536.10.0040 OTHER FUSES
4801	FP06P-S1-04-32-NU-V-24VDC-M-	1725041..SOLENOID VALVE..MODEL: FP06P-S1-04-32-NU-V-24VDC-M-87DA9..CONNECTION SIZE: 1/4"NPT..VOLTAGE: 24 VDC..NUMBER OF
4802	FP12180	BATTERIES 12V, 18 Ah, ..P/N: FP12180..MFG: FIRST POWER ..
4803	FP12240	BATTERIES 12V, 24 Ah,..P/N: FP12240..MFG: FIRST POWER
4804	FP63300DE2	CONTROL PHOTOELECTRIC WITH SOCKET..P/N: FP63300DE2..MFG: FISHER PIERCE....SCHEDULE B: # 9030890100 OTHER APPARATUS
4805	FPS476-71	RECEPTACLE ELECTRICAL..VAC: 480V, I: 15A, POW: 1000W,..KVA: 1.8KVA, #W: 3, #POL: 3,..TWISLOCK WITH MOUNTING BRACKET..P/N: FI
4806	FQR50-C1SDA	BARRIER SENSOR MICROWAVE EMITTER..P/N: FQR50-C1SDA..MFG: ENDRESS HAUSER..SCHEDULE B: # 9026800000 OTHER INSTRUMEN
4807	FR-46	ECOSAFE HYDRAULIC FLUID, 55 GAL, DRUM FR-46 AMERICAN CHEMICAL TECH..P/N: FR-46 (R/B: S3DU46)..MFG: SHELL..SCHEDULE B: # 3
4808	FR10GC69V1,69	SEMICONDUCTOR CYLINDRICAL FUSE 1 A..P/N:FR10GC69V1,69..MAKE:FERRAZ..SCHEDULE: # 8536.10.0040 OTHER FUSES
4809	FR714M	CARTRIDGE MILL..P/N: FR714M..MFG: WALTER TOOLS..SCHEDULE B: # 8207705000 OTHER TOOLS FOR MILLING
4810	FRN-R-3	FUSE, 3 AMP, DUAL ELEMENT..P/N:FRN-R-3..MFG: BUSSMAN..SCHEDULE: # 8536.10.0040 OTHER FUSES
4811	FRS-R-3-1/2	FUSE; CYLINDRIC ;3 1/2 AMP, 600VAC, CLASS RK5, ..DUAL ELEMENT..TIME DELAY..PHYSICAL SIZE: 0.81" X 5"..INTERRUPTING RATING: 20
4812	FRS-R-500	FUSE DUAL ELEMENT TIME DELAY CURRENT LIMITING, CLASS RK5 FUSE, 600VAC, 200,000 AMPS RMS..P/N: FRS-R-500..MFG: BUSSMANN
4813	FS-2	CONDULET CAST EXTERNAL MOUNTING DIA: 3/4", TYE: FS, MAT: MALLED IRON..P/N: FS-2..MFG: CROUSE HINDS..SCHEDULE B: # 730719
4814	FS-5	STARTER FOR FLUORESCENT LAMP, POW: 4-6-8 W, V: 220, H: 33.8 MM, DIA: 21 MM, MOD:FS-U..P/N: FS-5..MFG: SURELITE/ GE..SCHEDULE
4815	FS2	STARTER FOR FLUORESCENT LAMP..POW: 10-20W, V: 110-130, H: 33.4 MM, DIA: 22MM, MOD: FS2..P/N: FS2..MFG: SURELITE / GE..SCHEDU
4816	FS2-G	BOX, DOUBLE COAT, PVC COVERED..DIA: 3/4", TYPE: FS DEAD END..P/N: FS2-G..MFG: THOMAS & BETTS..SCHEDULE B: # 7310100050 OTI
4817	FS228 TORX20	KEY MILL CARTRIDGE PIN..P/N: FS228 TORX20..MFG: WALTER TOOLS..SCHEDULE B: # 8207705000 OTHER TOOLS FOR MILLING
4818	FS230 TORX8	KEY MILL CARTRIDGE PASTILLE..P/N: FS230 TORX8..MFG: WALTER TOOLS..SCHEDULE B: # 8207705000 OTHER TOOLS FOR MILLING
4819	FS247 SW4	BOLT CARTRIDGE MILL..P/N: FS247 SW4..MFG: WALTER TOOLS..SCHEDULE B: # 8207705000 OTHER TOOLS FOR MILLING
4820	FS252-7S	FILTER 252 GAS FOR VALVE REGULATOR EZR DIA 3"..P/N: FS252-7S..MFG: FISHER
4821	FS2N	PRODUCT NUMBER: N72750002..NORTHYLON HOOD FS2N..TYPE PB[4] (PARTIAL BODY) HOOD DESIGNED TO BE USED FOR MAINTENAN
4822	FS303 TORX20	PIN CARTRIDGE MILL..P/N: FS303 TORX20..MFG: WALTER TOOLS..SCHEDULE B: # 8207705000 OTHER TOOLS FOR MILLING

	Item	Description
4823	FS67CFR-225	PRESSURE REGULATOR , 1/4" 67CFR-225 MAX AIR SUPPLY: 250 PSI
4824	FS923 TORX8	BOLT CARTRIDGE MILL PASTILLE..P/N: FS923 TORX8..MFG: WALTER TOOLS..SCHEDULE B: # 8207705000 OTHER TOOLS FOR MILLING..
4825	FSC2-G	BOX, DOUBLE COAT, PVC COVERED..DIA: 3/4", TYPE: FSC FEED THRU..P/N: FSC2-G..MFG: THOMAS & BETTS..SCHEDULE B: # 7310100050
4826	FSK-1TS	COVER ; FS & FD SINGLE GANG AND TANDEM CAST HUB DEVICE BOXES;WATERPROOF COVER MOUNTING BOX;VERTICAL..(MAT)-STE
4827	FSM-3610	MOUNTING BRACKET FOR FB-3610..P/N: FSM-3610..MFG: TOSHIBA..SCHEDULE B: # 8525805020 OTHERS..COUNTRY OF ORIGIN: CANADA
4828	FSM-NNNNL-000	Pair of Type M Portable Clamp-On Flow Transducer..- Pipe diameter range 2" to 133", with 13' cable..- Temperature -22 to + 266 F, includes coupling cor
4829	FSM-WB21	WALL MOUNT FOR IKWB21A..P/N: FSM-WB21..MFG: TOSHIBA..
4830	FSNF230 US	DAMPER 230 Vac,60hz, 27 VA running..FIRE & SMOKE ACTUATOR..MFG:BELINO..P/N: FSNF230 US..SCHEDULE B:# OTHER ELECTRIC ACTU
4831	FSP-851	INTELLIGENT ADDRESSABLE PHOTO DETECTOR. LOW PROFILE INTELLIGENT PHOTOELECTRIC SENSOR MUST BE MOUNTED TO THE E
4832	FSQ-NNNNL-000	Pair of Type Q Portable Clamp-On Flow Transducer..-Pipe diameter range 0.4" to 16", with 9.8' cable..- Temperature -22 to + 266 F, includes couplings c
4833	FST801	SMART MEDIA CONVERTER- 2KM, 10/100 BASE-TX TO 100 BASE-FX (ST MM)..P/N: FST801..MFG: PLANET TECHNOLOGY
4834	FT-066	SWITCH TEST FT-066..In-Service Series Test Plud: TP-109 ; 10 poles of voltage and 0 of current..P/N:FT-066..GENERAL ELECTRIC..SCHEDULE B:
4835	FT-082	SWITCH TEST FT-082..0 poles of voltage and 10 of current..P/N:FT-082..GENERAL ELECTRIC..SCHEDULE B: # 8536.50.9035 OTHER SWITCHES
4836	FT-084	SWITCH TEST FT-084..4poles of voltage and 6 of current..P/N: FT-084..GENERAL ELECTRIC..SCHEDULE B: # 8536.50.9035 OTHER SWITCHES..
4837	FT-089	SWITCH TEST FT-089..2 poles of voltage and 6 of current..P/N:FT-089..GENERAL ELECTRIC..SCHEDULE B: # 8536.50.9035 OTHER SWITCHES..
4838	FT-40	Stationary Kettle, direct steam, 40-gallon capacity, 2/3 jacket, 316 stainless steel..liner, 2" TDO, 1/4" perforated strainer, tri-leg open base, stainless..steel
4839	FT-60	Stationary Kettle, direct steam, 60-gallon capacity, 2/3 jacket, 316 stainless steel..liner, 2" TDO, 1/4" perforated strainer, tri-leg open base, stainless..steel
4840	FT204/4VX-AA-DLP-WS 50 MICR	FILTER; AZUD HELIX AUTOMATIC FT204/4VX AA; INCLUDES GROOVED COUPLINGS AND ADAPTERS FOR INLET(4") OUTLET(4") AND DRA
4841	FTARB01-PT100-BM6M5	RTD TEMPERATURE SENSOR; ANALOG ; 5M CABLE BOLT M6 THREAD HEAD ..P/N: FTARB01-PT100-BM6M5..MFG:FINGLAI..SCHEDULE B: #
4842	FTP14-14	TEST PLUG 14 POLES..P/N: FTP14-14..MFG: STATES FMS..SCHEDULE B:# 8536.50.9045 OTHER ELECTRICAL APPARATUS FOR SWITCHIN
4843	FTP6212	FTP6212 12 FT TYPE IA FIBERGLASS TRIPOD LADDER..P/N: FTP6212..MFG: WERNER..SCHEDULE B: # 7326908560 OTHER LADDERS
4844	FTS-100GR	TAPE FISH STEEL, GRIP-RITE, LG: 30M..P/N: FTS-100GR..MFG: GARDNER BENDER..SCHEDULE B: # 7206.90.0000 OTHER STEEL
4845	FTXAVX0-3V/4-20MA/24VDC	AUXILIARY POWERED, ISOLATED, SIGNAL CONDITIONERS, ..P/N: FTXAVX0-3V/4-20MA/24V..MFG: WEIDMULLER
4846	FU-100033-01	FUSE..(SPEC) - 5.5KV, 24R, 63KA..I.R.SYM, 3" DIAMETER..P/N: FU-100033-01..MFG: BENSHAW
4847	FU-620	FUSE..(I) - 15A; (V-AC)-500V; (I-MAX)-10KA..P/N: FU-620
4848	FU-627	FUSE..(I) 5A; (V-AC)-500V; (I-MAX)
4849	FU-632	FUSE..(I)-10A; (V-AC)-500V; (I-MAX)-10KA..P/N: FU-632..MFG: BENSHAW
4850	FU-738	FUSE..(I)-0.63A; (V -AC)-250VAC, TIME LAG..P/N: FU-738..MFG: BENSHAW..
4851	FU20-05-T1-NPT	SENSOR PH..P/N: FU20-05-T1-NPT..MFG: YOKOGAWA..
4852	FUC-50010	FUSE MIDGET TIME DELAY..I: 10A, V: 500V, I-MAX: 10KA..P/N: FUC-50010 (OFFER P/N: FNQ-10)..MFG: BUSSMANN..SCHEDULE B: #85361000
4853	FUSE	FUSE 15 AMP, 250 V,..P/N: FUSE..MFG: PWT WORLD..SCHEDULE B: # 8205599000 OTHER HANDTOOLS AND PARTS
4854	FV180	S.C. 243261..VENT, ASSEMBLY..(DIA)-1.85"; (H)-3.25"; (CONNECTION)-1/8 NPT; (PRE)-150 PSI; (REF)-VENT AIR FLOAT TYPE B&G MOD 700..H
4855	FX200-18-24-ST-5	Adjustable conveyor height: 28-1/2 in. to 41-1/2 in., 7 legs , 7 wheels per axle..Model FX200 - 18 in. wide X 24 ft. long..p/n: FX200-18-24-ST-5..Mfg: Hytrc
4856	FX4S-1P2	COUNTER & TIME, 1/16 DIN, 4-DIGIT, LED, 1 PRESET, RELAY & NPN OUTPUT 24 VAC 50/60 HZ, 24-48 VDC..P/N: FX4S-1P2..MFG AUTONICS..

	Item	Description
4857	FXD63A250	CIRCUIT BREAKER..NO. POLES: 3, V: 600V, I: 250A, ..P/N: FXD63A250..MFG: SIEMENS INDUSTRIES..SCHEDULE B: # 8536200040 OTHER AU
4858	FXD63B250	SENTRON SERIES CIRCUIT BREAKER, CAT MODELO FXD63B250-SERIE B, AMP. 250, VOLTAGE MAX. 600 V, POLES 3..P/N: FXD63B250..MF
4859	FZ-1634	CONNECTOR ;ENERPAC FITTING 1/2"- 14 NPTF FEMALE X 3/8"-18 NPTF MALE..P/N:FZ-1634..MFG:ENERPAC..SCHEDULE B:# 8536.69.5050 C
4860	G-WMWG	GUARD STAINLESS STEEL PLATED, WALLMASTER..UPC: 78138109552..P/N: G-WMWG..MFG: APPLETON..
4861	G01-250ML	GRINDING BARREL ALLOY-01, SIZE: 250ML, COMPLETE..P/N: G01-250ML..MFG: TM ENGINEERING LTD...SCHEDULE B: # 8474.90.0020 PART
4862	G180077LE0	VICTAULIC GRV"E" EPDM GASKETS F/07,75,77 COUPLING, 18 IN DIA..P/N: 0373-GSKT-18 IN..MFG: VICTAULIC..SCHEDULE B: # 4016930000
4863	G2-0012	ODORANT TANK GAUGE/CABLE ASSEMBLY..P/N: G2-0012..MFG: YZ SYSTEMS
4864	G2-516	TERMINAL PRESSURE LOW VOLTAGE..TYPE: RING, AWG: 2-1, INSUL: NO, STUD-HOLE: 5/16", SPEC: STAKON..P/N: G2-516..MFG: THOMAS
4865	G24	GLOBE ELECTRIC LIGHT..MAT: GLASS..P/N: G24 (CHG24) ..MFG: COOPER CROUSE HINDS..SCHEDULE B: # 9405400000
4866	G34296470115	DUPU 4 INP UNIVERSAL ANALOG..P/N: G34296470115..MFG: CARLO GAVAZZI
4867	G3DB-275	OIL PUMP FOR PAPER MACHINE TYPE: THREE SCREW, ROTATION-CW ..P/N: G3DB-275 (P/N: 3217/1000)..MFG: IMO PUMP..SCHEDULE B:
4868	G408-0001.V1	EUROTHERM ACTION ULTRA SLIMPAK , INPUT FIELD CONFIGURED FOR..ANY ONE OF 12 VOLTAGE RANGES FROM 10MV TO 100V OR 6
4869	G46-P10-01-X30	GAUGE 1/8"' WITH PSI AND MPA SCALE..P/N: G46-P10-01-X30..MFG:SMC..SCHEDULE B: # 9026.20.0000 INSTRUMENTS AND APPARATUS F
4870	G6ACTKKRC	ECO PUMP ASSEMBLY, PUMP 3/4" NPT..P/N: G6ACTKKRC..MFG: ECO..SCHEDULE B: # 8413.81.0040 OTHER PUMPS
4871	G771K202A	MOOG SERVO VALVE 3000PSI -7.2/+8.8MA ..SER IAL 10305 TYPE: H19FOFA4VJ4R PP 3000PSI SIGNAL -7.2 TO +8.8MA ..CUST P/N 312A60 77
4872	G772K240A	MOOG SERVO VALVE 3000PSI -7.2/+8.8MA ..MPB 71AA210B/MPB72AA210B/MPB73AA210B / MPB74A A210B SERVOVALVE MOOG..MODEL: G
4873	GAM671LMT	(V)-120-277VAC, POW: 250W, LAMP: HPS, TEMP: 261-280 C, SPEC: PF400, POWERFLOOD..P/N: GAM671LMT..MFG: APPLETON..SCHEDULE
4874	GAM671LMTI2	FLOODLIGHT (TYPE-LAMP)-S-50 HPS(POW)-250W;(V)-120-277VAC(I)-2.7-1.15A;(FREQ)-60HZ(BASE)-MOGUL..SCREW(BULB)-E-18 CLEAR..P/
4875	GAM861L-48-1/2	FLOODLIGHTING INCANDESCENT, VAC: 480V, POW: 1000W, LAP: HPS, SPEC: MOUNT, HPS LAMP, MOGUL BASE, SOCKET 480V..P/N: GAM
4876	GAP1605	DUPLINE CODE PROGRAMMER..P/N: GAP1605..MFG: CARLO GAVAZZI
4877	GASK579	3-1/2 NEO BODY GASKET..P/N: GAK579..MFG: CROUSE HINDS
4878	GAUGE GLASS	GAUGE GLASS WITH PACKING FOR HP 6 HEATERS INTERNATIONAL..INCLUDE:..2 PCS STANDARD GASKET P/N: V-18980-6 ..2 PCS TRANS
4879	GAUGE GLASS SET FOR HP 6 H	GAUGE GLASS WITH PACKING SET FOR HP 6 HEATERS INTERNATIONAL..SET INCLUDES:..4 PCS STANDARD GASKET P/N: V-18980-6 ..2
4880	GB114	14" GLOVE BAG FOR LOW VOLTAGE AND HIGH VOLTAGE..P/N: GB114..MFG: SALISBURY....SCHEDULE B: #
4881	GB116	GLOVES BAG, CANVAS DUCK..WIDTH: 9 INCHES, LENGHT: 18 INCHES, NO. PACKETS: 2..P/N: GB116..MFG: SALISBURY..SCHEDULE B: # 62
4882	GBM29	GROUND CONNECTOR FOR COPP TO 2/0 SOL. 250 MCM..P/N: GBM29..MFG: BURNDY..SCHEDULE B:# 8536695050 OTHER CONNECTORS
4883	GC035	35K LOAD CELL FOR 7/8" TO 1 1/8" WIRE ROPE..P/N: GC035..MFG: CE/ LSI LOADING SYSTEMS INC...SCHEDULE B:# 9031.80.8080 OTHER M
4884	GC10-8682	CLEANER RELAY AND CONTACT; MAINTENANCE CLEANER,DEGREASER G3 ,16 OZ , BLUE SHOWER..P/N: GC10-8682 (R/B: 1630-16S)..MF
4885	GC1000	CUTTER, CABLE, HAND OPERATED..P/N: GC1000..MFG: KLEIN TOOLS..SCHEDULE B: #8203300000 METAL CUTTING TOOLS..COUNTRY O
4886	GC111-9D	BRONZE GROUND CLAMP CABLE TO ROD OR TUBE..P/N: GC111-9D..MFG: ANDERSON
4887	GC2929	GROUND CONNECTOR FOR COPP TO BAR 2/0 SOL 250 MCM..P/N: GC2929..MFG: BURNDY..SCHEDULE B:# 8536.69.5050 OTHER ELECTRI
4888	GC313182	POSITIONER FULL REVERSAL..GC31 POSITIONER, GH232T REVERSING RELAY, GFX04A ALL PIPED TOGETHER..P/N: GC313182..MFG: CO
4889	GCO14-24	TYPE: CUTTING MACHINES MODEL: GCO 14-24 PROFESSIONAL USE POWER 2400 W SPEED 3800 RPM DISC SIZE 14 (355 MM) INCLUDES:
4890	GD-12	COMBUSTIBLE GAS DETECTOR, CONTROLLER AND TRANSDUCER..POWER: 100-240VAC (50 TO 60 HZ)..CURRENT: 1.0 A MAX;4-20 MA CU

	Item	Description
4891	GD25521X012	SPRING..P/N: GD25521X012..MFG: ROSEMOUNT FISHER
4892	GD3015	CIRCUIT BREAKER , 3 POLES, 415 V, 15 A, ..P/N: GD3015..MFG: CUTLER HAMMER..SCHEDULE B: # 8536200040 OTHER AUTOMATIC CIRCU
4893	GD3030	CIRCUIT BREAKER, 3 POLES, 240-380-440V, 30A, ..P/N: GD3030..MFG: CUTLER HAMMER..SCHEDULE B: # 8536200040 OTHER AUTOMATIC
4894	GD89982X012	KITS REPAIR PARTS GD89982X012..WAS REPLACED BY..R/B: RPRX00X0N12..MFG: ROSEMOUNT FISHER
4895	GDE-1107	THIMBLE GUY..SPEC: GRIP GUY PREFORMED..GALV. STEEL 3/8", 3W-7W..P/N: GDE-1107..MFG: PREFORMED LINE PRODUCTS..SCHEDUL
4896	GDE-1108	THIMBLE GUY..GRIP GUY PERFORMED..GALVANIZED STEEL 7/6", 7W..P/N: GDE-1108 ..MFG: PREFORMED LINE PRODUCTS..SCHEDULE
4897	GE-6003-15	LAMPHOLDER, SPEC: E26 MEDIUM BASE WITH THREADED CAP GLAZED PORCELAIN, V: 600 V, POW: 600 W, PULSE RATED: 4 KV, SCREV
4898	GE-6015	LAMP SEALED BEAM; FRONT (NO LAMP TRADE)-6015; (V)-12.8V; (POW)-50W ;ALL GLASS ROUND LOW / HIGH BEAM TRUCK HEADLIGHT (
4899	GE 1630	LAMP; 18.0 WATTS MINIATURE INCANDESCENT BULB, S8, DOUBLE CONTACT PREFOCUS (P15D);7V; 2750MA;100H;289 LUM; LENGTH 2" D
4900	GE44077X012	GE44077X012; KIT, TERMINAL BOX;DVC6000F/DVC6200F,..AL/NIT FISHER CERTIFICATION OF CONFORMANCE...P/N: GE44077X012..MFG: F
4901	GEA TNI21	NEUTRAL KIT..P/N:GEA TNI21..MFG: GENERAL ELECTRIC
4902	GEM-A-32144N2-625	VALVE SELENOID..P/N: GEM-A-32144N2-625..MFG: BACCARA..SCHEDULE B: #8481803040 OTHER SELENOID VALVES
4903	GEM-B-625	COIL..P/N: GEM-B-625..MFG: BACCARA
4904	GEM-S-3411N2-625	VALVE SELENOID, ORIFICE 12MM..P/N: GEM-S-3411N2-625..MFG: BACCARA..SCHEDULE B: #8481803040 OTHER SELENOID VALVES
4905	GEM-S-3511N2-625	VALVE SELENOID, ORIFICE 20MM..P/N: GEM-S-3511N2-625..MFG: BACCARA..SCHEDULE B: #8481803040 OTHER SELENOID VALVES
4906	GENERIC 240V 15W	LAMP MINIATURE, V: 240V, POW: 15W, BASE: BAYONET, TYPE: DOUBLE CONTACT 22MM..P/N: GENERIC 240V 15W..MFG: GENERIC
4907	GFM-156	GROUND FAULT PROTECTION SYSTEMS, SENSOR DIMENSIONS "B3"..P/N: GFM-156..MFG: GE MULTILIN
4908	GJ2103	POSITINER FULL REVERSAL, INCLUDE: FILTER, U/O CELL WEMCO 60..P/N: GJ2103 (OFFER REPLACEMENT P/N: GC313182)..MFG: CONOF
4909	GK30934	BUS NODE..P/N: GK30934..MFG: GEKKO
4910	GL-406A	CONNECTOR WIRE..AWG: 1/0..REF: SPLICE ACSR..P/N: GL-406A..MFG: HUBBELLL POWER SYST -ANDERSON..SCHEDULE B: #8536908010
4911	GL119	OVERHEAD LINE SPLICE, AUTOMATIC, COPPER ..P/N: GL119..MFG: HUBBELL POWER SYSTEMS
4912	GLASSES	PAIR OF GLASSES..MFG: RAYBAN
4913	GLC-LH-SMD=	1000BASE-LX/LH SFP TRANSCEIVER MODULE FOR MULTIMODE(550M) &..SINGLEMODE(10KM) FIBER, 1310 NM WAVELENGTH...P/N: GLC-I
4914	GLD137CC220DPRKIT	PUMP KIT..P/N: GLD137CC220DPRKIT..MFG: YAMATO SCIENTIFIC AMERICA
4915	GM005A2R21-6	GM SERIES OVAL GEAR METER, FLOW RANGE: >5cP-0.26 TO 7.9 GPM/1.0 TO 30 LPM, <5cP-0.80 TO 6.6 GPM/ 3.0 TO 25 LPM. ..GM005 BASE
4916	GM11718F120408	AUTOMATIC VOLTAGE REGULATOR..PCB ASSY MARATHON EXCITATION INTERFACE..P/N: GM11718F120408..MFG: KOHLER
4917	GM17549	FUEL LINE, MOSAIC CODE 70145395..P/N: GM17549..MFG: KOHLER..SCHEDULE B: # 8409.99.8000 OTHER PARTS FOR DIESEL ENGINE
4918	GM19726	THERMOSTAT 160 DEG..P/N:GM19726..MFG:KOHLER..SCHEDULE B#:39032.10.0000 THERMOSTATS.....
4919	GM72292	SENSOR O2..P/N:GM72292..MFG:KOHLER..SCHEDULE B:# 8405.90.0000 OTHER PARTS FOR GAS GENERATORS.....
4920	GM72302	T MAP 3-BAR SENSOR..P/N: GM72302..MFG: KOHLER..SCHEDULE B:# 8405.90.0000 OTHER PARTS FOR GAS GENERATORS.....
4921	GM72304	KNOCK SENSOR..P/N:GM72304..MFG:KOHLER..SCHEDULE B:# 8405.90.0000 OTHER PARTS FOR GAS GENERATORS.....
4922	GM79574	HEATER STRIP..P/N: GM79574..MFG: KOHLER
4923	GMA-1A	FUSE GLASS BODY, ..P/N: GMA-1A..MFG: BUSSMANN..FUSE GLASS BODY, ..P/N: GMA-1A..MFG: BUSSMANN..SCHEDULE B:# 8536.10.0040 (
4924	GMC-12 230VAC	INDUSTRIAL CONTACTOR, 3 POLES, 12 A, 2"..P/N: GMC-12 230VAC..MFG: ANGSER ELECTRIC

	Item	Description
4925	GN.37856	OIL LEVEL INDICATOR; STAINLESS STEEL..OIL LEVEL SIGHT GLASS ..GN 743.5-11-M16x1.5-A..P/N: GN.37856..MFG:ELESA..
4926	GP010	HUB SUPPORT ..P/N: GP010 (MCRHSU00000)..MFG: ARCH ENVIRONMENTAL
4927	GP011-26	SUPPORT PIPE 26"..P/N: GP011-26 (MCRPSU02600)..MFG: ARCH ENVIRONMENTAL..SCHEDULE B: # 8431.39.0010 OTHER CONVEYOR PAR
4928	GP011-42	SUPPORT PIPE 42"..P/N: GP011-42 (R/B: MCRPSU04200)..MFG: ARCH ENVIRONMENTAL..SCHEDULE B: # 8431.39.0010 OTHER CONVEYOR
4929	GP019-26	TENSIONER PIPE 26"..P/N: GP019-26 (MCRPTP02600)..MFG: ARCH ENVIRONMENTAL ..SCHEDULE B: # 8431.39.0010 OTHER CONVEYOR P
4930	GP019-42	TENSIONER PIPE 42"..P/N: PG019-42 (MCRPTP4200)..MFG: ARCH ENVIRONMENTAL..SCHEDULE B: # 8431.39.0010 OTHER CONVEYOR PAI
4931	GP110	GROUND PLATE 10" ELECTROLITIC SHEFT COPPER BLACK BURN ..P/N: GP110..MFG: HUBEELL..
4932	GP1272F2FR	BATTERY, NOMINAL VOLTAGE 12V (6 CELLS PER UNIT) 8.5AH @20HR-RATE TO 1.75V PER CELL @25, MAXIMUM DISCHARGE CURRENT
4933	GP402-15-320	PRESSURE REGULATOR; ..TYPE:COMPRESSED GAS, TWO STAGE; SERIES: GP402 ;CGA/INLET SIZE: CGA 320; OUTLET SIZE:1/4 INCH (M)
4934	GRAB-IT-1	CUTOUT FUSE TUBE REMOVER 100 AMP..P/N: GRAB-IT-1..MFG: ALTEC..SCHEDULE B: # 8536.50.9065 OTHER ELECTRICAL APPARATUS F
4935	GRAB-IT-2	CUTOUT FUSE TUBE REMOVER 100 & 200 AMP..P/N: GRAB-IT-2..MFG: ALTEC..SCHEDULE B: # 8536.50.9065 OTHER ELECTRICAL APPARA
4936	GRW-4-D11E-A1-K-B0	4 WAFER BFV DI/SS/SS/EPDM BARE STEM KEYSTONE GRW-4-D11E-A1-K-B0...W/ HANDLE BAC KEYSTONE 350-712-040-401-060, KNOCK C
4937	GS075-B	CRANE ANTI-TWO BLOCK SENSOR..P/N: GS075-B..MFG: LOAD SYSTEMS INTERNATIONAL..SCHEDULE B: #8423.90.0040 DIGITAL WEIGHT
4938	GT18ED	TRANSDUCER, SPEC: INPUT 4-20 MA, OUTPUT 3-15 PSI, AIR SUPPLYY, 25 PSI..P/N: GT18ED..MFG: CONOFLOW..SCHEDULE B: # 8543.70.4
4939	GT2385014M85GT2	POWERGRIP GT2 BELTS 3850 8M AND 14M 85 ..P/N: 3850-14MGT-85..MFG: GATES..SCHEDULE B: #4010.19.0100 OTHER CONVEYOR BELTS
4940	GT33850-14MGT-85	POWERGRIP GT3 BELTS 3850 8M AND 14M 85 ..P/N: 3850-14MGT-85..MFG: GATES..SCHEDULE B: #4010.19.0100 OTHER CONVEYOR BELT
4941	GTA16202	FILTER AIR PANEL..LG: 20", W: 16", THK: 2"..MAT: FIBER GLASS..P/N: GTA16202..MFG: GLASFLOSS..SCHEDULE B: # 8421990080 OTHER PA
4942	GTA20202	FILTER AIR PANEL..FG: 20", W: 20", THK: 2", MAT: STEEL,..P/N: GTA20202..MFG: GLASSFLOSS..SCHEDULE B: # 8421990080 OTHER PARTS
4943	GTA20204	FILTER AIR PANEL..LG: 20", W: 20", THK: 4",..P/N: GTA20204..MFG: GLASFOLSS..SCHEDULE B: # 8421990080 OTHER PARTS FOR DUST CO
4944	GTP0150U0104	SG FRAME RATING PLUG..P/N: GTP0150U0104..MFG: GENERAL ELECTRIC
4945	GTP0400U0410	SG FRAME RATING PLUG..P/N: GTP0400U0410..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536.50.9065 OTHER ELECTRICAL APPARATUS
4946	GTP0800U0820	RATING PLUG; RATING 800A FOR ENTELLIGUARD TU TRIP UNIT.WORK WITH ACB BREAKERS WITH CURRENT SENSOR RATINGS FROM
4947	GTS202202	FILTER AIR PANEL..LG: 20", W: 20", THK: 2"..MAT: FIBER GLASS..P/N: GTA202202..MFG: GLASFLOSS..SCHEDULE B: # 8421990080 OTHER P
4949	GW402	SCAFFOLD TOWER 18-1/2FT HIGH..P/N: GW402 ..MFG: WERNER
4950	GW60026	INDUSTRIAL PLUG..P/N: GW60026..MFG: GEWISS..SCHEDULE B: #8536695050 - OTHER ELECTRICAL CONNECTOR
4951	GWM-15-L-MT-H-R	APPLETON GWM15LMTHR 150W HPS LIGHTING FIXTURE, 150W HPS LTG FIX..UPC: 78138113957..P/N: GWM-15-L-MT-H-R..MFG: APPLETC
4952	GXT2-2000RT-120	POWER SUPPLY UNINTERRUPTABLE, POW: 1.4 K OUTPUT, VA: 2 KVA, FREQ: 40/70, V-INP: 120 VAC, V-OUT: 100 TO 127 V, INCL: BATTERY
4953	GXT2-2000RT230	UPStation GXT 2U, Model GXT2-2000RT230, 2000 VA/1400 Watts Capacity, 230VAC input & output..System Features/Options/Accessories:..True on-li
4954	GXT2-3000RT-120	POWER SUPPLY UNINTERRUPTABLE, POW: 2.1 KW OUTPUT, VA: 3 KVA, FREQ: 40/70, V-INP:60- 120 VAC, V-OUT: 100 TO 127 V, INCL: BAT
4955	GXT3-2000RT-120	POWER SUPPLY UNINTERRUPTABLE, POW: 1.4 K OUTPUT, VA: 2 KVA, FREQ: 40/70, V-INP: 120 VAC, V-OUT: 100 TO 127 V, INCL: BATTERY
4956	GXT4-3000RT120	POWER SUPPLY UNINTERRUPTABLE, POW: 2.1 K OUTPUT, VA: 3 KVA, FREQ: 40/70, V-INP: 60-120 VAC, V-OUT: 100 TO 127 V, INCL: BATTE
4957	H-2700	CORK INSULATION TAPE; 1/8T x 2"W x 30'L..P/N:H-2700..MFG:HYDRO BALANCE..ORIGIN:USA..SCHEDULE B: # 3919.10.2055 OTHER TAPES.
4958	H035118	COVER ..P/N: H035118..MFG: NELES..SCHEDULE B: # 8481909090 PARTS FOR VALVES

	Item	Description
4959	H039293	SPOOL..P/N: H039293..MFG: NELES..SCHEDULE B: # 8481909090 PARTS FOR VALVES
4960	H039295	LOCAL USER INTERFASE (WI)..P/N: H039295..MFG: NELES..SCHEDULE B: # 8481909090 PARTS FOR VALVES
4961	H100-189	SWITCH PRESSURE TYPE H100-189..RANGE OPERATION 250 TO 3500 PSI/ 17.2 TO 241.3 BAR..P/N: H100-189..MFG: UNITED ELECTRIC CC
4962	H100048TAC5M-500K	BALLAST MERCURY..P/N: H100048TAC5M-500K (P/N: M100048TAC5M-500K)..MFG: UNIVERSAL LIGHTING TECHNOLOGIES..SCHEDULE B:
4963	H100X064H2C	LABEL HEAT SHRINKABLE DIE-CUT YELLOW..HEAT SHRINK WIRE/CABLE LABEL..P1 CASSETTE HEATSHRINK TUBING MIL GRAD..COLOR
4964	H10F-20G	INDICATOR LIGHT, Ø10MM, X-BRIGHT, G, LED, 220VAC, PANEL MOUNT, ROUND, FLAT HEAD..GREEN..P/N:H10F-20G..MFG: MENICS ..SCH
4965	H10F-20R	INDICATOR LIGHT, Ø10MM, X-BRIGHT, R, LED, 220VAC, PANEL MOUNT, ROUND, FLAT HEAD..RED..H10F-20R..MFG:MENICS..SCHEDULE B:
4966	H117-218	PRESSURE SWITCH; TYPE VACUUM;FAMILY: 117 SERIES; PRESSURE RANGE: 30" Hg VAC to 0 PSI; MODEL: H117 VACUUM SWITCH, 11A@
4967	H117-218-1190	PRESSURE SWITCH; TYPE VACUUM;FAMILY: 117 SERIES; PRESSURE RANGE: 30" Hg VAC to 0 PSI; MODEL: H117 VACUUM SWITCH, 11A@
4968	H1Y207-25-FT000	SPEED REDUCER MODEL 215G-25..P/N: H1Y207-25-FT000..MFG: SUMITOMO..SCHEDULE B: # 8483.40.9000 OTHER SPEED CHANGERS
4969	H2	INSULATED HANGER FOR 250A BAR..P/N: H2..MFG: UNIVERSAL..SCHEDULE B: # 8426190000 MOBILE LIFTING PARTS FOR BRIDE CRANE
4970	H2017B	HEATER PACK OF 3 PCS..P/N: H2017B (OR H2017B-3)..MFG: CUTLER HAMMER
4971	H20DB-37-SS-600-ABC-28V/5-SC	ROTARY ENCODR INCREMENTAL 600PPR..P/N: H20DB-37-SS-600-ABC-28V/5-SCS48-S ..MFG: SENSATA BEI-SENSORS..SCHEDULE B: #8543
4972	H25-17	TRIDICATOR (REF)-PTA,RANGE 50-115-260, MEASURE TEMP AND PRESSURE..P/N:H25-17..MFG: WESTWOOD..SCHEDULE B: # 9025.90.00(
4973	H250DX37	LAMP MERCURY, POW: 250W, ..P/N: H250DX37..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8539320040 LAMP MERCURY VAPOR..
4974	H2DA114DBEL	COMPRESSOR HERMETIC..VAC: 460V, FREQ: 60HZ, PH: 3,..P/N: H2DA114DBEL..MFG: BRISTOL COMPRESSOR..SCHEDULE B: # 841480900(
4975	H32V2BC	MOTOR AC THREE-PHASE, INDUCTION, VAC: 230-460V, HP: 1.50, RPM: 1745, FRAME: 145TC, I: 4.4/2.2A, FREQ: 60HZ, SERV-F: 1.15, TEMP: 4
4976	H36GW1000/DX	LAMP MERCURY..POW: 1000W,..P/N: H36GW1000/DX PHILIPS (R/B: MVR950/II/VBU)..MFG: GENERAL ELECTRIC..SCHEDULE B: # 853932004
4977	H39KC-175/DX	LAMP MERCURY STEAM, BASE: MOGUL, POW: 175 W, BULB: ED-28..P/N: H39KC-175/DX (HR175DX39)..MFG: GENERAL ELECTRIC..SCHEDU
4978	H3C-2000-2	AC/DC HALL EFFECT CURRENT CLAMP..BUS BAR 5" X 1.7", RED, HIGH RANGE: 20-2000 ADC, LOW RANGE: 2-200 ADC..P/N: H3C-2000-2..MI
4979	H3C-4000-2	AC/DC HALL EFFECT CURRENT CLAMP, BUS BAR SIZE 5"X 1.7", HIGH RANGE 40-4000 ADC, LOW RANGE 5-500 ADC..P/N: H3C-4000-2..MFG
4980	H3C-5000-2	AC/DC CLAMPS WITH INTERNAL 9-VOLT BATTERY, PRIMARY CURRENT: 50-5000 ADC, 100-10000 AP-T-P, OUTPUT: 2.0 VDC 4VP-T-P, 10-10
4981	H3CA-8	TIMER SOLID STATE..VAC: 200/220/240V, FREQ: 50/60HZ,..T-DEL: 0.1S-9990H..P/N: H3CA-8 (H3CA-8 AC200220240)..MFG: OMRON..SCHEDUL
4982	H3CA-A	TIMER SOLID STATE..V: 250 VAC, I: 3A, T-DEL: 99.9SEC-990H..P/N: H3CA-A..MFG: OMRON..SCHEDULE B: # 9106100000 TIMER REGISTER..C
4983	H3CR-F8N-300	TIMER SOLID STATE..I-CMAX: 5A, V: 250V, T: 1.2S-300H..TYEP: DPDT, PIN: #8..P/N: H3CR-F8N-300-AC100240..MFG: OMRON TATESI ELECTF
4984	H3SH14	COMPLETE GEAR UNIT ONLY TYPE H3SH SIZE 14, DESIGN B RATIO 31.117,..AS SUPPLIED AGAINST S/N 4663688-110-1..ORIGINAL DRAWI
4985	H4651	LAMP SEALED BEAM, V: 12.8V, POW: 50W, ..P/N:H4651..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8539.10.0020 SEALED BEAM LAMP
4986	H4656	LAMP SEALED BEAM, NO. LAMP TRADE: H4656, V: 12.8 V, POW: 35W..P/N: H4656..MFG: GENERAL ELECTRIC..SCHEDULE B:#8539228050 O
4987	H49BBBCCC00000B	IEC61850 HSR/PRP SWITCH..PRP/HSR REDBOX ETHERNET SWITCH..MODEL REASON H49..P/N:H49BBBCCC00000B..MFG:GE GRID SOLUT
4988	H4A-1098	ABRASIVE CLIP FOR 250A BAR..P/N: H4A-1098..MFG: UNIVERSAL..SCHEDULE B: # 8426190000 MOBILE LIFTING PARTS FOR BRIDE CRANI
4989	H5TC4G83BFR-PBA	MEMORY CARD- MODULE;..SDRAM DDR3 4GB..P/N: H5TC4G83BFR-PBA..MFG:HYNIX..SCHEDULE B: #8523.80.2000 OTHER ELECTRONIC C/
4990	H5V2BC	MOTOR AC, THREE-PHASE, INDUCTION, VAC: 230-460V, HP: 5, RPM: 1755, FRAME: 184TC, I: 12.6/6.3A, FREQ: 60HZ, SER-F: 1.15, TEMP: 40(
4991	H6	INSULATED HANGER 520A..P/N: H6..MFG: UNIVERSAL..
4992	H6024	LAMP SEALED BEAM..LT: PAR 38, V: 28V, POW: 50-18W..P/N: H6024..MFG: US BRAND..SCHEDULE B: #8539100020 SEAL BEAM LAMPS

	Item	Description
4993	H6054	LAMP SEALED BEAM, V: 12V, POW: 65/35W, SIZE: 7-1/8" X 5-5/8"..P/N: H6054..MFG: WAGNER..SCHEDULE B: #8539100020 SEAL BEAM LAMP
4994	H622250	HEAT CABLE, VOLTAGE RATING 240V, POWER FEET, 40 DEGREES FAHRENHEIT, 6 WATTS, 0.025 AMP, MAX CIRCUIT LENGHT 350 FT, 250
4995	H6A-2045	ABRASIVE CLIP HANGER 520A..P/N: H6A-2045..MFG: UNIVERSAL
4996	H906B-275	HEDLAND FLOW METER..P/N: H906B-275..MFG: BADGER METER..COUNTRY OF ORIGIN: USA
4997	H975	NON-INS TUB RING 1 AN- 1/0 1/2..TERMINAL PRESSURE HIGH VOLTAGE..(TYPE)- RING;(AWG)-1 AN-1/0 (INSUL)-NO;(STUD -HOLE)-1/2" (SP
4998	HA-LP22K24BK	SERVO MOTOR 22KW 2000 RPM W/ BRAKE 400V, LOW INERTIA, MEDIUM/LARGE CAPACITY..P/N: HA-LP22K24BK..MFG: MITSUBISHI..SCHE
4999	HA2401DX-XL3000	AMPLIFIER WIRELESS INDOOR..3 WATTS OF OUTPUT..P/N: HA2401DX-XL3000..MFG: HYPERLINK..SCHEDULE B: # 8518402000 OTHER RA
5000	HA2402GX-NF	WIRELESS EXTERNAL AMPLIFIER..2 WATTS..P/N: HA2402GX-NF..MFG: HYPERLINK..SCHEDULE B: # 8518402000 OTHER RADIO FREQUEN
5001	HA2402GXI-NF	WIRELESS AMPLIFIER, 2.4GHZ, 2W INDOOR, 802.11B/G, W/ PS..P/N: HA2402GXI-NF..MFG: HYPERLINK TECHNOLOGIES..SCHEDULE B: # 85
5002	HAH4358	TAPE GLASS BETA, 3/4" X 0.0065" WITH ADHESIVE..P/N: HAH4358..MFG: INTERTAPE POLYMER..SCHEDULE B: # 3919102020 ELECTRICAL
5003	HAH4363	EDGE ASSEMBLY RESTRAIN GLASS 1"..RES - I - STRAINT 5/32" x 1" x 100 YDS..P/N: HAH4363..MFG: FIBERTEK ..SCHEDULE B: #39199050
5004	HAS-118-C	SUSPENSION, CLAMP..P/N: HAS-118-C..MFG: HUBBELL
5005	HAS-400S	CURRENT TRANSDUCER ..P/N: HAS-400S..MFG: LEM..SCHEDULE B: # 8546704000 TRANSDUCER
5006	HAWG047S6	FILTER STERILE MEMBRANE, S-PAK FILTER DIAMETER: 47 MM, FILTER PORE SIZE: 0.45um, APPLICATION MICROBIOLOGICAL ANALYSIS,
5007	HB1004	ELECTRIC MOTOR, 100 HP, 1800 RPM, 3 PH, 460V, FRAME:405T SEVERE DUTY, IEE841, TEFC, IP55 PREMIUM ..EFFICIENT 95.4% FLE, RIGII
5008	HB7/54	3-PHASE INDUCTION MOTOR, ENCLOSURE TEFC, TYPE AEHH8B, OUTPUT 7.5 HP, 5.6 KW, 4 POLE, 460 V, 60 HZ, INSULATION CLASS F, RA
5009	HBB-250	SILICONE BRONZE HEX HEAD BOLT 1/2" X 2-1/2"-1/2"..P/N: HBB-250..MFG: ANDERSON..SCHEDULE B: # 7318.15.2000 OTHER BOLTS
5010	HBB-300	HEX HEAD BOLTS HIGH STRENGTH SILICON BRONZE ½" X 3"..P/N: HBB-300..ANDERSON / HUBBELL..SCHEDULE B: #7318159000 OTHER E
5011	HBC50	CLEVIS BALL STRENGTH SML 50 KLB/ 210KN..P/N: HBC50..MFG: HUBBELL..SCHEDULE B: #7326190000 - OTHER FORGED ARTICLES
5012	HBL-1250-SH	HANDLING BLOCK OPEN HEAD W/ SWIVEL EYE..P/N: HBL-1250-SH..MFG:BETHEA TOOL & EQUIPMENT CO., INC...SCHEDULE B: # 8431.10.(
5013	HBL2761	PLUG, VAC: 277/480, I: 30 A, NO.POLES: 4, W: 4, SPEC: NON GROUNDING, INSULGRIP CONFIGURATION TYPE L19-30, DEVICE STYLE: TWI
5014	HBL2763	30A 3PH 277/480VAC TWIST-LOCK CONNECTOR 4P 4W..P/N: HBL2763..MFG: HUBBELL..
5015	HBL3331C	PLUG ELECTRICAL..VAC: 125/250V, I: 30A, ..NO-WIRE: 3, NO-POLES: 3, SPEC: MONOPHASE, HART LOCK NON GROUNDING..P/N: HBL3331(
5016	HBL5221	LIFT COVER PLATE GRAY FOR DUPLEX RECEPTACLE..P/N: HBL5221..MFG: HUBBELL..SCHEDULE B: # 8536.69.5050 OTHER APPARATUS F
5017	HBL5269C	CONNECTOR ; STRAIGHT BLADE CONNECTOR, FEMALE, 2- POLE 3-WIRE, 15A 125V, 5-15R; BLACK/WHITE..VOLTAGE: 125VAC; POWER II
5018	HBL52CM66C	PLUG BANANA, V: 125, I: 15A, NO. POLES: 2, SPEC: TWIST LOCK..P/N: HBL52CM66C..MFG: HUBBELL..SCHEDULE B: # 8536695050 OTHER F
5019	HBL5666C	CAP ARMORED 3 WIRE 15A 250V..P/N: HBL5666C..MFG: HUBBELL POWER SYSTEMS..SCHEDULE B: #8536695050 OTHER ELECTRICAL CO
5020	HBL6080	Hubbell 6080 EO Box HBL6080 EO Box W/ 3/4 Inch Knock Outs..Black phenolic type FD (deep) weatherproof box has two 3/4" (19.1) I.P.S. molded-in kr
5021	HBL8PS350YL	SUPPRESSOR; SPIKE SHEILD SURGE PROTECTOR; WIRE MANAGEMENT;YELLOW,8 OUTLETS;NEMA 5-15R, 15 A, 125 V, NEMA 5-15P, CAI
5022	HC14-192-626 -502	SWITCH ..(REF)-TRANSFER, MOS220 TYPE 712 ..P/N : HC14-192-626 -502..MFG : HUBBELL INDUSTRIAL CONTROLS SCHEDULE B: # 8536.5
5023	HC20010009	PUSH BUTTON, CLR: YELLOW, TYPE: HD-2, REF: PUSH BUTTON & CONTACTOR ASSY FOR BRIDGE CRANE,..P/N: HC20010009 SET, COMI
5024	HC8344G082	1/2 BRONZE 4W SELENOID VALVE CLASS H 125VDC..P/N : HC8344G082..MFG: ASCO
5025	HC9021FDS4Z	HIGHT COLLAPSE HYDRAULIC FILTER..P/N: HC9021FDS4Z..MFG: PALL..SCHEDULE B: #8421.21.0000 HYDRAULIC FILTERS
5026	HC9021FDT4Z	HIGH COLLAPSE HYDRAULIC FILT..P/N: HC9021FDT4Z..MFG: PALL..SCHEDULE B: #8421.21.0000 HYDRAULIC FILTERS

	Item	Description
5027	HCB-100-SA	INDUSTRIAL DISC BRAKES..P/N: HCB-100-SA..MFG: HILLMAR
5028	HCB-20	HCB 20 HIGH CURRENT BOOSTER..P/N: HCB-20..MFG: HEKA
5029	HCB20	High current booster option for all HEKA Potentiostats / Galvanostats and thirdparty..Potentiostats. The HCB 20 extends the current range to 20A at a con
5030	HCD2-FBPS-1.500	FIELDBUS POWER SUPPLY MODULE, RATED-INPUT: 19.2 TO 35 VDC OUTPUT 28 TO 30 VDC, 500 MA..P/N: HCD2-FBPS-1.500..MFG: PEPPE
5031	HCFB/HCFT	FAN; 2900 RPM; BLADES 7;WORK TENSION 260 VAC;60 HZ; DIA 355MM; MOTOR SPEC: 2 POLES; MAX ABSORBED INTENSITY 1.7A CLASS I
5032	HCP-56610-TB	FILTER COALESCER..FOR A COALESCER SKID..P/N: HCP-56610-TB RACOR (P/N: I-6562TB)..MFG:PARKER VELCON..SCHEDULE B: # 8421.9
5033	HD 255.0102	BACK RING HD 255.0102 MBV..P/N: HD 255.0102..MFG:ARGO HYTOS..
5034	HD 5.0/50 Ec Cage	PRESSURE WASHER COLD WATER, 5000 PSI, 5 GPM, ELECTRIC: 460V, 3 PH, WITH:..-KIT SEWER, 3/8", 5000 PSI, 5 GPM, ASSORTED NOZZ
5035	HD2-DM-A	COMPREHENSIVE DIAGNOSTICS FOR FIELDBUS PHYSICAL LAYER AND POWER SUPPLY, PLUG-IN MODULE FOR THE FIELDCONNEX PO
5036	HD2-FBPS-1.500	FIELDBUS POWER SUPPLY MODULE;(RATED INPUT)-19.2 TO 35VDC;(OUTPUT)-28 TO 300VDC;500MA..P/N: HD2-FBPS-1.500..MFG: PEPPEF
5037	HD2-GRT-4PA	GATEWAY PROFIBUS DP/PA, U/O: COUPLER SEGMENT POWERHUB SK3 SPEED 12 MBIT..P/N: HD2-GTR-4PA..MFG: PEPPERL + FUCHS..S
5038	HD253GJ	HARD DRIVE 250GB SERIES SATA, 16 MB, 7200RPM, SPINPOINT..P/N: HD253GJ..MFG: SAMSUNG..HARD DRIVE 250GB SERIES SATA, 16 MI
5039	HD450	LIGHT METER, DATALOGGING ..P/N: HD450..MFG: EXTECH..SCHEDULE B #:8471410150 OTHER AUTOMATIC PROCESSING MACHINE..COU
5040	HDCV6070KDA	HIGH PRESSURE WASHING UNIT, COLD WATER, 7000 PSI, 6GMP, KUBOTA DIESEL ENGINE, A/R SHP2250 PUMP, 15 GALLON FUEL TANK,
5041	HDL33AINE	HEADLIGHT, 6 LED, LIGHTING MODES, INCLUDES 3 AAA BATTERIES AND REFLECTIVE HEAD STRAP..P/N: HDL33AINE (R/B: HDBIN32E)..M
5042	HEL 46-450 600	KLUBER PASTE CARTRIDGE 600GR;HIGH TEMPERATURE SCREW PASTE..P/N: HEL 46-450 600..MFG: KLUBER PASTE..SCHEDULE B: # 340
5043	HF-4PBH09P3D1.1/V-L115	3 MICRON ABS RECIRC. FILTER..P/N: HF-4PBH09P3D1.1/V-L115..MFG: HYDAC..SCHEDULE B: # 8421.29.0065 OTHER FILTERS
5044	HF-SP5024BK	400V SERVO MOTOR 5KW, W /BRAKE, KEYWAY (NO KEY) MEDIUM INERTIA, MEDIUM CAPACITY..P/N: HF-SP5024BK..MFG: MITSUBISHI..SC
5045	HF 0/200	GAUGE PRESSURE NOT GLYCERIN..6 IN ,0-200#,1/2LM,HF ..SIZE(6 1/2"); (SZ CONN)-1/2"NPT MALE (RAN-PRE)-0-200 PSI..P/N: HF 0/200..MF(
5046	HF5-20-4-DPL	FILTER HOUSING & FILTER ELEMENT;60 CFM COALESCING OIL REMOVAL FILTER ..– 1/2" NPT, 250 MAX PSI, AUTO DRAIN, 4.13" W X 13.40
5047	HF9-20-4-DPL	FILTER ;COALESCING HOUSING & FILTER ELEMENT..P/N: HF9-20-4-DPL..MFG: HANKINSON..SCHEDULE B: # 8421.99.0080 OTHER FILTERS
5048	HF9-20-DPL	60 CFM BULK WATER SEPARATOR/FILTER ..1/2 INCH NPT, 250 MAX PSI, AUTO DRAIN, 4.13 INCH WIDE X 13.40 INCH HIGH..P/N: HF9-20-DP
5049	HFB500	SILICONE BRONZE FLATWASHER 1/2"..P/N: HFB500..MFG: HUBBELL POWER SYSTEMS..SCHEDULE B: # 7318220000 OTHER WASHER
5050	HFD3080L	CIRCUIT BREAKER..POL: 3, V: 600V/ 250 VDC, I: 80A..P/N: HFD3080L..MFG: CUTLER HAMMER..SCHEDULE B: # 8536200040 OTHER AUTOMA
5051	HFD3100L	CIRCUIT BREAKER..POL: 3, V: 600 VAC/250VDC, I: 100A,..P/N: HFD3100L..MFG: CUTLER HAMMER..SCHEDULE B: # 8536200040 OTHER AUT(
5052	HFD63F250	INTERRUPTOR TERMOMAGNETIC , 3 PHASE, SENTRON 250A, 3 POLE, 600V, CURRENT RATING, 40 C, FRAME..P/N: HFD63F250..MFG: SIEM
5053	HFU-2020N	ULTRAFILTRATION PRESSURIZED MODULE, FILTRATION MODE: PRESSURIZED, MEMBRANE TYPE: ULTRAFILTRATION, MEMBRANE MAT
5054	HFX43012	LAMP CURRENT - 430 MA, 40W RS (50 F STARTING ELECTRONIC), VOLTAGE: 1-20, 60 HZ, No. LAMPS: 2..P/N: HFX43012..MFG: KILLARK
5055	HG2408PNM	2.4 GHZ, ISM BAND, 8 DBI ROUND PATCH ANTENNA - 10IN N-MALE CONNECTOR..IEEE 802.11B, 802.11G, 802.11N (PRE-N, DRAFT-N) WIRE
5056	HG2409U	ANTENNA OMNI, 2.4GHZ, 8DBI, N-MALE CONNECTOR..P/N: HG2409U..MFG: HYPERLINK TECHNOLOGIES..SCHEDULE B: # 8529109000 OTH
5057	HG37061	GROUND CLAMP - DUCKBILL - MOUNTED 6' II-B- 4..DUCKBILL GROUNDING CLAMP STICK-MOUNTED SERRATED JAW, ..ASTM GRADE 6. M
5058	HG4000E	HEAVY DUTY HEAT GUN WITH MICROPROCESSOR CONTROL 120V..P/N: HG4000E..MFG: STEINEL
5059	HGX	HGX HAND CREAM & CLEANER 12 OZ..P/N: HGX..MFG: ACTON TECHNOLOGIES
5060	HH314A	HANDHELD TERMPERATURE HUMIDITY METER WITH USB AND RS232..P/N: HH314A..MFG: OMEGA ENGINEERING

	Item	Description
5061	HH924349/ HH924310D/HH92434	TAPERED ROLLER BEARING, ..INNER / OUTER / SPACER HH924349/HH924310D/HH924349XA ..P/N: HH924349/ HH924310D/HH924349XA..MF
5062	HHB4007501	VALVE ASSEMBLY, PARKER / CONVEYOR -ELEVATOR..P/N: HHB4007501..MFG: PARKER HANNIFIN
5063	HI1230B	SENSOR PH ELECTRODE, COMBINE..FILLED WITH GEL, DOUBLE JUNCTION WITH BNC, 1MT CABLE INCLUDE..P/N: HI1230..MFG: HANNA I
5064	HI70032C	1382 PPM (MG/L) 25 X 20 ML SACHETS..P/N: HI70032C..MFG: HANNA INSTRUMENTS..SCHEDULE B: # 2853.00.0065 OTHER LIQUIDS
5065	HI7609829-1	SENSOR OF PH/ ORP DOUBLE UNION FOR INSTRUMENTS HI9829..MFG: HANNA INSTRUMENTS..SCHEDULE B:#9033.00.0000 PARTS AND
5066	HI9829-01041	HI9829 MULTIPARAMETERS NO GPS, BASIC PROBE WITH TURBIDITY, CABLE STANDARD 4 METER, INCLUDES 1 SENSOR HI7609829-1..MI
5067	HK 354216	NEEDLE ROLLER BEARING (35MM X 43 MM X 16MM..P/N:HK 354216..MFG: OTHER..SCHEDULE B: # 9018320000 TUBULAR METAL NEEDLES
5068	HK1004A	NZL,RFS1130A 3 STR ..NOZZLE, RFS1130A 3" STRAIGHT..P/N:HK1004A..MFG:HONEYWELL ECLIPSE HAUCK..DUTY TARIFF CODE: 9999999
5069	HK1005A	NZL,RFS1140A 4 STR ..NOZZLE, RFS1140A 4" STRAIGHT..P/N:HK1005A ..MFG:HONEYWELL ECLIPSE HAUCK..DUTY TARIFF CODE: 9999999
5070	HK12910	BURNER ASSEMBLY, 786P, 8" SELF PROP OIL..P/N: HK12910..MFG: HAULK
5071	HK43169	CHAMBER UNIT WR1X6 PLENUM AIR..P/N: HK43169..MFG: HAULK
5072	HL475-SD-00BZ-BN-50	PUMP, HL475-SD-00BZ-BN-50#-RV-1.5T7 /8B, DUPLICATE OF SERIAL # 1212685..OFFER: 7/8' BORE/BUNA N/RV50 PER SERIAL NUMBER RE
5073	HLN9714	SPRING BELT CLIP ..P/N: HLN9714..MFG: MOTOROLA..SCHEDULE B: # 8518.10.0000 SPEAKER MICROPHONES ACCESSORIES..COUNTRY
5074	HM70D0F1A0DB	HM70 HUMIDITY AND TEMPERATURE HANDHELD METER ..P/N: HM70D0F1A0DB..MFG: VAISALA INC...SCHEDULE B: # 9025.19.8080 HYDRO
5075	HMCP030H1C	PROTECTION RELAYS FOR PAPER MACHINE..INSTANTANEOUS TRIP MCP, 30 AMP..P/N: HMCP030H1C..MFG:WESTINGHOUSE..SCHEDULE
5076	HMCP050K2C	PROTECTION RELAYS FOR PAPER MACHINE..INSTANTANEOUS TRIP MCP, 30 AMP..P/N: HMCP030H1C..MFG:WESTINGHOUSE..SCHEDULE
5077	HMCP150U4C	PROTECTION RELAYS FOR PAPER MACHINE..INSTANTANEOUS TRIP MCP, 30 AMP..P/N: HMCP030H1C..MFG:WESTINGHOUSE..SCHEDULE
5078	HMN-1052A	MICROPHONE SPECTRA..P/N: HMN-1052A (R/B: HMN-1080A)..MFG: MOTOROLA..SCHEDULE B: 8518290000 OTHER MICROPHONES
5079	HMN-1080A	MICROPHONE SPECTRA..P/N: HMN-1080A..MFG: MOTOROLA COMMUNICATIONS..SCHEDULE B: # 8518100000 MICROPHONES
5080	HMPW-K-MF	LIQUID CRYSTAL POLYMER, W/ WINDOW, K THERMOCOUPLE TYPE, MALE/FEMALE CONNECTOR PAIR..MFG: OMEGA ENGINEERING..SC
5081	HMSS1000BB	SPEEDOMETER; DIGITAL GPS SPEEDOMETER WITH RAM MOUNTING SYSTEM + BULKHEAD MOUNT ANTENNA (RANGE)-2-199KM/HR;(V)-
5082	HN52KC024	CONTACTOR RELAY 27 AMP 24 VAC 2P HN52DC031 HN52KC024..P/N: HN52KC024..MFG: CARRIER, BRYANT,PAINE..SCHEDULE B: # 8536.4
5083	HNB500	SILICONE BRONZE HEX NUT 1/2"..P/N: HNB500..MFG: HUBBELL POWER SYSTEMS..SCHEDULE B: # 7318190000 OTHER NUTS
5084	HNS225	HYDRAULIC NUT SPLITTER 15-25 T..P/N: HNS225..MFG: POWER TEAM..SCHEDULE B: #8214900000 OTHER BLADES
5085	HP1822CR-D	HOT PLATE..HEATED AREA: 18” X 22” ..HOUSING DIMENSIONS: 20” X 24”X 5”H ..PLATE MATERIAL: CERAMIC-SILICA COATED ALUMINUM..H
5086	HP2331	TOOL STORAGE TYPE: TOOL BOX NUMBER OF DRAWER: 3, WIDTH: 23", DEPTH: 10-3/8, HEIGHT: 13-3/8 MATERIAL: POLYPROPYLENE, YE
5087	HP311-12-GE	ELEMENT FILTER, HYDRAULIC, ..P/G: HP311-12-GE..MFG: HILLIARD CORP.
5088	HPG200M4-2	SUMERSIBLE GRINDER SEWAGE PUMP IN STANDAR FITTER CONSTRUCTION, 1-1/4", VERTICAL NPT DISCHARGE, 5" FULL SIZE IMPELLE
5089	HPGV	HYDRAULIC HAND PUMPS W/GAUGE CONNECTION HYDRAULIC HAND PUMPS WITH GAUGE CONNECTION HPGV (3000 PSI / 210 BAR)..P/
5090	HPI-T PLUS	LAMP TUBULAR METAL HALIDE ; MERCURY VAPOR HPI-T PLUS 250W E40..P/N: HPI-T PLUS..MFG:PHILLIPS..SCHEDULE B: #8539.22.8050 C
5091	HPR-25	REFRIGERATED, COMPRESSED AIR DRYER, HOT GAS BY PASS VALVE, REF. CAPACITY: 25 CFM, 115V, 1 PHASE, 60 HZ, CONEXTIONS: 3/4
5092	HPS42CS2FGFG15	FLOTITE HPS42CS2FGFG15 FLOTITE ACTUATOR SR63.9 --- ..P/N:WT8551A001MS + 2004NBY2A2M0200 ..- WT8551A001MS: 1/4 ALUM 4W S
5093	HPS42CS2FGFG20	FLOTITE HPS42CS2FGFG20 FLOTITE ACTUATOR SR63.12 --..P/N:WT8551A001MS + 2004NBY2A2M0200 ..- WT8551A001MS: 1/4 ALUM 4W SC
5094	HPS42CS2FGFG25	FLOTITE HPS42CS2FGFG25, FLOTITE ACTUATOR SR063.9 --..P/N: WT8551A001MS + P/N:2004NBY2A2M0200 ..- WT8551A001MS :1/4 ALUM 4

	Item	Description
5095	HQ440D	BENCHTOP METER, MULTIMETER THERMO SCIENTIFIC ORION DUAL START PH ISE MV..P/N: HQ440D..MFG: HACH COMPANY..SCHECDU
5096	HQI-E 150W/NDL CO	LAMP; METAL HALIDE LIGHT BULB OSRAM POWERSTAR HQI-E 150W/NDL CO;E27 SCREW BASE ; COATED..P/N: HQI-E 150W/NDL CO..MF
5097	HR175DX39	LAMP MERCURY HALIDE, POW: 400W, TYPE: ED37 FOR ENCLOSURES FIXTURES ONLY..P/N: HR175DX39..MFG: GENERAL ELECTRIC..SCH
5098	HR250DX37	LAMP MERCURY POW: 250W, ..P/N: HR250DX37..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8539320040 LAMP MERCURY VAPOR..
5099	HR400DX33	LAMP MERCURY, POW: 400W, V: 480 V,..P/N: HR400DX33..MFG: GENERAL ELECTRIC..12/PKG..SCHEDULE B: # 8539320040 LAMP MERCUR
5100	HS100-10R-J	RESISTOR,10 OHM +-5% 100W ARCOL ALUMINIUM HOUSEDAXIAL WIRE-WOUND PANEL..P/N: HS100-10R-J..MFG:ARCOL
5101	HS2000	HYDRAULIC SPREADER 1 TON..P/N: HS2000..MFG: POWER TEAM..SCHEDULE B: #8479100080 - OTHER SPREADERS..
5102	HS3000	HYDRAULIC SPREADER 1 1/2 TON..P/N: HS3000..MFG: POWER TEAM..SCHEDULE B: #8479100080 - OTHER SPREADERS
5103	HS31130	SHEAR BLADES, POSN: TOP AND BOTTON, SHEAR MODEL, SERIAL 329747T. 1 UPPER & 1 LOWER BLADE..P/N: HS31130..MFG: CHICAGO
5104	HS35F-100-R11-BS-1024-ABZC-2	ENCODER 01070-925..P/N: HS35F-100-R11-BS-1024-ABZC-28V/V-SCS18-S..MFG: BEI SENSORS
5105	HS611-200-CSP	CARTRIDGE FILTER, ..P/N: HS611-200-CSP..MFG: HILLIARD CORP...SCHEDULE B: # 8421.99.0080 OTHER FILTER FILTERING PARTS
5106	HSGA BOH-07	Falls filtration part # HSGA " HS style"metal breather,included weather hood,1"threaded connection, with metal screen media(replacement element # BOH
5107	HSMS75-0.026	SAW UNDERCUTER..LG: 7/8", W: 5/16", THK: 0.026"..P/N: HSMS75 - 0.026 (HSMS75026)..MFG: MARTINDALE ELECTRIC CO...SCHEDULE B
5108	HSMS75-0.028	SAW UNDERCUTER..LG: 7/8", W: 5/16", THK: 0.028"..P/N: HSMS75 - 0.028..MFG: MARTINDALE ELECTRIC CO...SCHEDULE B#: 8202.31.000
5109	HSMS75-0.030	SAW UNDERCUTTER..LG: 7/8", W: 5/16" THK: 0.030"..P/M: HSMS75-0.030..MFG: MARTINDATE ELECTRIC..SCHEDULE B: # 8202390000 OTHE
5110	HSMS75-0.032	SAW UNDERCUTTER..LG: 7/8", W:5/16", THK: 0.032"..P/N: HSMS75-0.032..MFG: MARTINDALE ELECTRIC CO...SCHEDULE B: # 8202.31.0000
5111	HSMS75-0.035	SAW UNDERCUTTER..LG: 7/8", W: 5/16", THK: 0.035"..P/N: HSMS75-0.035..MFG: MARTINDALE..SCHEDULE B#: 8202.31.0001 HANDSAWS WI
5112	HSMS75-0.040	SAW UNDERCUTTER, LG: 7/8", W: 5/16", THK: 0.04"..P/N: HSMS75-0.040..MFG: MARTINDALE ELECTRIC CO...SCHEDULE B: 8202390000 OTH
5113	HSMS75-020	HSS MICA UNDERCUTTING SAWS..LG: 7/8", W: 5/16", THK: 0.020"..P/N: HSMS75 - 0.020..MFG: MARTINDALE ELECTRIC CO...SCHEDULE E
5114	HSMS75-025	HSS MICA UNDERCUTTIG SAWS..LG: 7/8", W: 5/16", THK: 0.025"..P/N: HSMS75 - 0.025..MFG: MARTINDALE ELECTRIC CO...SCHEDULE B:
5115	HSMS75-028	HSS MICA UNDERCUTTIG SAWS..LG: 7/8", W: 5/16", THK: 0.028"..P/N: HSMS75 - 0.028..MFG: MARTINDALE ELECTRIC CO...SCHEDULE B:
5116	HSMS75-030	HSS MICA UNDERCUTTIG SAWS..LG: 7/8", W: 5/16", THK: 0.030"..P/N: HSMS75 - 0.030..MFG: MARTINDALE ELECTRIC CO...SCHEDULE B:
5117	HSMS75-033	HSS MICA UNDERCUTTIG SAWS..LG: 7/8", W: 5/16", THK: 0.033"..P/N: HSMS75 - 0.033..MFG: MARTINDALE ELECTRIC CO...SCHEDULE B:
5118	HSMS75-035	HSS MICA UNDERCUTTIG SAWS..LG: 7/8", W: 5/16", THK: 0.035"..P/N: HSMS75 - 0.035..MFG: MARTINDALE ELECTRIC CO...SCHEDULE B:
5119	HSMS75-040	HSS MICA UNDERCUTTIG SAWS..LG: 7/8", W: 5/16", THK: 0.040"..P/N: HSMS75 - 0.040..MFG: MARTINDALE ELECTRIC CO...SCHEDULE B:
5120	HSMS75-045	HSS MICA UNDERCUTTIG SAWS..LG: 7/8", W: 5/16", THK: 0.045"..P/N: HSMS75 - 0.045..MFG: MARTINDALE ELECTRIC CO...SCHEDULE B:
5121	HSMSMOD1000	MODIFICATION CHARGE..P/N: HSMSMOD1000
5122	HSP-43610-S	FILTER SEPARATOR FOR A COALESCER SKID..P/N:HSP-43610-S (R/B: SO-644PLBZ)..MFG: PARKER VELCON..SCHEDULE B: # 8421.99.008(
5123	HSS248	CLAMP HOSE (10/PACK)..(TYPE)-T-BOLT;(SIZE)-5"(MAT)-S/S..P/N:HSS248..MFG: BREEZE..SCHEDULE B: # 7307.29.0000 OTHER CLAMPS ,TU
5124	HUS01530	HOUSING; ASSY., 15FC FAN..P/N: HUS01530..NON RETURNABLE..MFG:TRANE
5125	HV-235	TELESCOPIC FIBERGLASS ELECTRICAL HOT STICK 68" (1.72M) RETRACTED - 35FT(10.6M) EXTENDED)..P/N:HV-235..MFG:HASTINGS..SC
5126	HV750	RAIN SUIT WITH THERMO-SEALED SEAMS..MODEL: POSEIDON;DESCRIPTION..JACKET WITH FRONT ZIPPER AND SNAP-BUTTONS. ..TW
5127	HVD-2	LOCAL AND REMOTE INSTRUMENT READING MEASURED AND DISPLAYED: ..- THE VALUE OF% RELATIVE SATURATION MEASURE. ..- TH
5128	HVG-2020B	OUTPUT: (08) 1V / DECADE (2-9) VDC LOG..CONNECTION: (02) 1/4" VCR..UNITS: TORR..DIGITAL: RS232 & USB..DISPLAY: NO LOCAL TOUC

	Item	Description
5129	HVT-81-GP	TERMINATION CABLE KIT (AWG)-1/0-250 KCMIL;(V)-5KV (NO.-CONDUCTORS)-1;(SER)-HVT (FEATURE)- HEAT SHRINK;(APPL)-SHIELDED C/
5130	HVT-Z-81-G/SG	TERMINATION CABLE KIT (AWG)-1/0-250 KCMIL;(V)-5KV (NO.- CONDUCTORS)- 1; (SER)- HVT (FEATURE)-HEAT SHRINK; APPL) SHIELDED (
5131	HVT252SG	TERMINATION..P/N: HVT252SG..MFG: HUBBELL..SCHEDULE B:
5132	HW050 01401	CABLE, SIS (TYPE)-STRANDING; AWG)-14;(V)-600V (NO.-CONDUCTORS): 1, (NO.- THREAD)-7 (TEMP)-90C; (SPEC)SWITCHBOARD WIRE ..F
5133	HW05701201	CABLE LEAD HIGH TEMPERATURE..TYPE: TGGT, VAC: 600V, AWG: 12, NO. STRANDS: 65, TEMP: 250C..P/N: HW05701201 (8TGG-1201)..MF(
5134	HW25600404	CABLE (AWG)-4;(TEMP)--40 TO 90 C(TYPE)-W;(NO.-CONDUCTORS)-4(V)-2000V UL;(DIA)-1.22"(SPEC)-EPR INSULATIONCPE JACKET..P/N: H
5135	HW4	SOFTWARE (SINGLE USER EDITION)..OR CD-ROM..P/N: HW4..MFG: ROTRONIC..
5136	HW5701201	CABLE LEAD HIGH TEMPERATURE..TYPE: TGGT, VAC: 600v, AWG: 12..STA: 65, TEMP: 250C..P/N: HW5701201 HOUSTON WIRE & CABLE
5137	HWB500	SILICONE BRONZE SPLIT TYPE LOCKWASHER 1/2"..P/N: HWB500..MFG: HUBBELL POWER SYSTEMS..SCHEDULE B: # 7318220000 OTHER
5138	HX-565071	HEATER SPACE, V: 120 VAC, POW: 150W..P/N: HX-565071..MFG: HEATREX..SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES
5139	HX-P420-120-L4M	TRANSDUCER POSITION ..P/N: HX-P420-120-L4M..MFG: UNIMEASURE..SCHEDULE B:# 8543.70.4000 TRANSDUCER
5140	HY-ALERTA 500	HANDHELD HYDROGEN LEAK DETECTOR..PERFORMANCE ..HYDROGEN SENSITIVITY: 15 PPM TO 100% BY VOLUME ..INITIAL RESPONSE
5141	HY-ST2	HYDRAULIC TORQUE WRENCH, STEALTH 2, DOUBLE PISTON, TORQUE 280-1860..P/N: HY-ST2..MFG: HYTORC
5142	HY-ST2 LINK	LINK FOR STEALTH 2 1-1/4", 12 POINTS..P/N: HY-ST2 LINK..MFG: HYTORC
5143	Hydrazine Hydratate 55%	Appearance of Hydrazine Hydrate Clear and Colorless Aqueous Solution ..Hydrazine Hydrate 54.70 - 56.00 % ..Hydrazine (N2H4) >= 3
5144	HYGROCLIP S	HUMIDITY/ TEMPERATURE PROBE..P/N: HYGROCLIP S..MFG: ROTRONIC
5145	HYTRON140	HYTRON 140 DIGITAL LOGIC SERIES BATTERY 14.4V, 140 WHr, RUGGEDIZED BATTERY..P/N: HYTRON 140..MFG: ANTON BAUER
5146	HZB12-80	LEAD ACID VRLA AGM, BATTERY..P/N: HZB12-80 (OFFER P/N: TEL70)..MFG: HAZE BATTERY COMPANY..SCHEDULE B: # 8506.80.0000 OTHE
5147	I-RAM-300	MOUNTING WITH RISER..P/N: I-RAM 300..MFG: AZENTEK..SCHEDULE B: # 8302300000 OTHER MOUNTINGS
5148	I05090-G40	COARSE GRANULAR CLAY ABSORBENT, CONTAINER SIZE 50 LB., COMPOSITION CLAY MONTMORILLONITE, FLUIDS ABSORBED OIL AND
5149	I552	AMPERAGE TRANSMISSOR, MODEL SINEAX I552, 0-1/5A, 50/60HZ, OUT: 4-20 mAMPS, 85-230 VAC/DC 40-400 HZ 3VA, 50 ms SETTING TIME.
5150	IBT-KLW220	IBT-KLW 220 220 Volt -High Speed 3- Stage Hydraulic Portable POWER PACK...For Portability: Weight: 60 Lbs. ..For Safety: 24 volt remote control..Fo
5151	IC200UDR064-AE	DIGITAL INPUT CARDS FOR PLC OF PAPER MACHINE..P/N: IC200UDR064-AE..MFG: GE FANUC..SCHEDULE B: # 8439.99.1000 PARTS AND A
5152	IC200UEX212-B	DIGITAL INPUT CARDS FOR PLC OF PAPER MACHINE..P/N: IC200UEX212-B..MFG: GE FANUC..SCHEDULE B: # 8439.99.1000 PARTS AND AC
5153	IC2812-B107-BA3	RELAY FIELD..V: 250V, I: 100A..P/N: IC2812-B107-BA3 (R/B: IC2812B107DA3)..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536410030 OTHEF
5154	IC2820-C100-B14	RELAY, REPAIR PART LIMITAP MOTOR COUNT ROL PANEL, TYPES 1C-7160-A AND 1C-7160-C..P/N: IC2820-C100-B14..MFG: GENERAL ELEC
5155	IC647IFCLNTCRNM-55	PROFICY HMI SCADA, IFIX ICLIENT RUN V5.5..P/N: IC647IFCLNTCRNM-55..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8542320070 OTHER
5156	IC693CMM302	MODULE ASSEMBLY, GENIUS COMMUNICATION..P/N: IC693CMM302..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8542320070 OTHER ELEC
5157	IC693MDL240E	MODULE ELECTRONIC; GE INTELLIGENT PLATFORMS /FANUC / SERIES 90-30..120 VOLTS AC INPUT MODULE 120VAC 16 INPUTS OPTICA
5158	IDA06	CODE 39 FONT ADVANTAGE PACKAGE DEVELOPER LICENSE..P/N: IDA06..MFG: ID AUTOMATION
5159	IDA10	CODE 128 FONT ADVANTAGE PACKAGE DEVELOPER LICENSE..P/N: IDA10..MFG: ID AUTOMATION
5160	IDD IIU 38321-22	DETECTING HEAD FLAME BURNER..P/N: IDD IIU 38321-22..MFG: FORNEY CORP...SCHEDULE B: # 9027.50.9000 INSTRUMENTS AND APPAF
5161	IDS2CD6024FWD-A/F	IP CAMERA TYPE BOX.SUPER LOW LIGHT,2MP/1080P,H264,D/N,W..P/N:IDS2CD6024FWD-A/F(OFFER: DS-2CD6026FHWD-A3)..MFG:HIKVISI
5162	IE-1000-4T1T-LM	CISCO IE-1000 SERIES LIGHTLY MANAGED INDUSTRIAL ETHERNET SWITCH, 5 X 10/100BASE-TX RJ45 PORTS, 12-24VDC POWER INPUT,

	Item	Description
5163	IE-2000-4TS-G-B	ETHERNET SWITCH, FORMAT..DIN RAIL MOUNT, NETWORK ANAGEMENT TYPE MANAGED PORTS & INTERFACE..PRIMARY PORT SPEE
5164	IE-2000-8TC-G-B	ETHERNET SWITCH IE 2000 SERIES CISCO IE-2000-8TC-G-B MANAGED INDUSTRIAL ETHERNET SWITCH, 8 X 10/100BASE-TX RJ45 PORTS
5165	IF0312	INDUCTIVE SENSOR, METAL THREAD M12X1, QUICK DISCONNECT, INCREASED SENSING RANGE, SENSING RANGE 7 MM, NON FLUSH M
5166	IG-2005-ABOA	INDUCTIVE SENSOR PLASTIC THREAD M18X1 CABLE..P/N: IG-2005-ABOA..MFG: IFM..SCHEDULE B: #8504500000 OTHER INDUCTORS
5167	IG0325	INDUCTIVE PROXIMITY SENSOR, 5MM FLUSH RANGE, 18 MM, DIAMETER PLASTIC HOUSING, 2-WIRE AC/DC, N.O. OUTPUT, 2 METER CAE
5168	IGT001	INDUCTIVE SENSOR 20-140V AC/DC, 20mA, 12mm..P/Na: IGT001..MFG: IFM..SCHEDULE B: # 9031.80.8080 OTHER SENSORS
5169	IGT202	INDUCTIVE SENSORS..P/N: IGT202..MFG: EFECTOR..SCHEDULE B: # 8531100045 OTHER SENSORS
5170	IHRP803	Permanent reference cells, salt water service, silver/silver chlorine with 50 ft #14 HMWPE cable lead wire..p/n: IHRP803..Mfg: Corrpro Companies, Inc...S
5171	IIM202	SENSOR PROXIMITY..OUTPUT FUNCTIONNORMALLY OPEN..SENSING RANGE [MM]12..DIMENSIONS [MM]M30 X 1.5 / L = 81..OPERATING VO
5172	IIMAGO-500	P/N: 70-3590VQM1..703590/282-8888-888835-23-00/000,214..JUMO IMAGO 500 MULTI CHANNEL PROCESS CONTROLLER..TYPE: 703590/282-
5173	IIMAGO 500	Controlador de Proceso modelo: IMAGO 500. MARCA: JUMO...8 entradas universales, funciones matemáticas; display gráfico de 5”, 2 salidas relay, sali
5174	IKWB21A	IP NETWORK PTZ CAMERA, WITH OPTIC ZOOM 22X, HIGH RESOLUTION..P/N: IKWB21A..MFG: TOSHIBA..SCHEDULE B: #8525805050 OTH
5175	IL220-N02-L	LOCK UP VALVE..P/N:IL220-N02-L..MFG:SMC..SCHEDULE B: # 8481801095 OTHER VALVES
5176	ILPS3-10	Leather protector length 12", size 10..MFG: Salisbury..Schedule B: # 6216009000 Other gloves
5177	IM12-08NPS-ZC1	SENSOR INDUCTIVE ..MODEL IM12-08NPS-ZC1..P/N: 7900045..MFG: SICK..SCHEDULE B: #8504500000 OTHER INDUCTORS
5178	IM5019	SENSOR, INDUCTIVE, VDC: 10-36V, I: 250 MA, SENSING RANGE: 20MM, TYPE: EFECTOR 100 IME3020-FPKA..P/N: IM5019 (OFFERING P/N: IM
5179	IMAGO-500	IMAGO 500, MULTI-CHANNEL PROCESS AND PROGRAM CONTROLLER..P/N: 703590/292-8888-888835-23-54/020,214
5180	IMAGO 500	JUMO IMAGO 500 MULTI CHANNEL PROCESS CONTROLLER ..CODE: 703590/292-8888-888835-54/000,214..MFG: IMAGO
5181	IMASO11	MODULE ELECTRONIC, ANALOG OUTPUT, SLAVE..P/N: IMASO11..MFG: ABB INC...SCHEDULE B: # 8542320070 OTHER ELECTRONIC INTEG
5182	IMDSI12	ELECTRONIC MODULE STANDARIZED DIGITAL INPUT SLAVE..P/N: IMDSI12 (R/B: IMDSI22)..MFG: ABB INC...SCHEDULE B: # 8542320070 OT
5183	IMDSO14	MODULE ELECTRONIC DIGITAL OUTPUT ..P/N: IMDSO14..MFG: ALLEN BRADLEY..SCHEDULE B: # 8542320070 OTHER ELECTRONIC INTEG
5184	IMFEC12	MAINTENANCE EQUIPMENT SYNPHONY..P/N: IMFEC12..MFG: ABB INC...SCHEDULE B: # 8542320070 OTHER ELECTRONIC INTEGRAL CIRC
5185	IMMFP12	MODULE ELECTRONIC, PROCESSOR MULTI FUNCTION, INFI 90 SYNPHONY..P/N: IMMFP12..MFG: ABB..SCHEDULE B: # 8542320070 OTHEF
5186	IMPACT X-32GB	1002509506 SMARTPHONE,PIXAVI,IMPACT X-32GB,4.3in ..Telephones..Type, networks 4G / LTE / 3G / HSPA / 2G..Weight 290 g..Length 150 mm..\
5187	IMRIO02	MODULE ELECTRONIC..REMOTE I/0 INFINET..P/N: IMRIO02..MFG: ABB INC...SCHEDULE B: # 8542320070 OTHER ELECTRONIC INTEGRAL C
5188	IN-SV102-0	TYPE 2 - SV102 SINGLE CHANNEL DOSIMETER, 64 MB...INCLUDES: SV 25D_B DOSIMETER SHOULDER MIC WITH INTEGRATED CABLE, S
5189	INC-3P32-SC	BALLAST FLUORESCENT 120-227V..LAMP F32T8 F17T8 FF25T8 F40T8..P/N: INC-3P32-SC..MFG: ADVANCE TRANSFORMER..SCHEDULE B: 8
5190	INC-UKP316+H2316	UKP SERIES CAST IRON PILOW BLOCK 70MM SHAFT, 106 MM BASE TO CENTER, 300 MM BOLT HOLE CENTERS, ADAPTER SLEEVE..P/N:
5191	INC-UKP319+H2319	UKP SERIES CAST IRON PILLOW BLOCK 85MM, 125MM BASE TO CENTER, 360MM BOLT HOLE CENTERS, ADAPTER, SLEEVE..P/N: INC-UK
5192	IND1254H2012SEL	12 VOLTS 54W, GRAY FRONT/NAVY BACK, 12W/12V HALOGEN, ,AND SELECT PACKAGE...FEATURE SELF-DIAGNOSTICS, TIME DELAY, AU
5193	INDOOR ROWING MODEL D	INDOOR ROWING GRAY MODEL D..P/N: INDOOR ROWING MODEL D..MFG: CONCEPT 2..SCHEDULE B: # 9506.91.0000 Articles and equipmen
5194	INDX1236H1212 PREM	LIGHT EMERGENCY..POW: 36W, CLR: GRAY, SPEC: LAMP, 12W/12V, HALOGEN, NICKEL-CADMIUM BATTERY..P/N: INDX1236H1212 PREM.
5195	INDX1254H1212XTRA	LIGHT,EMERGENCY..(V)- 120/277 VAC;(FREQ)-60 HZ (LAMP) - 2 EA HALOGEN, 12 W, 12 VDC(W)-BATTERY NICKEL-CADMIUN;(CLR)-GRAY(I
5196	INDX1254H2012	12 VOLTS AND 54 W, GRAY, 20W/12 V HALOGEN, AND UL LISTED TO 4X STANDARDS, FOR 10 C TO 40 C...P/N: INDX1254H2012..MFG: LITH

	Item	Description
5197	INICT03A	TRANSFER MODULE ELECTRONIC, INFINET TO COMPUTER TRANSFER MODULE..P/N: INICT03A (R/B: INICT13A)..SCHEDULE B: # 8542320
5198	INNPM12	MAINTENANCE EQUIPMENT SYNPHONY..P/N: INNPM12..MFG: ABB..SCHEDULE B: # 8473300002 OTHER AUTOMATIC PROCESSING PARTS
5199	INSTALLATION	INCLUDE ELECTRICAL INSTALLATION, WATER, DISCHARGE, OFFERED BY TRAINED TECHNICAL. INCLUDE TRANSPORTATION, MEAL,AN
5200	INVERTRONIC COMPACT INVEF	125VDC INVERTER INPUT, 120VAC RESERVE INPUT, 120VAC..OUTPUT..MCU ENCLOSURE ADDED FOR SNMP REMOTE ACCESS..4.5KVA I
5201	IO-OAC-280-280A	INTERFACE MODULE..P/N: IO-OAC-280-280A..MFG: POWER -IO..SCHEDULE B: # 8537109090 OTHER CONTROLLERS..
5202	IOB-R	SURFACE BACKBOX,WEATHERPROOF,RED..P/N: IOB-R..MFG: WHEELOCK..SHEDULE B: # 8531.10.0045 OTHER ELECTRIC SOUND OR VIS
5203	IORAZGN	CURRENT TRANSFORMER, INDOOR INSTALLATION, TYPE: IORAZGN SPARE PART FOR SERIAL NUMBER 1515700001:..F=60HZ..B.I.L.: 0.72
5204	IP-100-AF4-1	4" STANDARD LENGHT FLANGE VALVE ADAPTER TO SUIT IP-100..P/N: IP-100-AF4-1..MFG: FURMANITE
5205	IP-100-HS-2.8	SAW 3" HOLE SS & STPL TAPS..P/N: IP-100-HS-2.8..MFG: FURMANITE..
5206	IP-508-HDU	HYDRAULIC POWER UNIT..P/N: IP-508-HDU..MFG: FURMANITE..
5207	IP8335H	2-MEGAPIXEL CMOS SENSOR..30 FPS @ 1920X1080..2.8 ~ 12 MM, VARI-FOCAL, REMOTE FOCUS, P-IRIS LENS..REMOVABLE IR-CUT FILTEI
5208	IPG-1412	PILOT ASSEMBLY KIT, REF: SPLIT FIT PILOT# 134472, MOD: IPG 1412, INCL: PILOT, SPARK PLUG, MIXING TEE, GAS REGULATOR AND AIR
5209	IPSYS01	POWER MODULE SYSTEM MPS11 (CRIT)..P/N: IPSYS01..MFG: ABB INC...SCHEDULE B: # 8538.90.7080 OTHER BOARDS
5210	IR3S-AHR	Phoenix Triple IR Flame Detector..Model: IR3S-AHR..- Operating Voltage Range: 10 to 32 Vdc..- Temperature Range: Certified -40°C to +75°C (-40°F to
5211	IR475Y-413	GROUND FAULT MONITOR FOR UNDERGROUND AND DC SYSTEMS TO 690 V..P/N: IR475LY-413..MFG: BENDER..SCHEDULE B: # 8536.50.9
5212	IRKE166-16	MODULE ELECTRONIC..SPEC: POWER FOR CONTROL CAB 100A13552F20..P/N: IRKE166-16(VSKE166/16PBF)..MFG: INTERNATIONAL REC
5213	ISO-X	MODULE ;FAULT ISOLATOR F/ "SLC" LOOP..P/N:ISO-X..MFG: NOTIFIER..SCHEDULE B:# 8531.10.0045 OTHER ELECTRICAL SOUND OR VISU
5214	ISO3025	CYLINDRICAL BARREL ELECTRICAL INSULATORS PM12X50 WITH NUT, FLAT WASHER AND LOCK WASHER..P/N: ISO3025..MFG: COMPRH
5215	IT600-010-0	TRANSDUCER; ELECTRO-PNEUMATIC..IT600 E/P REGULATOR 2A IT600 NO SIZE ..PT VERSION..P/N: IT600-010-0..MFG:SMC PNEUMATICS
5216	ITG7001-15	METRIC TAPER GAGE 1-15MM..P/N: ITG7001-15..MFG: SPARTAN TOOL SALES..SCHEDULE B: # 9017208060 OTHER TAPE METERS
5217	ITG70015-30	METRIC TAPER GAGE 15-30MM, STAINLESS STEEL..P/N: ITG70015-30..MFG: SPARTAN TOOLS..SCHEDULE B: # 9017208060 OTHER TAPE M
5218	ITG70030-45	METRIC TAPER GAGE 30-45MM, STAINLESS STEEL..P/N: ITG70030-45..MFG: SPARTAN TOOLS..SCHEDULE B: # 9017208060 OTHER TAPE M
5219	ITG70045-60	METRIC TAPER GAGE 45-60MM, STAINLESS STEEL..P/N: ITG70045-60..MFG: SPARTAN TOOLS..SCHEDULE B: # 9017208060 OTHER TAPE M
5220	ITHX-SD	TRANSMITTER FOR TEMPERATURE AND RELATIVE HUMIDITY DEW POINT OVER AN ETHERNET NETWORK OR INTERNET..P/N: ITHX-SD
5221	ITM_003647	1731412..FILTER, AIR INLET DSH G4 592x592x48..FOR OML58 NOPL PROJECT DWG..NO:NG22-486-INS-ERD-000002-P3..Manufacturer Part No
5222	IVC8T-121	8.4", 8 GB FLASH, 1 GB RAM EOD, SCREEN, TABLET PC OS. BUILT-IN BLUETOOH AND 802.11 WLAN..MFG: AZENTEK, LLC..SCHEDULE B: #
5223	IXA-502-CMA	AUTOCALL CONTACT MONITOR MOD KIT/PLUG-I ..P/N: IXA-502CMA..MFG: GRINELL..SCHEDULE B: # SCHEDULE B: #8536410045 - OTHER
5224	J-1370	BOILER SAVER ..P/N: J-1370..MFG: CLEAVER BROOKS
5225	J1092	NUT EYE, DIA: 5/8", THD/IN: 12, TYP-THD: UNC, GDE: 2, MAT: STEEL,..CHANCE 6502..P/N: J1092..MFG: JOSLYN MACLEAN..SCHEDULE B: # 7
5226	J1093	NUT EYE DIA? 3/4", THD-IN: 10", THY-THD: UNC, P/N: 6503 CHANCE..OFFER P/N: J1093 (CAT EN-6)..MFG: JOSLYN-MACLEAN..SCHEDULE B:
5227	J11	CONTACT AUXILIARY..TYPE: J, VAC: 120-600V, VDC: 28-300 V, I: 10A, NO: 1, NC: 1..P/N: J11..MFG: CUTLER HAMMER
5228	J1163	GRAPAS DE VIAS PARALELAS PARA PUESTA A TIERRA DE 5/8"..P/N: J1163..
5229	J1164	GRAPAS DE VIAS PARALELAS PARA PUESTA A TIERRA DE 3/4 IN..P/N: J1164
5230	J151	INSULATOR SPOOL, MAT: PORCELAIN, CLASS 53-2, TYPE: WET PROCESS, LG: 3", W: 30-1/8:, SPEC: BOLT SIZE 5/8"..P/N: J151 JOSLYN (OF

	Item	Description
5231	J1528E	GUARDS,TAPERED GUY,STEEL,8" LONG,..P/N:J1528E..MFG: MACLEAN POWER - JOSLYN..SCHDEULE B: # 8205.70.0090 OTHER METALS
5232	J15735W	MEN'S PHASERBOUND MID WATERPROOF COMP TOE WORK BOOTWIDE WIDTH..UPPER:WATERPROOF FULL GRAIN LEATHER, SUEDE
5233	J20	INTERLOCK AUXILIAR..(REF) - SERIES J NO..P/N: J20..MFG: CUTTLER HAMMER..SCHEDULE B: 8538907080 -OTHER CONTACTORS
5234	J239668A	NOR C 1-0 1POLE 20KA SWITCH ..DESCRIPTION: NOR C 10 1P 20KAVD460+2 B..SWITCH TYPE NOR C..1 POLE..2 POSITIONS: 1-0=OI
5235	J3316	HOOK DRIVE..P/N: J3316..MFG: MACLEAN POWER SYSTEMS..SCHEDULE B: # 7318190000 OTHER HOOKS OF STEEL
5236	J402-146-1520-M900-M202	PRESSURE SWITCH, SET 1: 8 PSI RISE, SET 2: 4 PSI FALL..P/N: J402-146-1520-M900-M202..MFG: UNITED ELECTRIC CONTROLS..SCHEDUL
5237	J402-554	PRESSURE SWITCH (UE/J402-554)..DATE CODE:1045 (K1557607,#407859)OPTIONS:M202 QC1 XY450..RANGE:0 # 30 PSI 0 # 2.1 BAR..PROC
5238	J402K-S147B	DIFFERENCIAL PRESSURE SWITCH(UEJ402K-S147B)..OPTIONS: M202 XY450..RANGE: 3 # 30 PSID/0.2 # 2.1 KG/CM2..PROOF: 298.7 PSID / 2
5239	J608Z	PIN INSULATOR FORGED STEEL FOR WOODCROSSARM & STD I3/8 IN, THREADED PIN HOLE 3/4 IN SHANK DIA 8..P/N: J608Z..MFG: MACL
5240	J6273	GUY ATTACHMENTS..TYPE: SINGLE, FAT..MAT: GALVANIZED..P/N: J6273
5241	J6495	STAPLE COPPERCOATED, ROLLED POINT, 1-3/4 X 3/8X.144..P/N: J6495..MFG: MACLEAN POWER..SCHEDULE B: # 7415.10.0000 OTHER ST/
5242	J6PA-B1000G	1 STAGE 1725/ 3540 RPM RH ROTATION..P/N: J6PA-B1000G..MFG: SUNTEC..SCHEDULE B:# 8413.19.0000 OTHER PUMP FOR LIQUID
5243	J7529	ROD ANCHOR 3/4" X 9 FT, HOT DIP GALVANIZED PER ASTM A123, . ROD RATED AT 23,000 lb [102,000 N] ULTIMATE, ASSEMBLED WITH A I
5244	J8152	BOLTS THIMBLEYE HOT DIP GALVANIZED 5/8" X 12"..P/N: J8152..MFG: MACLEAN
5245	J8338	ROD GROUND STD COPPERWELD, 5/8" B6258 9107/9108, 8 FT LENGHT..P/N: J8338 JOSLYN (OFFER P/N: 615880)..MFG: ERICO..SCHEDULE
5246	J8563	SQUARE NUT, 5/8" FOR BOLTS (EQUIVALENT TO 55084P CHANCE)..P/Nl J8563..MFG: MACLEAN..SCHEDULE B: # 7318190000 OTHER NUTS
5247	J8868	STUD INCH..DNO: 5/8" LG: 18", THD/IN: 11..MAT: STEEL..P/N: J8868 (P/N: 8868 HUBBEL CHANCE)..MFG: JOSLYN..SCHEDULE B: 731815
5248	J8870	STUD INCH..DNO: 5/8", LG: 20"..THD: NC, MAT: STEEL..P/N: J8870..MFG: JOSLYN MFG/MACLEAN..SCHEDULE B: 7318155000 STUDS
5249	J8872	STUD INCH..DNO: 5/8", LG: 22"..THD/IN: 11, THD-NC: MAT STEEL..P/N: J8872..MFG: MACLEAN-JOSLYN MFG..SCHEDULE B: 7318155000 S
5250	J9-0.786	RESISTOR BERCO GRID COIL 0.786OHM..P/N: J9-0.786..MFG: CLAUDE LYONS
5251	J9-5.08	RESISTOR BERCO J GRID COIL, 5.08OHM TYPE S-MOUNTING..P/N: J9-5.08..MFG: CLAUDE LYONS
5252	J975	TERMINAL,PRESSURE HIGH VOLTAGE(TYPE)-RING;(AWG)-1/0 AN-2/0(INSUL)-NO;(STUD-HOLE)-1/2"(SPEC)-STA-KON(DOC/EXT)-Y/N..NON-
5253	J9971	HIP ROOF BOX WITH TRAY, ..FOR ELECTRICIANS..19"WX 7"DX7"H..P/N: J9971..MFG: PROTO..SCHEDULE B: # 7310100050 OTHER EMPTY T
5254	JBEF8344G080	EXPLOSION PROOF 120 VAC 60 HZ./110 VAC 50 HZ. SOLENOID/JUNCTION BOX AND THE 8344G080 VALVE ALL IN A SINGLE UNIT, DUAL C
5255	JC055	EXCENTRIC SHAFT..P/N: JC055..MFG: TM ENGINEERING LTD..
5256	JESC-2HLED-RD-WH	LIGHT EMERGENCY, V: 120/277 VAC, FREQ: 60 HZ, LAMP: LED, 1 WATT, 8 LED X 0.125W, SIGN READS: EXIT, SPEC: EXIT SIGN, WATTAGE
5257	JKS-15	FUSE, 15 A ,SINGLE ELEMENT CLASS J..P/N:JKS-15..MFG:BUSSMAN..SCHEDULE B: #8536100040 - OTHER FUSES
5258	JM-4-220	JAR MIXER 220V, 50/60 HZ..P/N: JM-4-220..MFG: A & F MACHINE PRODUCTS..SCHEDULE B: # 8479.82.0040 MIXING, KNEADING OR STIRRIN
5259	JOGGER II	EL IMPULSOR DE LA MEMORIA..(VERSION IN SPANISH)..
5260	JPME-336-10AV-S1-M	PARTICULATE FILTER, FOR PARTICULATE SKID,12 PER BOX..P/N:JPME-336-10AV-S1-M..MFG: JONELL..Schedule B: # 8421.29.0065 Other filte
5261	JTM2008	40LB TIRE/TUBE MOUNTING COMPOUND..P/N: JTM2008..MFG: ELECTROLUBE
5262	JUW50043TLS	Washdown Corrosion Resistant Electric Unit Heater, 5 KW,240 Volts 3, Phase 12 Amps..P/N:JUW50043TLS..Mfg: QMARK MARLEY ENGINEERED P
5263	K-975	TERMINAL PRESSURE LOW VOLTAGE,..TYPE: RING, AWG: 2/0 AN0-3/0, INSUL: NO, STUD-HOLE: 1/2"..SPEC: STAKON..P/N: K-975..MFG: TH
5264	K03989	ELECTRONIC BOARD, TYPE K..P/N: K03989..MFG: MUNSCH USA..SCHEDULE B: # 8538907080 OTHER BOARDS

	Item	Description
5265	K04198	BODY, MAK PREHEAT..P/N: K04198..MFG: MUNSCH USA..SCHEDULE B:# 9613.90.0000 OTHER PARTS
5266	K04232	ELECTRONIC UNIT, MEG - 23..P/N: K04232..MFG: MUNSCH USA..SCHEDULE B: # 8431100090 OTHER PARTS FOR MACHINERY
5267	K05050	EXTRUDER MAK48D..P/N: K05050..MFG: MUNSCH USA
5268	K10P-11A15-120	RELAY INDUSTRIAL..P/N: K10P-11A15-120
5269	K10P-11D15-24	RELAY INDUSTRIAL..VDC: 24, IAC: 15A, HZ: 50/60HZ..LG: 28.20 MM..W: 21.88 M, H: 34.90 MM..P/N: K10P-11D15-24..MFG: TYCO..SCHEDUL
5270	K122	PHOTO CONTROL RECEPTACLE WITH BRACKET FOR USE WITH INTERMATIC PHOTO CONTROLS 105-408V/15 AMP..P/N: K122..MFG: INTI
5271	K16RU	SPARK PLUGS..P/N: K16RU..MFG: DENSO
5272	K20HR-U11	SPARK PLUGS..P/N: K20HR-U11..MFG: DENSO..SCHEDULE B: # 8536695050 OTHER PLUGS
5273	K22001	FILTER HYDRAULIC SEAL, ID;THD: 1" - 12 UNF-2B (OD)-94.49MM, H: 146.30MM..P/N: K22001..MFG: GRESEN MANUFACTURING
5274	K2546	REPAIR DIAPHRAGM KIT MAINTENANCE..P/N: K2546..MFG: GOYEN PENTAIR
5275	K4250	5ML VIAL AND CAP WITHOUT FILTER FOR DIONEX IC, 250 PK..P/N: K4250..MFG: ENVIRONMENTAL EXPRESS..SCHEDULE B: # 3917.29.0090
5276	K50481-7	..SWASH BLOCK AND PIN KIT..REPLACES: OBSOLETE L50481-3..-OILGEAR..NO 82..MODEL CODE: PVWH-25-RSAY-C2SN-450C..SERIAL NU
5277	K6-31Z	RELAY AUXILIARY..V: 110V, FREQ: 60 HZ..#NO: 3, #NC: 3..P/N: K6-31Z..MFG: ASEA BROWN BOVERI..SCHEDULE B: #8536200040 - OTHE
5278	K67913WW	USB PORT LOCK WITH BLOCKER..P/N:K67913WW..MFG:KENSINGTON..SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES..ORIGIN:TA
5279	K7561-12240	BOOT, PROP..P/N: K7561-12240 ..MFG:KUBOTA
5280	K7561-12250	CLAMP ,BOO..P/N:K7561-12250 ..MFG:KUBOTA
5281	K7561-13610	COVER, BEA ..P/N:K7561-13610..MFG:KUBOTA
5282	K7711-91233	ASSY SHAFT ..P/N:K7711-91233 ..MFG:KUBOTA
5283	K904	R6 FOAM KIT ARKET..P/N:K904..MFG:GAST
5284	K9142TH	JUCTION FOR SENSOR OF PH..P/N: K9142TH..MFG: YOKOGAWA..SCHEDULE B: # 7110490000 OTHER ELECTRODE
5285	K9142TU	ELECTRODE OF GLASS FOR SENSOR..P/N: K9142TU..MFG: YOKOGAWA..SCHEDULE B: # 7110490000 OTHER ELECTRODE
5286	K975	TERMINAL,PRESSURE LOW VOLTAGE(TYPE)-RING;(AWG)-2/0 AN-3/0(INSUL)-NO;(STUD HOLE)-1/2"(SPEC)-STA- KON(DOC/EXT)-Y/N..P/N:K
5287	KA107	ENCLOSURE GLASS POLYESTER, DIABOX 107, DIM 490MM X 585 MM X 390 MM, WITH NYLON HINGED BOX (2 HINGES) INSTALLED, WITH
5288	KA107 0304	ENCLOSURE; (MAT)-GLASS POLYESTER;(TYPE)-DIABOX 107 (H)-490MM;(W)-585 MM;(D)-390MM (MTG)--VERTICAL; (W)-WINDOWS SAFETY
5289	KA137	ENCLOSURE GLASS POLYESTER, DIABOX 137, DIM 490MM X 710MM X 390MM, WITH NYLON HINGED BOX (2 HINGES) INSTALLED, WITH R
5290	KA87	ENCLOSURE GLASS POLYESTER, DIABOX 87, DIM 490MM X 460MM X 390MM, WITH NYLON HINGED BOX (2 HINGES) INSTALLED, WITH RU
5291	KAB-186336-OP-SW-ARMS	KAB Seating 85/E1..- Fore and aft slide rail adjustment..- Seat belt ..- Adjustable armrest..- Back rest extension..- Turntable..- Swiv
5292	KAB-30	FUSE LINK;(I)-30A; 250V; (TYPE)-LIMITRON..P/N: KAB-30..MFG:BUSSMANN..SCHEDULE B: #8536.10.0040 OTHER FUSES..ORIGIN:USA
5293	KB-X900LWV-2	VENTED LEXAN WINDSHIELD..P/N: KB-X900LWV-2..MFG: KUBOTA
5294	KBWM-240	DC MOTOR SPEED CONTROL, INPUT: 230VAC, 50/60 HZ, OUTPUT 0-180 VDC, RATE 3.5 ADC, NON-REVERSIBLE, 9381E..P/N: KBWM-240 (98
5295	KE-4WLL-DC	LAMP LED, SPEC: ONLY LOCOMOTIVE LED LAMP, V: 70-75 VDC, WATTS: 3.8, LIFE-SPAN: 50,000 HRS, 0.8 LBS/EA..P/N: KE-4WLL-DC (R/B: K
5296	KE-LTHL-6	LAMP LED, SPEC: LIFT TRUCK HEADLIGHT, CASE MATERIAL: ALUMINUM, SIZE: 3.6" X 5.75" X 2" WATT LED..P/N: KE-LTHL-6 (R/B: KE-LTHL-
5297	KE-MCC	MINI CORNCOB BAYONETT STYLE COVERED, V:75VDC, 2 WATTS, LIFE SPAN: 50,000 HRS, BRIGHTNESS: 270..0.4 LBS/EA..P/N: KE-MCC..M
5298	KE-NBLL	LAMP LED, SPEC: NUMBER BOARD LED, V: 75 VDC, WATTS: 3M, LIFE SPAN: 50,000 HRS, DIA: 38 MM, LG: 96 MM, COLOR TEMP: COOL WHI

	Item	Description
5299	KEY00064	KEY;SHAFT, 3/8" X 3/8" X 3"..P/N:KEY00064..NON RETURNABLE..MFG:TRANE
5300	KEY00198	KEY; .375 X .375 X 4.5,SHAFT..P/N:KEY00198..NON RETURNABLE..MFG:TRANE
5301	KFD2-STC4-EX1.2O	K-SYSTEM ANALOG ISOLATORS..K-SYSTEM INTRINSIC SAFETY SEPERATELY POWERED ISOLATED BARRIERS ..ANALOG INPUT 2 OR 3-\
5302	KG1X5	REPLACEMENT GLASS, OF 76MM X40MM,..P/N: KG1 X 5 (OFFFER 10 KG1) PKG OF 10..MFG: DEFENDER
5303	KH-00653-04	ELECT. STOR. SOLN. OAKTON..P/N: KH-00653-04..MFG: COLE PARMER..SCHEDULE B: # 3822000002 DIAGNOSTIC OR LABORATORIES REA
5304	KH-00653-06	CLEANING SOLUTIONS..P/N: KH-00653-06..MFG: COLE PARMER..SCHEDULE B: #3822000002 SOLUTIONS
5305	KH-00653-16	84US CONDUCTIVITY SOLUTION OAKTON, ECCN: # EAR99..P/N: KH-00653-16 (RICCA CHEMICAL CO-OAKTON P/N: 00653-16)..MFG: COLE F
5306	KH-01482-54	STANDARD 1000 UMHOS..P/N: KH-01482-54..MFG: COLE PARMER..SCHEDULE B: # 3822000002 DIAGNOSTIC OR LABORATORIES REAGEN
5307	KH-01482-56	STANDARD 1000 UMHOS..P/N: KH-01482-56..MFG: COLE PARMER..SCHEDULE B: # 3822000002 DIAGNOSTIC OR LABORATORY REAGENTS
5308	KH-01482-58	STANDARD 1000 UMHOS..P/N: KH-01482-58..MFG: COLE PARMER..SCHEDULE B: # 3822000002 DIAGNOSTIC OR LABORATORY REAGENTS
5309	KH-01489-94	CONDUCTITIVY CALIBRATION STANDARD, 700 UMHOS, NIST CALIBRATION, 1 QUART..P/N: KH-01489-94..MFG: COLE PARMER (MYRON L (
5310	KH-01489-96	STANDARD 3900US (NIST) 32 OZ, ECCN: # EAR99, 1 QUART..P/N: KH-01489-96..MFG: COLE PARMER (MYRON L CO. P/N; 442-300)..COUNTR
5311	KH-05942-25	BUFFER 4.01PH 4 LITER 4/CASE..ECCN: # EAR99..P/N: KH-05942-25..MFG: COLE PARMER (RICCA CHEMICAL CO)..COUNTRY OF ORIGIN: L
5312	KH-05942-45	BUFFER 7PH 4 LITER 4/CASE..ECCN: # EAR99..P/N: KH-05942-45..MFG: COLE PARMER (RICCA CHEMICAL CO)..COUNTRY OF ORIGIN: USA
5313	KH-05942-65	BUFFER 10PH 4 LITER 4/CASE..ECCN: # EAR99..P/N: KH-05942-65..MFG: COLE PARMER (RICCA CHEMICAL CO)..COUNTRY OF ORIGIN: US
5314	KH-05992-47	FILL SOLUTION 3.8M KCL 2/PKG..P/N: KH-05992-47..MFG: COLE PARMER..SCHEDULE B: # 3822000002 DIAGNOSTIC OR LABORATORIES RE
5315	KH-90090-07	THERMOMETER HD PENSTYLE POCKET..P/N: KH-90090-07..MFG: COLE PARMER..SCHEDULE B: # 9025198080 THERMOMETER
5316	KH-94460-77	THERMO SENTRY TRIPLE - DISPLAY C..P/N: KH-94460-77..MFG: COLE PARMER..SCHEDULE B: # 9025114000 OTHER DISPLAY
5317	KH4N5PAK1FXPTAX	INDICATOR TYPE: 10" VERTICAL BARGRAPH..BAR ZERO POINT: ZERO AT 50% MID SCALE..DIGITAL DISPLAY: 4-1/2 DIGIT DISPLAY ..SET
5318	KH770920CB	
5319	KIAB-VA	STAINLESS STEEL LID PROPSTAY..FOR DIA BOX TYEP DF VA (LOOSE)..P/N: KIAB-VA..MFG: INTERTEC..SCHEDULE B: # 3923100000 OTHE
5320	KIT-REPCG	REPLACEMENT CALIBRATION GAS CYLINDER SHIPPING KIT..P/N: KIT-REPCG..MFG: MORGAN SCHAFFER
5321	KLKD-030	FUSE MIDGET; 30A;600V AC/DC FAST ACTING; L: 38.1MMDIA:10.31MM..P/N: KLKD-030..MFG:LITTLEFUSE..SCHEDULE B: #8536.10.0040 OTH
5322	KM35-LG	SQUAR D SERIES H LAMP 757 GREEN COLOR..SQD 9001KM35LR LITE MODULE..MFG: SCHNEIDER ELECTRIC
5323	KM35-LR	SQUAR D SERIES H LAMP 757 RED COLOR..SQD 9001KM35LR LITE MODULE..MFG: SCHNEIDER ELECTRIC
5324	KMF100A8/2	MOTOR TYPE KMF100A8/2 MATCHING SERIAL # 43814786..P/N: KMF100A8/2..MFG: DEMAG
5325	KMH112B2/12	MOTOR MODEL KMH112B2/12, IP 55..MFG: DEMAG CRANES & COMPONENTS
5326	KMS-5-H	POTENTIOMETER TRANSMITTER 100? - 10K? ;POWER 220VAC INPUT 100? - 10K?, OUT 0-5VDC..PART NUMBER: KMS-5-H ..MFG: M-SYSTE
5327	KMS-5H	CONDITIONERS 100Oh-10Kh..POWER 220 VAC, OUTPUT 0-5VDC..MFG: KMS-5-H..MFG: M-SYSTEMS
5328	KOH	POTASSIUM HYDROXIDE ELECTROLYTE..5 GALLON CONTAINER..MFG: HOPPECK
5329	KPHRB1102	PRESSURE BLOWER HRB1102 AND KIT..P/N: KPHRB1102..MFG: REPUBLIC BLOWER SYSTEMS..SCHEDULE B: # 8414.59.9080 OTHER BLO\
5330	KQ2H08-02S	CONNECTOR FAST (TYPE)- RIGHT;(MK)-SMC JAPAN;CONX 1/4" (U/0)- HOSE 8MM OD;WHITE COLOR..P/N: KQ2H08-02S..MFG: SMC CORPO
5331	KR-4183B	240V 1800W SINGLE FIXED ELEMENT..RADIAN HEATER PCN 120408..P/N: KR-4183B..MFG: CHROMALOX
5332	KROIL	PENETRATING OIL, 1 GAL CAN..P/N:KROIL..MFG:KANO

	Item	Description
5333	KRPA-11AG-120	RELAY ASSEMBLY..V: 110V, I: 12A,..V-CONT: 120-240..P/N: KRPA-11AG-120..MFG: P & BRUMFIELD / TE CONNECTIVITY / TYCO..SCHEDUL
5334	KS-20	CONNECTOR WIRE, AWG: 4-8, REF: SERVIT 8 STR - SOL..P/N: KS-20..MFG: BURNDY
5335	KS20	SERVIT SPLIT BOLT FOR COPPER COPERWELD ..8STR-4SOL BURNDY..0.51" WIDE X 1.2" LENGHT ..P/N: KS20..MFG: BURNDY..SCHEDULE
5336	KS22	SERVIT SPLIT BOLT CONNECTOR..P/N: KS22..MFG: BURNDY..SCHEDULE B: #8536695050 OTHER CONNECTORS
5337	KS29	CONNECTOR SPLIT BOLT COPPER..P/N: KS29..MFG: BURDY..
5338	KST-3.40/U	SWITCH DISCONNECT, CONTROLLER, 40 AMPS..P/N: KST-3.40/U..MFG: ENSTO
5339	KSU20	SPLIT BOLT..P/N: KSU20..MFG: HUBBELL..SCHEDULE B: #7318159000 OTHER BOLTS..
5340	KSU29	SPLIT BOLT..P/N: KSU29..MFG: BURNDY..SCHEDULE B: # 8536695050 OTHER CONNECTORS
5341	KT8010903P2	LESLIE CONTROLS AIR CYLINDER SEAL KIT GE-56, MODEL 6210 D-6", DRAWING: 33612423P001..P/N: KT8010903P2..MFG: RG LAURENCE.
5342	KTK-R-10	FUSE CLASS CC, TYPE: FAST ACTING, VAC: 600V, I: 10A, IMAX: 200KA, DIM: 1.03MM X 38.1 MM, TAG: P410..P/N: KTK-R-10..MFG: BUSSMAN
5343	KTK-R 3/10	FUSE ;FAST ACTING;LIMITRON 3/10A; 600VAC; CLASS CC..P/N: KTK-R 3/10..MFG:BUSSMANN..SCHEDULE B: # 8536100040 OTHER FUSES
5344	KVS-0A-H	SIGNAL TRANSMITTER 0-6.06V DC..P/N: KVS-0A-H..MFG: M-SYSTEMS..SCHEDULE B: # 8525.50.8040 OTHER TRANSMITTER
5345	KVS-16A-H	SIGNAL TRANSMITTER 0-60mV DC,POWER 220V AC, INPUT: 0-60mV DC, OUTPUT 4-20mA DC..P/N: KVS-16A-H..MFG: M-SYSTEMS..SCHEDU
5346	KVS-A5-H	SIGNAL TRANSMITTER 4-20 mA DC, POWER 220V AC, OUTPUT 0-5V DC..P/N: KVS-A5-H..MFG: M-SYSTEMS..SCHEDULE B: # 8525.50.8040 C
5347	KVSW28	CONNECTOR ELECTRICAL, TYPE : T, AWB: 4/0-1/0, REF: UNICLAMP..P/N: KVSW28..MFG: BURNDY..SCHEDULE B: #8536.69.5050 OTHER CC
5348	KZ10	CARTRIDGE, Z-MEDIA, MICRO-GLASS, REMOVES RUST, METALLIC DEBRIS, FIBERS, DIRT; 9" HEIGHT, 3.9" OD, 1.625" ID, 10 MICRON..P/N:
5349	KZ3	FILTER CARTRIDGE, Z-MEDIA, MICRO-GLASS, REMOVES RUST, METALLIC DEBRIS, FIBERS, DIRT; 9" HEIGHT, 3.9" OD, 1.625" ID, 3 MICRO
5350	KZ5	FILTER CARTRIDGE, Z-MEDIA, MICRO-GLASS, REMOVES RUST, METALLIC DEBRIS, FIBERS, DIRT; 9" HEIGHT, 3.9" OD, 1.625" ID, 5 MICRO
5351	L-295-S	LANTERN HUNTER RAY O VAC..P/N: L-295-S WITH BATTERY..MFG: ..SCHEDULE B:
5352	L-4C26F19	CORD LINE 4 CONNECT, SILVER SATIN FLAT, 26 AWG, 4 CONNECTOR..P/N: MW4C (4024) OFFER..P/N: L-4C26F19..MFG: ANIXTER..SCHED
5353	L-57	CONDULET CONDUIT BODY RIGID..DIA: 1-1/2, TYPE: L, SHP: 7,..MAT: MALLED IRON..P/N: L-57..MFG: CROUSE-HINDS CO...SCHEDULE B: #
5354	L-975	TERMINAL PRESSURE HIGHT VOLTAGE..TYPE: RING, AWG: 3/0 4/0, INSUL: NO, STUD-HOLE: 1/2", SPEC: STAKON..P/N: L975..MFG: THOM
5355	L-FW30H2410	WALL MOUNT..P/N: L-FW30H2410..MFG: RITTAL..SCHEDULE B: # 3923100000 OTHER ENCLOSURE, BOXES
5356	L-LLHFT7	LANTERN LED LENSER T7..P/N: L-LLHFT7 (OFFER P/N: HP8420)..MFG: LENSER..SCHEDULE B: # 9006610000 FLASHLIGHT
5357	L1-16	OIL PENETRATING...PENETRATING LUBRICANT, -20° TO 150°F, VEGETABLE OIL, NET FILL 16 OZ., SQUEEZE BOTTLE..P/N:L1-16 ..MFG:LIQ
5358	L150-38098	LOVEJOY L 150 HYTREL SOX SPIDER (OCT);JAW COUPLING SPIDER & ELEMENT ;COUPLING SIZE CODE:L150;ELEMENT MATERIAL:THERI
5359	L1514A	CABLE HP VESA/USB 1.8MT (6 FT)..P/N: L1514A..MFG: HP..SCHEDULE B: # 8544420000 OTHER ELECTRIC CONDUCTORS..MADE IN CHINA
5360	L4505AAWR	VALVE SERIES L45, BODY TYPE: INLINE, PORT SIZE: 1/2", FUNCTION: 4 WAY, 2 POS, BODY DESIGN: SINGLE, OPERATOR 1: STANDARD SI
5361	L4505AAWR-AA	VALVE SERIES L45, BODY TIPE INLINE, PORT SIZE: 1/2", FUCTION: 4 WAY, 2 POS, BODY DESIGN: SINGLE, OPERATOR 1 STANDARD SELE
5362	L45792	BOLT RAIL INSULATOR..DNO: 5/8", THD: NC, MAT: STEEL, REF: C17560..P/N: L 45792..MFG: DELTA/ TRANSTEC OF SC..SCHEDULE B: # 854
5363	L471-01	LEVEL SWITCH YZ LINC ..P/N: L471-01..MFG: LINC LEVEL CONTROL..SCHEDULE B: # 9025805050 OTHER INSTRUMENTS
5364	L50108-15	KIT, ROTARY, PVWJ, 064 SPHERICAL ..-OIL001..NO 73..MODEL CODE: PVWH-25-RSAY-C2SN-450C..SERIAL NUMBER: 11840008..P/N: L5010
5365	L50826-12	SEAL / SEAL KIT 25/60..SEAL KIT,KIT #77,VITON,W/CONTROL SEALS..EXCEPT:VV,VSVURU,RR,ER,RY,RS, STD...PVWH-OIL001..NO 77..MOD
5366	L50921	KIT,NAME PLATE..TAG EA 24.44..NAME TAG,ITEM:65,66-OILGEAR..NO 80..MODEL CODE: PVWH-25-RSAY-C2SN-450C..SERIAL NUMBER: 11

	Item	Description
5367	L51053-8	SADDLE BEARING / SADDLE BEARING KIT ..SADDLE BEARINGS,KIT #85-OILGEAR..NO 84..MODEL CODE: PVWH-25-RSAY-C2SN-450C..SER
5368	L51066-1	HYDROBEARING KIT, PVWJ, PVWW, C-FRAME ..REPLACES OBSOLETE L51202-1..- OILGEAR..NO 81..MODEL CODE: PVWH-25-RSAY-C2SN
5369	L51130-11	SHAFT / SHAFT PART KIT ..SHAFT & BEARING,KIT #74,CODE "Y", 1.25" DIA.,..KEYED, NON-THRU..- OILGEAR..NO 74..MODEL CODE: PVWH-
5370	L55-0761P	CHECK STUD - LUBRICATORS..P/N: L55-0761P..MFG: WATTS PARKER HANNIFIN..SCHEDULE B: # 8481909085 OTHER TAPS
5371	L750-3	VERTICAL COIL CUTTER 3 PH 3 PHASE..P/N: L750-3..MFG: TURNER INDUSTRIES, INC.
5372	L8000426P	PROLED PANEL 600-4 PREMIUM W-WEISS (0) 58,80 (117,60)..WARM WEISS - WARM WHITE..110-240 VAC, 38 WATT, 120°, IP20..- 3000K -..P/
5373	L8000428P	PROLED PANEL 600-4 PREMIUM N-WEISS..NEUTRAL WEISS - NEUTRAL WHITE..110-240 VAC, 38 WATT, 120°, IP20..- 4000K -..P/N:L8000428
5374	LAH56JDN9KA1AN	PORTABLE DIGITAL RADIO, DP8550, VHF, 136-174 MHZ, 5W, W/ GPS...INCLUDES LITIUM ION BATTERY HIGH CAPACITY, INTELLIGENT SIN
5375	LALS1.6.4.X.F.E-PAXF3R	1716512..PULSATION DAMPENER..TYPE: LA..CONNECTION SIZE: 1"1/2 600RF..VALVE CONNECTION SIZE: 5/8"UNF..CAPACITY: 5L..BODY M
5376	LAMINATION REFILL	XYRON XR900 LAMINATION REFILL FOR 9" CREATIVE STATION 40 FT..P/N:LAMINATION REFILL..MFG: XYRON..SCHEDULE B:# 9613.90.000
5377	LAPTOP GETAC X 500	LAPTOP GETAC X 500...MFG:GETAC..SCHEDULE B:# 8471.30.0100 PORTABLE AUTOMATIC DATA PROCESSING MACHINES,WEIGHING NO
5378	LAS1-BY-22TSA	LAS1-B EMERGENCY PUSHBUTTOM; DIPOLE; DIAM 16MM; E-STOP SWITCH; 2NO 2NC; TURN RELEASE; RED HEAD;IP40..P/N: LAS1-BY-22T
5379	LB-27	CONDULET CONDUIT RIGID 3/4"..P/N: LB-27..SCHEDULE B: # 8547900030 ELECTRICAL CONDUIT THREADED TUBINGS..MFG: THOMAS & I
5380	LB-37	CONDUIT OUTLET BODIES; CONDUIT TYPE: RMC (RIGID METAL CONDUIT)..CONNECTION TYPE:THREADED;TRADE SIZE (IN):1 IN..STYLE:
5381	LB-57	CONDULET CONDUIT RIGID LB57 1 -1/2 IN..P/N: LB-57..MFG: THOMAS & BETTS..SCHEDULE B: # 8547900030 ELECTRICAL CONDUIT THREA
5382	LB010	SMALL WIEGHT AND CHAIN ASSEMBLY, INCLUDE: SWITCH BREAKER, FOR HYDRAULIC CRANE, UP TO 7/8" ROPE..P/N: LB010..MFG: CE/L
5383	LB011	ADAPTER PLATE, SPEC: 35K, KIT 1-1/4" X 1-1/4" x 4-1/4"..P/N: LB011..MFG: CE/LSI LOADING SYSTEMS INC...SCHEDULE B:# 9026.90.0000 PA
5384	LB107	4 IN LB CONDUIT BODY..P/N: LB107..MFG: CROUSE HINDS..
5385	LB28-G	CONDULET CONDUIT BODY..DIA: 3/4 , TYPE: LB, SHP: 8,..P/N: LB28-G..MFG: THOMAS & BETTS..SCHEDULE B: # 8547900030 ELECTRICAI
5386	LB37 CG	CONDULET CONDUIT RIGID LB37 1 IN..CONDUIT OUTLET BODIES; CONDUIT TYPE: RMC (RIGID METAL CONDUIT)..CONNECTION TYPE: T
5387	LB38-G	CONDULET CONDUIT BODY PVC COVERED, DIA: 1", TYPE: LB, SHP: 8..P/N: LB38-G (R/B: LB38-4X-G)..MFG: THOMAS & BETTS..SCHEDULE
5388	LB58-G	CONDULET CONDUIT BODY, PVC COVERED, DIA: 1-1/2, TYPE: LB, SHP: 8..P/N: LB58-G..MFG: THOMAS & BETTS..SCHEDULE B: # 85479000
5389	LB68-G	CONDULET CONDUIT BODY PVC COVERED, DIA: 2", TYPE: LB, SHP: 8..P/N: LB68-G..MFG: THOMAS & BETTS..SCHEDULE B: # 8547900030 E
5390	LBFS-011110	SENSOR LEVEL SWITCH LBFS ..P/N: LBFS-011110..MFG: BAUMER..SCHEDULE B: # 9026800000 OTHER INSTRUMENTS AND APPARATUS
5391	LBFS-01121.0	SENSOR LEVEL SWITCH LBFS..P/N: LBFS-01121.0..MFG: BAUMER..SCHEDULE B: # 9026.10.7000 OTHER INSTRUMENTS AND APPARATUS.
5392	LBFS-015110	SENSOR LEVEL SWITCH LBFS..P/N: LBFS-015110..MFG: BAUMER..SCHEDULE B: # 9026800000 OTHER INSTRUMENTS AND APPARATUS
5393	LC-2R24G	COLLAR RETAINING HUCK 3/4 IN..P/N: LC-2R24G..MFG: HUCK
5394	LC1420C	BALLAST FLUORESCENT PHILLIPS ;MAG BALLAST (1) F20T12 PH 120V LC1420C; V(120);L 3.1",W 2.75" H1.6";N LAMPS- 1..BULB TYPE-FLUOI
5395	LC1D115-G7	CONTACTOR, I: 115A, HP: 40HP, V: 110VAC..P/N: LC1D115-G7 (COIL OF 120VAC..MFG: TELEMECANIQUE..SCHEDULE B: # 8536.41.0060 OTH
5396	LC1D65004T6	CONTACTOR NON-REVERSING..V: 480VAC, POL: 4, I: 65A, HP: 25/50, FREQ: 60HZ, SPEC: 1 NO AND 1NC AUXILIARY, COIL 480 VAC, SIZE:LC
5397	LC2100	PHOTOCONTROL MOUNTING TURN LOCK 120 - 277VAC; REPLACES MODEL LC2000WB..P/N: LC2100..MFG: INTERMATIK..SCHEDULE B: # 9
5398	LC402	PARALLEL GROVE BRONZE CONNECTOR..MULTIPLE CENTER BOLT, MAIN #- 4 SOL. 4/0 STR CU/ TAP # 4/0 STRS CU..P/N: LC402..MFG: AN
5399	LC403-5	FOR COPPER CABLE TO CABLE 300 MCM..P/N: LC403-5..MFG: ANDERSON..SCHEDULE B:#8544.60.4000 OTHER CABLES
5400	LC66AXB	CONNECTOR, PARALLEL, AL..P/N: LC66-AXB..

	Item	Description
5401	LCB-74-6	CABLE TRANSDUCER STANDARD LEMO-00 TO BNC 6FT..RG174..P/N:LCB-74-6..MFG: OLYMPUS..SCHEDULE B: # 8543704000 TRANSDUCE
5402	LCF3061S SWIVEL	HOLSTER SWIVEL BELT CLIP FOR HANDHELD RADIO ICOM MODEL IC-F3161DT..P/N:LCF3061S SWIVEL..MFG:ICOM..SCHEDULE B: # 8424
5403	LCM-320	LOOP CONTROL AND EXPANDER MODULE..P/N: LCM-320..MFG: NOTIFIER..SCHEDULE B:# 8531.10.0045 OTHER ELECTRICAL SOUND OR V
5404	LD5IW6-A	ADHESIVE BACKED..LG: 6 FTM CLR: OFF WHITE..FIG: A,..P/N: LD5IW6-A..MFG: PANDUIT..SCHEDULE B: # 3904220000 OTHER VINYL CHLOI
5405	LEN00C003600A	CONTACTOR MAGNETIC, NO.POLES: 3, I-CURI: 30A, I-CUR3: 30A, V-CONT: 600V, SIZE: 1..P/N: LEN00C003600A..MFG: SIEMENS INDUSTRIES
5406	LEVEL TROLL 700 INSTRUM -703	LEVEL TROLL 700 INSTRUMENT, LEVEL SENSOR RANGE- 703 M, 2306 FT (1000 PSIA), CODE 0089310, S/N: 352605..P/N: 0089310..MFG: IN-S
5407	LEVEL TROLL 700 INSTRUM 341	LEVEL TROLL 700 INSTRUMENT , LEVEL SENSOR RANGE - 341.3 M, 1120 FT (500 PSIA), CODE 0089200, S/N: 352744..P/N: 0089200..MFG: IN
5408	LF-3867	FILTER OIL..P/N: LF-3867..MFG: FLEETGUARD..SCHEDULE B: # 8421.23.0000 OIL OR FUEL FILTER
5409	LFL1.322	220V GAS BURNER CONTROL..P/N: LFL1.322..MFG: SIEMENS BUILDING TECHNOLOGIES..SCHEDULE B: # 9032.90.0000 CONTROLLING INS
5410	LFSD-232-UNIV	HAZARDOUS LOCATION FLUORESCENT, 2 LAMPS, 32 W, 120-277V; 50/60Hz..P/N: LFSD-232-UNIV..MFG: PHOENIX
5411	LFT018	CHROME NUBIAN LUFKIN TAPE METRIC/ENGLISH LFT018/CB1294SMEF/ 590, 66'/20M, CHROME NUBIAN LUFKIN TAPE METRIC/ ENGLISH C
5412	LFT107	PLUMB BOB BRASS METRIC/ ENGLISH GRADUATED, LFT107/ CS 590GME 20 OZ, 6", ..P/N: LFT107/ CS590GME..MFG: NUBIAN
5413	LG-250-U-0 / FC000002-PS	FIBER OPTIC SPLICE CLOSURE AFL LG-250-U0 ;AFL FIBER OPTIC SPLICE CLOSURE STORES 144 SINGLE FUSION OR 432 MASS FUSION
5414	LH0421	SOCKET ; INCANDESCENT TWO PIECE PORCELAIN LAMP HOLDER,/ SOCKET E26 / E27 MEDIUM BASE WITH CENTER HOLE FOR POWEF
5415	LH25030-2S	HOLDER FUSE,..I: 30A, VAC; 250V, TYPE: H, NO. POLES: 2..P/N: LH25030-2S..MFG: LITTELFUSE, INC...SCHEDULE B: # 8536100040 OTHER F
5416	LIFTERBOTTLE 3.5L	HDPE LIFTERBOTTLE 3.5L, WIDE MOUTH BOTTLE WITH LIFTERS, INCLUDES LID..P/N: LIFTERBOTTLE 3.5L..MFG: KCARENO
5417	LJ45-E9631	CONTROL CHIEF DIGITAL RADIO REMOTE CONTROL LJ45 ADVANTAGE SYSTEM 450MHZ, AS DESCRIBED HEREIN FOR REMOTE OPERA
5418	LK60	CHAIN LINKS..P/N: LK60..MFG:ANDERSON..WEIGHT:1.245
5419	LK80	CHAIN LINKS..P/N: LK80..MFG:ANDERSON..WEIGHT:2.019
5420	LKN-15	FUSE LINK RENEWAL 15 A 250V..P/N: LKN-15..MFG: BUSSMAN..SCHEDULE B: #8536100040 OTHER FUSES
5421	LL-2400 / 91710-06	AFL SINGLE SPLICE TRAY - STORES (24) SINGLE FUSION SPLICES MAXIMUM OF 4 TRAYS IN THE LG-250..AFL SINGLE FUSION SPLICE..TF
5422	LL107	4 IN LL CONDUIT BODY..P/N: LL107..MFG: CROUSE HINDS
5423	LL28-G	CONDULET CONDUIT BODY PVC COVERED..DIA: 1-1/2", TYPE: LB, SHP: 8,..P/N: LL28-G (R/B: LL28-4X-G)..MFG: THOMAS & BETTS..SCHEDU
5424	LL58-G	CONDULET CONDUIT BODY, PVC COVERED, DIA: 1-1/2", TYPE: LL, SHP: 8,..P/N: LL58-G..MFG: THOMAS & BETTS..SCHEDULE B: # 8547900(
5425	LL68-G	CONDULET CONDUIT BODY, PVC COVERED, DIA: 2", TYPE: LL, SHP: 8,..P/N: LL68-G..MFG: THOMAS & BETTS..SCHEDULE B: # 8547900030
5426	LLD083	FILTER DRYER , OD: 2-5/8", H: 5-15/16", SIZE CONNECTION: 3/8" SAE..P/N: LD083 (033199-083)..MFG: PARKER..SCHEDULE B: # 8421.99.008(
5427	LM2676S-5.0/NOPB	IC, STEP-DOWN REGULATOR, TO-263-7; PRIMARY INPUT VOLTAGE:12V; NO. ..OF OUTPUTS:1; OUTPUT VOLTAGE:5V; OUTPUT CURRENT
5428	LMCB24-SR-T	ACTUATOR 45 In-Lb Prop 24V NSR..P/N: LMCB24-SR-T..MFG: BELIMO..SCHEDULE B:# 8501.31.8000 OTHER ACTUATORS
5429	LMR-195	CABLE COAXIAL 3/16" STANDARD FLEXIBLE LOW LOSS..P/N: LMR-195..MFG: TIMESMICROWAVE
5430	LMTS32-40P32F-S1	FILTER ELEMENT..P/N: LMTS32-40P32F-S1..MFG: MASUDA
5431	LN103	NUT,LOCK,CONDUIT (DIA)- 1;(MAT)- MALLEABLE IRON..1: LOCKNUT, STL, RGD/IMC..P/N: LN103..MFG: THOMAS & BETTS..SCHEDULE B:#73
5432	LP12-38	12 VOLT 38AH SEALED LEAD ACID RECHARGEABLE BATTERY, CAPACITY@10hr 38AH, DIMENSIONS 7.76X6.5X6.69 in, TERMINAL T6..P/N:
5433	LP3P-120A	STROBE LIGHT,..SPEC: LOW PROFILE STREAMLINE, T MOUNT INTEGRATED 1/2" PIPE MOUNT, 120 VAC 60 HZ, TYPE 4X, IP66 ENCLOSUR
5434	LPC-40	POSITIVE LOCKING PLATE CLAMPS TYPE: POSITIVE LOCKING PLATE CLAMP LOAD CAPACITY: 4000 LBS MIN GRIP: 0 MAX GRIP: 1.10 IN..F

	Item	Description
5435	LPC-501	Stealth Model No. LPC-501-34Z-500G-08G-4-E-SP Little PC (Computer)...- Intel Core i7-2600 CPU, 3.4GHz clock speed, ATX Mainboard..- 4C/8T (4 x (
5436	LPDT-100	XENTAUR LPDT DEWPOINT TRANSMITTER, -149 TO 68 f (-100 to 20C) WITH SENSOR XTR-100..P/N: LPDT-100 ..MFG: COSA..SCHEDULE B:
5437	LPGA100HK2K4	ACTUATOR 220 VAC, 60 HZ..P/N: LPGA100HK2K4..MFG: TSUBAKI..SCHEDULE B: # 8412310080 OTHER LINEAR PNEUMATIC POWER ENGIN
5438	LPHB3404	PUMP VACUUM STK 900040, STERLING FLUID SYSTEM, ..P/N: LPHB3404 AB 001 0A2..MFG: SIHI..SCHEDULE B: # 8414100000 VACUUM PUM
5439	LPHR.3404.AB.001.OA.2	VACUUM PUMP, STK 900040, STERLING FLUID SYSTEMS ..P/N: LPHR.3404.AB.001.OA.2..MFG: SIHI..SCHEDULE B: # 8414100000 VACUUM P
5440	LPJ-35SP	FUSE TYPE LPJ, 35 AMP, 600 V, CLASS J..P/N: LPJ-35SP..MFG: BUSSMANN
5441	LPV445.97.00110	EE DR300 - CHLORINE, FREE + TOTAL, W.BOX, POCKET COLORIMETER...ABSORBANCE: 0 - 2.5 ABS; DATA LOGGER: LAST 50 MEASUREM
5442	LR-27	CONDULET CONDUIT BODY RIGID,..DIA: 3/4", TYPE: LR, SHP: 7, MAT: IRON MALLED..P/N: LR-27..MFG: CROUSE HINDS
5443	LR107	4 IN LR CONDUIT BODY..P/N: LR107..MFG: CROUSE HINDS
5444	LR28-G	CONDULET, CONDUIT BODY, PVC COVERED , 3/4" DIA; (TYPE) LR; (SHP)8..P/N: LR28-G..MFG: THOMAS & BETTS..SCHEDULE B: # 8547900(
5445	LR38-G	CONDULET CONDUIT BODY PVC COVERED, DIA: 1", TYPE: LR, SHP: 8..P/N: LR38-G..MFG: THOMAS & BETTS..SCHEDULE B: # 8547900030 E
5446	LR57-CG	BODY CONDUIT DIA: 1-1/2", TYPE: LR, SHP: 7, MAT: FERALOY, FINISH: ELECTROGALVANIZE, THREADED RIGID..P/NI LR57-CG..MFG: CRO
5447	LR58-G	CONDULET CONDUIT BODY PVC COVERED, DIA: 1-1/2", TYPE: LR, SHP:8..P/N: LR58-G (LR58-4X-G)..MFG: THOMAS & BETTS..SCHEDULE B
5448	LR68-G	CONDULET CONDUIT BODY PVC COVERED, DIA: 2", TYPE: LR, SHP: 8..P/N: LR68-G..MFG: THOMAS & BETTS..SCHEDULE B: # 8547900030 E
5449	LRM-195	LRM-195 CABLE..P/N: LRM-195..MFG: TIMES MICROWAVE SYSTEMS
5450	LRM-400	LRM-400 CABLE..P/N: LRM-400..MFG: TIMES MICROWAVE SYSTEMS
5451	LS-02-05-120	BIJUR SCREEN, LINE SCREEN 500..P/N: LS-02-05-120..MFG: FARVAL..SCHEDULE B: # 8431499057 OTHER PARTS
5452	LS-G6-GW-FCC-3	LS-G6-GW GATEWAY 48VDC POE 210X310X170mm DOOR; COLLOQUIAL: NO INFORMATION; TYPE: LINK;VOLTAGE (V): 48VDC POE;DIMEN
5453	LS125 S/4	PUMP FEEDER PUMP COMPLETE TYPE ..LS-125S/4 44 KW 480V 60HZ..TEFC, IP55, vertical..P/N: LS125 S/4..MFG:KOLMEKS
5454	LS53	LAG SCREW,1/2" X3 ",GIMLETPOINT,HDG..MFG:HUGHES..P/N:LS53..SCHEDULE B: #7318159000 OTHER BOLTS
5455	LS54	GIMLET POINT LAG SCREW 1/2" X 4"..P/N: LS54..MFG: HUGHES..SCHEDULE B: #7318159000 OTHER BOLTS
5456	LSA1A	LIMIT SWITCH..V-RANGE: 600 VAC, I: 10A,..P/N: SWITCH, LIMIT, SPEX: 1 NC, 1 NO SINGLE POLE DOUBLE THROW..(V-RANGE)-600VAC;(I)-1
5457	LSA1A-1A	LIMIT SWITCH..V-RANGE: 600 VAC, I: 10A,..P/N: SWITCH, LIMIT..(V-RANGE)-600VAC;(I)-10A..P/N: LSA1A-1A..MFG: HONEYWELL ..SCHEDULI
5458	LSA1A9915	SWITCH LIMIT..V-RAN: 600 VAC, I: 10A,..P/N: LSA1A9915 (P/N: LSA1A9915)..MFG: HONEYWELL..SCHEDULE B: # 8536509055 LIMIT SWITCHE
5459	LSB31	CONTACT SWITCHES (2 X SPDT) IP67 PROTECTION, STOCK CODE 4232401..P/N: LSB31..MFG: SPIRAX SPARCO..SCHEDULE B : # 8481.80.
5460	LSC-04-HS-34	4" LINE STOP CUTTER..P/N: LSC-04-HS-34..MFG: FURMANITE CORP.
5461	LSC-06-HS-34	6" LINE STOP CUTTER..P/N: LSC-06-HS-34..MFG: FURMANITE CORP.
5462	LSC-08-HS-34	8" LINE STOP CUTTER..P/N: LSC-08-HS-34..MFG: FURMANITE CORP.
5463	LSC-10-HS-34	10" LINE STOP CUTTER..P/N: LSC-10-HS-34..MFG: FURMANITE CORP.
5464	LSC-12-HS-34	12" LINE STOP CUTTER..P/N: LSC-12-HS-34..MFG: FURMANITE CORP.
5465	LSXC4L	MICRO SWITCH NEMA 7 3/4" NPT CLASS 1, DIV 1 & 2 ; GROUP B,C,D..P/N:LSXC4L..MFG: HONEYWELL..SCHEDULE B: #8536509055 LIMIT SV
5466	LSYMB4N-2K	SWITCH,LIMIT (V-RANGE)-600VAC AND 250 VDC MAX ; (I)- 10 A..P/N: LSYMB4N-2K..MFG: HONEYWELL INC (MICRO SWITCH DIV.)
5467	LSYPC2B	HEAVY DUTY DUTY LIMIT SWITCHES..HDLS SERIES, 600 VAC, MAX PILOT DUTY..P/N: LSYPC2B..MFG: MICRO SWITCH HONEYWELL
5468	LT-39413	CLOVER SILICON CARBIDE GREASE MIX, GRADE B 240 GRIT, 1LB CAN (6/CASE)..P/N: LT-39413..MFG: LOCTITE..SCHEDULE B: # 2710.19.37

	Item	Description
5469	LT-39523	CLOVER SILICON CARBIDE GREASE MIX, GRADE 2A 400 GRIT, 1LB CAN (6/CASE)..P/N: LT-39523..MFG: LOCTITE..SCHEDULE B: # 2710.19.3
5470	LT-39561	CLOVER SILICON CARBIDE GREASE MIX, GRADE 5A 800 GRIT, 1LB CAN (6/CASE)..P/N: LT-39561(NEW P/N:233194)..MFG: LOCTITE..SCHE
5471	LT-39587	CLOVE SILICON CARBIDE GRADE 7A 1200 GRIT GREASE MIX..1LB CAN (6/CASE)..P/N: LT-39587(NEW P/N: 233246)..MFG: LOCTITE..SCHEI
5472	LT-7545	CONNECTOR LIQUID TIGHT 3/4" 45 DEGREE=4Q-475..P/N: LT-7545..MFG: CROUSE HINDS..SCHEDULE B: # 8544.49.3040 OTHER CONNECT
5473	LT-90100	ELBOW CONNECTOR LIQUID TIGHT..GDE: 90, DIA: 1", MAT: STEEL..P/N: LT-90100..MFG: ARLINGTON..SCHEDULE B: #8536695050 OTHER E
5474	LT275/70R18 125/122R	TIRE LT275/70R18 125/122R..(S STANDARD LOAD)..P/N: 10 PLIER FOR RANGE E..
5475	LT275/70R18125/122R	GOODYEAR WRANGLER SILENT ARMOR TIRE..TIRE LT275/70R18 125/122R..(S STANDARD LOAD)..SPEED RATING: R..LOAD RANGE: E..SII
5476	LTB-15090	ELBOW CONNECTOR..A: 90, DIA: 1-1/2, TYPE: LIQUIDTIGHT INSULATED, MAT: STEEL..P/N: LTB-15090..MFG: CROUSE HINDS..SCHEDULE E
5477	LTB-5090	ELBOW CONNECTOR..A: 90, DIA: 1/2, TYPE: LIQUIDTIGHT INSULATED, MAT: STEEL,..P/N: LTB-5090..MFG: CROUSE HINDS..SCHEDULE B: #
5478	LTMR100MFM	MOTOR MANAGER, MODBUS, MODEL TESYS T-940467; CURRENT RANGE: 5 TO 100A; OPERATING VOLTAGE: 690VAC; CONTROL VOLTA
5479	LTMR27MFM	MOTOR MANAGER, MODBUS, MODEL TESYS T-90465 ; CURRENT RANGE: 1.35 TO 27A; OPERATING VOLTAGE: 690VAC; CONTROL VOLTA
5480	LU100	LAMP SODIUM STEAM, HIGH PRESSURE..POW: 100W, V: 55V, SPEC: MOGUL BASE LUCALOX/ CERAMALUX, GE 85369 - LU100..P/N: LU100
5481	LU100/MED/ECO	LAMPS GE HPA OF 100 W ..P/N: LU100/MED..MFG: GENERAL ELECTRIC..MFG: GENERAL ELECTRIC..SCHEDULE B: #8539320020 SODIUM V
5482	LU1000	LAMP SODIUM HIGH PRESSURE DELUXE..P/N: LU1000 GE (C1000S52)..MFG: PHILIPS
5483	LU100D/H/ECO	LUCALOX 100 WATT ED23.5 MOGUL BASE COATED HIGH PRESSURE SODIUM LAMP..•CRI 22..•COLOR TEMP 2000K ..•UNIVERSAL BURNIN(
5484	LU250	LAMP E-40 HIGH PRESSURE SODIUM 250W,..P/N: LU250 (OFFER IMPORT: LU250/H/ECO)..MFG: GENERAL ELECTRIC..SCHEDULE B: # 853
5485	LU250/D	LAMP SODIUM STEAM HIGH PRESSURE..250W LU250/D, LUCALOX, CERAMALUX, 100V..P/N: LU250/D (OFFER LU250/D/H/ECO (#85381)..MI
5486	LU250D	LAMP SODIUM STEAM HIGH PRESSURE..250W LU250/D (OFFER LU250D/H/ECO)..OFFER..P/N: 67521..MFG: PHILIPS..SCHEDULE B: #853932
5487	LU400	LAMP SODIUM STEAM, HIGH PRESSURE, POW: 400W, V: 100V, TYPE BASE: MOGUL, SPEC: BALLAST S51, 44054, LUCALOX/ CERAMALUX,
5488	LU400/D	LAMP SODIUM STEAM, HIGH PRESSURE, POW: 400W, V: 100V, TYPE-BASE: MOGUL E-40, SPEC: BALLAST, S51, GE 44057 LUCALOX/CERA
5489	LU400/D/40	LAMP SODIUM STEAM, HIGH PRESSURE, POW: 400W, V: 100V, TYPE-BASE: MOGUL E-40, SPEC: BALLAST, S51, GE 44057 LUCALOX/CERA
5490	LU400/ECO	LU400/ECO LUMALUX 400W S51..HPS (HIGH PRESSURE SODIUM)..HG LIGHT BULB, SCREW E39, ..CODE 67533..P/N: LU400/ECO..MFG: SYL
5491	LU70/D/H/ECO	PRESSURE SODIUM HID LIGHT BULB ..70 WATT - ED23.5 - MOGUL SCREW (E39) BASE - 1,900K - COATED - ECOLUX - LUCALOX ..•COLOR/I
5492	LU70/D/MED	LAMP SODIUM STEAM HIGH PRESSURE, POW: 70 W, V: 55 V, BASE: B 17 MEDIUM, BULB: ED-17, T-CLR: 2100K, LUMEN: 5670, DIA: 2-1/8, LG
5493	LU70/H/ECO	LIGHT BULB, MOGUL SCREW, CODE 85368, GE ECOLUX® LUCALOX® HIGH, 1900 K, 70W, 110 V, PRESSURE SODIUM, BULB SHAPE ED23
5494	LV-MSK-046	CABLE KIT ..P/N: LV-MSK-046..MFG: RAYCHEM
5495	LVC-53	HOLDER ELECTRODE..P/N: LVC-53..MFG: OMEGA..SCHEDULE B: # 8515904000 OTHER HOLDER ELECTRODE
5496	LVC-E53	ELECTRODE..P/N: LVC-53..MFG: OMEGA..SCHEDULE B: #8311100000 OTHER ELECTRODE
5497	LVC511-240VAC	RELAY ELECTRONIC..P/N: LVC511-240VAC..MFG: OMEGA..SCHEDULE B: # 8535908090 OTHER RELAYS
5498	LVD2	DETECTOR OF VOLTAGE..MINI LANTERN..P/N: LVD2 (45879EL)..MFG: FLUKE..SCHEDULE B: # 9030390100 OTHER VOLTAGE INSTRUMENT
5499	LVSW1R120/277ELNUM4X	LV STENCIL, WHITE ON WHITE, SINGLE FACE, RED 120/277 DUAL VOLTAGE, NICKEL-CADMIUM BATTERY, UNIVERSAL MOUNT, AND UL L
5500	LXV404.99.00552	SC200 UNIVERSAL CONTROLLER, AC-DC, ..TWO ISOLATED CURRENT OUTPUTS, MAX 550 ?, ACCURACY:± 0.1% OF FS (20MA) AT 25 °C, ±
5501	LZX961.54	SC100 PLASTIC SUNSHIELD..Harmonized Tariff Number: 9027.90
5502	M-107	3M™ VERSAFLO™ RESPIRATORY FACESHIELD ASSEMBLY M-107, WITH PREMIUM VISOR AND FACESEAL 1 EA/CASE..P/N: M-107..MFG:3M

	Item	Description
5503	M-207	3M™ VERSAFLO™ RESPIRATORY FACESHIELD ASSEMBLY M-207, WITH FLAME RESISTANT FACESEAL 1 EA/CASE..P/N:M-207..MFG:3M..V
5504	M-407	VERSAFLO™ RESPIRATORY HELMET ASSEMBLY VERSAFLO™ RESPIRATORY HELMET ASSEMBLY WITH PREMIUM VISOR AND FLAME R
5505	M-455 S	CUSTOM CAGE 48" X 60" X 44", 1000 LBS W.L.L. 1250 LBS, MUST COME WITH LOADING PLATE IN THE STRUCTURE AND CERTIFICATE...DI
5506	M-973	TERMINAL PRESSURE HIGH VOLTAGE..TYPE: RING, AWG: 4/0, 250 MCM, INSUL: NO, STUD-HOLE: 3/8", SPEC: STAKON..P/N: M-973..MFG: T
5507	M-975	TERMINAL PRESSURE HIGH VOLTAGE..TYPE: RING, AWG: 4/0, 250 MCM, INSUL: NO, STUD-HOLE: 1/2, SPEC: STAKON..P/N: M-975..MFG: TI
5508	M1-8-16	300 POND DUTY RATING ALUMINUM, FOLDING MULTI-MASTER..P/N: M1-8-16..MFG: WERNER
5509	M100	DIGITAL MANOMETER WITH PROTECTIVE BOOT, ACCURACY =+/-0.25%, PRESSURE RANGE = 0-28", ZM100-2 DN0028..P/N: M100..MFG: ME
5510	M100048TAC5M500K	BALLAST METAL HALIDE..V: 480V, POW: 1000W..FREQ: 60HZ, U/O: H36 MV LAMP..SPEC: VAPOR..P/N: M100048TAC5M500..MFG: UNIVEF
5511	M1001V10F	M100 STOPSWITCH M1001V10F 24-240AC, 12-240DC..P/N: M1001V10F..MFG: GO 4B
5512	M100K23	FUSE LINK 100 AMP, FIX HEAD..P/N: M100K23..MFR: AB CHANCE
5513	M150 S M R 5 PDA 24 X AN	CONTROL PINCH VALVE 150 MM; VALVE SIZE-150MM;SLEEVE BORE-150MM;DESIGN-FAST SLEEVE CHANGE;JINDEX VALVE CODE-M150 S
5514	M1601212513A	MOTIVE BATTERY..BATTERY VOLTAGE 024V012C,..AMP HOURS 750.0, DIMENSIONS L30.63 x W12.69 x H31.0,..WEIGHT: 1329 LBS..P/N: M16
5515	M17548TAC3M500K	BALLAST METAL HALIDE, V: 480V, POW: 175W, TYPE: MAGNETIC, SPEC: HIGH P.F., INSTANT START..P/N: M17548TAC3M500K..MFG: UNIVE
5516	M175XDLF	COMBINATION PADLOCK MAGNUM..P/N: M175XDLF..MFG: MASTER LOCK
5517	M180A24V	OVAL LED CLEARANCE/SIDE MARKER LIGHT W/REFLEX AMBER, 24-VOLT;6-DIODE, OVAL LED LIGHT..P/N:M180A24V..MFG:PETERSON
5518	M1895-4	5/8" POLY ROPE, 70LBS MAX LOAD, 5600 TENSIL STRENGTH, 600FT REEL..P/N: M1895-4..MFG: CHANCE HUBBELL POWER SYSTEMS, INC.
5519	M1895-5	ROPE (MAT): POLYPROPYLENE, (TYPE): STRINGING LINE, (LENGHT): ROLL OF 600FT..P/N: M1895-5 ($0.80/FT)..MFG: CHANCE..SCHEDULE
5520	M1896-4	ROPE (MAT): POLYDRACON, (TYPE): HANDLINE, (LENGHT): ROLL OF 600FT..P/N: M1896-4..MFG: CHANCE..SCHEDULE B: # 7312.90.0000 OT
5521	M1A-8-16B	ALUMINUM MULTI-POSITION LADDER, TYPE IA, EXTENSION 16 FT, SIZE 8 FT..P/N: M1A-8-16B..MFG: WERNER
5522	M200K23	FUSE LINK 200 AMP, FIX HEAD (PKG OF 3) ..P/N: M200K23..MFG: AB CHANCE
5523	M20840A	FILTER, CODE 776479, P502161 (DONALDSON)..P/N: M20840A..MFG: LINCOLN
5524	M22-LH--R	CONTROL LAMP, PUSH BUTTOM 22MM ;ILLUMIN: M22-LED;CONICAL ; IP67; LED/23O; 120V ;COLOUR: RED ..P/N: M22-LH--R..MFG:MOELLEF
5525	M22-LH-G-230G	LIGHT INDICATOR, EXTENDED LENS, WITH LED ELEMENTS..85 – 264 V AC..P/N: M22-LH-G-230G..MFG: EATON MOELLER..SCHEDULE B: O
5526	M22-WK	PUSH BUTTON; 2-POS CONVERTIBLE SEL. SWITCH;M22 MODULAR SELECTOR SWITCH OPERATOR, 22.5 MM, KNOB, MOMENTARY, NON-
5527	M22 WARRIOR	M22 WARRIOR 950 LUMEN CREE XM-L2 LED TACTICAL FLASHLIGHT.KIT INCLUDES:..- OLIGHT M22 WARRIOR 950 LUMEN LED FLASHLIGH
5528	M250-38	TERMINAL PRESSURE HIGH VOLTAGE..TYPE: RING, AWG: 250 MCM, INSUL: NO, STUD-HOLE: 3/8", SPEC: STAKON..P/N: M250-38..MFG: TH
5529	M25048TAC3M500K	BALLAST METAL HALIDE..V: 480V, POW: 250W, FREQ: 60 HZ, U/O: H37 MV LAMP..P/N: M25048TAC3M500K (OFFER P/N: M25048TAC4M500K
5530	M25K26	FUSE LINK, I: 25A, TYPE: H,..P/N: M25K26..MFG: CHANCE..SCHEDULE B: #8536100040 - OTHER FUSES
5531	M2AR10S0A1LMS31	POWER MODULE ASSEMBLY LUMINAIRE, MODEL M2AR, 100W, LIGHT SOURCE: HPS, MULTIVOLVT, AUTO REGULATED BALLAST TYPE, G
5532	M2AR15S0A1GMS31	POWER MODULE ASSEMBLY LUMINAIRE, MODEL M2AR, 150 W, LIGHT SOURCE: HPS, MULTIVOLT, AUTO REGULATED BALLAST, GLASS L
5533	M3-11-NO+NC	LIMIT SWITCH ..P/N:M3-11-NO+NC..MFG: ERSCE
5534	M3100A786ADDE15-14	1550 HYDRAULIC MOTOR..P/N: 3100A786ADDE15-14..MFG: PERMCO..SCHEDULE B: # 8412298075 OTHER HYDRAULIC MOTORS
5535	M330	HIGH TEMPERATURE BLACKBODY CALIBRATION SOURCE..300 TO 1700 C..MODEL: M330..MFG: MIKRON INFRARED
5536	M3545	MOTOR BALDOR, 1 HP, 3 PH, 230/460V, FRAME 56, 3450 RPM, TEFC..P/N : M3545..MFG: BALDOR

	Item	Description
5537	M3546T	MOTOR BALDOR , 1 HP, 3 PH, 230/460V, FRAME 145T, 1755RPM, TEFC..P/N: M3546T..MFG: BALDOR
5538	M3556	MOTOR, ELECT, AC 1HP, 208-230/460VAC, 3PH, 60HZ,3.6-3.4/1.7A,1155RPM,56/56H FRAME, TEFC ENCLOSURE, ..1.15 SERVICE FACTOR, 5/
5539	M3614T	MOTOR BALDOR 2 PH, 3 PH, 230/460V, 1200 RPM, FRAME 184T, 1.15 SF, TEFC..P/N: M3545..MFG: BALDOR
5540	M3685	INTERSTAGE SAFTEY PRESSURE RELIEF VALVE 75 PSI 1/4" MPT..P/N: M3685..MFG: CHAMPION..SCHEDULE B: 8481.40.0000 OTHER SAFE
5541	M370V8	COUPLING INSERT MODEL 370, OUTER DIA: 3 7/16", HIGH: 7/8", VITON..P.N: M370V8..MFG: MAGNALOY
5542	M3714T-58	MOTOR, ELECTRIC,AC,10HP, 220/380/440VACVAC, 3PH, 50HZ,27/15.5/13.5A, 1425 RPM(1460RPM), 215T FRAME, TEFC ENCLOSURE, 1 SERV
5543	M3K	POWER SEMICONDUCTOR TESTER, 220V 50/60 HZ..P/N: M3K..MFG: LARKIN POWER..
5544	M3K23	FUSE LINK; TYPE K (ANSI);FAST BUTTONHEAD, SOLID HEAD 3A 27KV ..CUTOUT FUSELINK WITH A 23"LENGTH PIGTAIL (FOR USE UP TO
5545	M4-7S3HH51ZP004	INCREMENTAL ENCODER, MODEL M4, 1024/1024 PPR, 18-24 VDC, 120 MA EA..P/N: M4-7S3HH51ZP004..SCHEDULE B: # 8417.90.0000 PARTS
5546	M400MLTAC4M500K	BALLAST METAL HALIDE..V: 120-277V, POW: 400W, FREQ: 60HZ, U/O: H33 MV LAMP..P/N: M400MLTAC4M500K..MFG: UNIVERSAL LIGHTING
5547	M42	ELEMENT M42 SLEEVE, COUPLING ..P/N: KTR-010421000000..MFG: VORTOX
5548	M4314T	MOTOR BALDOR, 60 HP, 3 PH, 230/460V FRAME 364T, 1800 RPM, 1.15 SF, TEFC..P/N: M4314T..MFG: BALDOR
5549	M433-30F22	32A ILK 3P4W 22K CIR BRKR, FC..P/N: M433-30F22..MFG: MIPCO..
5550	M43720141	SQUARE FLANGE..P/N: M43720141..MFG: ENIDINE..COUNTRY OF ORIGIN: USA..SCHEDULE B: # 8708.80.7000 PARTS FOR SHOCK ABSORE
5551	M4410T-4	MOTOR BALDOR, 125 HP, 3 PH, FRAME 444T, 1800 RPM, 1.15 SF, TEFC..P/N: M4410T-4..MFG: BALDOR
5552	M44206T-4	MOTOR BALDOR, 200HP, 3 PH, 1185 RPM, FRAME 449T, TEFC..P/N: M44206T-4..MFG: BALDOR
5553	M4E-185-3N00-B502	MOTOR HYDRAULIC..TYPE: VANES, PRE: 175 BAR, RPM: 3600..P/N: M4E-185-3N00-B502..MFG: DENISON-ABEX CORP..SCHEDULE B: # 8412
5554	M4YS-NA	LOOP POWERED METER FROM 4 TO 20 MA..P/N: M4YS-NA..MFG: AUTONICS
5555	M500-10808	COUPLING HUB , 1-1/4" BORE & 1/4" KEYWAY..P/N: M500-10808..MFG: MAGNALOY COUPLING COMPANY..SCHEDULE B: # 8483.90.9500 OTH
5556	M500-20416	FLEXIBLE ROUND DRIVE COUPLING, SIZE: 500, 2-1/8" Bore..P/N: M500-20416..MFG: MAGNALOY COUPLING CO...SCHEDULE B: # 8483.90.95(
5557	M5066A	DEFIBRILLATOR PHILIPS HEARTSTART..ONSITE, INCLUDE CARRYING CASE OPT CO2, ADULT PADS, 4 YEAR BATTERY, WARRANTY SCIS
5558	M570-U9	MAGNALOY INSERTS (URETHANE = YELLOW) FOR MODEL M500 COUPLINGS..P/N: M570-U9 ..MFR: MAGNALOY COU
5559	M5MSA23	FUSE LINKS TYPE MS 5A 27 KV..P/N: M5MSA23..MFG: CHANCE
5560	M60021220	FLEXIBLE COUPLING ROUND BORE HUB, 600 X 2-3/8 KW 5/8 STD..P/N: M60021220..MFG: MAGNALOY COUPLING CO...SCHEDULE B: # 8483
5561	M600B1308C	STEEL BUSHED 13-TOOTH SPLINE..P/N: M600B1308C..MFG: MAGNALOY..SCHEDULE B: # 8483.90.9500 OTHER PARTS FOR PAPER MACHI
5562	M670U9	INSERT URETHANE, SIZE 600, YELLOW COLOR, 90 DUROMETER, -30 °F to 150 °F ..P/N: M670U9..MFG: MAGNALOY COUPLING CO...SCHED
5563	M685-51-HP1-HP1	AVTRON AV685 HOLLOW SHAFT MAGNETIC ENCODER..INCLUDING THE FOLLOWING FEATURES & OPTIONS:..STANDARD 1 1/8" BORE H
5564	M740A1046	MOTOR, ENGINE STARTER, ELECTRICAL.. (V)-120V;(SPEC)-60HZ, 60 SEC, 40VA, OPERATOR ELECTRIC M-7 ..P/N: M740A1046 (R/B: 200
5565	M78	FIBER OPTIC CABLE, 30 FT LENGHT, TEMP TRANSMITTER 1500-2800F, RL/S318/030U FOCUS DISTANCE 120"..MODEL: M78-1500-3300F-RL
5566	M80 S M R 5 PDA 24 X AN	CONTROL PINCH VALVE 80 MM; VALVE SIZE-80MM;SLEEVE BORE-80MM;DESIGN-FAST SLEEVE CHANGE;JINDEX VALVE CODE-M80 S M F
5567	MA10VO18DRG/31R-PKC12K01	NEW HYDRAULIC VARIABLE DISPLACEMENT VANE PUMPS, SERIES 31,..INCLUDED BELL HOUSING AND SHAFT COUPLING..P/N: MA10VO
5568	MA20 MODULE	CRYSTAL ENGINEERING MA20 MODULE..NVISION CURRENT & VOLTAGE MODULE..MODEL: MA20..CURRENT RANGE: 0-55 MA..ACCURAC
5569	MACCUSTOMMOTOR	BALDOR CUSTOM 25HP, 900RPM, 3PH, 230/460V, 60HZ, 326T FRAME, IEE841, TEFC ENCLOSURE, IEE841..12J334Y701G1..SERIAL: C170620
5570	MAR1120-99NNNNNNNNTTTTTT	..ETHERNET SWITCH MODEL MAR 1120..P/N: MAR1120-99NNNNNNNNTTTTTTTT99999999UM9HPHH09.0.00..MFG: HIRSCHMANN..NON CAN

	Item	Description
5571	MARN422AT	AUXILIARY CONTACT BLOCKS,, M SERIES, 2NO/2NC, SUITABLE FOR USE WITH M SERIES CONTACT RELAYS; 100989, ..P/N:MARN422AT..
5572	MARVEL PAK 22	MIL SPEC WAX IMPREGNATED CLOTH PAPERS TO GOV'T SPECIFICATIONS (GRADE C PAPER)..ORDNANCE WRAP & WAX WRAP..LIGHT
5573	MAX4130EUK+T	IC,OPERATIONAL AMPLIFIER,SINGLE,BIPOLAR,TSOP,5PIN,PLASTIC ..P/N: MAX4130EUK+T..MFG: MAXIM INTEGRATED PRODUCTS..SCHED
5574	MB-FB-4R.GEN	MOTHERBOARD POWER HUB; COUPLER SEGMENT D/PASSK3 FOR 4 POWER SUPPLY FIELDBUS REDUNDANT..P/N:MB-FB-4R.GEN..PEPF
5575	MB-FB-GTR1	MOTHERBOARD POWER HUB, U/O: GATERWAY REDUNDANT PROFIBUS DP/PA , HD2-GRT-4..P/N: MB-FB-GTR1..MFG: PEPPERL + FUCHS
5576	MB-G6-24-R	MOTOR BELL INDOOR / OUTDOOR 24V;MB SERIES..P/N: MB-G6-24-R..MFG:COOPER WHEELOCK..SCHEDULE B:# 8531.10.0045 OTHER ELE
5577	MB34562	LAMP MINIATURE, V: 24V, POW: 2W, BASE: BA9S, CLR: CLEAR, DIA: 10.3MM, LG: 28 MM..P/N: MB34562 OSRAM (OFFER: B3456) ..MFG: ORI
5578	MB5-30	FILTER; MICROSENTR MB SERIES MELT BLOWN FILTER CARTRIDGES..MEDIA: POLYPROPYLENE END CAPS: THERMALLY BONDED POLY
5579	MBHC-FB-4R.HSC	MOTHERBOARD POWER HUB, COUPLER SEGMENT D/PPASK3 FOR FOR 4 POWER SUPPLY FIELDBUS REDUNDANT..P/N: MBHC-FB-4R.HS
5580	MBRS130LT3G	SCHOTTKY RECTIFIER, 2A, 30V, 403A; DIODE TYPE:SCHOTTKY; DIODE .. CONFIGURATION:SINGLE; REPETITIVE REVERSE VOLTAGE VRF
5581	MC-1500	15-SLOT 19" MEDIA CONVERTER CHASSIS WITH REDUNDANT POWER OPTION 100-240 VCA; 50/60HZ..P/N: MC-1500..MFG:PLANET TECHN
5582	MC-1610MR	IP30 5-PORT/TP WEB/SMART POE INDUSTRIAL FAST ETHERNET SWITCH (-10 TO 60 C)..P/N: MC-1610MR..MFG: PLANET TECHNOLOGY..S
5583	MC-EVOL-CLI	MCC B EXPANSION..1 SECTION(S), NEMA TYPE 12..NOT SUITABLE FOR SERVICE ENTRANCE..600 AMPS, 3 PHASE 3 WIRE, 480 V AC, 60 H
5584	MC2-HI-MF-120-277	FLOODLIGHT, LED, MOD: MODCOM..PHOENIX MC2-HI-MF-120-277, ..(MOD)-MODCOM 2 HI(V)-120-277V;(POW)-290W(LUMEN)-28000L; (CLR)
5585	MC2-LO-MF-120-277	FLOODLIGHT, LED, MOD: MODCOM..PHOENIX MC2-LO-MF-120-277..(MOD)-MODCOM 2, LO (V)-120-277V;(POW)-145W, (LUMEN)14000L;..(CL
5586	MC2000	TACO POLIURETAND 30"x22"x22"..FOR MINE HAUL TRUCKS WITH TIRE SIZES FROM 110" TO 165"..P/N: MC2000..MFG: CHECKERS INDUST
5587	MC70/75 KIT	USB STATER KIT FOR MC70/75 SERIES, INCLUDES: USB CABLE, POWER SUPPLY AND AC LINE CORD..P/N: MC70/75 KIT..MFG: MOTOROL
5588	MC75A0PU0SWQQA7	MC75 WIRELESS ENTERPRISE DIGITAL ASSISTANT MC75A0PU0SWQQA7WR (802.11a/b/g, 1D, 256MB/1GB, QWERTY, WINDOWS MOBILE 6
5589	MCB S200MUC 2P K 6A AC/DC	CIRCUIT BREAKER ABB S282 C6 400V..2P K 6A AC/DC 400V AC/DC..2 POLES TRIPPING: K RATED:6A RATED OPERATIONAL VOLTAGE: AC
5590	MCC B EXPANSION	ITEM #QTYDESCRIPTION..11MOTOR CONTROL CENTER, LOW VOLTAGEMC-EVOL-CLI..MCC B EXPANSION..1 SECTION(S), NEMA TYPE 12.
5591	MCC MODEL 95	MCC, MODEL 95, 20 (Front Only), Circuit Breaker, 480 3Ø3W Delta AC, 60 Hz, 42,000,..1EA Indoor (Std), 2,000, Tin, Copper, I (Std. Unit Diagrams On
5592	MCH-10-EZ-Q-120-277	LUMINARIA LED (SERIE)-MODCOM HI;(V)-120-277V(MOD)-010172.107;(POW)-300W(SPEC)-23000L 5400K OPTICA QIP67UL CSA, FRONT LIGH
5593	MCMA 140 P 1600	THYRISTOR MODULE 140A 1600VAC..92 X20.8 X 30MM/90G..P/N: MCMA 140 P 1600..MFG:IXYS
5594	MCMA140P1600TA	THYRISTOR MODULE 140 A 1600 VAC..92 X 20.8 X 30 MM /90 G..P/N: MCMA140P1600TA..MFG:IXYS SCR MODULES..SCHEDULE B: # 8541900
5595	MCRA040AT3	AUXILIARY CONTACTOR 16A 4NO AC110-115V..P/N :MCRA040AT3 (USA) / MCRA040AT3 (EUROPE)..MFG:GENERAL ELECTRIC..SCHEDULE
5596	MD-PIANO1200PA	MD PIANO 1200 RESIN BONDED DIAMOND GRINDING DISC FOR PLANE GRINDING OF MATERIALS HV 150 - 2000, SURFACE FINISH COMP
5597	MD-PIANO220PA	MD PIANO 220 RESIN BONDED DIAMOND GRINDING DISC FOR PLANE GRINDING OF MATERIALS HV 150 - 2000 , SURFACE FINISH COMP
5598	MD-PIANO600PA	MD PIANO 600 RESIN BONDED DIAMOND GRINDING DISC FOR PLANE GRINDING OF MATERIALS HV 150 - 2000, SURFACE FINISH COMPA
5599	MD3304X	SWITCH MOTOR DISCONNECT;NON-FUSE 30A, 3 POLE NEMA 4X;FLANGE MOUNT SQUARE D..P/N: MD3304X..MFG:SCHNEIDER ELECTRI
5600	MDSLV081-03	TOTALLY ENCLOSED FAN COOLED DRAWING #: MDSLV081-03..HORIZONTAL FOOT MOUNT REV, #: 1...3 PHASE INDUCTION MOTOR, 7.5 H
5601	MDSLV081-08	TOTALLY ENCLOSED FAN COOLED DRAWING #: MDSLV081-08..HORIZONTAL FOOT MOUNT REV, #: 3...3 PHASE INDUCTION MOTOR, 60 H
5602	MDSLV082-07	TOTALLY ENCLOSED FAN COOLED DRAWING #: MDSLV082-07..HORIZONTAL FOOT MOUNTED REV, #: 3...3 PHASE INDUCTION MOTOR, 6
5603	ME-52000	AUXILIARY RELAY,..P/N: ME-52000..MFG: MURR ELEKTRONIK..SCHEDULE B: # 8535908040 OTHER RELAYS
5604	ME-52104	AUXILIARY RELAY,..P/N: ME-52104..MFG: MURR ELEKTRONIK..SCHEDULE B: # 8535908040 OTHER RELAYS

	Item	Description
5605	ME7ERG	RAYNOR ERGOHUMAN CHAIR - MESH, HIGH BACK W/ HEAD REST; BLACK MESH ..MULTIFUNCTION 8/11 MECH..P/N: ME7ERG..MFG: RAY
5606	MEL-X16	MEL DATA LOGGER,(MULTIFUNCTION EXTENDED TIME)DESIGNED TO COLLECT PRECISE TIME STAMPED DATA FOR EXTENDED PERIO
5607	MF1/4DCT52R2200F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DCT52R2200F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5608	MF1/4DCT52R2201F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DCT52R2201F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5609	MF1/4DCT52R2202F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DCT52R2202F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5610	MF1/4DCT52R2203F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DCT52R2203F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5611	MF1/4DCT52R3300F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DCT52R3300F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5612	MF1/4DCT52R3901F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DCT52R3901F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5613	MF1/4DCT52R3902F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DCT52R3902F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5614	MF1/4DCT52R3903F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DCT52R3903F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5615	MF1/4DCT52R4700F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DCT52R4700F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS....
5616	MF1/4DCT52R4701F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DCT52R4701F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5617	MF1/4DCT52R4702F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DCT52R4702F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5618	MF1/4DCT52R5101F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DCT52R5101F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5619	MF1/4DCT52R5102F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DCT52R5102F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5620	MF1/4DCT52R5103	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DCT52R5103F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5621	MF1/4DLT52R1001F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DLT52R1001F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5622	MF1/4DLT52R1002F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DLT52R1002F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5623	MF1/4DLT52R1003F	SPEER METAL FILM RESISTORS- T ..P/N: MF1/4DLT52R1003F..MFG: KOA..SCHEDULE B#: 8533210090 OTHER RESISTORS..
5624	MF1/4DLT52R4703F	RESISTORS, 470 KOHMS, 1 % 100PPM, ..P/N: MF1/4DLT52R4703F..MFG: KOA SPEER METAL FILM RESISTORS..SCHEDULE B: # 8533.21.009
5625	MF3721	SHOCK ABSORBER OEM 4.0M X 4, 2" BORE, FOR PAPER MACHINE..P/N: MF3721..MFG: ENIDINE..COUNTRY OF ORIGIN: USA..SCHEDULE E
5626	MF50	LOCKNUT 1/2" SQUARE ..P/N: MF50..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318160000 OTHER NUTS
5627	MF60	LOCKNUT 5/8" SQUARE ..P/N: MF60..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318160000 OTHER NUTS
5628	MF70	LOCKNUT 3/4" SQUARE ..P/N: MF70..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318160000 OTHER NUTS
5629	MF80	LOCKNUT,SQUARE 7/8",HOT DIP GALVANIZED..MFG:HUGHES..P/N:MF80..SCHEDULE B: # 7318160000 OTHER NUTS
5630	MFH60	NUT, HEXAGONAL LOCK, 5/8"..P/N: MF60 (MFH60)..MFG: HUGHES BROTHERS....SCHEDULE B: 7318160000 - NUTS
5631	MFS1/4DCT52R1000F	RESISTORS, 1000OHMS 1% 100PPM, ..P/N: MFS1/4DCT52R1000F..MFG: KOA SPEER METAL FILM RESISTORS..SCHEDULE B: # 8533.21.009
5632	MGT24100	24 V 100 VA TRANSFORMER..P/N: MGT24100..COUNTRY OF ORIGIN: CHINA..MFG: MG ELECTRONICS..SCHEDULE B: # 8504.21.0020 ELECT
5633	MH1000/U/BT37	LAMP METAL HALIDE..POW: 1000W, V: 540V, BASE: MOGUL, BULB: BT37, T-CLR: 3700K, FINISH: CLEAR, DIA: 4-5/8", LG: 11-1/2", ..P/N: MH10
5634	MH70	PIPE SUPPORT, SPEC: FOR 2" STANDPIPE..P/N: MH70..MFG: INTERTEC..SCHEDULE B:# 8302.30.0000 OTHER MOUNTINGS,FITTINGS AND
5635	MHL361200	INTERRUPTOR TERMOMAGNETIC..3X1200 AMP, 65KA/460 VAC..MFG: SQ-D..
5636	MI70 D44	MI70 D44 MEASUREMENT INDICATOR, WITH US AC-ADAPTER, PTB330TS INSTALLATION PI213534, MI70 LINK INTERFACE SW USB CABLE
5637	MIL-C-5015	2 PIN MIL-C CONNECTOR FOR ACCELEROMETER TA-18/S..MODEL:597023104..P/N: MIL-C-5015..MFG: CEMB..SCHEDULE B: # 9031.90.0000 (
5638	MIT1525	MIT1525-US INSULATION TESTER 15KV IRT, IR, IR(T), DAR, PI, DD,..SV, RAMP, USB, BATTERY AND LINE POWERED TO 30T..COUNTRY OF

	Item	Description
5639	MIX-101P	ALPHA MINI PRIORITY MONITOR MODULE..16-24 VDC;MAX WIRING LOOP RESISTANCE:40 O; TEMP RANGE: 0°C-49°C (32°F-120°F) ;HUMIDI
5640	MK2P-S-AC24	RELAY, 10 A, 24 VAC, ..P/N: MK2P-S-AC24..MFG: OMRON..SCHEDULE B: #8536410045 - OTHER CONTACTORS
5641	MK2PNSAC120	RELAY ASSEMBLY, V: 120V, I: 10A, V-CONT: 250VAC, REF: SERIE OCTALMA, MODEL 2PN-S-AC120..P/N: MK2PNSAC120 (MKS2PINAC 120)..
5642	MKF30/N ITEM 24	BALL JOINT FOR VARIATOR, MKF30/N, U.28, 190/1000 RPM, REF. C/M11 063451 ITEM 24..P/N: MKF30/N ITEM 24..MFG: SITI..SCHEDULE B: #
5643	MKF30/N ITEM 92	INPUT SHAFT CHECK 55X80X10 FOR VARIATOR MKF30/N, U.28, 190/1000 RPM, REF: C/M11 063451..P/N: MKF30/N ITEM 92..MFG: SITI..SCHE
5644	ML-27	LAMP MINIATURE..#LT: 27, V: 6V, POW: 1.50W..TYPE: THREADED..P/N: ML-27..MFG: GENERAL ELECTRIC
5645	ML1H-S203-Q78	SWITCH, TEMPERATURE (TEMP-MAX)-121C; (TEMP-MIN)- [-70C] (REF)-U/O CRUSHER MP-1000..P/N:ML1H-S203-Q78 BARKSDALE (OFFER
5646	ML6-KP31	STAINLESS STEEL COUPLING..(DIA)-3/4";(MAT)-316 S/S(THREAD)-3/4" NPTF;(LG)-2.36"(SER)-6HK;(PRE)-3500PSI..ML6-KP31..MFG: HANSEN-
5647	ML615-DHL	MICROLAB 615 Basic Dual Syringe Diluter, Power rating: 24 VDC, 2.5A..Power requirements: 100-240V 1.5A max 50-60 Hz, Program Memory: One pro
5648	ML625-DIL	MICROLAB 625 ADVANCED DUAL SYRINGE DILUTER, POWER RATING: 24 VDC, 2.5A..POWER REQUIREMENTS: 100-240V 1.5A MAX 50-60 H
5649	MLDC.2-3232	CONEXIÓN A 90º ANODO MASIVO CABLE DUPLEX d31/33 A CABLE d31/33 MLDC.2-3232; CONECTOR CODO 90º PARA CONDUCTOR Ø32MM
5650	MLP-AR-APM-OP-SEP	Millennium Premium Controller, Optical Infrared APM Sensor..Model: MLP-AR-APM-OP-SEP..MILLENNIUM APM SENSOR SPECIFICATIONS:..- Optic
5651	MM5550	MOTOR BALDOR, 1 HP, 3 PH, 230/460V, FRAME D80, IP55 (TEFC)..P/N: MM5550..MFG: BALDOR....
5652	MM65	MANUAL MONITOR..P/N: MM65..MFG: MAGNUM AUSTRALIA
5653	MMA-25	FLOWMETER AIR, 5-50 L/MIN 960KPA..P/N:
5654	MMA-27	FLOWMETERS DWYER..54C, 130F, 100 PSI..P/N: MMA-27..MFG: DWYER INSTRUMETNS..SCHEDULE B: # 9026105000 FLOW METERS
5655	MMA27	FLOWMETER AIR, 15-150 ;/MIN 960KPA..P/N: MMA27..MFG: DWYER
5656	MMB.75/19.7T	MMO ANODE BY MATCOR MODEL CODE MMB.75/19T (19mm x 500 mm)..CURRENT OUTPUT: 10 AMPS..DESIGN LIFE: 20 YEARS (SEA WATE
5657	MMB.75/48T	MMB Anode .75" dia x 48" long tubular anode, lead wire: 82 ft, AWG #6 Halar/ HMWPE..p/n: MMB.75/48T..Mfg: Matcor
5658	MMB1/39.4T	MMO ANODE BY MATCOR 1" DIA X 39.4" LONG TUBULAR ANODE LEAD WIRE: 82FT AWG #6 HALAR/ HMWPE..P/N: MMB1/39.4T..MFG: MATC
5659	MMB1/39.4T-XH	MMO ANODE, 1" DIA BY 39.4", MMO COATED ON TITANIUM TUBE SUITABLE TO DELIVER 36 AMPS FOR 20 YEARS IN SEA WATER WITH 25
5660	MN-ASB20GLM-8-500V.9-TTV1W	UFM UNIVERSAL FLOW METERS, NORMAL PRESSURE (300 PSI), MN HOUSING MATERIAL, ALUMINUM, NYLON BLOW, INTERNAL MOVING
5661	MO-65222	PHASER TESTER INSULATED SCREWDRIVER..P/N: MO-65222..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5662	MO-65242	INSULATED POZIDRIV SCREWDRIVER..P/N: MO-65242..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5663	MO-68026	INSULATED OPEN END WRENCH..P/N: MO-68026..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5664	MO-68027	INSULATED OPEN END WRENCH..P/N: MO-68027..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5665	MO-68028	INSULATED OPEN END WRENCH..P/N: MO-68028..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5666	MO-68029	INSULATED OPEN END WRENCH..P/N: MO-68029..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5667	MO-68030	INSULATED OPEN END WRENCH..P/N: MO-68030..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5668	MO-68032	INSULATED OPEN END WRENCH..P/N: MO-68032..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5669	MO-68122	INSULATED CRANKED RING WRENCH..P/N: MO-68122..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5670	MO-68123	INSULATED CRANKED RING WRENCH..P/N: MO-68123..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5671	MO-68125	INSULATED CRANKED RING WRENCH..P/N: MO-68125..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5672	MO-68126	INSULATED CRANKED RING WRENCH..P/N: MO-68126..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS

	Item	Description
5673	MO-68127	INSULATED CRANKED RING WRENCH..P/N: MO-68127..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5674	MO-68128	INSULATED CRANKED RING WRENCH..P/N: MO-68128..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5675	MO-68129	INSULATED CRANKED RING WRENCH..P/N: MO-68129..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5676	MO-68130	INSULATED CRANKED RING WRENCH..P/N: MO-68130..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5677	MO-68132	INSULATED CRANKED RING WRENCH..P/N: MO-68132..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5678	MO-72102	INSULATED UNIVERSAL GRIP..P/N: MO-72102..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5679	MO-72122	INSULATED END STRIPPING PLIERS..P/N: MO-72122..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5680	MO-72200	INSULATED CABLE CUTTER..P/N: MO-72200..MFG: CATU..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
5681	MO 603	SURGE ARRESTOR, TYPE: METAL OXIDE VARISTOR, MAX. CURRENT 20,000 AMP, LINE VOLT: 277/480 V, 3 PHASE, MAX ENERGY: 1300 JC
5682	MODEL 25	MAGNETOMETER 50-0-50..P/N: MODEL 25..MFG: RB. ANNIS INSTRUMENTS..SCHEDULE B: # 9015808080 OTHER GEOPHYSICAL INSTRUME
5683	MOT17222	MOTOR;230/460/60/3, DP, 182T, 1800RPM,3HP.190/380/50/3, 182T,1500RPM,2HP..P/N:MOT17222..MFG:TRANE
5684	MOUSE PADS	MOUSE PADS ..SCHEDULE B:#4016.99.6000 MOUSE PADS
5685	MP-00000420	DISPLAY 633 NEG 0-31 ROJO, SET SEQUENCE 1,2...32 (Configurar secuencia desde 1,2……32)..P/N: MP-00000420..MFG: MAC PUARSA
5686	MP-00000500	INTERRUPTOR MAGNETICO 325 MAC..P/N: MP-00000500..MFG:MAC PUARSA
5687	MP-2000	RARE GAS PURIFIER ..(210-260V,50/60HZ OPERATION TYPE EMC WITH CE MARK
5688	MP100/U/MED	LAMP 100W METALARC HG-M90/0..20/PACK..P/N:MP100/U/MED..MFG:SYLVANIA..SCHEDULE B: 8539.22.8050 OTHER LAMPS
5689	MP10326	FILTER FUEL ORIGINAL 101614..P/N: MP10326 ..MFG: PERKINS...SCHEDULE B: # 8421230000 OIL OR FUEL FILTER
5690	MP150/U/MED	LAMP 150W METALARC HG M102/0 480V 60HZ 1PH; 20/PACK..P/N:MP150/U/MED..MFG:SYLVANIA..SCHEDULE B: 8539.22.8050 OTHER LAMF
5691	MP180	PROYECTOR MULTIMEDIA..P/N: MP180..MFG: 3M..
5692	MP2-120C	BY PASS SWITCH MICRO POD..(U/O)- UPS 1 TO 3KVA..P/N: MP2-120C..MFG: LIEBERT..SCHEDULE B # 8537200040 OTHER SWITCHES
5693	MP45-B1-R-P74C-A-F1-20	MOTOR PUMP, ASSY 3001714..P/N:MP45-B1-R-P74C-A-F1-20..MFG: VICKERS..SCHEDULE B: # 8413.81.0040 OTHER PUMPS FOR LIQUIDS
5694	MP49/33C3	STAINLESS STEEL SHEAR BEAM LOAD CELL, 3000 KG CAPACITY..P/N: MP49/33 C3..MFG: SARTORIUS..
5695	MP70/U/MED	LAMP 70W METALARC HG-M98/0..20/PACK..P/N: MP70/U/MED..MFG:SYLVANIA..SCHEDULE B: 8539.22.8050 OTHER LAMPS
5696	MPAXP000	EPAX PROCESS INPUT MODEL AC POWERED..P/N: MPAXP000..MFG: RED LION
5697	MPBS12	12 IN STRAIGHT STRIKING PRYBAR..P/N: MPBS12..MFG: SNAP-ON
5698	MPBS24	24 IN STRAIGHT STRIKING PRYBAR..P/N: MPBS24..MFG: SNAP-ON..
5699	MPBS36	36 IN STRAIGHT STRIKING PRYBAR..P/N: MPBS36..MFG: SNAP-ON
5700	MPF - 1/2 QTF	CRYSTAL ENGINEERING MPF-1/2QTF..1/2 INCH GNPT QT QUICK TEST..MPF - 1/2 QTF 1/2 PULG NPT QUICK TEST FEMALE..P/N:MPF - 1/2
5701	MPF - 1/4 QTF	CRYSTAL ENGINEERING MPF-1/4QTF..1/4"QUICK TEST NPTF..MPF - 1/4 QTF 1/4 PULG NPT QUICK TEST FEMALE..P/N:MPF - 1/4 QTF ..
5702	MPF - 1/8 QTF	CRYSTAL ENGINEERING MPF-1/8QTF..1/8 INCH QUICK TEST NPTF..MPF - 1/8 QTF 1/8 PULG NPT QUICK TEST FEMALE..P/N:MPF - 1/8 QT
5703	MPF15K - 1/4FPT	CRYSTAL ENGINEERING CPF FEMALE TO 1/4"NPTF (15000PSI RATED))..1/4 PULG NPT FEMALE (2)..P/N:MPF15K - 1/4FPT ..MFG:AMETEK.
5704	MPR400/VBU/XHOPA	HIGH INTENSITY DISCHARGE QUARTZ METAL HALIDE, BULB ED37, MOGUL SCREW EX-39, 400W, COLOR TEMP 4000K, CLEAR, 20000 HRS
5705	MR-LS-HYA06	MEGAN RACING LOWERING SPRINGS P/N: MR-LS-HYA06..MFG: MEGAN RACING
5706	MR-SSH-KR06	STAINLESS STEEL HEADER, ..P/N: MR-SSH-KR06..MFG: MEGAN RACIN..SCHEDULE B: #8708.92.8000 OTHER EXHAUST PARTS

	Item	Description
5707	MRC-400A-100V	MRC-400A-100V 400A, 400AF MIRA Contactor, 2NO & 2NC Aux, 100-240VAC/220..P/N:
5708	MRD030	LIFE RING BUOY, 30 INCH, DECK TYPE 2.5 KG WITH REFLECTIVE TAPE..P/N: MRD030..MFG: MUSTANG SURVIVAL..SCHEDULE B: # 8907.90
5709	MRFIC2403R2	IF RF POWER AMPLIFIER 2.4 Ghz..P/N: MRFIC2403R2..MFG: MOTOROLA..SCHEDULE B: # 8543.70.9655 OTHER AMPLIFIERS
5710	MRS-34-24	SLEEVE THERMAL CONTRACT..DIA: 41MM-58MM, LG: 610MM..P/N: MRS-34-24..MFG: RAYCHEM - TYCO....SCHEDULE B: #
5711	MRV-15 ELEC (STD)	Part# 110805A..Weight lbs 92..Filter Cleaning NONE..Decibels dB 70..Dimensions Inches H48 × W24 × L18..Wet Recovery Gal 20..Dry Recovery Gal 1
5712	MS-310/0 FL	2013 SB-310 WOOD FLOOR FLOOR SPORTBOAT..APPLICATION: PERFORMANCE WOOD FLOOR SPORTBOAT LENGTH: 10'2" BOAT BEAM:
5713	MS-GC-4	GROVE CUTTER, CUT SIZE TUBE 1/4", TUBING PFA..P/N: MS-GC-4..MFG: SWAGELOK..SCHEDULE B: # 8203400000 PIPE CUTTERS
5714	MS-HC-SC	TP HOSE AND CUTTER, CUT TUBE 1/4"..P/N: MS-HC-SC..MFG: SWAGELOK..SCHEDULE B: # 8203400000 PIPE CUTTERS
5715	MS3106A10SL-3S	CONNECTOR, METAL CIRCULAR, STR PLUG, SOLIDBKSHL, SIZE 10SL, 3 #16 SOLDER SOCKET CONT ..P/N: MS3106A10SL-3S..MFG: AMPHI
5716	MS325-1.6	CONTACTOR 690 VAC RANGE 1-1.6 AMP..MANUAL MOTOR STARTER 1.6 RATED AMPS 1.0-1.6 AMPS RANGE..P/N: MS325-1.6..MFG:ABB..S
5717	MSA-N5ABS-M-RED-BLACK	N5A LEATHER NEW YORKER STANDARD WITH BOURKES - STANDARD..SKU: MSA-N5ABS-M-RED-BLACK..COLOR: RED..SIZE: MEDIUM..EA
5718	MSA-N5ABS-M-WHITE-BLACK	N5A LEATHER NEW YORKER STANDARD WITH BOURKES - STANDARD..SKU: MSA-N5ABS-M-WHITE-BLACKSCHEDULE B:# 6506.10.0090 (
5719	MSB-6B-PV4-24	FIRE ALARM BELL 24 VDC..P/N: MSB-6B-PV4-24 AMSECP (OFFER P-PBD246) ..MFG: POTTER..SCHEDULE B: # 8531.90.0002 FIRE ALARM BE
5720	MSC2	INSULATOR SPLICE..LG: 3.25", DIA: 0.95-0.88"..PKG: 10 EA..SPEC: MOTOR STUB..P/N: MSC2..MFG: THOMAS & BETTS..SCHEDULE B: # 8535
5721	MSC20	INSULATOR SPLICE..LG: 4.25", DIA: 1.39"-1.05"..PKG: 4 EA..SPEC: MOTOR STUB..P/N: MSC20..MFG: THOMAS & BETTS..SCHEDULE B: # 853
5722	MSC250	STUB SPLICE ,INSULATOR,MOTOR(RANGE-WIRE)-3/0-300 MCM;(LG)- 1.5" (LG-BOLT)-7.56";(DIA-BOLT)- 1.88"(SPEC)-VOLTAGE RATING 600
5723	MSC8	STUB SPLICE,INSULATOR MOTOR (RANGE-WIRE)-12-8 AWG;(LG)-3.38" (LG-BOLT)-2.39";(DIA-BOLT)-0.73"(SPEC)-VOLTAGE RATING 600 V (
5724	MSH02790	MICA INSULATED STRIP HEATER, ..100WATTS, 120V, WIDTH 15/16", LENGTH 6", ..TERMINATION TYPE POST TERMINALS TANDEM AT ONI
5725	MSO-0008P-012-NCC	SOCKET MOUNT,..P/N: MSO-0008P-012-NCC..MFG: NCC..SCHEDULE B: # 8535908040 OTHER RELAYS
5726	MSTR-50	CONNECTOR STRAIGHT 1/2 IN..P/N: MSTR-50 MADISON (OFFER P/N: 5232 T&B)..MFG: THOMAS & BETTS..SCHEDULE B: # 8536695050 OTH
5727	MSTR-75	CONNECTOR STRAIGHT 3/4" LIQUIDTITE..P/N: MSTR75 MADISON (OFFER P/N: 5233 T&B)..MFG: THOMAS & BETTS..SCHEDULE B: # 853669
5728	MT-108	TRANSMITTER A/F MODULE TX - VIDEO/AUDIO INPUT MM;12 VDC SIMULTANEOUS FM VIDEO AND AUDIO ON ONE MULTIMODE OPTICAL
5729	MT-12/24-R	MULTITONE ELECTRONIC HORN;MT SERIES; 12-24 VDC WEATHERPROOF..P/N:MT-12/24-R..MFG:COOPER WHEELOCK..
5730	MT20B1	TRANSFORMER, 20 KVA, VOLTAGE INPUT: 480 VAC, VOLTAGE OUTPUT: 120/208 VAC, 60 HZ..TYPE: TW, PH3, 150 C TEMPERATURE..P/N: I
5731	MT4	MINITEMP INFRARED THERMOMETER, RANGE TEMP: 0-750 F(-18-400C), DISTANCE TO SPOT SIZE :8:1RESOLUTION OPTIC: 6:1, EMISSIV
5732	MTC10101	AA ORP GEL FILLED PROBE, STD W/ 1 M CABLE..P/N: MTC10101..MFG: HACH COMPANY..SCHEDULE B:# 9027.90.8950 OTHER PARTS AND
5733	MTL-1143	..MTL1143 TRANSMITTER POWER SUPPLY WITH REPEAT OUTPUT 1 CHANNEL, SMART FOR 2/4-WIRE TRANSMITTERS..P/N: MTL-1143..M
5734	MTL-4031	1002591169.. TRANSDUCER INTERFACE,VIB,MTL,MTL-4031 ..Instrument systems..Type VIBRATION TRANSDUCER INTERFAC..E..Voltage range
5735	MTN/1185CM8-25	SENSOR, VIBRATION(RANGE)-0-25 MM/S;(TYPE OUT)-4-20MA (V)-24VDC ;(RAN-FREC)-2HZ-1KHZ(SPEC)-MOUNTING THREAD M8(LEAD-LG)
5736	MTN/1186C-25	DUAL PURPOSE, TOP ENTRY ACCELEROMETER, MADE FROM ROBUTS STAINLESS, OUTPUT CURRENT 4-20MA DC PROPORTIONAL TO
5737	MTO 215E2	HEATER,OIL INMERSION LIGHT WEIGHT..SCREW PLUG INMERSION(V)-480V;(POW)-1500W;(PHASE)-1;(DIM)-11-3/4";(SPEC)-NUMBER ELEM
5738	MU2105	MURPHY'S NON RUST RIM-KOTE LUBRICANT..P/N: MU2105..MFG: MURPHY-JTM..SCHEDULE B: # 3403115000 OTHER LUBRICANTS
5739	MV311	REPLACEMENT BATTERIES, PKG 4..P/N: MV311..MFG: MASTER VISION..SCHEDULE B: # 8506500000 PRIMARY CELLS BATTERY LITHIUM
5740	MVC77U034A72-76	AC VACUUM CONTACTOR, RATED: 400 AMPS, 3 POLES, 660VAC, COIL VOLT: 120VAC, 50/60 HZ..P/N: MVC77U034A72-76..MFG: JOSLYN CL

	Item	Description
5741	MVE.1200/2	MOTOVIBRATOR WITH 3600 RPM, 0.78 HP CENTRIFUGAL FORCE 1200 LB..MOTOR 2 POLES, 230/460 V - 60 HZ..WEIGHT 32 LB..P/N: MVE.12
5742	MVI56E-SIE	MODULE COMMUNICATION ETHERNET PROSOFT..P/N: MVI56E-SIE..MFG:SIEMENS /PROSOFT..SCHEDULE B: # 8517.69.0000 OTHER APP/
5743	MVR1000/U	LAMP METAL HALIDE..POW: 1000W, TYPE: BT56 FOR ENCLOSURE FIXTURES ONLY, CODE 41826..P/N: MVR1000/U..MFG: GENERAL ELECT
5744	MVR150/C/U/MED	GE 12604 - MVR150/C/U/MED 150 WATT METAL HALIDE LIGHT BULB..P/N: MVR150/C/U/MED ..MFG: GENERAL ELECTRIC..SCHEDULE B: #
5745	MVR1500/U/SPORT	BULB; QUARTZ METAL HALIDE BT56 - SPORTS LIGHTING..BASE: MOGUL ;SCREW –IN; E39;..BULB SHAPE BT56..1500 W; 3000 HOURS; CL
5746	MVR175/U	LAMP METAL HALIDE..POW: 175W, V: 540V, BASE: MOGUL, T-CLR; 4000K, LUMEN: 11700, CLEAR, RT-LIFE: 6000 HRS, LG: 8-1/4'..P/N: MVR17
5747	MVR250/U	LAMP METAL HALIDE..POW: 250W, TYPE: ED28 FOR ENCLOSURE FIXTURES ONLY ..P/N: MVR250/U..MFG: GENERAL ELECTRIC..SCHEDUL
5748	MVR400/U	LAMP METAL HALIDE..POW: 400W, TYP: ED37 FOR ENCLOSURES FIXTURES ONLY..P/N: MVR400/U..MFG: GENERAL ELECTRIC..SCHEDUL
5749	MVR950/I/VBU	950 watt BT56 Mogul Screw (E39) Base 3,800K Clear Vertical Base Up I-Line Multi-Vapor Watt Miser Quartz Metal Halide HID GE Light Bulb ..p/n: MVR
5750	MVSI	MOTOR VIBRATOR VIBTEC. TYPE: MVSI POWER: 0.18 KW. TENSIÓN: 230 / 400. RPM: 3000...FREQ: 50 HZ. CENT. FORCE: 2.07 KN. AMP: 0.6
5751	MVU14-47P	TERMINAL TYPE: PIN, DIA: 0.08", SPEC: PX, 0,080, MAT: VINYL INSULATED, PKG: 1000EA PER BOX..P/N: MVU14-47P(MVU14-47PK-A)..MFG:
5752	MVU14-8FLK	TERMINALS LOCKING FORK, VINYL INSULATED, BUTTEM SEAM, 16-14 AWG, BOX OF 1000 ..P/N: MVU14-8FLK..MFG: 3M..SCHEDULE B: #85
5753	MW4C	CORD LINE 4 CONNECT FLAT TYPE GRAY..P/N: MW4C (4024) (OFFER: SS26-4)..OFFERING P/N: L-4C26F19..MFG: SHAXTON INDUSTRIES..
5754	MX4	HEAVY DUTY ANTI-MOISTURE, ANTI-CORROSION LUBRICANT MADE WITH A HIGH GRADE LUBRICATING OIL AND LANOLIN BASE WITH S
5755	MXPCIII-40811L2F030	SCR POWER CONTROL, 3 PH, 300 A, 120-480V, POR SHORT SCR, FUSING TOUCHSAF..P/N: MXPCIII-40811L2F030..MFG: CHROMALOX
5756	MXT3	HYTORC MXT SQUARE DRIVE TORQUE WRENCH, 1", 480-3280..P/N: MXT3..MFG: HYTORC..SCHEDULE B: # 8467895090 HAND DIRECTED C
5757	MY4IND 24VDC	RELAY ELECTROMECHANICAL;4PDT; CTRL-V 24VDC; 5A; 250VAC/125VDC; SOCKET MOUNT; BLADE TERM; MY SERIES..P/N:MY4IND 24VDC
5758	MYT41V	FAN MOTOR ELEVATOR..P/N: MYT41V..MFG: KONECRANES..SCHEDULE B: 8414599080 OTHER FANS
5759	MZ7-PK2-AN-X	MICRO-ZOOM VIDEO INSPECTION SYSTEM ON TRACK WITH LCD MONITOR AND FIBER OPTIC RING LIGHT..P/N: MZ7-PK2-AN-X..MFG: SCI
5760	N-210-20/60-15	OIL PORT BACK-UP RING..O-RING F/ACCUMULATOR (N210-40A)..HS=90..SYNTHETIC RUBBER..VIBRATING SCREEN: DUST COLLECTOR/ C
5761	N 007.0953	O-RING 3.73 X 0.14..P/N: N 007.0953..MFG:ARGO HYTOS..SCHEDULE B: # 9026.90.0000 PARTS AND ACCESORIES
5762	N007.0953	O-RING 3.73 X 0.14" ARGO-HYTOS N 007.0953 MBV..P/N:N007.0953..MFG:ARGO HYTOS
5763	N1075LN180	SCRS PHASE CONTROL THYRISTOR..SCR 1.8KV 2415A..P/N: N1075LN180..MFG:IXYS..SCHEDULE B: # 8541.30.0080 OTHER THYRISTORS..C
5764	N2700	HOSE RUBBER, CHEMICAL N2700, ID: 2", PRE: 200PSI, KEMFLEX 2000..P/N: N2700..MFG: GOODALL..SCHEDULE B: # 4009320050 OTHER RU
5765	N2700 1-1/2	HOSE (MAT)-RUBBER; (TYPE)- CHEMICAL N2700, (ID): 1-1/2", (PRE): 200PSI, ..P/N:N2700 1-1/2..MFG:KEMFLEX 2000..P/N: N2700..SCHEDULE
5766	N2S34421 J1 + J3 + START + ST(	PUSH BOTTON ..P/N: N2S34421 J1 + J3 + START + STOP..MFG: CROUSE HINDS
5767	N320-46M	CABLE; DUPLEX MULTIMODE 62.5/125 FIBER PATCH CABLE (LC/LC). 46M (150 FT); COLOR ORANGE; DIMS: 2.54 X 17.78 X 86CM; PVC JACK
5768	N540CH16LOO	N540CH16LOO - SCR,TO-200AD,1600V,1715A ..N540CH SERIES INFORMATION..•1715 AMPS..•200~1800 VOLTS..•TO-200AD..P/N: N540CH16LO
5769	N77928	N77928 2 FILTRO DE AIRE, AEROSTAR 20 X 24 X 2 DIMENSION METRIC 492.13 X 593.73 X 44.45 STAR 20 X 24 X 2 DIMENSION REELEE 19 3
5770	NBG-12LX	PULL-STATION,ADDRESSABLE MANUAL , W/F..P/N:NBG-12LX..MFG:NOTIFIER..SCHEDULE B:# 8531.10.0045 OTHER ELECTRICAL SOUND C
5771	NBN15-30GM50-E2	SENSOR INDUCTIVE DC..P/N: NBN15-30GM50-E2..MFG: PEPPERL + FUCH
5772	NCM-F	NCM-F Network Communication Module..Supports fiber-optic medium...NFPA Style 4 (Class B) or Style 7 (Class A) operation...Data is immune to all envi
5773	ND312T33W	INTERRUPTOR CUTLER HAMMER 1200A, ND50K, 3 POLES, WITH 1200 AMPS RATING PLUGS (P/N: A12NES1200T1) AND LINE LOAD LUGS (
5774	NDS8434ATR-ND	PC CHANNEL 2.5V SPECIFIED MOSFET, WIDE RANGE 2.5-8V..P/N: NDS8434ATR-ND (R/B: FDS6375)..MFG: FAIRCHILD SEMICONDUCTOR..S

	Item	Description
5775	NEO-REZ	ADHESIVE, NEOPRENE (TYPE)- F1 ; (CONT)- 2 FL OZ.NEO-REZ WETSUIT REPAIR & FILLER. 2 OZ..P/N: NEO-REZ..MFG: WAHOO INT..SCHE
5776	NF8327B201	1/4 3W SELENOID VALVE 24 VDC ..P/N: NF8327B201..MFG: ASCO
5777	NFAB-KXV	NEEDLE VALVE..SUN HYDRAULICS CARTRIDGE VALVE..P/N:NFAB-KXV..MFG: SUN HYDRAULICS..SCHEDULE B: # 8481.80.9050 OTHER VAI
5778	NFC2006	PLUG ANCHOR (DIA)-1/4";(L)-1"; (MAT)-PVC; (TYPE)-TRI-LOVE (PKG)- 100 EA (DOC/EXT)-Y/N..P/N:NFC2006..MFG: NOVA FASTENERS..SCHE
5779	NFC2012	PLUG ANCHOR (DIA)-5/16";(L)-2"; (MAT)-PVC; (TYPE)-TRI-LOBE (PKG)- 100 EA (DOC/EXT)-Y/N..P/N:NFC2012..MFG: NOVA FASTENERS..SCH
5780	NFC2016	ANCHOR,VINYL SCREW(DIA-NOMINAL)-3/8";(LG)-2-1/2 (MAT)-PVC; (CLR)-ORANGE; 50/BOX..P/N: NFC2016..MFG:NOVA FASTENERS..SCHED
5781	NFED-LHV	NEEDLE VALVE..SUN HYADRAULICS CARTRIDGE VALVE..P/N:NFED-LHV..MFG: SUN HYDRAULICS..SCHEDULE B: # 8481.80.9050 OTHER V/
5782	NGAX1T259	RADIX WIRE SIL-A-BLEND 200 C /1000V. SIZE 1/0..P/N: NGAX1T259..MFG: AWG..CSA:AWM IA/B FT2..SCHEDULE B # 7413005000 OTHER STF
5783	NGS0120130HS0CA	SONNENSCHEIN / DRYFIT SERIES S12/130 A, SOLAR HARSH ENVIRONMENT (PREMIUM CONSUMER GRADE) BATTERY, ..VRLA GEL LEAD
5784	NHT 8624 (ANHT 8624)	WEDGE NOMEX..DIM: 7/32" X 3/16", 250 FT/PK..P/N: NHT 8624 (ANHT 8624)..MFG: DUPONT..SCHEDULE B: 8547200000 INSULATING FITTIN
5785	NHT11724	WEDGE, DIM: 5/16 X 1/4, PKG: 250 FT..P/N: NHT11724..MFG: NOMEX DUPONT..SCHEDULE B: 8547200000 INSULATING FITTING PLASTIC
5786	NHT14424	WEDGE, DIM: 3/8 X 5/16", PKG: 250 FT..P/N: NHT14424..MFG: NOMEX DUPONT..SCHEDULE B: 8547200000 INSULATING FITTING PLASTIC
5787	NHT19924	WEDGE NOMEX..DIM: 7/16" X 17/64" 250 FT/PKG..P/N: NHT19924..MFG: NOMEX..SCHEDULE B: 8547200000 INSULATING FITTING PLASTIC
5788	NHT5824	WEDGE NOMEX..DIM: 13/64" X 1/8", 250 FT/PK..P/N: NHT 5824 ..MFG: NOMEX DUPONT..SCHEDULE B: 8547200000 INSULATING FITTING PL
5789	NHT65-24	WEDGE, SIZE: R, SPEC: ROUND..P/N: NHT65-24..MFG: NOMEX DUPONT..SCHEDULE B: 8547200000 INSULATING FITTING PLASTIC
5790	NHT90-7870	COMPRESSOR FILTER..P/N: NHT90-7870..MFG: NAPA TOOLS ..SCHEDULE B: # 8421310000..COUNTRY OF ORIGIN: USA
5791	NHT9924 (P/N ANHT 9924)	WEDGE ASSEMBLY..NOMEX 1/4 X 7/32..P/N: NHT9924 (P/N: ANHT 9924)..MFG: DUPONT..SCHEDULE B: 8547200000 INSULATING FITTING
5792	NHXL-116G-RSC-12	UTILITY HANDLE PROBE WITH RSC..P/N: NHXL-116G-RSC-12..MFG: OMEGA ENGINEERING
5793	NHXL-14G-RSC-12	UTILITY HANGLE PROBE WITH RSC..P/N: NHXL-14G-RSC-12..MFG: OMEGA ENGINEERING
5794	NHXL-18G-RSC-12	UTILITY HANDLE PROBES WITH RSC..P/N: NHXL-18G-RSC-12..MFG: OMEGA ENGINEERING
5795	NI15-G30-Y0	SENSOR, ASSEMBLY (SPEC)-SPEED ASSY,BELT SCALE 1200 -SL-030..P/N: NI15-G30-Y0..MFG:TURCK..SCHEDULE B: # 9031.80.8060 OTHEF
5796	NIST CERT. HUMIDITY	NIST CALIBRATION, DATE LOGGER CONTROLLER, INSTRUMENT ONLY, CALIBRATION TO 3 POINTS: 50%, 70%, 90% RH
5797	NIST CERT. TEMPERATURE	NIST CALIBRATION, DATA LOGGER CONTROLLER, INSTRUMENT ONLY..CALIBRATION TO 4 POINTS: 20 C, 35 C, 40 C, 50 C GRADES
5798	NIST CERTIFICATION	NIST CERTIFICATION FOR HYGROCLIP S PROBE
5799	NJ2-V3-N	1000331843.. P&F Proximity Sensors..Manufacturer PEPPERL+FUCHS..NJ2-V3-N
5800	NJ8-18GM50-E2	INDUCTIVE SENSOR E2-V1..P/N: NJ8-18GM50-E2..MFG: PEPPERL+FUCHS..SCHEDULE B: # 8536.50.9065 OTHER ELECTRICAL APPARATUS
5801	NMO58UPL	PCTEL MAXRAD VEHICLE ROOF MOUNT ANTENNA INSTALLATION HARDWARE KIT FOR MOTOROLA-STYLE MOBILE ANTENNAS 0-960 MH
5802	NOCAT250MV	MOTOR 15 HP, 3 PHASE, DESIGN B, PRODUCT NAME: VERTICAL 841 - IEEE STD-841 FEATURES, SYCH RPM 1800, FREQUENCY: 60, E/S &
5803	NOISHCDPC	DIGITAL DECIBEL METER 30-130 dB..PC CONNECTION WITH USB CABLE REAL TIME TRACKING OR DOWNLOAD DATA FROM HANDSET, M
5804	NOMEX 410	PAPER ELECTRICAL INSULATOR..THK: 0.005", W: 7/8", LG: 720FT..P/N: NOMEX 410..208..SCHEDULE B: 6813.89.0000 OTHER SHEETS
5805	NOMEX 410 0.020"	PAPER ELECTRICAL INSULATOR..THK: 0.020", W:36", LG: 36"..P/N: NOMEX 410 (NX-410--020-36X36)..MFG: DUPONT..SCHEDULE B: 68138
5806	NOMEX 410 0.030"	PAPER ELECTRICAL INSULATOR..THK: 0.030", W: 36", LG: 36"..P/N: NOMEX 410..MFG: DUPONT..SCHEDULE B: # 3921901000 OTHER SHEI
5807	NOMEX 410 15 MILL	PAPER NOMEX TYPE 410 THICKNESS 15 MILL WIDE 47.244" (1.20 M) ..MINIMUM ORDER 30 YARDS (27.432 M)..P/N: NOMEX 410 15 MILL..M
5808	NOMEX 410 30 MILL	PAPER NOMEX TYPE 410 THICKNESS 30 MILL ;WIDE 47.244" (1.20M)MINIMUM ORDER 30 YARDS (27.432 M)..P/N: NOMEX 410 30 MILL..MFG

	Item	Description
5809	NOMEX 414	PAPER ELECTRICAL INSULATOR..THK: 0.007", W:24", LG: 36"..P/N: NOMEX 414..MFG: DUPONT..SCHEDULE B: SCHEDULE B: 4823.90.885(
5810	NOMEX 414 0.010"	PAPER ELECTRICAL INSULATOR..THK: 0.010", W:24", LG: 36"..P/N: NOMEX 414..MFG: DUPONT..SCHEDULE B: 6813890000 OTHER SHEET
5811	NOMEX 414 0.015"	PAPER ELECTRICAL INSULATOR..THK: 0.015", W:24", LG: 36"..P/N: NOMEX 414..MFG: DUPONT..SCHEDULE B: 6813890000 OTHER SHEET
5812	NOMEX PURO 410	NOMEX PURO 410 0.07 X 914 MMX1 51.20 METERS APPROX...P/N: NOMEX PURO 410..MFG: DUPONT
5813	NON-10	FUSE ON TIME 10A 250V..P/N: NON-10..MFG: BUSSMAN..SCHEDULE B:# 8536.10.0040 OTHER FUSES
5814	NON-2	FUSE ONE TIME 2A,250 V ..(BOX OF 10 FUSES)..P/N:NON-2..MFG: BUSSMAN BUSS COOPER..SCHEDULE B: #8536.10.0040 OTHE FUSES
5815	NON-30	FUSE ONE TIME 30 A 250 V..P/N: NON-30..MFG: BUSSMAN..SCHEDULE B: #8536100040 OTHER FUSES
5816	NON-5	FUSE ON TIME 5A 250V..P/N: NON-5..MFG: BUSSMANN..SCHEDULE B:# 8536.10.0040 OTHER FUSES
5817	NON-6	FUSE ONE TIME 6A 250V..P/N: NON-6..MFG: BUSSMANN..SCHEDULE B: # 8536100040 OTHER FUSES
5818	NON-80	FUSE CLASS K-5..V: 250V, I: 80 A, I-MAX: 50KA..P/N: NON-80..MFG: BUSSMAN..SCHEDULE B: # 8536100040 OTHER FUSES
5819	NP 9300-C-O	62 MM SINGLE TILT PRISM SET ORANGE..P/N: NP 9300-C-O..MFG: OMNI..SCHEDULE B: # OTHER PRISMS 9001907000
5820	NP0302	MAX-PE NAME PREM EFC, TEFC INVERTER DUTY, FRAME: 286TS, HP: 30, RPM: 3600, VOLT: 230/460, ENCLOSURE: TEFC..P/N: NP0302..MF
5821	NP0402	MOTOR TYPE MAX-PE NEMA PREM. EFF, TEFC INVERTER DUTY, FRAME 324TS, 40 HP. 3600 RPM, 230/460 VOLT, TEFC ENCLOSURE..P/N:
5822	NP16025	38MM OMNI SUPER JR. TILT TARGET ASSEMBLY..P/N: NP16025..MFG: OMNI..SCHEDULE B: # OTHER PRISMS 9001907000
5823	NP1625	25.44 OMNI JR. TILT TARGETED ASSEMBLY..P/N: NP1625..MFG: OMNI..SCHEDULE B: # OTHER PRISMS 9001907000
5824	NP7/54	TECO-WESTINGHOUSE ELECTRIC MOTOR,..7.5HP, 1800RPM, 3PH, 60HZ, 230/460V..ENCLOSURE:TEFC, FR: 213T, S.F: 1.15..HORIZONTAL F
5825	NPJ8I	PLATE OUTLET BAKELITE, SPEC: GANG DUPLEX, COLOR: IVORY, LG: 4.88", W: 3.13", SIZE: MEDIUM, NPJ8-I LEVITON..P/N: NPJ8I..MFGI HU
5826	NPL3/4X2-G	NIPPLE DIA: 3/4", LG: 2", MAT: STEEL, FINISH: PVC COVERED..P/N: NPL3/4X2-G..MFG: THOMAS & BETTS..SCHEDULE B: #7307225000 OTHE
5827	NPL50CL	NIPPLE; CROUSE HINDS 1500; (DIA)-1/2";(LG)- 1-1/8" ; (MAT)-STEEL; 1/2XCLOSE..P/N: NPL50CL..MFG: CROUSE HINDS..SCHEDULE B: #7307
5828	NPS 3	3” Control-Disk Valve, Body Material: CN7M Nickel Alloy,..Body Style: Butterfly – Lugged, End Connection: RF Flg –Class 150, ..Seal Type: Soft, Seal Ma
5829	NPS 4	4” Control-Disk Valve, Body Material: CN7M Nickel Alloy,..Body Style: Butterfly – Lugged, End Connection: RF Flg –Class 150, ..Seal Type: Soft, Seal Ma
5830	NR 420	TWINE LINEN WAKED..CLR: CLEAR, PKG: 1980 FT,..REF: LACING LUDLOW ELECTRIC 12..P/N: NR 420 (P/N: NLC-4200-16)..MFG: LUDLOW-C
5831	NR342	RECEIPTABLE WATERPROOF, I: 30 A,..TYP: RECEPTACLE HOUSING, VAC: 600V, VDC: 250, FREQ: 50/400 HZ, W: 3, POL: 4..P/N: NR342..MF(
5832	NRAI01	BAILEY BLOCK TERMINAL, ANALOG, WTL, 990598/03, REV C, L700783..P/N: NRAI01..MFG: ABB INC...SCHEDULE B: # 8542320070 OTHER EL
5833	NRAO-01	BAILEY BLOCK, TERMINAL ANALOG..P/N: NRAO-01..MFG: BAILEY..SCHEDULE B: # 8542320070 OTHER ELECTRONIC INTEGRAL CIRCUITS
5834	NRDO-02	BLOCK TERMINAL DIGITAL..P/N: NRDO-02..MFG: ABB BAILEY..SCHEDULE B: # 8542320070 OTHER ELECTRONIC INTEGRAL CIRCUITS
5835	NRO 9	TWINE, LINEN, WAKED..(CLR) - BLACK/ WAXED IVORY; (PKG) - 400 YDS..P/N: NRO 9..MFG: LUDLOW..SCHEDULE B: #3921901000 - OTHER
5836	NS168	COMPOUND, ANTI SEIZE NEVER SEEZ 8 LBS..P/N: NS168..MFG: BOSTIK
5837	NSA-16	ANTI-SEIZE COMPOUND NSA-16 REGULAR GRADE NEVER-SEEZ..12.5 OZ; COPPER BASE; SILVER; HIGH TEMP, HIGH PRESSURE;ANTI-SE
5838	NSA100N02WM4B00	4 WAFER BFV TEFLON LINED VITON BARE NEOTECHA, NSA100N02WM4B00,SS MOUNTING KIT FOR 4" NEHA NSA BUTTLERFLY VALVE T(
5839	NSN-165	ANTI SEIZE & LUBRICATING COMPOUND;PURE NICKLE SPECIAL ANTI-SEIZE COMPOUND ..FLAT-TOP CAN; SIZE : 1 LB..COLOR FAMILY : S
5840	NSOSF-202.1152	MASTERSWITCH..P/N: NSOSF-202.1152..MFG: J.R. MERRITT..SCHEDULE B: # 8536200040 OTHER SWITCHES
5841	NT-DESK	DESKTOP STAND FOR HYGROLOG NT DOCKING STATION..P/N: NT-DESK..MFG: ROTRONIC
5842	NT2D-BT-NP	NT2 HUMIDITY TERMPERATURE (CELSIUS) LOGGER W/ DISPLAY & BLUETOOTH W/O PROBE..P/N: NT2D-BT-NP..MFG: ROTRONIC

	Item	Description
5843	NT538 BASIC-LOW	TEMPERATURE CONTROLLER; 8CH,PT100 INPUT,STD OUTPUT,LOW TEMP RANGE,ED16,UL (1CN0175)..;TEMPERATURE MONITORING FF
5844	NT935	TEMPERATURE CONTROLLER, 4CH, FAN, 24-240V (ICN0024)..P/N: NT935..MFG: NT935..MFG: TECSYSTEM
5845	NT935-BASIC	TEMPERATURE CONTROLLER, 4CH, PT100 INPUT, STD OUTPUT, ED16, UL (1CN0142)..P/N: NT935-BASIC..MFG: TECSYSTEM
5846	NTCL01	..NTCL01 COMMUNICATIN LINK TERMINATION UNIT, USE WITH INNIS01, NKSL01, INLIM03, NKSL03 ..P/N: NTCL01..MFG: ABB BAILEY..SCHE
5847	NTE5322	DIODE BRIDGE..V-TIP-INVERSE: 200V, I: 40A, TYPE: RECTIFIER, MAT: SI..P/N: NTE5322..MFG: NTE-ELECTRONICS, INC...SCHEDULE B: # 85
5848	NTN9857C	IMPRES BATTERY 2000 MAH NIMH BATTERY INTRINSICALLY SAFE (FM)..COMPATIBLE WITH: MOTOROLA XTS SERIES..IP RATING: IP54..E
5849	NV-BASE4AA	CRYSTAL ENGINEERING NV-BASE4AA..NVISION REFERENCE PRESSURE RECORDER BASE ONLY..REFERENCE PRESSURE CALIBRATOI
5850	NV74D-HY-VA-S6-500-1K-2T	NIVOVENT NV 74 EJ, OPERATING VOLTAGE: 24 VDC..L= 500MM..L1= 450 NO..2 X PNP TRANSISTOR OUTPUT..P/N: NV74D-HY-VA-S6-500-1K
5851	NY09RK	NYB PRESSURE BLOWER NY09RK-E040..PRESSURE BLOWER SIZE 2210, STEEL WHEEL, ARRANGEMENT 4, ROTATION CCW, DISCHARG
5852	OA180AP-11-1TB	FAN AC, OA180AP SERIES, 115V, 180 X 89 MM, NOMINAL AC: 115, VOLTAGE RANGE: 60 ~130 VAC, RPM: 3200, CMF: 420, NOISE LEVEL: 62 c
5853	OADM20I6460/S14F	SENSOR DISTANCE..P/N: OADM20I6460/S14F..MFG: BAUMER ELECTRIC..SCHEDULE B : # 9032810080 OTHER INDUSTRIAL PROCESS CON
5854	OCAC-304	OUTPUT CLASS A CONVERT MODULE..EQUIPPED WITH WIRE LEADS TO CONNECT TO THE FA-300 MAIN BOARD. ..IT MOUNTS TO THE F
5855	OCILLOSCOPE	OCILLOSCOPE LEAD..P/N: OCILLOSCOPE..MFG: LARKIN POWER COMPONENTS, INC.
5856	OCS 2000D	OIL COOLER MODELOCS 2000D-E N/P: 365102 N/S 2917082 LESS MOTOR..P/N: OCS 2000D (CURRENT P/N:365739)..MFG: YOUNG TOUCHS
5857	OD9-2400	Omni Directional Antenna..9 dBi, 2400-2485 MHz..p/n: OD9-2400..Mfg: Mobile Mark
5858	OFS-2000	OPTICAL FLOW SENSOR W RACK MOUNT CONTROL BOX, STANDARD BASE MODEL W STD RECEIVE CABLE OF 25FT. RS-232 AND 4-20 M
5859	OFS-2000W	Optical Flow Sensor w Rack Mount Control Box and HiPwr TX & AGC (std receive cable of 25ft.) with RS-232 and 4-20 ma output..P/N: OFS2000W..MF
5860	OKB291E631	HEATER SERIE WO13654 VOLTAGE 240..P/N: OKB291E631..MFG: CALORITECH..SCHEDULE B: # 8533290000 FIXED RESISTORS
5861	OLCT60AD	GAS DETECTOR SCALE 0-100% LEL..VOLTAGE: 15-30 VDC..MAX POWER SUPPLY WITH DISPLAY: CATALYTIC 140 MA..SIGNAL OUTPUT: 4
5862	OP-AR6618	SWITCH LIMIT VRAN: 125-250-460 VAC..I: 15A, HP: 1/8-1/4..P/N: OP-AR6618 (P/N: OP-AR)..MFG: MICRO SWITCH....SCHEDULE B: #853650
5863	OPC SERVER SOFTWARE	OPC SERVER SOFTWARE..OPC 2.4.0..P/N:ACTIVATION CODE..MFG: NEWARK
5864	OPT-SL350QN	350' OUTDOOR QUAD BEAM W/ FORM C RELAY..P/N: OPT-SL350QN..MFG: OPTEX
5865	OPTA2	9000X SERIES I/O CARD (SLOT B), 2 RO, (SPEC)-COOLING, 120MM, IP54..FOR FAN CUTLER HAMMER PP110612;(U/O) SVX9000 ADJUSTABL
5866	OPTC5	CARD SLOT D, E PROFIBUS (HAS D9 CONNECTOR)COMMUNICATION CARD,PROFIBUS DP;.. DB-9 CONNECTOR, FOR 9000X DRIVES..P/N:
5867	OSYSU-2	VALVE SUPERVISORY SWITCH ..P/N: OSYSU-2..MFG: POTTER..VALVE SUPERVISORY SWITCH ..P/N: OSYSU-2 (P-OSYSU2)..MFG: POTTER
5868	OT-201-16	PASTE CONDUCTIVE OMEGATHERM 201 HIGH TEMPERATURE & HIGH THERMALLY; (COMPD)-SILICONE; (SPEC)-THERMICA; CATALOG :
5869	OTDC315EV12	SWITCH DISCONNECTOR DC ABB 1SCA132258R1001..P/N: OTDC315EV12..MFG: ABB
5870	P-4452-6	MICA V-4 SHIELD..P/N: P-4452-6..MFG: FERGUSON RELIANCE..SCHEDULE B: # 8540990000 OTHER PARTS FOR HEATER
5871	P-7300	TRANSIT MIX GEARBOX ZF MODEL P-7300..P/N: P-7300 (ZF-ECOMIX I)..MFG: BECK..SCHEDULE B:# 8483.40.4050 OTHER GEAR BOXES ANI
5872	P-8388	POWER TRANSFORMER,ISOLATION(V-PRIMARY)-117V;(V-SECONDARY)-25.2V..P/N: P-8388..MFG:STANCOR..SCHEDULE B: # 8504210020 F
5873	P-GF-A-08-2-10U	GF MANIFOLD FILTER ELEMENT..P/N:P-GF-A-08-2-10U..MFG: TAISEI KOGYO CO..SCHEDULE B: # 8421398090 OTHER FILTERS
5874	P-LB-1.C.123	1002490966 BARRIER,SURGE,PEPPERL,P-LB-1.C.123 ..Barriers, Safety..Type SURGE PROTECTION..Surge protection rating UPTO 10 kA..Signal I
5875	P-TOUCH 9600	LETTERING SYSTEM MACHINE FOR TAPE 6-36MM..P/N: P-TOUCH 9600..MFG: BROTHER..SCHEDULE B: # 9612.10.9000 OTHER LABELING M
5876	P-TRF-06-10U	FILTER ELEMENT..PAPER+SECO..BB132-05-0-DP..FLUID TYPE: MINERAL OIL..INNER DIAMETER: RC 3/4 (20A) OR RC1 (25A)..FILTRATION: 1

	Item	Description
5877	P-UL-16A-20U	FILTER ELEMENT..P/N: P-UL-16A-20U..MFG: TASEI
5878	P-VN-16A-150W	FILTER ELEMENT..P/N:P-VN-16A-150W..MFG: TASEI
5879	P-VN-24A-150W	FILTER ELEMENT..P/N: P-VN-24A-150W..MFG: TAISEI
5880	P0010320 (ES-103853)	O-RING 3/16..P/N: P0010320 (ES-103853)..MFG: TELEDYNE ..SCHEDULE B: #4016930000 - RUBBER SEALS
5881	P0070002	ELEMENT..P/N: P0070002..MFG: TELEDYNE
5882	P05050A	INTAKE AIR FILTER ELEMENT..P/N: P05050A..MFG: CHAMPION..SCHEDULE B: # 8421.31.0000 INTAKE FILTER AIR..ORIGIN:CHINA
5883	P0914SV	CHANNEL ISOLATED 8 INPUT RTD I/A SERIES FBM203 ..P/N: P0914SV..MFG: SCHENEIDER..SCHEDULE B:# 8517.62.0050 OTHER MODEM
5884	P0924WV	USB ANNUNCIATOR NUMERIC KEYBOARD PROVIDES AN ARRAY OF 32 RED OR..AMBER LED/SWITCH PAIRS PLUS AUDIBLE ANNUNCIAT
5885	P09704A	DISCHARGE SAFETY VALVE 270 PSI 1/4" MTP R15 , R30 PUMPS..P/N: P09704A..MFG: CHAMPION..SCHEDULE B: 8481.40.0000 OTHER SAFE
5886	P1000T-10PG (P1000T)	CHANNEL ASSEMBLY..W: 1-5/8", LG: 10'..SPEC: UNISTRUT P1000 X 10 FT..P/N: P1000T- 10 PG (P1000T)..MFG: UNISTRUT CORP.....SCHEI
5887	P1074 (PHL)	WASHER INCH ID: 11/16", W: 0.108"..MAT: STEEL..P/N: P1074 (PLH) OFFER P/N: J1074..MFG: MACLEAN POWER SYSTEMS..SCHEDULE B
5888	P1112	3/4 STRAP FOR STEEL PIPE..P/N: P1112 (OFFER B-LINE P/N: B2009PAZN 3/4 IN)..MFG: UNISTRUT..SCHEDULE B: # 7302.90.9000 OTHER C
5889	P1115	CLAMP FOR RAIL STANDARD..DIA: 1-1/2". MAT: STEEL..REF: CONDUIT RIGID UNISTRUT..P/N: P1115 (OFFER B-LINE P/N: B2012PAZN 1 1/2
5890	P1117	CLAMP FOR RAIL STANDARD..DIA: 2", MAT: STEEL, CONDUIT..RIGID UNISTRUT..P/N: P1117 EG..MFG: UNISTRUT
5891	P121351	AIR FILTER..EFFICIENCY TEST STD, ISO 5011..STYLE:PANEL..TYPE: VENTILATION..P/N: P121351..MFG: DONALDSON..
5892	P167181	FILTER; HIGH PRESSURE HYDRAULIC CARTRIDGE; FILTER VLVS COTRL GAS TG21..P/N: P167181..MFG:DONALDSON..SCHEDULE B: #842
5893	P18G3438G	MOTOR ELECTRIC, 5HP, 460V, 6.1 A, 1750 RPM, 60 HZ, DUTY MASTER, FRAME L 184T..MODEL: P18G3438G..MFG: RELIANCE
5894	P2B-SCM-215	PILOW BLOCK..SPEC: SCM PB-2BOLT-2-15/16"..P/N: P2B-SCM-215..MFG: DODGE
5895	P2RK	SS HORN/STROBE OUTDOOR MULTI CD 2- WIRE,WALL MOUNT..P/N: P2RK..MFG: NOTIFIER..SCHEDULE B:# 8531.10.0045 OTHER ELECTR
5896	P3-145	RETAINER;LUB PUMP ASSY..P/N: P3-145..MFG:SUNFLO..SCHEDULE B: # 8413.91.9520 OTHER PARTS FOR PUMPS
5897	P3-230PN4	P3 ELECTRIC ACTUATOR 230VAC PROPORTIONAL, NEMA 4X..P/N: P3-230PN4..MFG: PROMATION ENGINEERING..
5898	P3-63	LOCK WASHER;SPCL;7/16"..P/N:P3-63..MFG:SUNFLO..SCHEDULE B: # 4016.93.0000 GASKETS, WASHERS AND OTHER SEALS
5899	P335	O-RING;METRIC BUNA 70 O-RINGS 334.5 mm IDX 351.3 mm OD X 8.4 mm C/S JIS..70 DUROMETER RUBBER BUNA O-RINGS..JAPANESE IN
5900	P500138	AIR FILTER..EFFICIENCY: 99, EFFICIENCY TEST STD: JIS D 1612 ..STYLE: PANEL, MEDIA TYPE: CELLULOSE..P/N: P500138..MFG: DONALDS
5901	P500149	AIR FILTER STANDARD ..TYPE: PRIMARY, STYLE: SPECIAL, EFFICIENCY TEST STD JIS D 1612..MEDIA TYPE: CELLULOSE, EFFICIENCY: 99
5902	P500204	AIR FILTER..EFFICIENCY 99%..EFFICIENCY TEST STD - JIS D 1612..PRIMARY APPLICATION - KOMATSU 77Z9700010..STYLE: PANEL..TYPE:
5903	P52200965	SENSOR OF OXIGEN..METTLER TOLEDO..P/N: P52200965..SCHEDULE B: #9032896040 TEMPERATURE CONTROL INSTRUMENTS
5904	P54S25SOA17X6DB	LUMINAIRE-FLOODLIGHT P-154 W/ BALLAST..P/N: P54S25SOA17X6DB..MFG: GENERAL ELECTRIC..SCHEDULE B: # 9405400000 ELECTRIC
5905	P5512-E	AXIS P5512-E PTZ DOME NETWORK SECURITY CAMERA ..P/N:P5512-E (0411-001)..MFG: AXIS COMMUNICATIONS..SCHEDULE B: #8525805
5906	P551551	HYDRAULIC FILTER SPIN-ON, EFFICIENCY BETA 1000 - 23 MICRON..EFFICIENCY BETA 2 - 7 MICRON..SERIES - SP15/25, STYLE - SPIN-ON..
5907	P566336	FILTER; HIGH PRESSURE HYDRAULIC CARTRIDGE; FILTER VLVS COTRL GAS TG21..P/N:P566336 R/B P167181..MFG:DONALDSON..SCHEI
5908	P608885	AIR FILTER, PRIMARY RADIALSEAL, ISO 5011..P/N: P608885..MFG: DONALDSON..SCHEDULE B: 8421.31.0000 AIR FILTERS
5909	P782396	AIR FILTER, PRIMARY RADIALSEAL..TYPE: PRIMARY STYLE RADIALSEAL..EFFICIENCY TEST STD..ISO 5011, MEDIA TYPE: CELLULOSE..P/
5910	P89586-SIZE 10	MEN SECOND SHIFT STEEL TOE WORK BOOT DARK BROWN..P/N: P89586 SIZE 10 (TALLA 43)..MFG: CATERPILLAR..SCHEDULE B: # 6403

	Item	Description
5911	P89586-SIZE 11	MEN SECOND SHIFT STEEL TOE WORK BOOT DARK BROWN..P/N: P89586 SIZE 11 (TALLA 44)..MFG: CATERPILLAR..SCHEDULE B: # 6403
5912	P89586-SIZE 12	MEN SECOND SHIFT STEEL TOE WORK BOOT DARK BROWN..P/N: P89586 SIZE 12 (TALLA 45)..MFG: CATERPILLAR..SCHEDULE B: # 6403
5913	PA-RX0008	PRESSURE SWITCH SERIE PA..P/N: PA-RX0008 (OFFER PARXTA08)..MFG: HELMONT
5914	PAKIT2	HYDRAULIC PRESSURE TESTING KIT; CARBON STEEL..PAKIT2- (W/2 GAUGES 400BAR & 600BAR)..KIT INCLUDES:..1 EA PACASE CASE FC
5915	PANSP22	SPIN DRYER; HIGH END SS PORTABLE SPIN DRYER. 60 HZ; 110-120V;3200 RPM;300 W..P/N: PANSP22..MFG:PANDA..SCHEDULE B:# 8421.9
5916	PAZ10003SB90.0	MARKER WIRE, PAZ ZEREX, WHITE: 0..P/N: PAZ10003SB90.0..MFG: PARTEX..SCHEDULE B: # 4821902000 OTHER LABELS
5917	PAZ10003SB90.1	MARKER WIRE, PAZ ZEREX, WHITE: 1..P/N: PAZ10003SB90.1..MFG: PARTEX..SCHEDULE B: #4821902000 OTHER LABELS
5918	PAZ10003SB90.2	MARKER WIRE, PAZ ZEREX, WHITE:2..P/N: PAZ10003SB90.2..MFG: PARTEX..SCHEDULE B: # OTHER LABELS 4821902000
5919	PAZ10003SB90.3	MARKER WIRE, PAZ ZEREX, SYMBOL: 3,..PKG OF 500 ..P/N: PAZ10003SB90.3..MFG: PARTEX..SCHEDULE B: # 4821902000 OTHER LABELS
5920	PAZ10003SB90.4	MARKER WIRE, PAZ ZEREX, WHITE: 4..P/N PAZ10003SB90.4..MFG: PARTEX..SCHEDULE B: # OTHER LABELS 4821902000
5921	PAZ10003SB90.5	MARKER WIRE, PAZ ZEREX, WHITE: 5..P/N: PAZ10003SB90.5..MFG: PARTEX..SCHEDULE B: 4821902000 OTHER LABELS
5922	PAZ10003SB90.6	MARKER WIRE, PAZ ZEREX, WHITE: 6..P/N PAZ10003SB90.6..MFG: PARTEX..SCHEDULE B: # OTHER LABELS 4821902000
5923	PAZ10003SB90.8	MARKER WIRE, PAZ ZEREX, WHITE: 8..P/N: PAZ10003SB90.8..MFG: PARTEX..SCHEDULE B: #4821902000 OTHER LABELS
5924	PAZ10003SB90.9	MARKER WIRE, PAZ ZEREX, WHITE: 9, 500/ DISK..P/N: PAZ10003SB90.9..MFG: PARTEX..SCHEDULE B: #4821902000 OTHER LABELS
5925	PB150	PB150 EXPLOSION PROOF PUSH BUTTON 340,00 T 1 360,00..EX II 2GD - EEX D IIC T6..INGRESS PROTECTION: IP66/67..AMBIENT TEMPER/
5926	PB3060E	WORKBENCH ESD 30 X 60 ADJUSTABLE HEIGHT QUICK SHIP..P/N: PB3060E..MFG: LYON..SCHEDULE B: #9031200000 OTHER BENCH
5927	PBE-M5-300	AP POWERBEAM 5.8GHZ 300M..P/N: PBE-M5-300..MFG: UBIQUITI..SCHEDULE B: 8517.69.0000 OTHER APPARATUS FOR COMMUNICATIONS
5928	PC151LT-0	PYROCOUPLE COMPACT NON CONTACT TEMPERATURE SENSOR, 15:1 OPTICS, -20 TO 100 C TEMP RANGE, 4-20mA OUTPUT..P/N: PC15
5929	PC31UD69V315TF	SEMICONDUCTOR FUSE PSC SQUARE BODY..SEMICONDUCTOR PROTECTION FUSE..SQUARE BODY HIGH-SPEED FUSE-LINKS AC PRC
5930	PC5-SX04-1500	PLUG 1100 VOLTS, 4 PIN, 420 AMPS, PC5 PUSH & PULL CONNECTION, STANDARD MALE PINSS WITH CRIMP STYLE CABLE TERMINALS @
5931	PC5-TX04-1500	PLUG 1100 VOLTS, 4 PIN, 420 AMPS, PC5 PUSH & PULL CONNECTION, INVERTED FEMALE CONTACTS WITH CRIMP STYLE CABLE TERMI
5932	PC5-VX04-1500	SOCKET 1100 VOLTS, 4 PIN, 420 AMPS, PC5 PUSH & PULL CONNECTION, STANDARD FEMALE PINS CONTACTS WITH CRIMP STYLE CABL
5933	PC5-WX04-1500	SOCKET CONNECTOR MALE, 120/150 1KV, 420 Amp 3PH+E+2P..P/N: PC5-WX04-1500..MFG: CAVOTEC..SCHEDULE B: # 8536695050 OTHER
5934	PC75RA	CLAMP CONDUIT ELECTROGALVANIZED..P/N: PC75RA..MFG: APPLETON..SCHEDULE B: # 7307.19.9090 OTHER CLAMPS
5935	PCCABLE-1	COMMUNICATION CABLE SERIAL FOR PC, PRODUCT # 18754..P/N: PCCABLE-1..MFG: BRADY..SCHEDULE B: # 8535908040 OTHER CONNE
5936	PCE-VT 204	1002590339..TACHOMETER,HANDHELD,PCE-INST,PCE-VT 204 ..Testing and measuring equipment..Type HANDHELD TACHOMETER..Applicatior
5937	PCH-UTILITY	PYTHON UTILITY D-RING INSIDE POUCH..SIDE RELEASE CLOSURE..•TWO WELDED D-RINGS ON FRONT OF POUCH TO TIE OFF TOOLS..
5938	PCSNR2525M12	HOLDER TOOL..SPEC: OUTER TURNING, PCSNR 25X25MM, 4 EDGES OF CUT..P/N: PCSNR2525M12..MFG: WALTER TOOLS..SCHEDULE B:
5939	PD05P-ARS-PTT-B	1/2" MON METALLIC TRANSFER PUMP..PD05: STANDARD PUMP..P: POLYPROPYLENE CENTER SECTION..MATERIAL..A: 1/2" NPT FLUID C(
5940	PD12-4109-0-N-M24	DISTRIBUTION VALVE RDCP1-4..PD12-4109-0-N-M24 PILOTED 3-WAY..P/N: PD12-4109-0-N-M24..MFG:HYDRAFORCE
5941	PD20P-FPS-PTT	INGERSOLL RAND, ARO TRANSFER PUMP, NON METALLIC. RATIO..1:1. , MAXIMUM GPM (LPM): 184 (696)..DISPLACEMENT PER CYCLE (ST
5942	PD692-3-N	ANALOG INPUT RATE TOTALIZER..115VAC, 60HZ..P/N: PD692-3-N..MFG: PRECISION ..SCHEDULE B: #9026107000 OTHER METERS
5943	PDP PANELS	SPECTRA BOLT-ON PANEL (101)..SINGLE SECTION PANEL TOP FEED..SURFACE MNT .. 3P4W 480Y/277V 25 KAIC..HEIGHT: 76.", WIDTH: 3
5944	PDR20307-UX71GSD22060	EXIT SIGNALING, GREEN COLOR, 220VAC, 3.5W, 60HZ, ..P/N: PDR20307-UX71GSD22060 (R/B: PDR50184-UX71GSD22060HAZ-SALIDA)..MFG

	Item	Description
5945	PE-1-P02S-H50	SNAP-RING FILTER BAG, SIZE: 2, MICRON: 1..P/N: PE-1-P02S-H50..MFG: EATON FILTRATION
5946	PE55TWP-220	ELECTRIC HYDRAULIC TORQUE WREN CH PUMP..P/N: PE55TWP-220..MFG: POWER TEAM..SCHEDULE B: # 8413.81.0040 OTHER PUMPS
5947	PEA115005	REPAIR KIT, (U/O): FUSE 5A, 115KV..P/N: PEA115005..MFG: SOUTHERN STATES LLC..SCHEDULE B: # 8535100040 Other electrical apparatus
5948	PEA115010	REPAIR KIT FUSE, 115 V, 10 A,..P/N: PEA115010..MFG: SOUTHERN STATE LLC..SCHEDULE B: # 8535100040 OTHER ELECTRICA APPARATU
5949	PECA 9 1/2	PLIER, TERMINAL PRESS..P/N: PECA 9 1/2..MFG: SURTEK
5950	PEL-1660	PELICAN 1660, LARGE CASE BLACK WITH FOAM, IP 67..MODEL: PEL-1660..MFG: PELICAN..SCHEDULE B: # 3923100000 OTHER CASES..
5951	PF4S15S0A16X6DBG	FIXTURE HPS, POWERFLOOD LIGHTING, SPEC: PF 400, POW: 150 W, MULTIVOLT: 120/208/240/277, HPS LAMP SOURCE, NEMA TYPE 6X6,
5952	PF4S25S0A16X6DBG	FIXTURE HPS, POWERFLOOD FLOODLIGHT, SPEC: PF 400, POW: 250W, V: 120/208/277 V..P/N: PF4S25S0A16X6DBG..MFG: GENERAL ELEC
5953	PF4S25S5A16X6DBG	FIXTURE HPS, POWERFLOOD FLOODLIGHT, SPEC: PF 400, POW: 250W, V: 480V..P/N: PF4S25S5A16X6DBG..MFG: GENERAL ELECTRIC..SC
5954	PF4S40S0A16X6DBG	FIXTURE HPS, POWERFLOOD LIGHTING, SPEC: PF 400, POW: 400 W, MULTIVOLV: 120/ 208/ 240/ 277 MULTIVOLT, HPS LAMP SOURCE, NE
5955	PF4S40S5A16X6DBG	LIGHT ASSEMBLY ASSY HPS PF400 POWERFLOOD FLOODLIGHT 400W 480V..P/N PF4S40S5A16X6DBG..MFG: GENERAL ELECTRIC..SCHEI
5956	PFA-420-1-4	MALE CONNECTOR..1/4" T X 1/4" MNPT..P/N: PFA-420-1-4..MFG: SWAGELOK..SCHEDULE B: # 7307199030 OTHER UNIONS
5957	PFA-420-2-4	90 DEG. MALE ELBOW..1/4" T X 1/4" MNPT..P/N: PFA-420-2-4..MFG: SWAGELOK..SCHEDULE B: # 7307199030 OTHER UNIONS
5958	PFA-420-3	1/4" UNION TEE..P/N: PFA-420-3..MFG: SWAGELOK..SCHEDULE B: # 7307199030 OTHER UNIONS
5959	PFA-420-6	1/4" TUBE UNIONS..CONNR-L: 1/4", TUBE FITTINGS, MAT: PFA/ASTM D3307, TYPE1, LG: 1.7"..P/N: PFA-420-6....MFG: SWAGELOK..SCHEDUL
5960	PFA-43S4	PFA PLUG VALVE..1/4" CONNECTIONS..P/N: PFA-43S4..MFG: SWAGELOK..SCHEDULE B: # 7307199030 OTHER UNIONS
5961	PFA-T4-047-100	PFA TUBING..1/4" X 0.47" 100 FT..P/N: PFA-T4-047-100..MFG: SWAGELOK..SCHEDULE B: # 7307199030 OTHER UNIONS
5962	PFA-T4-062-100	PFA TUBING..1/4" OD X .062" WALL X 100FT..P/N: PFA-T4-062-100..MFG: SWAGELOK..SCHEDULE B: # 7307199030 OTHER UNIONS..
5963	PFB0824UHE-F00	DC FANS 80x80x38mm 24V DC FAN W/ SPEED SENSOR..P/N: PFB0824UHE-F00..MFG: DELTA..SCHEDULE B: # 8414.59.9080 OTHER FANS
5964	PFCD4040	CAPACITOR 480 V, 40 KVAR, 48 A, ..P/N: PFCD4040..MFG: SQUARE D
5965	PFLO1-ROLL72	FILTER AIR POLYESTER, SIZE 72 IN X 36 FT ROLL, BLUE COLOR..P/N: PFLO1-ROLL72..MFG: PERMATRON CORPORATION..COUNTRY ORI
5966	PFM50LCYUNV3476S886	CHAMP 2L ® PRO PFM SERIES..LUMINAIRES, FOR OUTDOOR.INDOOR FLOOD ILLUMINATION UL/cUL LISTED..NEMA 4X IP66..PFM: NEC M
5967	PFR-72	FILTER AIR POLYESTER, SIZE 72 INX 36 FT ROLL, BLUE COLOR..P/N: PFR-72..MFG: PERMATRON
5968	PFT-4E	PFT-4E Scaled Pulse, Plastic Housing (4 pole Rotor) for meter mounted scaled signal transmitter..P/N: PFT-4E..Mfg: Badger
5969	PG-12V35-FR	BATTERY. MODEL: PG SERIE, VOLTAGE: 12V; CAP:35 A.H...P/N:PG-12V35-FR(RCHPG-12350FR)..MFG:POWERSONIC..SCHEDULE B: # 850
5970	PG-310UB	POTENTIOSTATS/ GALVANOSTAT..P/N: PG-310UB..MFG: HEKA
5971	PG310USB	Fully computer controlled potentiostats / galvanostat integrated with the LIH 8+8 USB2.0 16-bit data acquisition interface. The PG 310 USB has a maximu
5972	PG44	GAIN, CROSSARM, FLAT BACK..P/N: PG44
5973	PH-0003-S2	3" LINE STOP HEAD..P/N: PH-0003-S2..MFG: FURMANITE
5974	PH-0004-S2	4" LINE STOP HEAD..P/N: PH-0004-S2..MFG: FURMANITE
5975	PH-0006-S2	6" LINE STOP HEAD..P/N: PH-0006-S2..MFG: FURMINATE
5976	PH-0008-S2	8" LINE STOP HEAD..P/N: PH-0008-S2..MFG: FURMANITE
5977	PH-0010-00	SEALING ELEMENT FOR PIPES OF 10 " SCH 40, MATERIAL BUNA ,SERIE I, SHUTTER SEAL WITH 6 HOLES OF SECURING OF 7/8 DIAMET
5978	PH-47	FILTER SEPARATOR, ELEMENT..P/N: PH-47..MFG:FRAM..SCHEDULE B: # 8421.99.0080 OTHER FILTERS

	Item	Description
5979	PH250MQMJ	TRANSFORMER CONTROL, V-PRIMARY: 480V, V-SECONDARY: 120V, VA: 250, NO.PHASE: 1..P/N: PH250MQMJ..MFG: HAMMOND..SCHEDUL
5980	PH50PG	TRANSFORMER CONTROL..VP: 120-240V, VS: 24V,..VA: 25, PH: 1,..P/N: PH50PG..MFG: HAMMOND MANUFACTURING..SCHEDULE B: #85042
5982	PH8EFP05TNTT1NE*A/HA	SENSOR OF PH..FOR TRANSMITTER EXAPH202..P/N: PH8EFP05TNTT1NE*A/HA..MFG: YOKOGAWA
5983	PHA-100	BUFFER CAPSULES (SPEC)- PH 4 + _ 0.05 AT 25 C (PKG) - 5 VIALS (CLR) - BLUE (DOC/EXT) - Y/N..P/N: PHA-100..MFG: OMEGA ENGINEERIN
5984	PHA-90	PAPER PH DISPENSER 1/2 TAPE..P/N: PHA-90..MFG: OMEGA
5985	PHA-94	BUFFER CAPSULES (SPEC) - PH-4 + - 0.02 AT 25 C (PKG) - 5 VIALS (CLR) - RED (DOC/EXT) - Y/N..P/N: PHA-94..MFG: OMEGA ENGINEERIN
5986	PHBAIN22010000	POWER MODULE AIN-220 SYMPHONY..P/N: PHBAIN22010000..MFG: ABB..SCHEDULE B:# 8535.21.0000 ELECTRIC APPARATUS FOR SWITC
5987	PHMKP 550- 30IBR	CAPACITOR 30.00 uF PHMKP 550- 30IBR NOMBRE DE ITEM: CAPACITOR 30MF PHMKP 550- 30IBR ESTA DRY REFERENCIA: PHMKP 550- 3 (
5988	PHS520D-02-220V-D	1002540634 VALVE,SOL,PARKERH,PHS520D-02-220V-D ..Valves, Solenoid operated..Type 2-WAY..DOUBLE..Mat, body ANODIZED ALUMINUM..C
5989	PHS520S-02-220V	1002540633 VALVE,SOL,PARKERH,PHS520S-02-220V ..Valves, Solenoid operated..Type 2-WAY..SINGLE..Mat, body ANODIZED ALUMINUM..Conn
5990	PHSC-155-EPC	CABLE; PROTECTOWIRE LINEAR HEAT DETECTOR;..MODEL NUMBER: PHSC-155-EPC ALARM TEMPERATURE 155°F (68°C)MAX AMBIENT
5991	PHSC-190-EPC	CABLE;PROTECTOWIRE LINEAR HEAT DETECTOR;MODEL NUMBER:PHSC-190-EPC;ALARM TEMPERATURE 190°F (88°C) ;MAX. RECOMME
5992	PHYTC080	CAP FUEL FOR PRESSURE WASHING UNIT..P/N: PHYTC080..MFG:PRESSURE-PRO, USA
5993	PHZC45L5K80CRI48F10KMC6	PHUZION LED CRANE LIGHT HIGH BAY, 45.000 LUMENS, COLOR TEMPERATURE 5K, 480 VAC, 10FT FLEX CABLE, BLACK, OPTICS MEDIUM
5994	PJ8	PLATE WALL ELECTRICAL, SPEC: GANG DUPLEX, BAKELITE, CLR: IVORY, GG: 4.88", W: 3.13", SIZE: MEDIUM..P/N: PJ8 (OFFER TP8-I) ..MFC
5995	PJU664HF	INDUSTRIAL CONTROL PANEL ENCLOSURE..P/N:PJU664HF..MFG: HAMMOND MANUFACTURING..SCHEDULE B: # 3923100000 OTHER ENC
5996	PK23GTA	GROUND BAR KIT..P/N: PK23GTA..MFG: SQUARE D
5997	PK250HB160	THRYSTOR SANREX..P/N: PK250HB160..MFG: SANREX
5998	PL-150	PAPAILIAS SER. PL-150 115VAC UL Listed UL-1571..Non-Hazardous Area Light Fixture. 115VAC 100W Halogen..Lamp with Integral Push Button Mo
5999	PL511-10-C	FILTER OIL ELEMENT, ID:p 45MM, OD: 120MM, H: 280 MM,..P/N: PL511-10-C..MFG: HILLIARD-HILCO
6000	PL718-05-GE	FILTER ELEMENT LUBE OIL,..P/N: PL718-05-GE (PL718-05-CN)..MFG: HILCO/ HILLIARD..SCHEDULE B: # 8421398090 OTHER FILTERS
6001	PLA150-M SV	PRESSURELESS SHUTOFF VALVE..P/N: PLA150-M SV..MFG: FAST FILL SYSTEMS..SCHEDULE B: # 8481.80.1095 OTHER VALVES
6002	PLG-50R	PLG-CLOSE-UP PLUGS RECESSED HEAD..P/N: PLG-50R..MFG: APPLETON..SCHEDULE B:#8547.90.0040 OTHER ELECTRICAL CONDUIT,TU
6003	PLG-50S	PLG-CLOSE-UP PLUGS SQUARED RECESSED HEAD..P/N: PLG-50S..MFG: APPLETON..SCHEDULE B:#8547.90.0040 OTHER ELECTRICAL C(
6004	PLH-WHT-1/2	ROLL MAKER TUBES..P/N: PLHS-WHT-1/4..MFG: 3M..SCHEDULE B: 4821902000 OTHER LABELS
6005	PLHS-WHT-1/4	ROLL MAKER TUBES ..P/N: PLHS-WHT-1/4..MFG: 3M PER CASE OF 25..SCHEDULE B: 4821902000 OTHER LABELS
6006	PLHS-WHT-3/8	ROLL MARKER TUBES..P/N: PLHS-WHT-1/4..MFG: 3M PER CASE OF 25..SCHEDULE B: 4821902000 OTHER LABELS
6007	PLT-29-427	LABEL WIRE, CLR: WHITE/TRANSLUCENT, MAT: SELF-LAMINATING VINYL B427, PKG: 500..P/N: PLT-29-427..MFG: BRADY LABEL
6008	PM-3B	STRAPS;PROTECTOWIRE PIPE MOUNTING STRAPS NYLON;SERIES PM-3B; 2.5" (63.5 mm) to 3.5" (88.9 mm)..P/N:PM-3B..MFG:NOTIFIER..S(
6009	PM-T64	U-SHAPED MICRO PHOTOELECTRIC SENSOR BUILT-IN CONNECTOR SMALL TYPE..P/N: PM-T64..MFG: PANASONIC INDUSTRIAL DEVICES
6010	PM139AV ZB09 230/50-60	1002544728 ..VSO,PARKERH,PM139AV ZB09 230/50-60,1/2in ..Valves, Solenoid operated..Type 3-WAY..Size, orifice 1.5 mm..Power supply 230 Vac..
6011	PM4-SSI-110-5E-AR12	SSI PANEL METER..INPUT: SYNCHRONOUS SERIAL INTERFACE (SSI)..SUPPLY: 110 VAC..DISPLAY: 5 DIGIT 14MM LED, KEYPADS. ALARM
6012	PM4HSD-S-AC240V	STAR DELTA SWITCHING..P/N: PM4HD-S-AC240V..MFG: PANASONIC

	Item	Description
6013	PMC71-AAA1CBGAAAA	CERABAR PRESSURE TRANSMITTER..PRU803-XG02-MB-011200..MBV50CP101..MODEL CERABAR..SER: A503510109C..MWP:2.7 BAR SPAN
6014	PMD75-ABC7FB1DCAU	PORTABLE WATER TANK LEVEL ..TRANSMITTER; BODY: 316L; MOUNTING: 2”..YOKE-BRACKET KIT REQUIRED- MICROPR. ..TECHNO;
6015	PMG-CH	COUPLER PLUG MALE..V: 15KV, I: 500A, USE: FOR CABLE ..SDH-GC, 8 KV, 2/0..P/N: PMG-CH..MFG: TJB INCORPORATED..SCHEDULE B:
6016	PML-CH8	CONNECTOR REF: MALE 15KV LINE MOUNT F/SHOVEL & DRILLS, SOFT EP, 4 PITCH ACME THREAD ONE GROUND CHECK, TREADED PH
6017	PMMN4069A	PMMN4069 - MOTOROLA IMPRES REMOTE SPEAKER MICROPHONE, WINDPORTING IP55 ..P/N: PMMN4069..SCHEDULE B: # 8518.10.0000
6018	PMMN4075	REMOTE SPEAKER MICROPHONES..P/N: PMMN4075..MFG: MOTOROLA..SCHEDULE B: # 8518.10.0000 MICROPHONES, LOUDSPEAKERS,E
6019	PMNN4409AR	MOTOROLA ORIGINAL OEM 2150MAH SUBMERSIBLE IP67 IMPRES BATTERY LITHIUM ION LI-ION 1500 MILLIAMPS 7.2 VOLTS..P/N: PMNN44
6020	PMNN4489A	IMPRES BATTERY 2900MAH - UL APPROVEDSCHEDULE B: #8506.50.0000 LITHIUM BATTERIES..COMPATIBLE WITH: MOTOROLA XPR 700
6021	PN7594	PRESSURE SENSOR, 4-DIGIT 2-COLOR LED..DISPLAY IN UNITS OF BAR, MPA, AND PSI,..4-WIRE DC, DUAL PNP/NPN SWITCHING..OUTPU
6022	POC03M	FIBER OPTIC SPLICE & CONNECTOR CLEANER PUMP SPRAY BOTTLE OF FAST-DRYING NONHAZARDOUS FOR ALL FIBER TASK,SUCH A
6023	POE-173	ULTRA POWER OVER ETHERNET INJECTOR (10/100/1000MBPS, 4-PAIR)..MAX POWER: 60W ;HIGH SPEED ETHERNET DATA CONNECTIO
6024	POE-48-24W	POE ADAPTER 100-240 @ 50/60 HZ, OUTPUT 48VDC @ 0.5A, INPUT CURRENT 0.6A @ 120VAC, 0.4A @ 240VAC, ..P/N: POE-48-24W..MFG: U
6025	POI-2002	LEVELONE POWER OVER ETHERNET INJECTOR..STANDARDS & PROTOCOLS:..IEEE 802.3 10BASE-T, ETHERNET..IEEE 802.3U 100BASE-
6026	POSTRAIL KIT 1U	1 U UNIVERSAL ADJUSTABLE RACKMOUNT SHELF KIT..P/N: POSTRAIL KIT 1U..MFG: TRIPP LITE..SCHEDULE :#9403.10.0040 OTHER META
6027	POTMASTER	SCAN GENARATOR..P/N: POTMASTER
6028	PP01123	FAN, MAIN..P/N:PP01123..MFG:EATON..WEIGHT: 2 LBS / 10 DAYS..
6029	PP01175	IGBT MODULE..P/N:PP01175..MFG:EATON..WEIGHT:
6030	PPNHS-FULL-GR2-3147	CF000392 - #6-32 X .50 PPNHS-FULL-GR2-3147 ..P/N: 9SCF000392..MFG: LINCOLN..SCHEDULE B: # 8515.80.0080 OTHER PARTS
6031	PQ18R256D	TERMINAL PRESSURE LOW VOLTAGE..TYPE: FEMALE, AWG: 22-18, INSUL: PVC, SPEC: QUICK..P/N: PQ18R256D (R/B: PQ18F25X03A)..MFG
6032	PR13	LAMP MINIATURE..V: 4.75 V, POW: 2.38W..P/N: PR 13..MFG: GE..SCHEDULE B: # 8539228050 OTHER LAMPS
6033	PR40S1A2P18D- 61525SSCDSFS	PR40S1A2P18D- 61525SSCDSFS200..GAUGE, DIAPHRAGM..(SIZE)-4";(SIZE-CONNECTION)-1-1/2" NPTFEMALE;(RAN-PRE)-0-100PSI(INCL)-D
6034	PR40S1A2P18D-W51525SSC-DS	GAUGE DIAPHRAM, SIZE: 4", SZ-CONN: 1-1/2", NPT: FEMALE, RAN-PRE: 0-100 PSI, INCLUDE: DSFS200..P/N: PR40S1A2P18D-W51525SSC-D
6035	PR7	LAMP, MINIATURE (NO. -LAMP TRADE) -PR 7; (V) -3.70V; (POW)-1.11W..P/N: PR7..MFG: GENERAL ELECTRIC CO.
6036	PRESCRIPTION	SPANISH VERSION PRESCRIPTION FOR..DEFIBRILLATOR PHIILPS HEARTSTART
6037	PRO5265	RATCHET 3/8" DRIVE..P/N: J5265 (OFFER P/N: PRO5265)..MFG: PROTO TOOLS
6038	PRSL1003PI	INTERRUPTOR DOUBLE 2 SPEED, ..P/N: PRSL1003PI..MFR: TER..SCHEDULE B: # 8536509065 OTHER SWITCHES..
6039	PRSL400LPPMTPDN12CR08214	LAMPHOLDER GLASS REFLECTOR ..(POW)-400W;(V-AC)-120/277V;(SZ-CONN)- 0.75"NPT;(INCL)-1EA LAMP;(SPEC)-PRISMALU -ME,COMPLE
6040	PRX-5	SCRAPING PIG LAUNCHER WIREBRUSH 3"..P/N: PRX-5 (P/N: MW03)..MFG: PIGS UNLIMITED..SCHEDULE B: # 8207.80.0000 OTHER TOOLS
6041	PRX-5 4"	SCRAPING PIG LAUNCHER WIREBRUSH 4"..P/N: PRX-5 (P/N: MW04)..MFG: PIGS UNLIMITED..SCHEDULE B: # 8207.80.0000 OTHER TOOLS
6042	PS-60	SHREDDER, POWERSHRED, FREQ: 60HZ, V: 115, SPEC: PERSONAL STRIP CUT SHREDDER..P/N: PS-60 (EP5144967)..MFG: FELLOWES..SC
6043	PS0509NGY	SWIVELLOK CONNECTOR CONDUIT FLEXIBLE; (DIA)-1/2";(TYPE)-LIQUID TIGHT (MAT)- NON METALLIC POLYTUFF (CLR)-GRAY;(LG)- 3.27"
6044	PS102A	PRESSURE SWITCH DPDT; POTTER PS10-2, PS10-2A/1340102..P/N:PS102A..SCHEDULE B: # 8535300080 OTHER SWITCHES..MFG:VIKING
6045	PS15AC3-I	SWITCH TUMBLER..VAC: 120-277V, I: 15A, NO.POLES: 2, REF: 3 WAY IVORY..P/N: PS15AC3-I..MFG: PASS & SEYMOUR..SCHEDULE B: # 853
6046	PS18-12	12 V 18Ah SEALED LEAD ACID BATTERY, CONSTANT VOLTAGE CHARGE (25C), CYCLE USE 14.5-14.9V, STANDBY USE: 13.6 - 13.8 V, INITI

	Item	Description
6047	PS20AC1-L	SWITCH TOGGLE, 20A, VAC: 120-270V, POL: 1, ..P/N: PS20AC1-L..MFG: PASS & SEYMOUR..SCHEDULE B: # 8536509025 OTHER ELECTRO
6048	PS5R-B24	POWER SUPPLY 240VAC, 90.3 AMP/ 24 VDC, 0.6AMP, 15W..P/N: PS5R-B24..MFG: IDEC..SCHEDULE B: # 8504.40.9520 POWER SUPPLIES RE
6049	PS8-18GM50-N	SPEED SENSOR SHAFT FAN..P/N: PS8-18GM50-N..MFG: SENSE..
6050	PS92-B	Speedrooter 92, General Pipe Cleaners Electric Floor Model Machine w/ Power Feed, 75'x3/4" Cable & Cutter Set..P/N: PS92-B..MFG: General Wire Spri
6051	PS92-C	SPEEDROOTER 92 100 EM5 CABLE AND SRCS CUTTER SET..100 FT..P/N: PS92-C..MFG: GENERAL WIRE SPRING
6052	PSKT310/16	THRYSTOR POWERSEM..P/N: PSKT310/16..MFG: POWERSEM
6053	PSLP-1	LEAK PROBE WITH 16FT CABLE..P/N: PSLP-1..MFG: PS INTERNATIONAL, INC...SCHEDULE B: #9018490000 OTHER PROBE
6054	PSU10815	CAPACITOR,ALUMINUM ELECTROLYTIC 108-130UF 125V,20%,QC;PRODUCT RANGE:PSU SERIES,CAPACITANCE:108F;CAPACITANCE TOL
6055	PSW-246D	30 in Hg to 0 vacuum switch with Phosphor Bronze bellows,1/4 NPTF fitting and 11 amp DPDT switch ..p/n: PSW-246D..Mfg: Industrial Pressure Switch
6056	PT-100	SENSOR TEMPERATURE, RTD, BEARING, KIT..Item long text:..(TYPE)-PT-100, 3 WIRE ..P/N: PT-100 ; INCLUDES: ..3 EA1060-39 ..2 EA 106
6063	PT-P900W	LABEL PRINTER P-TOUCH 9600, INCLUDED TAPE TZe WHITE LAMINATED 36 MM / 1.4 IN...P/N: PT-P900W..MFG: BROTHER..SCHEDULE B:
6064	PT0045-3	TUBE..(MAT)-PVC CLEAR..(SIZE-0.045";(LG)-16";(SPEC)-RED/RED/RED 3 STOP (PKG)-12 EA..P/N:PT0045-3..MFG: ENVEXP..SCHEDULE B: # 3
6065	PT0060-3	TUBE..(MAT)-PVC CLEAR..(SIZE)-0.060,(LG):16", (SPEC): YELLOW/BLUE/YELLOW 3STOP, PKG: 12EA..P/N: PT0060-3..MFG: ENVIRONMENTA
6066	PT06A-10-6S(SR)	CONNECTOR PLUG WITH SOCKET SOLDER..P/N: PT06A-10-6S(SR)..MFG: AMPHENOL..SCHEDULE B: # 8536695050 OTHER CONNECTORS
6067	PT100 TZ130929583	SENSOR; RTD; T SERIES ;RANGE: -50 - 200C DEGREES;STEEL;DIA:8MM;LENGHT: 220MM WITH 6 WIRES;SERIES:S12PT100-140-5-3232 / FC
6068	PT1000	PORTA-TRUNK, FINISH COAT: STANDARD FINISH, ELEMENTS: STANDARD ULTRA-WEB FR..CONTROL BOX: 115/60/1 VAC..TRUNK ARM: 6'
6070	PTB-66-XHA	SOPORTE AG PARA VERTICE TIPO PTB PARA PERNO DE 3/4 IN..P/N: PTB-66-XHA
6071	PTB330 A0AAHAAFEB5A01	PTB330 A0AAHAAFEB5A01..DIGITAL BAROMETER..CLASS A ACCURACY (±0.15 HPA OVER FULL TEMPERATURE..RANGE), COVER WITHOU
6072	PTB330TS	CARRYING CASE FOR PTB330TS MI70 AND HMP155..MFG: PTB330TS..MFG: VAISALA
6073	PTFE 4124/S	4" X 14" FEET OF WILLCOX 4124SSPTFE HOSE WITH COUPLED WITH 4" SS 150# FIXED FLANGE ONE END AND 3" SS FIXED FLANGE OTE
6074	PTG5-2-110-14442FF	POTENTIAL TRANSFORMER, MODEL PTG5, 1500VA, 60 HZ, 14,400V, 120:1 RATIO, 110KV BIL, DOUBLE CASE FUSE, ..P/N: PTG5-2-110-14442
6075	PTL-29-427	LABEL WIRE, CLR: WHITE/ TRANSLUCENT, MAT: SELF-LAMINATING VINYL 8427, PKG: 500, ..P/N: PTL-29-427..MFG: BRADY LABEL..SCHEDU
6076	PTN-1-999101111	POT DIAL..(SPEC)-0%-100%,VOLTAGE ADJ...MFG: RPTI..P/N: PTN-1-999101111..MFG: RAPID POWER TECHNOLOGIES INC...SCHEDULE B: #
6077	PTN-1-999102111	POT DIAL..(SPEC)-0%-100%,CURRENT ADJ...MFG:RPTI..P/N: PTN-1-999102111..MFG: RAPID POWER TECHNOLOGIES INC...SCHEDULE B: #
6078	PTRA - 1438-24	PROTECTION TUBE (OD) - 3/8" (ID) -1/4"; (LG) - 24" (REF) - CERAMIC THERMOCOUPLE PROTECTION (DOC/EXT) - Y/N..P/N: PTRA -1438-24.
6079	PTSE-H202LL-C00	SWITCH SELECTOR, V: 600V, 3 POS, NC:1, NO: 1..P/N: PTSE-H202LL-C00 OBSOLETE..R/B: ASD320N IDEC ..MFG: MICRO SWITCH..SCHEDU
6080	PTW5-1-110-1442F	INDOOR VOLTAGE TRANSFORMER PRI=14400V, 120-1BIL, 110 KV, 60HZ, 03Z, 1500VA, 30 C..P/N: PTW5-1-110-1442F..MFG: GENERAL ELEC

	Item	Description
6081	PU240T	POWER UNIT 60 W 240 V 50/60HZ..P/N: PU240T (WELLER WTCPTD)..MFG: WELLER
6082	PUCK 800	1002401543 ..CORE PROCESSOR ASSY,PUCK 800,MI-MOT ..Spare_parts..Part name CORE PROCESSOR ASSEMBLY..Additional information:..Ty
6083	PV48-360	48" PLASTIC FULL DOME 360 DEG..P/N: PV48-360..MFG: SEE ALL..SCHEDULE B:# 3926.90.9988 OTHER ARTICLES OF PLASTIC
6084	PVDF 41-L-SL	PUMP; TRANSFER; ..COMPONENTS:..-0060-002 MOTOR MAII7/795W 230VAC/50HZ NO LWR..-0122-205 PUMP TUBE MSL-PVDF41 LHC 39"..-(
6085	PVM131ER12GS02AAA28000000	MOTOR PUMP,..P/N: PVM131ER12GS02AAA28000000A0A..MFG: VICKERS..SCHEDULE B: # 8413.81.0040 OTHER PUMPS FOR LIQUIDS
6086	PW481-50	POWER SUPPLY CONTROL SYSTEM..P/N: PW481-50..MFG: YOKOGAWA
6087	PWSC	CONNECTOR; PROTECTOWIRE SPLICING CONNECTOR(10/PACK)..P/N:PWSC..SCHEDULE B: #8535908040 OTHER CONNECTORS..MFG:N
6088	PYGMY	LAMP MINIATURE..V: 240V, POW: 15W..BASE: BAYONET..TYPE: DOUBLE CONTACT 22MM..P/N: PYG (15W 240V PYGMY B22D)..MFG: IMPOF
6089	Q024025TL511N	EAGLE EYE FILTERED BATTERY CHARGER, BREAKER AMP AC/DC 15A, 15..P/N: Q024025TL511N..MFG: SENS..EAGLE EYE FILTERED BAT
6090	Q024150SL511C	SENS model Q024150SL511C..EnerGenius IQ dual microprocessor charger/DC power supply with integrated battery check system and data logger. Inpu
6091	Q024150SL511K	SENS MODEL Q024150SL511K LOAD SHARED WALL MOUNTED..P/N: Q024150SL511K..MFG: SENS..SCHEDULE B: # 8504.40.6018
6092	Q14F25X03D	TERMINAL DISCONNECT STAKON FEMALE 16..P/N: Q14F25X03D..MFG: BURNDY..SCHEDULE B: # 8536695050 OTHER CONNECTORS..
6093	Q1615-E MK II	NETWORK CAMERA HIGH-SPEED EXCELLENCE AND OUTDOOR-READY WITH I-CS LENS;..INDOOR/ OUTDOOR. INCLUDES HOUSING AGA
6094	Q1CKC	Q PUMP HEAD MODULE..P/N: Q1CKC..MFG: FLUID METERING..SCHEDULE B: #8413.91.9520 OTHER PARTS FOR PUMPS
6095	Q500T3/CL	LAMP QUARTZ HALOGEN (V)-120V; (POW)--500W;(TYPE)-T3. 12 PER CASE..P/N: Q500T3/CL..MFG: GENERAL ELECTRIC CO...SCHEDULE B:
6096	Q6032-E	Axis Q6032-E PTZ Dome Network Camera..p/n: Q6032-E..Mfg: Axis Communication..SCHEDULE B: #8525805050 Other cameras
6097	Q6044-E PTZ	OUTDOOR READY PTZ SMOKED DOME NETWORK CAMERA 30X OPTICAL ZOOM / 12X DIGITAL ZOOM, 720P HDTV (1280 X 720) RESOLUTI
6098	QA1-0312	PLASTIC STRETCH FILM, REF: MASTER WRAPPER 3"X600 FT, CORE HEAVYDUTY, 120 AWG, ITEM # 50082..P/N: QA1-0312 ..MFG: UNITED
6099	QBGFEP1015	CIRCUIT BREAKER CUTLER HAMMER, SINGLE POLE, 15 AMP, 120 VAC..P/N: QBGFEP1015..MFG: CUTLER HAMMER..SCHEDULE B: # 85362
6100	QBGFEP2015	CIRCUIT BREAKER CUTLER HAMMER..TWO POLE, 15 AMP, 120/240 VAC..P/N: QBGFEP2015..MFG: CUTLER HAMMER..SCHEDULE B: # 8536
6101	QD8SWIVELOLD/W	QD 7 & 14 SWIVEL ASSEMBLY OLD WITH FITTINGS NEED 2 MALE AND 2 FEMALE, OLD SINGEL SWIVELS NEED COMPLETE KITS..P/N: QD8
6102	QF500	RAB LIGHTING QF500F QUARTZ CURVE FLOODLIGHT, ALUMINUM, 500W POWER, 11000 LUMENS, 120V, BRONZE..P/N: QF500F..MFG: RAB
6103	QF50DB	FLOODLIGHT ELECTRIC..TYPE: QUARTZ, VAC: 120V, POW: 500, SPEC: QUARTZ FLOOD..P/N: QF50DB..MFG: GENERAL ELECTRIC..SCHED
6104	QG400-2	Q PUMP DRIVE MODULE, 400 RPM, 230 VAC, 50/60 HZ..P/N: QG400-2..MFG: FLUID METERING..SCHEDULE B: #8413.91.0000 PUMPING EQUI
6105	QGL32225	POWERPACT Q- MOLDED CASE CIRCUIT BREAKER -3 POLE -65KA..240V 225A..P/N: QGL32225..MFG:SQUARE D
6106	QO112L125G	BREAKER LOAD CENTER WITH DOOR (QOC16UF)..P/N: QO112L125G..MFG: SQUARE-D
6107	QO115	CIRCUIT BREAKER NO. POLES: 1, I: 15AMP V: 120/240VAC..P/N: QO115..MFG: SQUARE D
6108	QO120	CIRCUIT BREAKER NO. POLES: 1, V: 120/240VAC, I: 20A..P/N: QO120..MFG: SQUARE-D
6109	QO120L125G	CIRCUIT BREAKER LOAD CENTER,..NO-PHASES: 1, NO-WIRES: 3, VAQC: 120-240 V, I: 125A..P/N: QO120L125G (WITH FLUSH COVER P/N: (
6110	QO130	PLUG ON CIRCUIT BREAKER 120/240V 30A/1P..P/N: QO130..MFG:SQUARE D
6111	QO215	CIRCUIT BREAKER, NO.POLES: 2, VAC: 120/240V, I: 15A..P/N: QO215..MFG: SQUARE D..SCHEDULE B: # 8536200040 OTHER AUTOMATIC CI
6112	QO220	CIRCUIT BREAKER 2 POLE 20 A 120 V..P/N: QO220..MFG: SQUARE D..SCHEDULE B: # 8536200040 OTHER AUTOMATIC CIRCUIT BREAKERS
6113	QO230	CIRCUIT BREAKER..NO. POLES; 2, V: 240V, I; 30 A,..P/N: QO230..MFG: SQUARE-D..SCHEDULE B: # 8536200040 OTHER AUTOMATIC CIRCUI
6114	QO240	CIRCUIT BREAKER, NO. POLES: 2, VAC: 120/240V, I: 40A, ..P/N: QO240..MFG: SQUARE D..SCHEDULE B: # 8536200040 OTHER AUTOMATIC (

	Item	Description
6115	QO250	CIRCUIT BREAKER..NO. POLES: 2, V: 120V, I: 50 A, ..P/N: QO250..MFG: SQUARE-D..SCHEDULE B: # 8536200040 OTHER AUTOMATIC CIRCU
6116	QO270	PLUG ON CIRCUIT BREAKER 120/240V 70A/2P..P/N:QO270..MFG:SQUARE D
6117	QO3100	PLUG ON CIRCUIT BREAKER;V 100A/3P 240..P/N:QO3100..MFG:SQUARE D
6118	QO312L125G/QOC16US	CIRCUIT BREAKER LOAD CENTER, NO-PHASES: 3, NO.WIRES: 4, SPEC: 12 CIRCUITS, VAC: 120-240V, I: 125A, INCL: SURFACE INDOOR CO
6119	QO320	CIRCUIT BREAKER..NO. POLES: 3, V: 240V, I: 20 A,..FREQ. 50/60 HZ,..P/N: QO320..MFG: SQUARE-D..SCHEDULE B: # 8536200040 OTHER AU
6120	QO342L225G	LOAD CENTER; RANGE: QO; MLO 240V 225A 3PH 42SP ; INDOOR; 42 BREAKERS;65KA..P/N: QO342L225G..MFG: SQUARE D
6121	QO342M225GC	LOAD CENTER, TYPE: QO, 3 PHASE, 42 CIRCUITS, WITH INTERRUPTOR PRINCIPAL, 225 AMPS, INCLUDED GROUND BAR, AND FLUSH CO
6122	QO342MQ225	LOAD CENTER;RANGE: QO; MB 225A ;3PH 42 CIRCUIT..TYPE:MAIN BREAKER;..P/N:QO342MQ225..MFG:SQUARE D
6123	QO342MQ225RB	SHIPS WITH FREE COVER..• CONVERTIBLE MAIN BREAKER..• 208 VAC STAR/120 VAC, 240/120 VAC DELTA (3 PHASE 4 WIRE)..• 240 VAC D
6124	QOB225	CIRCUIT BREAKER, NO. POLES: 2. V: 240V, I: 25A, ..P/N: QOB225..MFG: SQUARE D..SCHEDULE B: # 8536200040 OTHER AUTOMATIC CIRCU
6125	QOC342MQS	LOAD CENTER COVER SURFACE..P/N: QOC342MQS..MFG:SQUARE D..
6126	QPK-CTDE-0000	DISPLAY, TYPE: QUICK PANEL 5.7", TFT COLOR LCD, INTERFACE: SERIAL, ETHERNET AND COMPACT FLASH CARD SLOT, V: 24VDC, U/O
6127	QR-514 7/16	CHUCK QUICK CHANGE (SPEC)-FOR IMPACT WRENCH 1/2" SQUARE DRIVE ..P/N: QR-514 7/16..MFG:APEX EQUIPMENT INC...SCHEDULE E
6128	QS5DLE	ULTRASONIC THICKNESS AND CORROSION GAUGE..P/N: QS5DLE..MFG: DEMEQ
6129	QSS201-12	2MHZ TRANSDUCER..P/N: QSS201-12..MFG: DEMEQ
6130	QT2910	Quik QT2910 3 Terminal Repair Lugs/Bag - 10 awg - 4ft Leads w/ Spades ..P/N: QT2910..Mfg: Quik..SCHEDULE B: # 8535100040 OTHER ELECTRIC
6131	QT50RAFQ-US	BANNER 79021 R-GAGE FMCW(TRUE PRESENCE) R-BASED SENSOR;RANGE:3 TO 15 M;INPUT:12 TO 30 V DC;OUTPUT; BIPOLAR:1 NPN;1
6132	QTHA-KIT4	MALETA CONECTRS PRA CALIBRACIO QTHA-KIT4..MALETA DE CONECTORES ESPECIALES PARA CALIBRACION...MODELO: QTHA-KIT4; M
6133	QTII 5623KT	TERMINATION CABLE KIT, AWG: 1/0-300, V: 15KV, NO. CONDUCTOR: 3. FEATURE: COLD SHRINK, APPL: SHIELDED CABLES, SILICONE RI
6134	QTII 5635K	TERMINATION CABLE KIT, AWG: 2/0 AWG-350MCM, SPEC: UNIPOLAR, 15KV-133% INSULATION, EXTERIOR USE..P/N: QTII 5635K (80-6101-
6135	QUINT-PS-240AC/24DC/10	DC POWER SUPPLY, CODE 2938604..P/N: QUINT-PS-240AC/24DC/10 ..MFG: PHOENIX CONTACT..COUNTRY OF ORIGIN: THAILAND..SCHEI
6136	QUINT-PS/1AC/24DC/10	POWER SUPPLY; (V-INP)-85-240VAC; (V-OUT)- 24VDC; (I -OUT)-0.95W..P/N: QUINT-PS/1AC/24DC/10..MFG:PHOENIX CONTACT
6137	QWD05-4-3-2-TLS	WASHDOWN HEATER ELECTRIC.- CORROSION RESISTANT..P/N:QWD05-4-3-2-TLS..MFG:QMARK..SCHEDULE B: # 8419.89.9540 OTHER E
6138	QY-1-13-DM-U2-15	BREAKER 15 AMP, SERIE QY, 80 VDC BOTTON CONNECTION POSITIVE, 1 POLE..P/N: QY-1-13-DM-U2-15..MFG: CBI
6139	QY-1-13-DM-U2-5	BREAKER 5 AMP, SERIE QY, 80 VDC BOTTON CONNECTION POSITIVE, 1 POLE..P/N: QY-1-13-DM-U2-5..MFG: CBI
6140	R-092915	SPRING -(SPEC)- COMPRESSION..P/N: R-092915..
6141	R1031BCB-F11K	REPAIR KIT.- CONSISTING OF GEARS/SHAFTS, CARBON BEARINGS,O-RINGS AND MECHANICAL SEALS..P/N: R1031BCB-F11K..MFG:OBEF
6142	R168/17808M01 RWK168	BRAKEWEEL COUPLING 13" X 5.75" WK TYPE CC SIZE 168 ..PILOT BORED..P/N: R168/17808M01 RWK168..MFG: BIBI COUPLING ENGLAND.
6143	R230-02D	PRECISION AIR REGULATOR 1/4", 2-150 PSI..P/N: R230-02D..MFG: PARKER..SCHEDULE B: # 8481100060 OTHER PARTS FOR CONTROL VA
6144	R27-200-RNFG	AIR REGULATOR R27-200-RNFG PRESSURE 0.14-4 BAR, PORT SIZE: G1/4"..P/N: R27-200-RNFG..MFG: NORGREN..SCHEDULE B: # 9032.90.(
6145	R28411D7	ENCODER KIT..P/N: R28411D7..MFG: P & H MORRIS MATERIAL HANDLING
6146	R2E225-BE51-09	FAN, (V-AC)-115V;(POW)-185W; (FREQ)-60HZ;(SIZE)-225MM;..P/N: R2E225-BE51-09..MFG: EBM..SCHEDULE B: 8414599080 OTHER FANS
6147	R31171	LOAD PIN, MO: M-00.26.1/86KN-D060-L180, RANGE: 86KN, V: 24VDC..P/N: R31171..MFG: ISETRON
6148	R356CP5362	RISER CARD PCI-E G3 X 16 POWEREDGE R220; R220-57T4R..P/N:R356CP5362 / 57T4R..MFG:DELL..SCHEDULE B: #8523.80.2000 OTHER EL

	Item	Description
6149	R36555D1	GRINDING CHANNEL, CARRIAGE SUPPORT 224R UNOPPOSED..P/N: R36555D1..MFG: MORRIS MATERIAL HANDLING
6150	R37341-600	AIR REGULATOR, 1/2 IN NPT, 210 CFM, 250 PSI..P/N:R37341-600..MFG ARO/ INGERSOL RAND..SCHEDULE B: # 9032.90.0000 AUTOMATIC RI
6151	R38-42-5	VANE PACK R38-42-5 MODEL 3840P,SP09L30164 (03404118)..(SET OF 5 VANES)..MFG:INGERSOL RAND..P/N:R38-42-5
6152	R3800-12	REAR END PLATE..P/N: R3800-12..MFG: INGERSOL RAND
6153	R3800-40	HOUSING..P/N: R3800-40..MFG: INGERSOLL RAND..
6154	R3840-283	BACKHEAD BASKET..P/N: R3840-283..MFG: INGERSOLL RAND
6155	R3840-3	CYLINDER..P/N: R3840-3..MFG: INGERSOLL RAND
6156	R412-1K	ADAPTER, 1/4" ID TUBE FLUOR..P/N: R412-1K..MFG: FLUID METERIND
6157	R418D-1027	OIL BURNER CONTROL..P/N: R418D-1027..MFG: HONEYWELL
6158	R431002645	VALVE 0-125 PSI, CONTROLAIR H-2-FX, P50494-3..P/N: R431002645..MFG: AVENTICS REXROTH..SCHEDULE B: # 8481801095 OTHER VALVE
6159	R5H-42-5	VANE PACKET..P/N: R5H-42-5..MFG: INGERSOLL RAND..SCHEDULE B: #8204.12.0000 SPARE PARTS FOR IMPACT WRENCH
6160	R62XXXA00	MOTOR PNEUMATIC, SPEC: RADIAL PISTON AIR MOTOR, SPEC: REPLACE MOTOR JO40054, ANODE FURNACE..P/N: R62XXXA00..MFG: PC
6161	R6335A-2	BLOWER 4/SKIDGAST..P/N:R6335A-2..MFG:GAST
6162	R6501FT	LAMP FLASHTUBE HELICAL..MODEL: 451, SPEC: 360, U/O: STROBE,..P/N: R6501FT..MFG: ECCO..SCHEDULE B: #8539320090 OTHER DISCH
6163	R7849B1021	STOCK CODE: 78030..AMPLIFIER, BOARD..(SPEC)-ULTRAVIOLET..P/N: R7849B1021..MFG: HONEYWELL ..
6164	R8100	VIDEO INSPECTION BORESCOPE..P/N: R8100..MFG: REED/ ITM INSTRUMENTS..SCHEDULE B: # 9013.80.0000 OTHER DEVICES, APPLIANC
6165	R8184G-4009	CONTROL, (SPEC)-HONEYWELL PROTECT RELAY, 120 V , 60 HZ..P/N: R8184G-4009..MFG: HONEYWELL (MICRO SWITCH DIVISION)..SCHE
6166	R900424152	HYDRAULIC PRESSURE RELIEF VALVE WITH BUSHING ; DIRECT OPERATED; TYPE DBD...SLEEVE WITH HEXAGON AND PROTECTIVE CA
6167	R900743332	DIRECTIONAL CONTROL VALVE BRH..P/N: R900743332..MFG: REXROTH BOSCH..SCHEDULE B: # 8481801095 OTHER VALVES
6168	R901088867	BOSCH REXROTH PISTON PUMP..P/N: R901088867..MFG: REXROTH
6169	R910966153	HYDRAULIC PUMPS A AA10VSO 45 DR/31R-VKC62N00..PART NUMBER: R910966153 (R/B: R902502741)..MFG: REXROTH HYDRAULIC DIVISI
6170	R928006897	FILTER ELEMENT (002) R928006897 REXROTH..2.0250 H3XL-B00-0-V HYDRAULIC FILTER..2.0250 H3XL-B00-0-V..REXROTH BOSCH..HYDRAU
6171	R978886004	GAUGE PRESSURE 4/5000PUA31-10A -4 JIC;0-5000PSI ;STYLE AUX0020959 KKS MBX HYDRAULIC SPPLY SKID..P/N: R978886004..MFG: REX
6172	R978980704	MANIFOLD CENTERING, MOSAIC CODE 70156891, SOLPED 10282588..P/N: R978980704..REXROTH HAGGLUNDS
6173	RA306	CYLINDER HYDRAULIC RA306, PUMP P159, HOSE 9776, ADAPTER 9670, PRESSURE GAUGE 9040..MFG: POWER TEAM
6174	RAT185H483-S4D52(3/4)08T4S-S	TEMPERATURE SENSO RTD...* 100 OHM PLATINUM* TEMPERATURE COEFFICIENT 0.00385 OHMS PER DEGREE C* TOLERANCE CLASS A
6175	RAYMID10LTCB3	RAYTEK INFRARED TEMPERATURE SENSOR..P/N: RAYMID10LTCB3..MFG: RAYTEK..SCHEDULE B: # 9032896040 TEMPERATURE CONTRC
6176	RB-50	BLOWER RB-50 INCLUDING PULLEY,..La: 1.46KW, S/N: R-3180,..1.02m3/min x Ps: ATM X 1450 min-1..Pd: 3000mmAq..2.2.kW x 4P x 60 Hz..Blowe
6177	RB-50 BLOWER	BLOWER RB-50 INCLUDING PULLEY,..La: 1.46KW, S/N: R-3181,..1.02m3/min x Ps: ATM X 1450 min-1..Pd: 3000mmAq..2.2.kW x 4P x 60 Hz..Blowe
6178	RB-75-50	BUSHING REDUCING 3/4" TO 1/2"..P/N: RB-75-50..MFG: APPLETON..SCHEDULE B: # 7307.99.2000 OTHER FITTINGS OF IRON OR NONALLO
6179	RB14-10	TERMINAL PRESSURE LOW VOLTAGE..TYPE: RING, AWG: 18-14, INSUL: BLUE NYLON, ,STUD-HOLE: #10, SPEC: STAKON..P/N: RB14-10..M
6180	RB14-6	TERMINAL PRESSURE LOW VOLTAGE..TYPE: RING, AWG: 18-14, INSUL: BLUE NYLON, STUD HOLE: #6, SPEC: STAKON..P/N: RB14-6..MFG
6181	RB150-100	REDUCER,(ID)-1";(OD)-1 1/2" (MAT)-CROUSE HINDS THREADED..P/N:RB150-100..MFG:APPLETON..SCHEDULE B: # 7307992000 OTHER RED
6182	RB6755-13W	WORK BOOTS, TOE TYPE COMPOSITE, METATARSAL GUARD YES, INSULATED NO, MEN'S, SIZE 13, FOOTWEAR WIDTH W,(48) WATERP

	Item	Description
6183	RB877	TERMINAL PRESSURE LOW VOLTAGE..TYPE: RING, AWG: 18-14, INS: YES, STUD HOLE: #10, ..P/N: RB877..MFG: THOMAS & BETTS..SCHEI
6184	RBB21	CONNECTOR WIRE, COMPRESSION TUBULAR, SZ-WIRE: 14-12 AWG, V: LOW VOLT, INSUL: YES,..P/N: RBB21..MFG: THOMAS & BETTS..SC
6185	RBE06.8600	ADJUSTABLE 2 WAY " Y "DISTRIBUTOR FOR SF6 GAS; .. (L:123.0MM X H:95.0MM X H1:68.0MM ANGLE:120 DEGREES X E(MM) 23 X F:17) ..M
6186	RBX144-6	BANDED COGGED V-BELT RIBBON..GOLD-RIBBON® COG-BAND® BANDED V-BELT - BX SECTION, 6 BAND, 147.90 IN OUTSIDE LENGTH, C
6187	RC10-14	TERMINAL PRESSURE LOW VOLTAGE, TYPE: RING, AWG: 12-10, INSUL: YELLOW NYLON, STUD-HOLE: 1/4", SPEC: STAKON..P/N: RC10-14
6188	RC120-4	ROLLER CHAIN..P/N:RC120-4MFG: REXNORD..(10 FOOT LONG/BOX)
6189	RC160-4	ROLLER CHAIN ..P/N:RC160-4..(10 FOOT LONG/BOX)..MFG: REXNORD
6190	RCAC25T4002	PULSE JET VALVE, PILOT SIZE 1/8", THREAD TYPE: O=NPT, DIAPHRAGM MATERIAL: SHOCK WAVE..P/N: RCAC25T4002..MFG: GOYEN PEN
6191	RCC-1100	RUGGED CARRYING CASE..P/N: RCC-100..MFG: OMEGA ENGINEERING
6192	RCR-V30	EARTH LEAKAGE RELAY..P/N: RCR-V30..MFG: HOBUT
6193	RCVZ15GB-A	ORIGINAL COOL VEST-GRAY BANOX FR3 WITH PROTECT PACK..SKU RCVZ15GB-A..MFG: GLACIERTEK LLC..SCHEDULE B: # 6217.10.0000
6194	RD4000PLKIT3	TRANSMITTER & RECEIVER CABLE AND PIPE LOCATION, INCLUDE: T10-B TRANSMITTER, 4" CLAMP, A-FRAME, CARRYING BAG..P/N: RD4
6195	RD4MD2S0110MD60A11	SENSOR; STROKE 100MM; LINEAR- POSITION SENSOR; MAGNETOSTRICTIVE, ABSOLUTE, NON-CONTACT R SERIES DETACHED ELECT
6196	RE-1434	RELAY 3 POLE..W/INDICATOR LIGHT, 3PDT..P/N: RE-1434..MFG: ....SCHEDULE B: #8536200040 - OTHER RELAYS..
6197	RE-5C	ELECTRODE Cu/CuSO4 ..P/N: RE-5C (Cat #15210)..MFG: MC MILLAR..SCHEDULE B: # 8545190000 OTHER ELECTRODE
6198	RE32-G	REDUCER THREADED..ID: 3/4", OD: 1", MAT: STEEL,..FINISH: URETHANE COATING..P/N: RE32-G..MFG: THOMAS & BETTS..SCHEDULE B: #
6199	RE527920	FILTER; AIR CLEANER; MARINE ;3 LBS 8" X 9" X 11"..EQUIPMENT: MOTOR 6068AFM75..APPLICATION: 6.8L, 8.1L, & 9.0L MARINE ENGINES; F
6200	REC-1007	REDUCER THREADED PVC COVERED..ID: 3/4", OD: 1", MATl STEEL..P/N: REC-1007 T&B (OFFER P/N: REC32-G)..MFG: THOMAS & BETTS O
6201	REEL-20	20 INCH SHIPPING REEL (DEPOSIT)..P/N: REEL-20..MFG: UNIVERSAL..SCHEDULE B: # 8426190000 MOBILE LIFTING PARTS FOR BRIDE CR
6202	REFLECTOR 60W E27	REFLECTOR 60W E27 230V NR63 30D FR 1CT , CODE 871150004366578..P/N: REFLECTOR 60W E27..MFG: PHILIPS..PKG/30
6203	REMOTE CONTROL RMJ	REMOTE CONTROL KONE CRANE, INCLUDES TRANSMITTER, RECEIVER, SELECTOR SWITCH AND LABEL..HOIST SERIAL # HMV09990 ..
6204	REN-20	FUSE;RENEWABLE;20A 250V;CLASS: H; SERIES:REN; DIAM:9/16"..P/N: REN-20..MFG:BUSSMANN..SCHEDULE B: # 8536100040 OTHER FUSE
6205	RES-25	FUSE CLASS H, 600V, 10KA..P/N: RES-25..MFG: BUSSMAN
6206	RES-30	FUSE CLASS H, 30A, 10KA..P/N: RES-30..MFG: BUSSMAN
6207	REX4189A	CIRCUIT BOARD, CONTROL HEAD SPECTRA, ..INCLUDE:..0180016R09 ASSY CRTL HD FRONT HOUSING $26.25,..HLN6285A BOAD CONTR
6208	RFA-4006-500	MASTER CRIMP KIT ; 2 HANDLES, 17 DIE SETS, COAX & TERM..P/N: RFA-4006-500..MFG: RF INDUSTRIES..SCHEDULE B:# 8467.99.0190 OT
6209	RFA-4087	STRIPPING TOOL; (ADJUSTABLE BLADE)RG-8,213 & 214/U..P/N:RFA-4087..MFG:RF INDUSTRIES..SCHEDULE B:# 8203.20.5000 CUTTING PLI
6210	RFD 2000X	FLAME DETECTOR; ULTRAVIOLET & INFRARED..P/N: RFD 2000X..MFG:REZONTECH..SCHEDULE B:# 8531.10.0045 OTHER ELECTRICAL SC
6211	RFN7012-IN	LOCK TYP: LOCKING ASSEMBLIES..MAT: MEDIUM CARBON STEEL..REF: FOR SHAFT-HUB CONNECTIONS..SIZE: 1-15/16"..P/N: RFN 7012-IN
6212	RFN7012-IN 2"	LOCK TYP: LOCKING ASSEMBLIES..MAT: MEDIUM CARBON STEEL..REF: FOR SHAFT-HUB CONNECTIONS..SIZE: 2"..P/N: RFN 7012-IN SIZE
6213	RFT9739MVD61UAEZZZ	FLOW TRANSMITTER; MICRO MOTION MODEL 9739 WITH MVD TECHNOLOGY; ELITE MASS FLOW TRANSMITTER..P/N:RFT9739MVD61UA
6214	RH-508R000 +/- 1.0%	RESISTANCE OF 20KO X 50W ..Power Resistor ..Resistance:8ohm ..Resistance Tolerance:± 1% ..Power Rating:50W ..Series:RH ..Temperature Coe
6215	RH017900	CARD CURCUIT SCR TRIGGER..MODEL 2Z, TRIGGER CRKT..LINE VOLTAGE: 480V..3 Ø, 60 HZ, A RESISTIVE,..INPUT CONTROL SIGNAL 4-2
6216	RH05020K00FE02	Power Resistor; Resistance:20kohm; Resistance Tolerance:ñ 1%; Power Rating:50W; Series:RH; Temperature Coefficient:ñ 20ppm; Resistor Element M

	Item	Description
6217	RH1124	ROUTINE MAINT. KIT MROY A 316S..MAINTENANCE KIT MILTON ROY DOSING PUMP..PUMP SERIES RH P/N: RH1124..MILTON ROY..LFN4(
6218	RH40M-4EK.41.1R	PART NO.: 130172..SINGLE INLET IMPELLER WITH BACKWARD CURVED BLADES...TYPE: RH40M-4EK.4I.1R..MOTOR-RECOGNIZED COMPC
6219	RH520A-220-NIST	RH/ TEMPERATURE & HUMIDITY DATALOGGER, DIGITAL CHART RECORDER WITH NIST CERTIFICATE, INCLUDES 220 VAC ADAPTER, 5(
6220	RHM0120MR051A02	MTS 120MM STROKE SENSOR..P/N: RHM0120MR051A02..MFG: TEMPOSONIC..SCHEDULE B: # 8531100045 OTHER SENSORS
6221	RIC-F-LCA12-01C	PANEL ADAPTER 6 DUPLEX LC-APC;GREEN COLOR;..QUICK-PACK® ADAPTER PLATE, 12-FIBER..ADAPTER TYPE:LC;FIBER COUNT: 12..FE
6222	RIF48SG10B/S1/V	FILTER Y CABEZAL..P/N: RIF48SG10B/S1/V
6223	RISER PIPE	Riser Pipe, Low Carbon Steel, ASTM A53, 4 inch nominal (4.5 inch OD), schedule 40 (0.237 inch wall thickness or ..4.026 inch ID), 5.5 meter lengths, ..T
6224	RJ-45	RJ-45 IP66 RATED ETHERNET CABLE 5M (16 FT) WITH PREMOUNTED CONNECTOR (CAT 6)..P/N: 5502-731 (P/N: RJ-45)..MFG: AXIS
6225	RJ1008W	BOX TERMINAL NEMA..H: 11.62", W: 9.37", THK: 6.61"..SPEC: ENCLOSURE..P/N: RJ1008W..MFG: STAHLIN ..SCHEDULE B: # 8536908085 OTH
6226	RK5515EX	COMPRESSOR, HERMETIC, TYPE: ROTATIVE, HP: 1-1/2, SPEC: 220/60..P/N: RK5515EX (R/B: RKA5515EXD)..MFG: TECUMSEH..OFFER: (K2-
6227	RKW353-TT	REPAIR KIT FOR BUTTERFLY VALVE..4 IN MODEL 815W-11-22-36 TT/VPVL-200-DAB-AS, ACTUATOR TYPE R&P CONEXION WFR MATERIAL
6228	RL-50002	REACTOR; LINE/LOAD REACTOR;ABSORBS POWER LINE DISTURBANCES THAT CAN DAMAGE OR SHUT DOWN VARIABLE FREQUENCY
6229	RL130-058RL	MANUAL ROLLER MILL WITH BOX GEAR REDUCTION..P/N: RL130-058RL..MFG: CAVALLIN
6230	RL140TP	BALLAST FLUORESCENT, V: 120V, POW: 32W, TYPE: RD1649, FREQ: 60HZ, SPEC: FC16T9, LAMP: 120 VAC..P/N: RL140TP..MFG: ADVANCE
6231	RL4RA022TJ	RELAY ELECTROMAGNETIC..V: 120 VAC, #NC: 2, #NO: 2, ..I: 10A, VAC: 660 V,..P/N: RL4RA022TJ..MFG: GENERAL ELECTRIC..SCHEDULE B:
6232	RL70000C-20K	LOAD CELL DEB, 20,000LB, 30 FT, 3MV/V, 700 OHM WW NTEP IIIL 10M FM IP67, WEIGHT 12 LBS..MFG: RICE LAKE..SCHEDULE B: # 9031.80.
6233	RLK23-8-H-500-RT/31/116	BACKGROUND SUPPRESION SENSOR, DETECTION RANGE 0-0.5 M12-240 VAC/10-30 VDC, IP65..P/N: RLK23-8-H-500-RT/31/116..MFG: PEPF
6234	RM35LM33MV	RELAY; LIQUID LEVEL CONTROL RELAY RM35-L - 24..240 V AC/DC..RANGE OF PRODUCT ZELIO CONTROL..TIME DELAY ADJUSTABLE 0.1
6235	RM7800L1012	MODULE ELECTRONIC..REF: RELAY FLAME BC-3,..P/B: RM7800L1012..MFG: HONEYWELL..SCHEDULE B: # 8536410030 OTHER RELAYS
6236	RM7890B1014	HONEYWELL RM7890B1014 BURNER CONTROL DYNAMIC SELF-CHECK AMPLIFIER R7847 C 1005..P/N: RM7890B1014..MFG: HONEYWELL..
6237	RMC30-HI-6GK6003-0AC23-0AA0	RMC 30 2-PORT SERIAL TO ETHERNET SERVER 128-BIT, ENCRYPTION:..3 HI=88-300 VDC or 85-264 VAC..0 XX=NO POWER SUPPLY 2..A X
6238	RMC40-HI-L2L2-XX	6GK6004-0AC03-0BA0-Z A07..RMC40-HI-L2L2-XX, ..THE RUGGEDCOM RMC40 IS A 4-PORT UNMANAGED ETHERNET..SWITCH THAT PROVI
6239	RMC40-HI-MJMJ-XX	RUGGEDCOM RMC40.- 4-PORT UNMANAGED ETHERNET..SWITCH ;PROVIDES BOTH COPPER-TO-FIBER MEDIA CONVERSION AS..WELL
6240	RMN5078B	SINGLE MUFF BASE RADIO HEADSET..P/N: RMN5078B (R/B: RMN5150A)..MFG: MOTOROLA..
6241	RMS300	VACUUM; GAST MOISTURE SEPERATOR AFTER MARKET 19 GAL SEPARATOR. OBSOLETE REPLACED BY RMS200-19 GAL SEPARATOR A
6242	RO15	FUSE QUICK FAST BLOW CERAMIC TUBE FUSE;..4A;380/500V ; DIA 10MM X 38 MM H;..P/N:RO15..MFG:IMPORT BRAND..SCHEDULE B: # 85
6243	ROCKETM5	AP ROCKET 5GHZ AIRMAX..P/N: ROCKETM5..MFG: UBIQUITI..SCHEDULE B: 8517.69.0000 OTHER APPARATUS FOR COMMUNICATIONS AN
6244	ROS-2D-3	BELT MISALIGNMENT SWITCH;RUN OFF SWITCH;ROS-2D-3..P/N:059492..MFG:THERMO ELECTRON CORP.
6245	RPEC-CAN	RELIEF VALVE ..P/N: RPEC-CAN..MFG: SUN HYDRAULICS....SCHEDULE B: #8481.40.0000 SAFETY OR RELIEF VALVES
6246	RPM-POE-INJ-DC-HAZ	POE POWER-SOURCING EQUIPMENT (PSE)..POE POWER INJECTOR DC 10-60VDC I/P 30W 802.3AF/AT DIN-MOUNT INDUSTRIAL GIGE 2X
6247	RPRX00X0N12	REPAIR KIT..P/N: RPRX00X0N12..MFG: ROSEMOUNT FISHER..SCHEDULE B: 8481100090 OTHER PARTS FOR REGULATOR PARTS
6248	RPS1300	6GK6000-8HS01-0AA0..RPS1300..54 V/2.6A POWER SUPPLY, INPUT: 120 / 230 V AC, OUTPUT: 54..V/2.6 A DC, -40C TO +75C, SUITABLE FOR
6249	RS-3L	SWITCH NEMA SAFETY STOP NEMA..P/N: RS-3L..MFG: CONVEYOR COMPONENTS..SCHEDULE: # 8536509065 OTHER SWITCHES
6250	RS-752-PLUS	SOLAR POWER LED RADAR SPEED DISPLAY..P/N: RS-752-PLUS..MFG: SOLAR ROAD

	Item	Description
6251	RS-900-HI-D-MT-MT-L5-XX-	RUGGEDCOM RS900 IS A 9-PORT, INDUSTRIALLY HARDENED, FULLY..MANAGED ETHERNET SWITCH WITH 128-BIT ENCRYPTION SUPPO
6252	RS10QWP12V20W	RS WATERPROOF SERIES, REMOTE EMERGENCY LIGHTING FIXTURE..RS:PAR 36, 10:SINGLE HEAD, LAMP WATTAGE TYPE: QWP12V20V
6253	RS2-5TX	SWITCH RAIL, TYP: ETHERNET, 10MBITS, FAST ETHERNET, 100 MBITS/S..P/N: RS2-5TX..MFG: HIRSCHMANN..SCHEDULE B: # 8535908090
6254	RS416-R-DP-HI-HI-3R-3R-XX-XX-	6GK6041-6AT23-3EB0-Z A02+B02+C00+D00+E01+F00..RS416-R-DP-HI-HI-3R-3R-XX-XX-TX01-XXXX-XX-...The RUGGEDCOM RS416 is an indust
6255	RS80D-CFS-201-4-242402	AIR FILTER MODEL 80D FOR ODOR CONTROL, M29000105..P/N: RS80D-CFS-201-4-242402..MFG: CAMFIL FARR..SCHEDULE B: # 842131000
6256	RS900-HI-D-MC-MC-MC-XX-	6GK6090-0AS23-0BA0-Z A05+B03..RS900-HI-D-MC-MC-MC-XX-...RUGGEDCOM RS900 IS A 9-PORT INDUSTRIALLY HARDENED, FULLY MANA
6257	RS900-HI-D-MJ-XX-XX-XX	RUGGEDCOM RS900 IS A 9-PORT INDUSTRIALLY HARDENED, FULLY..MANAGED ETHERNET SWITCH; 128-BIT ENCRYPTION; UP TO 9 POI
6258	RS900-HI-D-MT-MT-T2-XX-	RUGGEDCOM RS900 IS A 9-PORT, INDUSTRIALLY HARDENED, FULLY..MANAGED ETHERNET SWITCH WITH 128-BIT ENCRYPTION SUPPO
6259	RS900-HI-D-MT-MT-XX-XX-	RS900-HI-D-MT-MT-XX-XX- 6GK6090-0AS23-0BA0-Z A08+B00..RUGGEDCOM RS900 IS A 9-PORT INDUSTRIALLY HARDENED, FULLY MANAG
6260	RS900-HI-D-TX-TX-MJ-XX	RUGGEDCOM RS900 IS A 9-PORT INDUSTRIALLY HARDENED, FULLY..MANAGED ETHERNET SWITCH; 128-BIT ENCRYPTION; UP TO 9 POI
6261	RS900G-24-D-2LC10-XX	RUGGEDCOM RS900G IS AN INDUSTRIALLY HARDENED, FULLY MANAGED ETHERNET SWITCH PROVIDING DUAL FIBER OPTICAL GIGAB
6262	RS900G-HI-D-2LC10-XX	6GK6090-0GS23-0BA0-Z A03..RS900G-HI-D-2LC10-XX-...THE RUGGEDCOM RS900G IS AN INDUSTRIALLY HARDENED, FULLY..MANAGED ET
6263	RS900G-HI-D-2LCMM-XX-6GK609	THE RUGGEDCOM RS900G IS AN INDUSTRIALLY HARDENED, FULLY..MANAGED ETHERNET SWITCH PROVIDING DUAL FIBER OPTICAL G
6264	RS900GP-D-FG52-XX	6GK6090-0PS20-0BA0-Z A13..RS900GP-D-FG52-XX..RUGGEDCOM RS900GP IS A UTILITY GRADE, FULLY MANAGED..ETHERNET SWITCH P
6265	RS900NC-HI-P-MC-MC-XX-C01-	6GK6090-0AS13-0CA1-Z A05+B00..RS900NC-HI-P-MC-MC-XX-C01-...RUGGEDCOM RS900NC IS A 9-PORT, INDUSTRIALLY HARDENED, FULL
6266	RS910-HI-D-S2-TX01-XX-XX-	6GK6091-0AT23-0BA0-Z A02+B01+C00..RS910-HI-D-S2-TX01-XX-XX-...The RUGGEDCOM RS910 is an industrially hardened serial device server wi
6267	RSA-BRAD1300	BATTERY POWER TORQUE WRENCH, TORQUE RANCH: 500-1300 FT-LBS, SQURE DRIVE: 1", L: 1" X w: 3", H: 10.5", ACCURACY +/- 5%..P/N:
6268	RSA-BRAD700	BATTERY POWER TORQUE WRENCH, TORQUE RANGE: 300-700 LBS, SQUARE DRIVE: 3/4", L: 10", W: 3", H: 10.5", WEIGHT: 9.5 LBS, ACCU
6269	RSG2100-F-RM-HI-HI-FX06-FX06-	THE RUGGEDCOM RSG2100 IS AN INDUSTRIALLY HARDENED, FULLY..MANAGED ETHERNET SWITCH; 128-BIT ENCRYPTION; UP TO 3-GI
6270	RSG2100-R-RD-HI-XX-TX01-XXX	RUGGEDCOM RSG2100 IS AN INDUSTRIALLY HARDENED, FULLY..MANAGED ETHERNET SWITCH; 128-BIT ENCRYPTION; UP TO 3-GIGABI
6271	RSG2100NC-F-RM-HI-HI-FX06-F	6GK6021-0AS13-3DC0-Z..A09+B09+C05+D05+E00+F00+G05+H05+J05+K05..RSG2100NC-F-RM-HI-HI-FX06-FX06-FX11-FX11-XXXXXXXXX-..FX1
6272	RSG2100NC-R-RM-HI-HI-TX01-T	6GK6021-0AS13-3DB1-Z..A01+B01+C01+D01+E01+F01+G04+H04+J01+K01..RUGGEDCOM RSG2100NC is an industrially hardened, fully..manage
6273	RSG2300-F-DP-HI--HI-FX06-XXX	SWITCH ETHERNET ..(MOD)-RSG2300 (CODE) RSG2300-F-DP-HI--HI-FX06-XXXX- XXXX--XXXX-C01;(W/)-24 PORTS 10/100TX RJ45, 02 PORTS
6274	RSG2300NC-R-RM-HI-HI-TX01-T	6GK6023-0AS13-3DB1-Z A01+B01+C01+D01..RSG2300NC-R-RM-HI-HI-TX01-TX01-CG01-CG01-C01..THE RUGGEDCOM RSG2300NC IS AN IND
6275	RSG2300NC-R-RM-HI-HI-TX01-T	6GK6023-0AS13-3DB1-Z A01+B01+C17+D17 ..RSG2300NC-R-RM-HI-HI-TX01-TX01-FXA02-FXA02-C01..THE RUGGEDCOM RSG2300NC IS AN I
6276	RSG2300NC-R-RM-HIP-HIP-FX06	RUGGEDCOM RSG2300NC INDUSTRIALLY HARDENED, FULLY MANAGED, MODULAR ETHERNET SWITCH;.. 56-BIT ENCRYPTION; 24 10/1
6277	RSG2488	6GK6024-8GS23-3DA0-Z..A01+B01+C01+D08+E00+F00+G60+H60..6GK60248GS2..RUGGEDCOM RSG2488 IS A RUGGEDRATED FULLY MANA
6278	RT3	HYDRAULIC TORQUE WRENCH TYPE RT-03. 1" SQUARE DRIVE SPLINE..P/N: RT3..MFG: RAPID-TORC..SCHEDULE B: # 8467.89.5090 OTHE
6279	RT3-SSLV	STEEL REACTION SLEEVE..P/N: RT3-SSLV (RT03-SSLV)..MFG: RAPID-TORC..SCHEDULE B: # 8467.89.5090 OTHER HYDRAULIC TOOL
6280	RT424730	RELAY GEN PURPOSE DPDT 8A 230V..RT2 POWER PCB RELAY..P/N: RT424730 / 7-1393243-9..MFG: TE SCHRACK
6281	RT850-OLP	REEL AND HOSE..HOSE WATER/AIR(SPEC)-RETRACTIL SPRING DRIVE HOSE WATER/AIR(DOC/EXT)-N/N..REELCRAFT RT850-OLP AIR/W
6282	RTD-860	SENSOR TEMPERATURE..P/N: RTD-860..MFR: OMEGA..SCHEDULE B: # 9032896085 OTHER PROCESS CONTROL INSTRUMENTS
6283	RTE25-G10B/S2	RETURN LINE FILTER, STNA41817, 1020013425, RTE-25-G-10-B-S2-B1.7..P/N: RTE25-G10B/S2..MFG: STAUFF..SCHEDULE B: # 8421.39.8090
6284	RTE48G10B	REPLACEMENT

	Item	Description
6285	RTV-X900G-H	21.6 HP KUBOTA 3 CYLINDER ENGINE, 4X4 VARIABLE ..HYDRO TRANSMISSION, LOW/HIGH/REV, HYDROSTATIC ..POWER STEERING, 15.2
6286	RTV -108	SEALANT SILICONE RUBBER 10.1 OZ..P/N: RTV-108 GE..MFG: GENERAL ELECTRIC..SCHEDULE B: # 3910000000 OTHER SILICONES
6287	RTV162-10.1 OZ	SEALANT ADHESIVE SILICONE, PKG: CARTRIDGE OF 10.1 OZ,..P/N: RTV162-10.1 OZ..MFG: MOMENTIVE..SCHEDULE B: # 3214.90.5000 RES
6288	RTV900G9-H	KUBOTA GENERAL PURPOSE VEHICLE, DIESEL ENGINE, 3 SPEED HYDROSTATIC TRANS., HYDRAULIC POWER STEERING, 4 WHEEL WE
6289	RTV900XTG-H	KUBOTA GENERAL PURPOSE VEHICLE, DIESEL ENGINE, 3 SPEED HYDROSTATIC TRANS., HYDRAULIC POWER STEERING, 4 WHEEL WE
6290	RUGGED READER KIT	RUGGED READER KIT (INCLUDES 500 MHZ RUGGED READER,TROLL COM, AND WIN-SITU MOBILE SOFTWARE)..P/N: 0078000..MFG: IN-SI
6291	RUM-99-55-0023-001	LIGHTNING PROTECTOR FOR ETHRNET CONNECTION OF WIN7100 AND WIN5100/WIN5200..P/N: RUM-99-55-0023-01..MFG: SIEMENS..SCH
6292	RUM-WIN5214-5	RUGGED WIN5214-5 HIGH GAIN OUTDOOR SUBSCRIBER UNIT, INTEGRADED DIRECTIONAL DUAL SLANT ANTENNA INCLUDES COMMER
6293	RV.10.VM	DROP-THROUGH ROTARY VALVE FOR DISCHARGE SILO MAXIMUM CAPACITY FROM 2.2 TO 13.2 M3/H, FOR 4/22 RPM..INLET AND OUTLE
6294	RV15A	COMPRESSOR CCPRVA02, TWO-STAGE AIR COMPRESSOR PUMP RV-15A, BARAEPUMPS..P/N: RV15A..MFG: CHAMPION..SCHEDULE B: #
6295	RV2-10-S-0-50	RELIEF CARTDRIDGE..P/N: RV2-10-S-0-50..MFG: VICKERS
6296	RVIA-LCV/AP	VENTABLE, PILOT OPERATED NORMALLY CLOSED..PRESSURE REGULATOR VALVES CAPACITY 120GPM..MAXIMUM OPERATIING PRESS
6297	RVYR1115	RVYR1 RHEOMETER 115 VAC..P/N: RVYR1115..MFG: BROOKFIELD
6298	RW2-50	ROUND WASHER, GALVANIZED, BOLT SIZE 1/2", HOLE SIZE 9/16", OUTSIDE DIAM 2" 1/4" THICK,9/16" HOLE HOT DIP GALVANIZED..P/N: RV
6299	RW2757EUHSA	RW2757EUHSA RIM ASSEMBLY FOR 730E KOMATSU..SET INCLUDE:..RM2757EUHS RIM BASE FOR KOMATSU 730E, SR6057S SIDE RING H
6300	RX1500-L3-RM	ROUTER AND SWITCH, INTEGRATED RUGGEDCOM..RX1500-L3-RM-HI-HI-L3SECL3HW-6TX01-FG54-FG53-FG53-..C01-6GK6015-0AM23-3DC
6301	RX412	RECEPTOR 1.2GHX, 4 CANALES, AV, ..P/N: RX412..MFG: VFM STORES..SCHEDULE B:# 8517.62.0050 OTHER APPARATUS OR MACHINES FO
6302	RX530N-WHITE	SNC-RX530N/W PTZ Network Camera (White) ..18x Optical Zoom 470 Lines Intelligent Motion Detection Intelligent Object Detection Day/Night Function
6303	S-1906	BAG RECLOSABLE, POLYETHYLENE, LG: 8", W: 5", THK: 0.002", PKG: 1000EA, SPEC: WHITE BLOCK..P/N: S-1906..MFG: ULINE..SCHEDULEE
6304	S-2445	ECONOWRAPPER CLEAR COLOR, SIZE: 20" X 1000', 90 GAUGE, PKG: 4 EA..P/N: S-2445..MFG: U-LINE..SCHEDULE B:# 3919.90.5060 OTHEF
6305	S-3254	BAG RECLOSABLE, POLYETHYLENE, LG: 12", W: 10", THK: 0.002", PKG: 1000 EA, SPEC: WHITE BLOCK..P/N: S-3254..MFG: U-LINE..SCHEDU
6306	S-3797	BAG RECLOSABLE, POLIETHYLENE, LG: 18", W: 13", THK: 0.002", PKG: 1000 EA, SPEC: WHITE BLOCK..P/N: S-3797..MFG: ULINE..SCHEDULI
6307	S-450103-00	COMPLETE MV STACK..(I) - 415A, (V) - 5KV; (SPEC) - 1984A FOR 30 SEC..(INCLUDES: HEATSINK, SCR,S, DVDT CARD AND FIBER OPTIC GA
6308	S-6018	WRAPPER, TRANSPARENT, SIZE: 15X1000", 90 GAUGE, PKG: 4 ROLL/BOX ..P/N: S-6018..MFG: U-LINE..SCHEDULE B:# 3919.90.5060 OTHEF
6309	S-825	1/2" X .020" X 3,087' STANDARD GRADE STEEL STRAPPING..P/N: S-825..MFG: ULINE..SCHEDULE B: # 7326908595 OTHER ARTICLES OF STI
6310	S-89981-2	COIL DECCO 125 VDC TRIP SELENOID USED IN SERIES 2000 OPERATORS...P/N: S-89981-2..MFG: S & C ELECTRIC..SCHEDULE B: # 85045(
6311	S-P-3-B-B-3R-SW60-0-RE-1/500	Juntion box, 18" X 22" X 6", for harsh environment, 10 ga hot-dipped galvanized, nema 3R with (1) 1/0 -6 main anode lug & (3) 1/0-6 cable lugs, (3) 60 An
6312	S00326	PAINT SPRAY, TYPE: CAN SPRAY, CLR: SILVER GRAY, U/O: ELECTRICAL, SPEC: MACHINERY LIGHT GRAY, ASA 61, 00789X10056..P/N: S00
6313	S014562	FSM-60S FUSION SPLICER KIT INCLUDES (WITH CLEAVER, BATTERY AND CORD)..BTR-08 BATTERY..DCC-14 BATTERY CHARGE CORD..C
6314	S015591	FUJIKURA 70S SPLICER W/CLEAVER/BATT/CORD KIT INCLUDES..1 S014080 CT-30A CLEAVER..1 S015581 BTR-09 BATTERY..1 S015582 DC
6315	S1-01504185001	COMPRESSOR; H82J SERIES; 460V/380V; 3PH; 60HZ; REFRIGERANT TYPE - R410A;..CRANKCASE HEATER 30W;COMPRESSOR TYPE REC
6316	S1-01504313001	COMPRESSOR; STANDARD MODEL; MODEL B RECIPROCICATING ; UAA 6000BTU BRISTOL; 460V 3PH;60HZ; R-410A REFRIGERANT..MODE
6317	S100048TAC5M-500K	BALLAST HIGH PRESSURE SODIUM, V: 480 VAC, POW: 1000W, FREQ: 60 HZ, U/O: S52 LAMP..P/N: S100048TAC5M-500K..MFG: UNIVERSAL I
6318	S100MLTLC3M500K	BALASTRO ELECTROMAGNETICO MULTIVOLTAJE 120/208/240/277 V 100W ..P/N: S100MLTLC3M500K..MFG: UNIVERSAL LIGHTING..SCHED

	Item	Description
6319	S11004	FLOW SENSOR 20-36VDC..4-20 MA W/QD..P/N: S11004 (SID10ADB10OGUS)..(NSFP)..MFG: IFM EFECTOR....SCHEDULE B: #9026105000 - F
6320	S1420PA60T315Z60	SINGLE ELEMENT STATOR WINDING. RESISTOR TEMPERATURE DETECTOR...P/N:S1420PA60T315Z60..MFG: MINCO
6321	S15048TLC3M-500K	BALLAST, HIGH PRESSURE SODIUM, V: 480V, POW: 150W, TYPE: S55, FREQ: 60HZ, U/O: S55 HPS LAMP..P/N: S15048TLC3M-500K..MFG: UN
6322	S150MLTLC3M-500K	BALLAST, HIGH PRESSURE SODIUM, V: 120-277V, POW: 150W, TYPE: S55, FREQ: 60HZ, U/O: S55 HPS LAMP..P/N: S150MLTLC3M-500K..MF
6323	S1520AC	CLAMP FOR ALUMINUM MAIN LINE CONDUCTOR DIA: 0.414" TO 0.128", MAT: ALUMINUM COPPER, SIZE: 1/0, NRO 6 ACSR, S1520AC CHAN
6324	S1530AA	CLAMP FOR MAIN LINE CONDUCTOR, DIA: 0.745" TO 0.162", MAT: ALUMINUM, SIZE: 336.4, AWG: NRO 6 ACSR..P/N: S1530AA..MFG: CHANC
6325	S1530CC	CLAMP BRONZE..MOD: BH4, TYP-CONNR: COPPER..P/N: S1530CC..MFG: HUBBELL POWER SYSTEM INC...SCHEDULE B: 7307199090 OT
6326	S1530GP	CLAMP BRONZE..P/N: S1530GP..MFG: HUBBELL POWER SYSTEMS..SCHEDULE B: 7307199090 OTHER CLAMPS
6327	S154PE80X24A	SINGLE ELEMENT RTD WITH ARMOR OVER LOAD..P/N: S154PE80X24A..MFG: MINCO..SCHEDULE B:# 9032896040 TEMPERATURE CONTR
6328	S19-899	REFILL KIT PRESERVATIVES..P/N: S19-899..MFG: BRADLEY
6329	S19-921	S19-921 ON-SITE GRAVITY FED EYE WASH..P/N: S19-921..MFG: BRADLEY..
6330	S19-921H	HEATED ON SITE PORTABLE ..P/N: S19-921H..MFG: BRADLEY
6331	S19-921HR	HR HEATED ON SITE RETROFIT..P/N: S19-921HR..MFG: BRADLEY
6332	S1A04K	DIE,ACUTE ANGLE (POSN)- UPPER; (ANGLE)-30 GRADE;(W)-1/2";(H)-5-3/16";(LG)-122" (RADIUS)-1/16" (DPC/EXT)-N/Y..P/N:S1A04K..MFG: CIN
6333	S1J16ER2	STRIP HEATER..VAC: 240, POW: 750 W,..P/N: S1J16ER2..MFG WATLOW..SCHEDULE B: # 8516800000 ELECTRIC HEATER RESISTOR
6334	S202UDC-Z4	MINIATURE CIRCUIT BREAKER - S200UDC - 2P - Z - 4 AMPERE;60VDC BCPD..PRODUCT ID:2CDS272517R0338..P/N: S202UDC-Z4..MFG:ABB
6335	S203M-C16	CIRCUIT BREAKER, NO.POLES: 3, V: 440V, TYPE MINIATURE, I: 16A..P/N: S203M-C16..MFG: ABB
6336	S225	PERDIGO TELESCOPIC, MAT: FIBERGLASS, ADJUSTABLE: 17-21-25.5 FEET, SPEC: HOT SWITCH STICK..P/N: S225..MFG: HASTING FIBERG
6337	S230	PERDIGO TELESCOPIC, MAT: FIBERGLASS, ADJUSTABLE: 17-21.5-26-30 FEET, SPEC: HOT SWITCH STICK..P/N: S230..MFG: HASTING FIBE
6338	S24-17A8-02	ACTUATOR..P/N: S24-17A8-02..MFG: WARNER ELECTRIC
6339	S250ML5AC40500K	HID MULTI-5 CORE & COIL BALLAST KIT* IGNITES ONE 250 WATT HIGH PRESSURE SODIUM..(ANSI S50) LAMP OF 120/208/240/277/480 VO
6340	S250ML5AC4M500K	UNIVERSALL BALLAST,LAMP,MULTI-TAP,KIT..HPS -S250ML5AC4M500K..P/N: S250ML5AC4M500K (OFFER: R/B:..S250ML5AC40500K..MFG: L
6341	S2BL10	FLUID, 5 GL, ANTI-WEAR OIL FOR INDUSTRIAL APPLICATION..P/N: S2BL10..MFG: SHELL..SCHEDULE B: # 3403190000 OTHER LUBRICANTS
6342	S2BL10 55 GL	FLUID, 55GL DRUM, ANTI-WEAR OIL FOR INDUSTRIAL APPLICATION..P/N: S2BL10..MFG: SHELL..SCHEDULE B: # 3403190000 OTHER LUBF
6343	S2C-LOTO-M	LOCKING DEVICE; ..LOCKOUT/TAGOUT ADAPTER MULTIPOLE..CONTAINS 5 PIECES..PRODUCT ID: 2CDL200311R0001..P/N: S2C-LOTO-M..
6344	S2C-S6RU	SIGNAL ; AUXILIARY CONTACT; TYPE S2C; 0.5 W; ..BELL ALARM, FIELD-INSTALLABLE, RIGHT SIDE MOUNTING, ..ONLY SIGNALS WHEN BF
6345	S2D07K	DIE, ACUTE ANGLE (POSN)- LOWER; (ANGLE)-30 GRADE; (W)- 1-1/2"; (H)- 3"; (LG)- 122"; (VEE-OPENING)- 7/8" (U/O)- 12 GA MAX (DOC/EXT)
6346	S3-S	SOCKET RELAY 10A / 250V..MODEL S3-S COMAT..P/N: R4555..MFG: RELECO TURCK..SCHEDULE B: # 8536.90.8085 OTHER SOCKET RELAY
6347	S3.0817-00	FILTER ELEMENT,60 MESH..P/N: S3.0817-00..MFG:ARGO HYTOS..SCHEDULE B: # 8421398090 OTHER FILTERS
6348	S300071K1/4	CONTROL MOTOR DC PWM, 5 HP, 110 VAC, 6 AMP, 90 VDC..P/N: S30071K1/4..MFG: FIRING
6349	S322-TB	Two Gang Device Box Cover, Sheet Steel, two switch..p/n: S322-TB..Mfg: Thomas & Betts..SCHEDULE B: # 8536695050 OTHER RECEPTACLES
6350	S36RL	LAMP ULTRAVIOLET VIQUA..SPCC P/N: 4920120105 ..MODEL S36RL LAMP FOR S12Q,S12Q-PA;S12Q-GOLD;SSM-39;S24Q;S24Q-GOLD;S40C
6351	S3CAH120270PVT0170AA3100C	PRE: 10 BAR, SPEC: FLOW 0-324L/H, 5MCA, PULSATION 144/MIN, HEAD DOSE PVDF KYNAR CONNECTION 2-DN32, COVER POLYCARBONA
6352	S40048TAC4M-500K	BALLAST HIGH PRESSURE SODIUM..V: 408 V, POW: 400W,..FREQ: 60 HZ, U/O: S51 HPS LAMP..P/N: S40048TAC4M-500K (M17548TAC3M500

	Item	Description
6353	S400ML5AC4M500K	UNIVERSALL BALLAST,LAMP,MULTI-TAP,HPS -..P/N:S400ML5AC4M500K..MFG: UNIVERSAL LIGHTING..SCHEDULE B: #8504100000 BALLAST
6354	S4A02M	DIE,BOTTOMING (POSN)-UPPER; (ANGLE)-90 GRADE;(W)-1/2";(H)-5-3/16";(LG)-146";(RADIUS)-1/32" (DOC/EXT)-N/Y ..P/N:S4A02M..MFG:CINC
6355	S4C02M	DIE, BOTTOMING (POSN)- UPPER;(ANGLE) -90 GRADE (W)- 1-1/8";(H) -4-1/4"; (LG) - 146" (RADIUS) - 1/32" (DOC/EXT) -N/Y..P/N:S4C02M..MFG
6356	S504120	SILICON POWER RECTIFIER..P/N: S504120..MFG: MICROSEMI CORP. MSC..SCHEDULE B: # 8504406018 OTHER POWER RECTIFIER
6357	S505-10-R	FUSE, CERAMIC T10 230 VAC..20MM X 5MM 10 A, 250 VAC HOLDER C;FUSE MINIATURE SLOW BLOW ACTING..P/N: S505-10-R..MFG: BUSS
6358	S5AVIE100017	S5AV 075 ME S13 04 DX VLSPCX SC 075 000 XXX XX-025 350..P/N: S5AVIE100017..MFG: BREVINI FLUID POWER USA
6359	S61	CAT S61 RUGGED SMARTPHONE WITH FLIR THERMAL IMAGING CAMERA..P/N: S61..MFG: CATERPILLAR
6360	S64P4S64	AIR DRIVING PUMP, MODEL P4S64, RATIO 64:1, MWP=6400 PSI,..P/N: S64P4S64..MFG: SPRAGUE
6361	S6D02M	DIE, AIR BEND (POSN)-UPPER;(ANGLE)-85 GRADE (W)- 1-1/8";(H)4-1/4" (LG) -146" (RADIUS)-1/32" (DOC/EXT)- N/Y..P/N:S6D02M..MFG:CINCI
6362	S6F16M	DIE,AIR BEND (POSN)-UPPER;(ANGLE)-85 GRADE(W)- 1-1/2" ;(H)- 4- 1/4" (LG)-146" (RADIUS)-1/4" (DOC/EXT)- N/Y..P/N:S6F16M..MFG: CINCI
6363	S6K24M	DIE, AIR BEND(POSN)-UPPER;(ANGLE)-85 GRADE; (W)-2-1/2"; (H)- 6-1/4"; (LG)- 146";(RADIUS)- 3/8" (DOC/EXT)-N/Y..P/N:S6K24M..MFG:CINCI
6364	S702923	VACUUM PUMP ALCATEL 2005L..P/N: S702923..MFG: THERMO ELECTRON CORPORATION..SCHEDULE B# 8414100000 VACUUMP PUMS..C
6365	S7C09M	DIE, AIR BEND (POSN)-LOWER; (ANGLE)- 85 GRADE;(W)- 1-1/2";(H)-3";(LG)-146";(VEE-OPENING)-1-1/8";(U/O)-10 GA MAX (DOC/EXT)-N/Y..P/N
6366	S7F24M	DIE,AIR BEND (POSN)-LOWER;(ANGLE)- 80 GRADE ;(W) -4";(H) -3-1/4";(LG)-146"(VEE-OPENING)-3";(U/O) -3/8" MAX (DOC/EXT)-N/Y..P/N:S7F2
6367	S7G32M	DIE,AIR BEND(POSN)-LOWER; (ANGLE)-80 GRADE (W)- 5"; (H)- 3-7/8"; (LG)-146;(VEE-OPENING)--4"; (U/O)- 1/2"MAX (DOC/EXT)-N/Y..P/N:S7G
6368	S806	LOCKOUT SAFETY, TYPE: ADJUSTABLE, APPLICATION SIZE: 1/4 IN, MATERIAL: XENOY, NUMBER OF TAGS: COLOUR RED..P/N: S806..MFG
6369	S82011	STANDARD METHODS FOR EXAMINATION OF WATER & WASTEWATER..21ST EDITION 2005..EDITED BY ANDREW D. EATON, LENORE S.
6370	S853PD35Z96	SENSOR TERMPERATURE, S853 PD35Z96..P/N: S853PD35Z96..MFG: MINCO..SCHEDULE B: #9032.89.6040 OTHER TEMPERATURE CONTRC
6371	S8C1460V3P	GORMAN-RUPP 8" SUBMERSIBLE ELECTRIC MOTOR DRIVEN PUMP..P/N: S8C1460V3P..MFG: GORMAN-RUPP
6372	S90-42	FAN ASSEMBLY, REF: 6-1/4X 3-7/8..P/N: S90-42..MFG: WESTWOOD..SCHEDULE B: #8414901080 OTHER FANS
6373	S900-232	BLOWER ASSEMBLY..P/N: S900-232..MFG: BARD YORK..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
6374	S900-248	BLOWER ASSEMBLY..P/N: S900-248..MFG: BARD INTL..SCHEDULE B: # 8415909000 OTHER PARTS FOR AIR CONDITIONER
6375	S9026XRRN	ANTENNA PANEL RFID..P/N: S9026XRRN..MFG: LAIRD..SCHEDULE B: # 8529.10.2090 OTHER ANTENNAS..COUNTRY OF ORIGIN: MALAYSIA
6376	S9548FA	2668072..BATTERY..FIELD CONTRL UNIT AFV30D CPU , NI-MH WEIGHT: 80G VOLTAGE RATING :2.4V AH RATING 1900MAH..Manufacturer Pa
6377	SA-04	SOCKET EYE..P/N: SA-04..MFG: HUBBELL POWER SYSTEMS..SCHEDULE B: #7326.90.8595 OTHER ARTICLES OF IRON
6378	SA-0612-HC	HYDRAULIC RAM SERIES 1..P/N: SA-0612-HC..MFG: FURMANITE
6379	SA-101	PRIMARY OIL SKIMMER..P/N: SA-101 MODEL OWA-50..SCHEDULE B:# 8421.29.0065 OTHER PARTS FOR HYDRAULIC FLUID POWER FILTEF
6380	SA-102	SECONDARY OIL SKIMMER..P/N:SA-102,MODEL OWA-50..SCHEDULE B:# 8421.29.0065 OTHER PARTS FOR HYDRAULIC FLUID POWER FIL
6381	SA-IP-LG-02	MINI INCLINE COALESCOR PLATES .. (SET)MODEL: OWA-50..P/N:SA-IP-LG-02..SCHEDULE B:# 8421.29.0065 OTHER PARTS FOR HYDRAULI
6382	SA 146	CCARRYING CASE FOR SV 106 AND ACCESSORIES(LIGHTWEIGHT ATTACHE STYLE)..P/N:SA 146..MFG:SVANTEK
6383	SA3	LOCKING DEVICE, SET INCL. PADLOCK..PRODUCT ID:GJF1101903R0003..P/N:SA3..MFG:ABB..SCHEDULE B: # 8431499057 OTHER PARTS..(
6384	SAC-220	CABLE CLAMP STYLE CONNECTORS. CABLE CLAMP CONNECTORS FOR MALE OR FEMALE..P/N:SAC-220..MFG:WATLOW
6385	SAFELOG 100	SAFELOG 100 INCLUDE SENSOR HCN AND..RESPECTIVE CERTIFICATE OF CALIBRATION..P/N: SAFELOG 100 & SENSOR HCN..MFG: QUE
6386	SAGA1-K2	SAGA1-K2 RECEIVER + TRANSMITTER..WITH 6 BUTTON 2 SPEED + SELECTION BUTTON FOR HOIST SELECTION POWER 48/230 VAC..P/N

	Item	Description
6387	SAGE2001	USB LICENSE SAGE2001, INCLUDE CD..P/N: SAGE2001..MFG: ISAAK & CO...SCHEDULE B: # 8523402020 OTHER SOFTWARE
6388	SAMP401	STAINLESS CUPCASE 13" X 1 3/4" ..P/N: SAMP401..MFG: LUFKIN
6389	SB015-26	SB MAIN FRAME 26" FULL..P/N: SB015-26 (MFRSB026.0F026.0F0000)..MFG: ARCH ENVIRONMENTAL..SCHEDULE B: # 8431.39.0010 OTHER
6390	SB015-42	SB MAINFRAME 42"..P/N: SB015-42 (MFRSB0004200004200000)..MFG: ARCH ENVIRONMENTAL..SCHEDULE B: # 8431.39.0010 OTHER CONV
6391	SB1500-4-5700-90-M	STADIUM LED 1500, 1500W, NAME 4, 480 V..P/N: SB1500-4-5700-90-M..MFG: SPORTBEAMS
6392	SBB72-2RS	BEARING SPHERICAL PLAIN..P/N: SBB72-2RS..MFG: IKO
6393	SBM 112-2	2606617..BATTERY, NICKEL CADMIUM..1.2VDC, 100AH..Manufacturer Part No : SBM 112-2..Manufacturer : SAFT
6394	SC-2302-1	ISOLATOR..SPEC: LOOP POWERED..I/O: 4-20A, V-INP: 42.4VDC,..SERIAL: 74582-1..P/N: SC-2302-1..MFG: ROCHESTER INSTRUMENTS..SCH
6395	SC-4N	MAGNETIC CONTACTOR MOTOR STARTER 3PH 200 V 20 HP 230 V ..P/N: SC-4N..MFG: FUJI..COUNTRY OF ORIGIN: JAPAN..SCHEDULE B: #
6396	SC-800	SOFT CARRYING CASE, 7 X 3.5 X 2.25 WITH BELT LOOP..P/N: SC-800..MFG: OMEGA ENGINEERING
6397	SC-SM	SOFT CASE FOR HHM29-IR/HHM290..8.5 X 3.5 X 2.5 WITH BELT LOOP..P/N: SC-SM..MFG: OMEGA ENGINEERING
6398	SC154	54-WELL HOTBLOCK, 50ML..PTFE-COATED GRAPHITE ALONG WITH ALL CORROSION-FREE MATERIALS IS..INCORPORATED INTO THE H
6399	SC154-240	54-WELL HOTBLOCK-240V, 50ML..TEFLONCOATED GRAPHITE ALONG ITH ALL CORROSION-FREE MATERIALS IS INCORPORATED IN TO
6400	SC180-240	EXTERNAL HOTBLOCK PRO CONTROLLER TOUCH SCREEN, 240V..P/N: SC180-240 (OR COLE PARMER FF-53201-51)..MFG: ENVIRONMENT
6401	SC181-240	54-WELL HOTBLOCK PRO (BLOCK ONLY) 240 V, SAMPLE CAPACITY: 54, NOMINAL SAMPLE SIZE: 50ML, TEMP RANGE: AMBIENT TO 180 C,
6402	SC183	HOTBLOCK PRO PARTS 100 OHM EXTERNAL TEMPERATURE PROBE HOLDER..P/N: SC183..MFG: ENVIRONMENTAL EXPRESS..COUNTRY
6403	SC184	HOTBLCK PRO PARTS EXTERNAL TEMPERATURE PROBE HOLDER..P/N: SC184..MFG: ENVIROMENTAL EXPRESS..COUNTRY OF ORIGIN:
6404	SC41011AL/C	CHISEL SCALER..P/N: SC41011AL/C..MFG: Snap-On Tools ..
6405	SC475	50ml DIGESTION VESSEL WITH SCREW CAP, 500 PK..P/N: SC475..MFG: ENVIRONMENTAL EXPRESS..SCHEDULE B: # 3917.29.0090 OTHER
6406	SC8356A002VMS	SUBMINIATURE SOLENOID VALVE..240 VAC / 60HZ // 3 WAY NORMALLY CLOSED // PIPE..SIZE: 1/8" NPT // BODY MATERIALS: BRASS // OPE
6407	SCC-GL-48 MOT	LIMIT SWITCH FOR OPEN / CLOSE AND INTERLOCKING 4 NC+4 NO; IP 65 ..DRIVE MOTOR 460 V / 3~ / 60 HZ IP 65 ..CONTROL BOX
6408	SCF-K-WAT	SC SERIES STANDARD CONNECTOR..SELECTED OPTIONS:..STYLE: FEMALE (JACK)..CALIBRATION: TYPE K..NAME PLATE: WITH WATLO
6409	SCLCR2525M12	HOLDER TOOL,..OUTER TURNING, PCLCR 25X25MM, 4 EDGES OF CUT..P/N: SCLCR2525M12..MFG: WALTER TOOLS..SCHEDULE B: # 8207
6410	SCLD2RW	EXIT/ EMERGENCY LIGHT, 120/277 VAC..P/N: SCLD2RW..MFG: SIMKAR..SCHEDULE B: # 9405.40.0000 OTHER ELECTRIC LAMPS AND LIGHT
6411	SCM-12	STEEL STRAPPING COMBO TOOL, SEALLESS;FOR STRAPPING WIDTH: 1/2";FOR STRAPPING THICKNESS: UP TO 0.023" ;NOTCH TYPE: 3
6412	SCM-K-WAT	SC SERIES STANDARD CONNECTOR..SELECTED OPTIONS:..STYLE: MALE (PLUG)..CALIBRATION: TYPE K..NAME PLATE: WITH WATLOW
6413	SCNM9FF	SERIAL/NULL MODEM CABLE 10 FEET RS232 DB9 F/F F-F..P/N: SCNM9FF..MFG: STARTECH..SCHEDULE B:# 8517.62.0050 OTHER MODEMS
6414	SCO01K	SILICONE GREASE COMPOUND 1 KG..P/N: SCO01K (ESCO01K)..MFG: ELECTROLUBE..SCHEDULE B: #3403.99.0000 OTHER LUBRICANT ..
6415	SCOTCH 130C-1-1/2	TAPE RUBBER SPLICING, (LG)-9.1M;(THK)-0.762MM;(W)-1-1/2"(TYPE)-HIGH AND LOW VOLTAGE INSULATING(MAT)-RUBBER;(MOD)-SCOTC
6416	SCOTCH13	TAPE RUBBER SPLICING..LG: 4.5M, THK: 0.76MM, W: 19MM..P/N: SCOTCH 13..SCHEDULE B: # 3919905030 ELECTRICAL TAPE
6417	SCOTCH24	ELECTRICAL SHIELDING TAPA..LG: 4.572M/ 15 FT, W: 25.44MM, TYPE: MESH TINNED COPPER TINSEL..P/N: SCOTCH 24..MFH: 3M..SCHEDU
6418	SCOTCH33-3/4	TAPE ELECTRICAL VINYL, W: 19MM, 3/4", THK: 0.007", LG: 20M, MAT: PVC, MOD: SCOTCH SUPER 33+..P/N: SCOTCH 33-3/4 (33PLUS-SUPI
6419	SCOTCHFIL	TAPE RUBBER SPLICING, LG: 1.52M, THK: 3.17MM, W: 1-1/2", TYPE: PUTTY INSULATION, MEDIUM VOLTAGE..P/N: SCOTCHFIL (80-6108-337
6420	SCOTT-PLY X01	SIGNAL VISUAL HAND HELD SMDCOR SCOTT-PLT X01..X01KS-2P16.- HALF SHEETS OF X01 SIZED 21" X 25": SCOTT-PLY BLACK/WHITE 1/

	Item	Description
6421	SCOTT-PLY X02	SIGNAL VISUAL HAND HELD SMDCOR SCOTT-PLY X02..5 HALF SHEETS OF X02 SIZED 21" X 25": SCOTT-PLY WHITE/BLACK 1/16 2PLY: NO
6422	SCOTT-PLY X03	SIGNAL VISUAL HAND HELD SMDCOR SCOTT-PLY X03..X03KS-2P16.- 4 HALF SHEETS OF X03 SIZED 21" X 25": SCOTT-PLY RED/WHITE 1/1
6423	SCOTT-PLY X25	2 HALF SHEET OF X25 SIZED 21" X 25", SCOTT-PLY WHITE/RED 1/16, 2 PLY: No. BEVEL. SURFACEMATTE, COLOR WHITE/RED..P/N: SCOT
6424	SCR-1739A	WESTCODE ..SCR, BISCR8604GR..P/N: SCR-1739A
6425	SCW3-60	SQUARE CURVED WASHER PLANE 3" X 3" X 1/4"..P/N: SCW3-60..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318220000 OTHER WASHER
6426	SCW3-70	SQUARE CURVED WASHER, BOLT SIZE 3/4", HOLE SIZE 13/16", OUTSIDE SIMENSION 3" X 3" X 1/4"..P/N: SCW3-70..MFG: HUGHES BROTHE
6427	SCW4-80	SQUARE CURVED WASHER 7/8" HOLE SIZE 15/16" X 4" X 4" X 1/4"..P/N: SCW4-80..MFG: HUGHES..SCHEDULE B: # 7318220000 OTHER WAS
6428	SD-112-N	ALUMINUM QUADRANT DEAD END, STRAIN CLAMP, TYPE SD...P/N: SD-112-N..MFG: ANDERSON HUBBELL POWER SYSTEMS ..SCHEDULE
6429	SD-86-C	ALUMINIUM QUADRANT DEAD 4/0 ACSR..P/N: SD-86-C..MFG: ANDERSON....SCHEDULE B: #7326901000 - ARTICLES OF TINPLATE....SCHE
6430	SD57S	CLAMP COOLINE STRAIN..P/N: SD57S..MFG: HUBBELL-ANDERSON..SCHEDULE B: 8535.90.8040 OTHER CONNECTORS
6431	SD9SB8W-128G	SANDISK X600 128 GB 2.5" INTERNAL SOLID STATE DRIVE - SATA..MODEL X600 ; SOLID STATE DRIVE X600 3D NAND SATA SSD ;STORAGE
6432	SDA-505	NOTIFICATION APP MODEL KIT PLUG IN..P/N: SDA-505..MFG: GRINELL..SCHEDULE B: # 8542320070 OTHER ELECTRONIC INTEGRAL CIRC
6433	SDC-25-1001	10" SEDIMENT FILTER CARTRIDGE 1 MICRON ..P/N: SDC-25-1001..MFG: HIDRONIX..SCHEDULE B: # 8421.39.8090 OTHER FILTERS
6434	SDC-25-1005	SEDIMENT WATER FILTER 5 MICRON..P/N: SDC-25-1005..MFG: HIDRONIX..SCHEDULE B: # 8421398090 OTHER FILTERS
6435	SDCFSP-256G-A46D	SANDISK EXTREME PRO CFAST 2.0 ;READ SPEED UP TO 525MB;WRITE SPEED UP TO 450 MB MEMORY CARD - 256GB..P/N:SDCFSP-256G
6436	SDDR40	4 PC SQUARE DRIVE SCREWDRIVER SET (#0–#4)..P/N: SDDR40..MFG: SNAPON..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
6437	SDN10-24-100P	POWER SUPPLY, 24 VDC, 10A, ..P/N: SDN10-24-100P..MFG: SOLA..SCHEDULE B: # 8504.40.7007 OTHER POWER SUPPLY
6438	SDN5-24-100P	POWER SUPPLY, 24 VDC, 5A, ..P/N: SDN5-24-100P..MFG: SOLA..SCHEDULE B: # 8504.40.7007 OTHER POWER SUPPLY
6439	SDR11	BUSHING, HDPE, REDUCER, CONCENTRIC, MOLDED..12 IN x 8 IN..SCHEDULE B: # 7307992000 OTHER REDUCER OF STEEL
6440	SE-10	LACE CUTTER BASE METAL..MODEL: SE-10..MFG: SEALCO S.A...SCHEDULE B: # 8207.90.7570 OTHER HANDTOOLS
6441	SE-HP06-CB	6" HIGH PRESSURE BUNA SEALING ELEMENT, API 5L, Gr. B, THICKNESS 7.11..P/N: SE-HP06-CB..MFG: FURMANITE..SCHEDULE B: # 8431.3
6442	SE-HP08-CB	8" HIGH PRESSURE BUNA SEALING ELEMENT TURNED TO 11.13MM..P/N: SE-HP08-CB..MFG: FURMANITE..SCHEDULE B: # 8431.39.0050 O
6443	SE 3007	CONTROLLER DELTAV; S SERIES; SX CONTROLLER..P/N: SE 3007..MFG:EMERSON
6444	SE30878	VALVE; XOMOX 036626P1WY 2..PLUG 2 300# WCB THD 316SS PTFE...TUFLINE FIG.0366 SIZE 12"-2" ; CLASS 300..SCREWED ENDS ;SLEEVE
6445	SEC-1215UL	BATTERY CHARGER..P/N: SEC-1215UL..MFG: SAMLEX..SCHEDULE B: #8504406018 OTHER BATTERY CHARGER
6446	SECURITY DEVICE	SECURITY DEVICE..18 HANDLE LOCK E FRAME..MFG: GE
6447	SEL-0351A032X4A54X1	RELAY, SPEC: SEL-351A, ETHERNET CONNECTION..P/N: SEL-0351A032X4A54X1..MFG: SEL SCHEWEITZER ENGINEERING LABORATORIES
6448	SEL-0351A032X4E5422	RELAY (SPEC): SEL-351A, ETHERNET CONNECTION, MOUNT PANEL, SINCROFASORES, IEC61850, DNP 3.0 SLAVE MODBUS TCP/RTU, GE
6449	SEL-0351A99324554X1	RELAY, SPEC: 351A, INCL: TRANSCEIVER ETHERNET SEL-2890M PARAMEDIC RELAY..P/N: SEL-0351A99324554X1..MFG: SCHWEITZER EN
6450	SEL-0411L026X5C8EEX3474XXX	RELAY LINE DIFFERENTIAL, MODEL SEL 411L, W: 13 OUTPUT HIGH CURRENCY MOUNTING FRONT PANEL, SPEC: PORT COMMUNICATIO
6451	SEL-042126152C0B441XXXX2X	RELAY PROTECTION CONTROL, TYPE 421-2, ..P/N: SEL-042126152C0B441XXXX2X..MFG: SEL SCHWEITZER ENGINEERING LABORATORIES
6452	SEL-2890M0X	TRANSCEIVER ETHERNET ..P/N: SEL-2890M ..MFG; SCHWEITZER ENGINEERING LABORATORIES.
6453	SEL-3555	REAL TIME AUTOMATION CONTROLLER, TYPE: 3555 PANEL, INTEL I7, INPUT: 125/250 VDC OR 120/240 VAC, SPEC: 8 GB RAM, 250 GB SSD
6454	SELA36AI0030	CIRCUIT BREAKER, NO. POLES: 3, V: 600 V, I: 30A, INCL: 1 RECONDITIONED 30 AM RATING PLUG FOR 30A SENSOR, P/N: SRPE30A30, 6EA

	Item	Description
6455	SELA36AI0060	CIRCUIT BREAKER, NO.POLES: 3, V: 600VAC, I: 60A, ..P/N: SELA36AI0060..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536.20.0040 OTHER
6456	SELA36AI0100	CIRCUIT BREAKER, NO.POLES: 3, V: 600 VAC, I: 100A..P/N: SELA36AI0100..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536.20.0040 OTHEF
6457	SELA36AI0150	CIRCUIT BREAKER, NO. POLES: 3, V: 600VAC, I: 150A, ..P/N: SELA36AI0150..MFG: GENERAL ELECTRIC CO...SCHEDULE B: # 8536.20.0040 O
6458	SELA36AT0150	CIRCUIT BREAKER..NO. POLES: 3, V: 600 VAC, I: 150 A..P/N: SELA36AT0150..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536.20.0040 OTHE
6459	SEN-SV111	OPTIONAL CALIBRATION DEVICE FOR SV 106 KIT. SV 111 MULTI-LEVEL,MULTI-FREQUENCY VIBRATION CALIBRATOR DELUXE KIT..INCLU
6460	SEN90000	SENSOR ASSEMBLY, SPEC: SENSOR TEMPERATURE, CONTROLLER CONTROL MODEL CTL90000..P/N: SEN90031..MFG: SPENCER TURBI
6461	SENSOR FOR L75I	01 unit ----- THOR GUARD / HYPERSTATIC SENSOR (REPLACEMENT) FOR OUR EXISTING THOR GUARD L75I UNIT / CABLE LENGTH = 150
6462	SER-004-SFB0EQ	ELECTRODE TYPE STELTH..P/N: SER-004-SFB0EQ..MFG: MATCOR..SCHEDULE B: #8311100000 OTHER ELECTRODE
6463	SF-0.215-STD	2.5" X 2.5" HOT TAP FITTING ANSI #150 WITH BACKING STRIPS; DF:0.40..P/N: SF-0.215-STD..MFG: FURMANITE..SCHEDULE B: # 843139005(
6464	SF-0430-STD	4" CLASS 300 LINE STOP FITTING WITH CLOSURE PLUG..P/N: SF-0430-STD..MFG: FURMANITE CORP.
6465	SF-0430-STD-6	4" X 6" CLASS 300 LINE STOP FITTING..P/N: SF-0430-STD-6..MFG: FURMANITE
6466	SF-0630-STD-BS	6" LINE STOP FITTING, ANSI 300 #WITH CLOSURE PLUG AND BACKING STRIP, DF: 0.40..P/N: SF-0630-STD-BS..MFG: FURMANITE CORP...S
6467	SF-0830-STD-BS	8" LINE STOP FITTING ANSI 300# WITH BACKING STRIPS, AND PLUGS, DG: 0.40 ..P/N: SF-0830-STD-BS..MFG: FURMANITE CORP...SCHEDU
6468	SF-1030-STD	10" CLASS 300 LINE STOP FITTIG WITH CLOSURE PLUG..P/N: SF-1030-STD..MFG: FURMANITE CORP.
6469	SF-1230-STD	12" CLASS 300 LINE STOP FITTIG WITH CLOSURE PLUG..P/N: SF-1230-STD..MFG: FURMANITE CORP.
6470	SF205Y	AC MOTOR DRIVE INVERTER ADJUSTABLE SPEED AC 1/2 HP 120/240V, AC TECH SCF SERIES, HP-0.5 KW-0.37, S/N: 027760928 INPUT 240'
6471	SF210-19-9	CABLE LEAD HIGH TEMPERATURE, TYPE: SILIC RUBBER, VAC: 600V, AWG: 10, NO. STRANDS: 19, 1COND, TEMP: 200 C, SPEC: MOTOR LE
6472	SFG-CH	COUPLER PLUG FEMALE..V: 15 KV, I: 500 A, USE WITH CODE..62877 P/N: PMG-CH..P/N: SFG-CH..MFG: TJB..SCHEDULE B: #8536695050
6473	SFL-CH8	CONNECTOR REF: SOCKET FEMALE..15 KV, LINE MOUNT..SOFT EP, 4 PITCH ACME THREAD..ONE GROUND CHECK, USE SHOVEL & DRI
6474	SFLA36AT225	CIRCUIT BREAKER; 3 POLES; 600V; 225A..ONLY FRAME R/B: SFLA36AT0250 (250 V)..P/N:SFLA36AT225 (R/B: SFLA36AT0250)..MFG:GE..SC
6475	SFP 1000BX 1310TX 1490RX	6GK6000-8FB53-0AA0..99-25-0208..RUGGEDCOM ACCESSORY, BI-DIRECT IONAL SFP,..1000BASE-BX-D, 1 X 1000MBIT/S, LC-INTERFACE, O
6476	SFP 1000BX 1490TX 1310RX	6GK6000-8FB54-0AA0..99-25-0209..RUGGEDCOM ACCESSORY, BI-DIRECT IONAL SFP,..1000BASE-BX-U, 1 X 1000MBIT/S, LC-INTERFACE, O
6477	SG800GXH25	GTO THYRISTOR..P/N: SG800GXH25 TOSHIBA..OBSOLTE, REPLACED BY AMETRONICS..P/N: ATSG800GXH25..MFG: AMETRONICS
6478	SGA1J17R03	STRIP, HEATER (V-AC)-240; (POW)-100 W (DIM) - 17-7/8" X 1-1/2" (DNT) - 48 WATT/ IN2 (DOC/EXT)- Y/N..P/N: SGA1J17R03..MFG:WATLOW IN
6479	SGHC3604L4X2	SWITCH..P/N: SGHC36004L4X2..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536.50.9035 OTHER SWITCHES
6480	SGLC3601L4X2	SWITCH..P/N: SGLC36001L4X2..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536.50.9035 OTHER SWITCHES
6481	SH-0430-S2	4" LINE STOP HOUSING..P/N: SH-0430-S2..MFG: FURMANITE
6482	SH-0630-S2	6" LINE STOP HOUSING..P/N: SH-0630-S2..MFG: FURMANITE
6483	SH-0830-S2	8" LINE STOP HOUSING..P/N: SH-0830-S2..MFG: FURMANITE
6484	SH120A4ALC	MODEL NUMBER (ON COMPRESSOR NAMEPLATE) SH120A4ALC..SUCTION AND DISCHARGE CONNECTIONS BRAZED..SUCTION CONNEC
6485	SHDGC5K4-3	CABLE TRIPOLAR, SHD-GC, 4 AWG, 5 KV, 90 C, ..P/N: SHDGC5K4-3..MFG: TELEFONIKA
6486	SHF01560	SHAFT, FAN, SOLID..P/N:SHF01560..MFG:TRANE
6487	SHO0801-63-204-30-AE-3	SHO SERIES RANDOM WRAP..6 COND, 12 AWG..P/N: SHO801-63-20430-AE-3..MFG: GLEASON REEL HUBBELL..SCHEDULE B: # 7326908530
6488	SHO801-47-184-30-AE-4	SHO SERIES RANDOM WRAP..4 COND, 8 AWG..P/N: SHO801-47-18430-AE-4..MFG: GLEASON REEL HUBBELL..SCHEDULE B: # 7326908530 (

	Item	Description
6489	SHOES	NURSE SHOES..MODEL DOVE 229904..MFG: NURSE MATES..SCHEDULE B: # ..CONSTRUCCION DEL CALZADO: CEM..(CEMENTADO)..ENG
6490	SHW73TC4-U	A/A COMPRESSOR MODEL SHW73TC4-U / R22 / 25,370 BTU / 208-230V / 1 PHASE..P/N: SHW73TC4-U..MFG:HITACHI..SCHEDULE B:# 8414.3
6491	SI 1004	FLOW SENSOR ..20-36 VDC..4-20 MA W/QD..P/N: SI 1004 (R/B: SI5004)..MFG: IFM EFECTOR
6492	SI 5004 (SI 1004 OBSOLETE)	FLOW SENSOR 20-36 VDC 4 - 20 MA W/QD..MFG: IFM EFECTOR..P/N: SI5004..SCHEDULE B: # 9026105000 FLOW METER
6493	SI30-C10-PNP-NO	SENSOR INDUCTIVE SPEED (V)-10-33VDC; (SENSING RANGE)- 10MM (W)-CABLE PVC 3M ;3 X 0.35MM2 SHIELDED;(SPEC) CONNECTION O
6494	SIEMMCCBUCKET	SIEMMCCBUCKET MOTOR CONTROL CENTER BUCKET 15A, TRIP 10, A, DUL FEDEER, STYLE 95 LN HHED..MFG: SIEMENS
6495	SIM4000	4000 WATTS STEP UP/DOWN VOLTAGE TRANSFOMER..P/N: SIM4000..MFG: IMPORT BRAND..SCHEDULE B:# 9030390100 OTHER TRANSF
6496	SINFIN ZMSF	MOTOR REDUCER SINFIN ZMSF 050 R.1/15 PAM 80 B5 H.25 0,55KW 4P 230/400/50, OUTPUT SPEED: 94 RPM, RATIO:1/15, NM: 46, F.S.: 1.6, C
6497	SIS-16	CABLE LEAD HIGH TEMPERATURE, SIS, TYPE STRANDING, AWG: 16, V: 600V, NO. COND: 1, NO THREAD: 7, CLR: GRAY, TEMP: 125C, SPE
6498	SJ225	SPLICE JOINT/BOOT/ (2) H-1 CLAMPS..P/N: SJ225..MFG: UNIVERSAL..SCHEDULE B: # 8426190000 MOBILE LIFTING PARTS FOR BRIDE CR
6499	SK-KEY A	SECURE-SC KEYED EXTRACTION TOOL;..EXTRACT KEY: SECURE SC PORT BLOCKER; COLOR CODE A (KEY TYPE A - BLACK)..SK-KEY I
6500	SK-KX90014	TURBO CHARGER KIT..P/N: SK-KX90014..MFG:KUBOTA
6501	SK-PBK-AG	SECURE SC LOCKING CONNECTOR;IT IS NOT INCLUDING EXTRACTION TOOL..P/N:SECURE SC SM-APC // OFFER: SK-PBK-AG..MFG:SENI
6502	SK 3382.110	AIR CONDITIONER SYSTEM;AC 1740BTU 115V 50-60HZ TYPE12 STEEL..ROOFMTG, COMFORT CONTR, RAL7035,..NANOCOATED CONDEN
6503	SKA12-SPL	SALISBURY SAFETY KIT 12 CAL ARC FLASH HOOD AS1200 FACESHIELD SAFETY GLASSES HARD HAT AS BAG ..P/N: SKA12-SPL..MFG:SAI
6504	SKBACKPACK	BACK PACK; REINFORCED SPCL ARC FLASH ORANGE BACK PACK ;;14" X 8" X 8"..P/N: SKBACKPACK..MFG:SALISBURY..SCHEDULE B: # 9(
6505	SKKE 301F12	RECTIFIER DIODE MODULES SEMIPACK® 2;VRRM 1200 V ; IFAV 300 A ..P/N:SKKE 301F12..MFG: SEMIKRON ..SCHEDULE B:# 8541.10.0080 C
6506	SKM200GB123D	TRANSISTOR, SPEC: IGBT, DUAL LOW LOSS, I: 150A, V: 1200..P/N: SKM200GB123D..MFG: SEMIKRON
6507	SKM800GA126D	IGBT MODULE..MFG: SEMIKRON..SKM800GA126D
6508	SKVC 20A 460	VARISTOR,SKVC 20A 460,TOYO-ENG..Spare_parts..Part name VARISTOR..Manufacturer TOYO ENGINEERING..Manufacturer Part Number SKVC
6509	SL10.100	POWER SUPPLY V-INP: 100-120V/210-240VAC, (I-INP): 6/2.8A, (V-OUT): 24-28VDC, (I-OUT): 10A, (POW): 240W, ..P/N: SL10.100..MFG: PULS..S
6510	SLP-EXT	STETHOSCOPE ESXTENSION ROD (EXTENDS TO 31 INCHES)..P/N: SLP-EXT..MFG: UE SYSTEMS
6511	SLR5100	MOTOTRBO™ REPEATER VHF..P/N: SLR510..MFG: MOTOROLA
6512	SM110S4VC	PERFORMANCE SCROLL COMPRESSOR 380-400V/3/50Hz - 460V/3/60Hz..P/N: SM110S4VS (R/B: SM110-4VI)..MFG: DANFOSS
6513	SM3024	FAN FOR VENTILATING..V-DC: 24V, SPEC: ALUMINUM FAN BLADE TWO SPEED..2 SPEED 24V CAB FAN..P/N: SM3024 (SM3024-1)..MFG: TR
6514	SMC-12	COMBINACION TOOL STRAPPNG TOOLS..MANUAL SEALLES, WIDTH: 1/2 INC, THICKNESS: 0.017-0.023 IN, APEX PLUS, MAGNUS, SEAL NA
6515	SMK-20-7/16 UNF-VE	TEST COUPLING; SMK-20-7/16 UNF-VE -C6F;PS-281B, PS-281C, PS-280A, PS-280B, PS-282, PS-281D, PS-281E, PS-281F, PS-281A ..P/N: SMK-
6516	SMK-20-7/16UNF-VE	TEST COUPLING..P/N:SMK-20-7/16UNF-VE..MFG: STAUFF
6517	SMP5513	PRESS H FRAME 55 TON, ..MODEL: SMP5513..MFG: POWER TEAM
6518	SMPW-J-MF	GLASS-FILLED NYLON, WITH WINDOW, J THERMOCOUPLE TYPE, MALE/FEMALE CONNECTOR PAIR..P/N: SMPW-J-MF..MFG: OMEGA ENG
6519	SMPW-K-MF	GLASS FILLED NYLON, WITH WINDOW, K THERMOCOUPLE TYPE, MALE/FEMALE CONNECTOR PAIR..MFG: OMEGA ENGINEERING..SCHE
6520	SMPW-N-MF	MALE/ FEMALE CONNECTOR ORANGE..P/N: SMPW-N-MF..MFG: OMEGA ENGINEERING
6521	SN65LVDS180	DIFFERENTIAL DRIVER AND RECEIVER, LOW VOLTAGE DIFFERENTIAL SIGNALING, ..P/N: SN65LVDS180..MFG: TI SEMICONDUCTORS
6522	SN65LVDS180D	IC, DIFF LINE DRIVER/RECEIVER, SOP-14; DEVICE TYPE:DIFFERENTIAL ..LINE DRIVER / RECEIVER; IC INTERFACE TYPE:-; SUPPLY VOLTA

	Item	Description
6523	SNC-EP520	NETWORK SP PTZ CAMERA WITH 720X480 RESOLUTION..P/N: SNC-EP520..MFG: SONLY..SCHEDULE B: #8525805050 OTHER CAMERAS
6524	SNC-RX530	NETWORK RAPID DOME CAMERA, DUAL STREAM JPEG/MPEG-4, H.264, DAY/NIGHT, 18X OPTICAL ZOOM..P/N: SNC-RX530N BLACK..MFG:
6525	SNC-RZ25N	NETWORK PTZ CAMERA WITH 360 PAN DAY/NIGHT..P/N: SNC-RZ25N..MFG: SONY..SCHEDULE B: #8525805050 OTHER CAMERAS
6526	SOLAR CHARGER	HIGH CAPACITY SOLAR CHARGER WITH FLASHLIGHT..P/N
6527	SP-0310	CONTACTOR MODULE,ECONOMIZING,FOR USE WITH MONITORING RELAYS/CONTACTORS120VAC In, 110VDC, 1 Sec. 20VDC Cont. Out...F
6528	SP-200-24	SINGLE OUTPUT, 200 WATTS, ..P/N: SP-200-24..MFG: MEAN WELL
6529	SP-44605-S	FILTER SEPARATOR FOR A COALESCER SKID..P/N:SP-44605-S (R/B):HSP-43610-S..MFG: PARKER RACOR..SCHEDULE B: # 8421.29.0065 O
6530	SP-ETH-2	ETHERNET SURGE PROTECTOR..DUAL PORT, 10/1000 BASE T (X) ETHERNET SURGE & LIGHTNING PROTECTOR, INCLUDE GROUNDING
6531	SP-PL150-100W-120V	Replacement Lamp; Halogen - 115VAC - 100W - SER. PL150..[UL-1571]..p/n: SP-PL150-100W-120V..Mfg: Papailias..SCHEDULE B: # 8539212000 O
6532	SP09L30164	REPAIR KIT FOR MODEL - 3840P,SP09L30164..MFG:INGERSOL- RAND..P/N:SP09L30164..INCLUDE:..- R3840-283 BACKHEAD GASKET..- R38
6533	SP1-I	PLATE WALL ELECTRICAL..SPFE: 1 GANG, OUTLET IVORY BAKELITE..P/N: SP1-I (R/B: TP1-I)..MFG: PASS & SEYMOUR..SCHEDULE B: #8
6534	SP10RH-020	WIRE THERMOCOUPLE..NO: 0.020, TYPE: PLATINUM..P/N: SP10RH-020..MFG: MAERZ..SCHEDULE B: # 7110190000 OTHER WIRE PLATINUM
6535	SP154	MODEL SP154 FLOW SWITCH FOR EMERGENCY SHOWER HAWS, TYPE 9001 AND 9001EXP ALARMS. AC, 125/250, 5 AMPS, SINGLE POLE,
6536	SP154DPDT	MODEL SP154DPDT FLOW SWITCH FOR EMERGENCY SHOWER HAWS, TYPE 9001 ND 9001EXP ALARMS. AC, 125/250 VOLTS, 5 AMPS, DC
6537	SP640042	CONNECTOR MALE SET 6-PIN FOR CONVERTER 21030C10..P/N: SP640042 (R/B: SP-640042B)..MFG: SUREPOWER..
6538	SP640096	CONNECTOR MALE SET 4-PIN FOR CONVERTER 21030C10..P/N: SP640096 (R/B: SP-640096B)..MFG: SUREPOWER
6539	SPA7415-18	ELECTROMECHANICAL ACTUATOR..220 VAC, 50 HZ, WITH LIMIT SWITCH..P/N: SPA7415-18..MFG: DUFF NORTON CO...SCHEDULE B: # 850
6540	SPARE HP 6	SET OF GAGE WITH PACKING FOR HP 6 HEATER HARD GLASS..V-18980-6 4 PCS..V-16756-6 2 PCS..P-4452-6 2 PCS..MFG: FERGUSON RE
6541	SPARE HP 7	SET OF GAGE WITH PACKING FOR HP 7 HEATER HARD GLASS..2 STAND. GASKETS P/N: V-13488-4..2 TRANSPARENT BOROSILICATE GL
6542	SPBS12A	SPBS12A 12" GREEN SOFT GRIP PRYBAR STRICKING ..P/N: SPBS12A..MFG: SNAPON..SCHEDULE B: # 8203208000 OTHER HAND TOOLS
6543	SPBS24	24 IN STRIKING PRYBAR BLACK..P/N: SPBS24..MFG: SNAP-ON
6544	SPD02-I	PHILLIPS SURGE PROTECTION DEVICE; 240V 50/60HZ..P/N: SPD02-I..MFG:PHILLIPS LIGHTING
6545	SPE-50-10	HYDRAULIC FILTER RETURN..P/N SPE-50-10 (LFH5068-10) 3003129715 1326.. (R/B:P550388)..MFG: LHA- DONALDSON..SCHEDULE B: # 8421
6546	SPECTRA BOLT-ON PANEL	1 Spectra Bolt-On Panel (101) ..Single Section Panel Bottom Feed Surface Mnt..3P3W 600V 65 KAIC..Height : 89.7" Width : 36.2" Depth: 16.6"..800A M
6547	SPECTRA BOLT 2 SECTIONS	1 Spectra Bolt-On Panel (101) ..SUPER HEATER ....Sec-1..Section 1 of 2 Bottom Feed Surface Mnt..3P3W 600V 65 KAIC..Height : 76" Width : 40.2" D
6548	SPECTRA BOLT ON PANEL	1 Spectra Bolt-On Panel (101) ..1 Spectra Bolt-On Panel (101) TALLER DE LANZAS 1 Spectra Bolt-On Panel (101)..Single Section Panel Top Feed Su
6549	SPECTRA BOLT ON PANEL DISA	SPECTRA BOLT ON PANEL DISASSEMBLE..1 SECTION (S), NEMA 3R CABINETS, 800 AMPS, 3 PHASE, 3 WIRE 600 V, 50/60 HZ, MINIMUN INT
6550	SPF14-1	300-POUND DUTY RATING FIBERGLASS STRAIGHT POSTING LADDER 14 FT..P/N: SPF14-1..MFG: WERNER..SCHEDULE B:# 7019.90.5050 C
6551	SPG-063-01000-5-S-N04	GAUGE, PRESSURE, WITH GLYCERIN..(SIZE)-2-1/2";(SZ-CONN)-1/4"NPT MALE;(RAN-PRE)-0-1000PSI..P/N:SPG-063-01000-5-S-N04..MFG: ST
6552	SPK-WA	MARINE SPORTS PACK, FOR SONY DSC-W30, DSC-W50 OR DSC-W70..P/N: SPK-WA..MFG: SONY..SCHEDULE B: #4202190000 OTHER CAS
6553	SPL-34-GB-BD-IDFM	SPL-SL, 1.25G, TX 1310NM/RX 1490NM, LC, SMF, 40 KM, C-TEMP..P/N: SPL-34-GB-BD-IDFM..MFG: SOURCE PHOTONICS
6554	SPM33000-10	SENSOR SO2..P/N: SPM33000-10..MFG: SIERRA MONITOR CORP...SCHEDULE B: # 8531100045 OTHER SENSORS
6555	SPM7600TS5	SWITCH PHOTOELECTRIC PROXIMITY..V-RANGE: 10-30 VDC, DIST: 2.5, I: 120 MA, V-MAX: 30V, INCLUDE: CABLE 5 MT..P/N: SMP7600TS5..M
6556	SPORT	Stalker Sport Radar Corded Base Package, Packages Stalker Sport Radar Premium..P/N: 815-0016-00 ..Mfg: Stalker..

	Item	Description
6557	SPPL-020	WIRE THERMOCOUPLE..NO: 0.020, TYPE: PLATINUM..P/N: SPPL-020..MFG: MAERZ..SCHEDULE B: # 7110190000 OTHER WIRE PLATINUM
6558	SPRT5	Un (1) Tráiler Modelo SP RT5 para Jalar/Tensionar Cable de Aluminio en Carretes de hasta 48” de diámetro x..40” de ancho x 5,000 lbs. de capacidad de
6559	SPRT5-DIESEL	Un (1) Tráiler Modelo SP RT5 para Jalar/Tensionar Cable de Aluminio en Carretes de hasta 48” de diámetro x..40” de ancho x 5,000 lbs. de capacidad de
6560	SPS-2D	PULL CORD SWITCH EMERGENCY ..NEMA 4, WATERPROOF ENCLOSURE..2 SWITCH SPEED SPDT, 10 A, 480V, OLD P/N: SPS-2A..P/N: SP
6561	SPS-2D-3	BELT MISALIGNMENT SWITCH;SAFETY PULL SWITCH;SPS-2D-3..P/N:059502..MFG:THERMO ELECTRON CORP.
6562	SQM50.364R1G3	REVERSING ACTUATOR, 110 VAC, 12 S, 90 DEGREE, 60 HZ,..P/N: SQM50.364R1G3..MFG: SIEMENS..SCHEDULE B: # 8503005000 PART OF F
6563	SQS65	1002009475 ACTUATOR,ELECTROMOTORIC,SIEMENS,SQS65 Operating voltage 24 Vac, 0 TO 10 Vdc 2 TO 10 Vdc AT 0 TO 1000 ?..CONTROL S
6564	SR-062-R	PISTON SIMPLE EFECT..STAINLESS..P/N: SR-062-R..MFG: BIMBA STAINLESS..SCHEDULE B: # 8409918000 OTHER PISTON
6565	SR019-265-W-PFA/PFA-20F-KX	THERMOCOUPLE EXTENSION CABLE ANSI MC96.1 USD 2.79 850.39..DESCRIPTION 300V, THERMOCOUPLE EXTENSION CABLE..CONDUC
6566	SR42UBEIS	42U SMARTRACK NEMA 12, RATED INDUSTRIAL PREMIUM ENCLOSURE (INCLUDES DOOS AND SIDE PANELS)..P/N: SR42UBEIS..MFG: TR
6567	SR469P5HIA20	MOTOR PROTECTION SYSTEM RELAY P/N: SR469P5HIA20..MFG: GE MULTILIN..SCHEDULE B: # 8536.49.0075 OTHER ELECTROMECHANIC
6568	SRB2956-2TG2	CURRENT TRANSFORMER 20-200 AMP, S6..P/N: SRB2956-2TG2..MFG: SIEMENS
6569	SRCOMBO	SMARTRACK DOOR HANDLES WITH COMBINATION LOCK ..2 PACKS FOR FRONT AND REAR DOORS WITH BY PASS KEY..RACK ENCLOS
6570	SRM-30-2	2 EA SS-30 POWER SUPPLIES IN ONE (1) 19” RACKMOUNT, NON-METERED..SWITCHING POWER SUPPLY; 30 AMP POWER SUPPLY X 2
6571	SRM6030	SRM6030 WIRELESS SERIAL RADIO MODEM 900 MHz, DATA-LINC GROUP’S SRM6030 LICENSE-FREE WIRELESS SERIAL MODEM FOR THI
6572	SRML-12-WHITE	CABLE LEAD HIGH TEMPERATURE, TYPE: SIF/GL, VAC: 600V, AWG: 12, NO. STRANDS: 65, TEMP: 200 C, CLR: WHITE..P/N: SRML-12-WHITE
6573	SRPE-1000-9-C	SPIRAL POLIETYLENE ENVOLTURE NATURAL COLOR..P/N: SRPE-1000-9-C..MFG: THOMAS & BETTS
6574	SRPE-250-9	SPIRAL POLIETYLENE ENVOLTURE NATURAL COLOR..P/N: SRPE-250-9-C..MFG: THOMAS & BETTS
6575	SRPE-500-9-C	SPIRAL POLIETYLENE ENVOLTURE NATURAL COLOR..P/N: SRPE-500-9-C..MFG: THOMAS & BETTS
6576	SRPE-750-9-C	SPIRAL POLIETYLENE ENVOLTURE NATURAL COLOR..P/N: SRPE-750-9-C..MFG: THOMAS & BETTS
6577	SRPE100A100	UNIT TRIP, (I): 100 A..P/N: SRPE100A100..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536200040 OTHER AUTOMATIC CIRCUIT BREAKER
6578	SRPE150A150	UNIT, TRP..(I)-150A..MANUFACTURER: GE
6579	SRPE30A30	UNIT TRIP, (I): 30 A..P/N: SRPE30A30..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536200040 OTHER AUTOMATIC CIRCUIT BREAKER
6580	SRPF250A225	225 AMP RATING PLUG, ..P/N: SRPF250A225..MFG: GENERAL ELECTRIC
6581	SRPG400A400	UNIT PRICE, I: 600A..P/N: SRPG400A400..MFG: GENERAL ELECTRIC
6582	SRPG600A600	UNIT TRIP, I: 600A..P/N: SRPG400A600..MFG: GENERAL ELECTRIC
6583	SRSHELF2P	2U CANTILEVER FIXED SHELF (60 LB/27K CAPACITY, 18 IN / 457 MM DEPTH)..P/N: SRSHELF2P..MFG: TRIPP LITE..SCHEDULE :#9403.10.004
6584	SRSHELF2P1U	1U CANTILEVER FIXED SHELF (40 LBS / 18 K CAPACITY, 12 IN / 305 MM DEPTH)..P/N: SRSHELF2P1U..MFG: TRIPP LITE..SCHEDULE :#9403.
6585	SS-400-1-8	1000564920 COIMC,SWAGELOK,SS40018,1/4x1/2NPT ..Connectors, Tube, Compression type..Material STAINLESS STEEL 316..Thread MALE..Size
6586	SS-45YF8	4-WAY INSTRUMENT BALL VALVE..1/2' FNPT CONNECTIONS..P/N: SS-45YF8..MFG: SWAGELOK
6587	SS-4P4T	PLUG VALVE..1/4" SWAGELOK CONNECTIONS..P/N: SS-4P4T..MFG: SWAGELOK
6588	SS-600-3TMT	MALE RUN TEE ..3/8" T-1/4" MNPT-3/8" T..P/N: SS-600-3TMT..MFG: SWAGELOK
6589	SS-8-RB-4	REDUCING BUSHING..1/2" MNPT X 1/4" FNPT..P/N: SS-8-RB-4..MFG: SWAGELOK..SCHEDULE B: # 7307992000 OTHER REDUCER OF STEEL
6590	SS1-G	CLAMP FOR RAIL PVC COVERED..DIA: 1", PIPE STRAP, HANGER ROD..P/N: STRUT STRAP 1 (OFFER SS1-G)..MFG: THOMAS & BETTS..SCH

	Item	Description
6591	SS11/2-G	CLAMP FOR RAIL PVC COVERED..DIA: 1-1/2", SPEC: PIPE STRAP..HANGER ROD..P/N: SS11/2-G..MFG: THOMAS & BETTS..SCHEDULE B: #8
6592	SS1152	HEATER STRIP ..VAC: 240V, POW: 250W..P/N: SS1152..MFG: CALORITECH-CCI THERMAL..SCHEDULE B: # 8516.80.0000 ELECTRIC HEATIN
6593	SS1192	HEATER STRIP..VAC: 240V, POW: 300W,..P/N: SS1192..MFG: CALORITECH-CCI THERMAL..SCHEDULE B: # 8516909500 OTHER HEATERS
6594	SS3/4-G	CLAMP FOR RAIL PVC COVERED..DIA: 3/4", PIPE STRAP, HANGER ROD..P/N: STRUT STRAP 3/4 (OFFER SS3/4-G)..MFG: THOMAS & BETTS
6595	SS56	MOUNTING BRACKET STYLE 177C043G04..P/N: SS56..MFG: CUTLER HAMMER- EATON..SCHEDULE B: # 8302500000 OTHER BRACKETS
6596	SS634A07BBA	SUMERGIBLE SENSOR PRESURE RANGE 1M, CABLE LENGHT: 20M(PU), DENSITY: 0.85 G/CM3, VOLT SUPPLY: 9-30 VDC, OUTPUT SIGNAL
6597	SSA03	LADDER STEP..(MAT): ALUMINUM, LG: 3', W-B ASE: 18-3/4", STEP: 6", TYPE: IAA 375 LBS EXTRA HEAVY DUTY, TOP: 9 X 14"..P/N: SSA03..MF
6598	SSC5100	STAINLESS STEEL CLIP 1 ROLL OF 1/2"X 100FT ..CLAMP SSC5100 SS304 30.5M X 1/2"..P/N: SSC5100..MFG: SEAL EXPERT..SCHEDULE B: #
6599	SSF03	LADDER STEP..(MAT): FIBERGLASS, LG: 3' W-BASE: 18-3/4", STEP: 6", TYPE: IAA 375 LB, EXTRA HEAVY DUTY, TOP: 9" X 14", CLR: ORANGE
6600	SSLHM3	BALL VALVE 1/2" WCB, TYPE 7000, NACE 2000 WOG..P/N: SSLHM3 (0097035)..MFG: KF CONTROMATICS..SCHEDULE B: # 8481.80.9050 OT
6601	SSR-40 DA-H/40A	SOLID STATE RELAY MODULE;INPUT 3-32 VDC;..OUTPUT: 90-480 VAC;60HZ + HEAT SINK..P/N:SSR-40 DA-H/40A..MFG:FOTEK..SCHEDULE
6602	SSRT-240D25	RELAY;SOLID STATE(VAC)-120-240V..POTTER & BRUMFIELD..P/N:SSRT-240D25..MFG:TE CONNECTIVITY/TYCO..SCHEDULE B: # 8536.41.0(
6603	SST-2200H	SPEED SWITCH TRANSMITTER..P/N: SST-2200H(SST-2200H-1)..MFG: DYNALCO CONTROLS..COUNTRY OF ORIGIN: USA..SCHEDULE B: #
6604	ST-1/290-G	CONNECTOR LIQUID TIGHT..TYPE: 90 ANGLE, DIA: 1/2",..MAT: STEEL, FINISH: PVC COVERED..P/N: ST1/290-G..MFG: THOMAS & BETTS..SC
6605	ST-100	CONNECTOR STRAIGHT 1 IN..P/N: ST-100 (OFFER P/N: 5234 T & B)..MFG: APPLETON..SCHEDULE B: # 7326908595 OTHER CONNECTORS
6606	ST-200	CONNECTOR STRAIGHT LIQUID TIGHT..DIA: 2", MAT: STEEL..CONNECTOR STRAIGHT LIQUID TIGHT..P/N: ST-200 APPLETON, OFFER..P/N
6607	ST-4550	CONNECTOR ELBOW 45 DEGREE LIQUIDTIGHT 1/2"..P/N: ST-4550..MFG: APPLETON..SCHEDULE B: # 7326908595 OTHER CONNECTORS
6608	ST-4575	3/4 45 DEGREE CONNECTOR ELBOW..P/N: ST-4575..MFG: APPLETON..SCHEDULE B: # 7326908595 OTHER CONNECTORS
6609	ST-75	CONNECTOR STRAIGHT 3/4 IN..P/N: ST-75 APPLETON (OFFER P/N: 5233)..MFG: THOMAS & BETTS..SCHEDULE B: # 7326908595 OTHER (
6610	ST-9075	ELBOW CONNECTOR LIQUID TIGHT..GDE: 90, DIA: 3/4", MAT: MALLED IRON,..P/N: ST-9075 APPLETON (OFFER P/N: LT590)..MFG: CROUSE
6611	ST-MTRJ	FIBER PATCH CABLE ST-MTRJ ,UPC, GLASS TYPE ;DUPLEX MULTIMODE 62.5 / 125 MICRON OM1 FIBER OPTIC ,DUPLEX ,OFNR RATED OF
6612	ST 3/4-G	CONNECTOR, LIQUID TIGHT, PVC COVERED..(TYP) - STRAIGHT; (DIA) - 3/4"..(MAT) - MALLED IRON..P/N: ST 3/4-G..MFG: THOMAS & BETTS
6613	ST050-464	CONNECTOR CONDUIT, HUB SIZE 1/2", STAR TECK ALUMINUM JACKETED CABLE..P/N: ST050-464..MFG: THOMAS & BETTS..SCHEDULE B
6614	ST050-466	STAR TECK JACKETED CABLE FITTINGS, HUB SIZE: 1/2", HANDLING JACKETS DIAMETERS FROM .825 TO .985..P/N: ST050-466..MFG: THO
6615	ST075-467	FITTINGS ,CABLE TECK (SIZE-HUB) - 3/4" NPT; (SER) - STARTECK (RANGE-JACKET) - 0.880-1065" ; (MAT) - ALUMINUM;(DIM) - 0.809" X 2.45
6616	ST1-G	CONNECTOR LIQUID TIGHT..TYPE: STRAIGHT, DIA: 1", MAT: STEEL MALLEABLE IRON, FINISH: PVC COVERED..P/N: ST1-G..MFG: THOMAS
6617	ST1/2-G	CONNECTOR LIQUID TIGHT..TYPE: STRAIGHT, DIA: 1/2", MAT: STEEL MALLEABLE IRON, FINISH: PVC COVERED..P/N: ST1/2-G..MFG: THOM
6618	ST1/290-G	CONNECTOR LIQUID TIGHT..TYPE: 90 ANGLE, DIA: 1/2", ..MAT: STEEL, FINISH: PVC COVERED..P/N: ST1/290-G..MFG: THOMAS & BETTS..S
6619	ST150	CONNECTOR STRAIGHT LIQUID TIGHT, DIA: 1-1/2", MAT: STEEL..P/N: ST-150..MFG: APPLETON..SCHEDULE B: # 7326908595 OTHER CONN
6620	ST190-G	CONNECTOR LIQUID TIGHT..TYPE: 90 ANGLE, DIA: 1" NPT,..MAT: STEEL, FINISH: PVC COVERED..P/N: ST190-G..MFG: THOMAS & BETTS..S
6621	ST2-G	CONNECTOR LIQUID TIGHT PVC COVERED, TYPE: STRAIGHT, DIA: 2", MAT: STEEL..P/N: ST2-G (3327)..THOMAS & BETTS
6622	ST290-G	CONNECTOR LIQUID TIGHT PVC COVERED, TYPE: 90, ANGLE: DIA: 2",..MAT: STEEL,..P/N: ST290-G..MFG: THOMAS & BETTS..SCHEDULE B
6623	ST3/445-G	CONNECTOR, LIQUID TIGHT, PVC COVERED..(TYP) - 45 ANGLE; (DIA) - 3/4" NPT..(MAT) - STEEL..P/N: ST3/445-G..MFG: THOMAS & BETTS..
6624	ST3160815AS	HARD DRIVE BARRACUDA 7200.10..P/N: ST3160815AS..MFG: SEAGATE

	Item	Description
6625	ST3500413AS	INTERNAL HARD DRIVE BARE DRIVE..BARRACUDA 7200.12 ..500GB; INTERFACE :SATA 6 GB/S NCQ;7200 RPM ..CACHE:16 MB; 3.5"..P/N: ST
6626	ST5491E-022-020-00	TRANSMITTER, VIBRATION ..(RANGE)-20MM/S;(TYPE-OUTPUT)-4-20MA (V)-13-30VDC;(W/)-INDICATING VELOCITY (INDICATOR)-2 ½ DIGITS
6627	ST5491E-052-00-10-00	METRIX INDICATING VELOCITY VIBRATION TRANSMITTER;CONNECTION 4-20 MA; MOUNTING STOOD/HOUSING MATERIAL: 1/4" NPT /303
6628	ST718-00-03ZXCO	FILTER ELEMENT SELECTSORB..P/N: ST718-00-03ZXCO..MFG: HILLIARD..SCHEDULE B: # 8421.99.0080 OTHER FILTERS
6629	STARA3295	Orion STAR A329 pH/ISE/Conductivity/Dissolved Oxygen Portable Multiparameter Meter Kit ..- 8107UWMMD Orion ROSS Triode 3-in-1 pH/ATC prol
6630	START-UP SERVICE 135 SATMA	START-UP SERVICE 135 SATMAGAN BY SPECIALIST ENGINEER, PROVIDES,..TECHNICAL ASSITANCE SERVICE AND COMMISSIONING AN
6631	STC-8-14080	BRONZE STRAIGHT COUPLER TUBE TO CABLE..P/N: STC-8-14080..MFG: ANDERSON..SCHEDULE B: # 7307199090 OTHER COUPLINGS
6632	STC25ZK2	EMERGENCY LITE UNITS.STEEL-LITE SERIES;CIASS I, DIVISION 2 ..BATTERY 25 WATT UNIT,12 VOLT LEAD CALCIUM (STC25);LAMP HEAD
6633	STC25ZK2ICT	EQUIPO EMERGENCIA ANTIEXPLOSIVOS..PHILIPS..PHILIPS CHLORIDE SYSTEMS..CH-41050..HAZARDOUS EMERGENCY..STEEL-LITE SER
6634	STE050	STARTECK EXTREME ALUMINUM JACKETED CABLE FITTINGS HUBE SIZE 1/2"..P/N: STE050..MFG: THOMAS & BETTS..SCHEDULE B: # 854
6635	STE075	STARTECK EXTREME ALUMINUM JACKETED CABLE FITTINGS HUB SIZE 3/4"..P/N: STE075..MFG: THOMAS & BETTS..SCHEDULE B: # 8544
6636	STI-1210D	AUDIBLE STROBE GUARD PLYCARBONATE SURF..P/N: STI-1210D..MFG: SAFETY TECHNOLOGY INTL INC...SCHEDULE B: # 8531100045 OT
6637	STI1130	STOPPER II FIRE ALARM COVER WITH HORN..P/N: STI1130..MFG: SAFETY TECHNOLOGIES INTL..SCHEDULE B: # 8531100025 OTHER FIRE
6638	STM-5	STETHOSCOPE MODULE FOR UP2000..P/N: STM-5..MFG: UE SYSTEMS
6639	STROLLER	BABY STROLLER..
6640	STST1-71964	CLICK & CONNECT DEEP TOOL BOX; CARRYING CASE /GENERAL PURPOSE STORAGE..MATERIAL:PLASTIC; EXTERNAL HEIGHT:310MM;
6641	STST1-71983	CLICK & CONNECT ORGANISER; BOX TYPE:GENERAL PURPOSE STORAGE; BOX MATERIAL:PLASTIC; BOX COLOUR:BLACK; ..EXTERNAL
6642	STT-120	SUPER TOP TIE LINE TIES..P/N: STT-120..MFG: CHANCE....SCHEDULE B: #8546200060 - OTHER INSULATOR
6643	STT-90	TIE, LINE, SUPER TOP TIE..P/N: STT-90
6644	STTH-3030	BRONZE STRAIGHT COUPLER TUBE TO TUBE..P/N: STTH-3030..MFG: ANDERSON
6645	SU-SFC-553DR	ADDRESS FIRE PANEL 378, DBES..P/N: SU-SFC-553DR..MFG: SUMMIT..SCHEDULE B # 8531.90.0002 PANEL FIRE ALARM
6646	SU-SOCA-204	CONVERTER MODULE 4 CIRCUITS..P/N: SU- SOCA-204..MDF: SUMMIT..SCHEDULE B: # 8504.40.9540 OTHER CONVERTERS
6647	SUB-121	GASKET ENVIRO KIT..P/N: SUB-121..MFG: SAFETY TECHNOLOGY INTL INC...SCHEDULE B: #4016.93.0000 GASKETS
6648	SUN-NSABKXVHS	GAUGE SNUBBER..SUN-SNUBBER..P/N:SUN-NSABKXVHS..MFG:SUN HYDRAULICS..SCHEDULE B: # 9026.90.0000 PARTS AND ACCESORIE
6649	SUS-P-068-N16F-140-125-3	SUCTION LINE FILTER, 1910001925, OLD P/N: SUS-P-068-N16F-140-125-3..R/B: SUS-068-N16-140-125-P-B0.2..MFG: STAUFF..SCHEDULE B: #
6650	SV-0630-58	6" SANDWICH VALVE CLASS 300..P/N: SV-0630-58..MFG: FURMANITE
6651	SV-0630-STD	6" SANDWICH VALVE CLASS 300..P/N: SV-0630-STD..MFG: FURMANITE
6652	SV-0830-58	8" SANDWICH VALVE CLASS 300..P/N: SV-0830-58..MFG: FURMANITE
6653	SV 105AF	HAND-ARM VIBRATION SENSOR WITH EXTENDED RANGE TRIAXIAL ACCELEROMETER PLUS GRIP FORCE SENSOR FOR SV 106 (LOW C
6654	SV 106	SV 106, 6 CHANNEL HUMAN VIBRATION METER & ANALYZER ..INCLUDES: SC 56 USB CABLE,4 X AA BATTERIES,SA 62 4GB MICRO SD CAF
6655	SV 106-LIC-3	1/1 & 1/3 OCTAVE ANALYSIS OPTION FOR THE SV 106..P/N:SV 106-LIC-3..MFG:SVANTEK
6656	SV 38V	WHOLE-BODY SEAT ACCELEROMETER FOR SV 106 INSTRUMENT(LOW COST SOLUTION) INC. CABLE..P/N:SV 38V
6657	SV030-2-VTC-FLTPUB	GREENSOURCE, SM SERIES, RESIDENTIAL GEOTHERMAL HEAT PUMPS..P/N: SV030-2-VTC-FLTPUB..MFG: BOSCH..
6658	SV10PA1-42	PILOT OPERATED CHECK VALVE;TYPE SV; NOMINAL SIZE 10; CONN:P ; DESCOMPRESSION:A W/ PRE OPENNING; OPENNING PRESSURE

	Item	Description
6659	SV9MLPNL	PANEL CONTROL DIGITAL..U/O VARIATOR SV9000..P/N: SV9MLPNL..MFG: CUTLER HAMMER..SCHEDULE B: 8537109070 OTHER PANELS
6660	SVTA-1230-58	12" CLASS 300 RF SANDWICH TYPE VAVLVE FLANGED ADAPTER..P/N: SVTA-1230-58..MFG: FURMANITE
6661	SW	Shunts type SW, 50 MV, 60 Amps..p/n: SW..Mfg: Halloway..Schedule B: # 8535908040 Other connectors
6662	SW12PHN300	DIODE RECTIFIER, VPI: 1200 V, I: 450A..P/N: SW12PHN300 (OFFER P/N: W0508SA120)..MFG: WESTCODE SEMICONDUCTORS..SCHEDULE
6663	SW2-1/2-80-3/8	SQUARE WASHER FLAT 7/8" X HOLE SIZE 15/16" 2 1/2" X 3/8"..P/N: SW2-1/2-80-3/8..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318220000
6664	SW2-70	WASHER, SQUARE, 2" X 2" X 1/4" WITH 13/16" HOLE,HOT DIP GALVANIZED..MFG:HUGHES..P/N:SW2-70..SCHEDULE B: # 7318.22.0000 OTH
6665	SW3-60	SQUARE WASHER W= 3", 1/4" THICK, 11/16" HOLE SIZE FOR 5/8" BOLT SIZE..3" X3" X 1/4"..MFG: HUGHES..P/N:SW3-60..SCHEDULE B: # 731
6666	SW3-70	SQUARE WASHER, BOLT SIZE 3/4", 13/16" HOLE SIZE, OUTSIDE DIMENSION 3" X 3" X 1/4"..P/N: SW3-70..MFG: HUGHES BROTHERS..SCHE
6667	SW4	KEY MILL CARTRIDGE..P/N: SW4..MFG: WALTER TOOLS..SCHEDULE B: # 8207705000 OTHER TOOLS FOR MILLING
6668	SW4-80	SQUARE WASHER 7/8" HOLE SIZE 15/16", 4" X 4" X 1/4"..P/N: SW4-80..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318220000 OTHER WAS
6669	SWDE-46S	CLAMP COOLINE STRAIN..P/N: SWDE-46S..MFG: HUBBELL..Schedule B: # 8535908040 Other connectors
6670	SWH-080-B2	STRAIGHT BRONZE BOLT CABLE TO 500-800 MCM..P/N: SWH-080-B2..MFG: ANDERSON..SCHEDULE B: # 7318.15.2000 BOLTS AND BOLTS
6671	SWH-1-421356010	SWITCH THERMAL.(DEG)-180 C..MFG:RPTI..P/N: SWH-1-421356010..MFG: RAPID POWER TECHNOLOGIES INC...SCHEDULE B: # 8536.50.90
6672	SYD1-33-STS-FWX	INYECTION PUMP NAHO, 0-4 L/MIN, 0.2KW, 460V, 60HZ, 3PH, TYPE: DIAPHRAGM: SX0089/ No. SERIE: 99070224..P/N: SYD1-33-STS-FWX..MF
6673	T-805 25MM X 55 M1 MIL	KAPTON TAPE ADHESIVE R006; WIDE 25MM,POLYIMIDE FILM SUPPORT 25 U GRADE H; 33M ROLL..P/N: T-805 25MM X 55 M1 MIL..MFG: BO
6674	T-805 30MM x 55 M 1 MIL	KAPTON TAPE ADHESIVE R006;WIDE 30MM;POLYIMIDE FILM SUPPORT 25 U GRADE H 33 M ROLL..P/N: T-805 30MM x 55 M 1 MIL..MFG: BC
6675	T00162	VALMETSP CONSISTENCY METER WITH RL STYLE BLADE AND STANDARD..PIPELINE MOUNTING HARDWARE. PRICE INCLUDES PIPELI
6676	T1010F	TERMINAL PRESSURE LOW VOLTAGE, TYPE: FORK, AWG: 12-10, INSUL: NO, STUD-HOLE: #10, #8..P/N: T1010..MFG: BURNDY..SCHEDULE
6677	T105635	DECAL TEREX LOGO, CODE 70145355..P/N: T105635..MFG: TEREX
6678	T105638	DECAL CWT STRIPE, CODE 70145367..P/N: T105638..MFG: TEREX
6679	T105639	DECAL, CODE 70145373..P/N: T105639..MFG:TEREX
6680	T105648	DECAL LOGO, CODE 70145381..P/N: T105648 ..MFG: TEREX..
6681	T105655	DECAL BOOM, CODE 70145368..P/N: T105655..MFG: TEREX
6682	T107	4 IN T CONDUIT BODY..P/N: T107..MFG: CROUSE HINDS..
6683	T11-311-5	CIRCUIT BREAKER, THERMAL, 1 P, 5A, 240 V..P/N: T11-311-5 (T11-311-5A)..MFG: SCHURTER..SCHEDULE B: #
6684	T1258N04TOF	THRYSTOR, VAL-D; 400V, PHASE CONTROL 1258-A..P/N: T1258N04TOF..MFG: AEG SVS POER SUPPLY SYSTEM..SCHEDULE B : 854150008
6685	T15009N18TOF	THRYSTOR EUPEC..P/N: T1509N18TOF..MFG: EUPEC
6686	T1500N18TOF	THYRISTOR ..P/N: T1500N18TOF..MFG: EUPEC
6687	T168STOS	INSTRUMENTATION CABLE, 16 AWG, 8 TRIADS STOS (UL), ITC 90..p/n: T168STOS..MFG: LAKE CABLE
6688	T194	LAMP MINIATURE, V: 14V, POW: 3.78W..P/N: T194(OFFER 194)..MFG: EIKO..SCHEDULE B: # 8539228050 OTHER LAMPS
6689	T28-B	CONDULET CONDUIT BODY PVC COVERED, DIA: 3/4", TYPE: T, SHP: 8..P/N: T28-B BLUE COLOR..MFG: THOMAS & BETTS..SCHEDULE B: #
6690	T32-040P-S1	FILTER ELEMENT..P/N: T32-040P-S1..MFG: MADUSA
6691	T3420A	MODULE,ANALOG I/P,16 CHANNEL,1-1/4"HT..Manufacturer: ICS TRIPLEX..Manufacturer Part No: T3420A..MODULE, INPUT, ANALOG, REGE
6692	T3750-180	SIDE CUTTERS..P/N: T3750-180..MFG: CK TOOLS..SCHEDULE B: # 8205100000 WRENCHES BASE METAL

	Item	Description
6693	T38-G	CONDULET CONDUIT BODY, PVC COVERED, DIA: 1", TYPE: T, SHP: 8..P/N: T38-G..MFG: THOMAS & BETTS..SCHEDULE B: #8547900030 JOI
6694	T41D45	METER HOUR QUARTZ, 0.03 WATTS AT 12 VDC, 10-80 DC..P/N: T41D45
6695	T57-G	CONDULET CONDUIT BODY PVC COVERED, DIA: 1-1/2, TYPE: T, SHP: 7..P/N: T57-G..MFG: THOMAS & BETTS..
6696	T58-G	CONDULET CONDUIT BODY PVC COVERED, DIA: 1-1/2, TYPE: T, SHP: 8..P/N: T58-G (R/B: T58-4X-G)..MFG: THOMAS & BETTS..SCHEDULE I
6697	T600-1798	TOWER & FLAT-FACE GROUNDING CLAMPS..BRONZE T-HANDLE ACME THREADS..MFG: CHANCE....SCHEDULE B: #8205700090 - OTHEF
6698	T6208	FIBERGLASS 8 FT TWIN STEP LADDER ..P/N: T6208..MFG: WERNER..SCHEDULE B: # 7326908560 OTHER LADDERS
6699	T65X0044	SHUTTLE VALVE G3/8"..P/N: T65X0044..MFG: NORGREN..SCHEDULE B: # 8481100060 OTHER PARTS FOR CONTROL VALVES FOR PAPER I
6700	T675A1458/U	REMOTE TEMPERATURE CONTROLLER 55-175F SET POINT ;1 SPDT ;COPPER BULB 5' CAP; CAPILLARY LENGTH ;1 F FIXED DIFFERENTI/
6701	T70BWH6	RACEWAY BASE, TYPE: T-70, SIZE: 4.07" X 1.77", LG: 6', SPEC: MULTI-CHANNEL..P/N: T70BWH6..MFG: PANDUIT..SCHEDULE B: #392690998
6702	T70CWH6	RACEWAY COVER, TYPE: T-70, LG: 6', ..P/N: T70CWH6..MFG: PANDUIT..SCHEDULE B: #3926909987 OTHER ITEMS OF PLASTIC
6703	T70ICWH	FITTING INSIDE CORNER..P/N: T70ICWH..MFG: PANDUIT
6704	T70OCWH	FITTING OUTSIDE CORNER BASE..P/N: T70OCWH..MFG: PANDUIT
6705	T710311T	FUSE HOLDER;TYPE C STANDARD PORCELAIN CUTOUT; 27 KV, 150 KV BIL, STANDARD TYPE C PORCELAIN CUTOUT WITH A 100A, 8KAI(
6706	T718N12TOF	THYRISTOR..P/N: T718N12TOF..MFG: EUPEC
6707	T87K1007	THERMOSTAT; (TEMP-MAX)-95 F, (TEMP-MIN)-55 F, (V)-24V,(SPEC)-THERMOSTAT HONEYWELL,9109..P/N:T87K1007..MFG:HONEYWELL IN(
6708	T87N1000	THERMOSTAT, (TEMP MAX) 90F, (TEMP MIN) 40F, (V) 24-30V (SPEC) RIMSET HEATING COOLING, T-51AXA..P/N: T87N1000..MFG: HONEYW
6709	T8E-H	HIGH TEMPERATURE ANTI-SEIZE PASTE..8 OZ / 227 GR; GREASE 1400 F..P/N: T8E-H..MFG:TIODIZE..SCHEDULE B: # 2710.19.3750 OTHER
6710	T91A47	POLE MOUNT..P/N:T91A47 (5504-701)..AXIS T91A47 110-400 mm ..(4.3-15.7 in)..MFG: AXIS COMMUNICATIONS..SCHEDULE B:# 8302.30.0000 (
6711	T91A61	Bracket for Axis PTZ Dome Network Q6032E..p/n: T91A61 (5017-611)..Mfg: Axis Communications..SCHEDULE B: # 8302500000 OTHER BRACKETS
6712	T91B61	CAMERA WALL MOUNT BRACKET P/N:T91B61 (5504-621) (321386077136)..MFG: AXIS COMMUNICATIONS..SCHEDULE B:# 8302.30.0000 OT
6713	TA-18 / S / 1 / 0	ACCELEROMETER TRANSDUCER ..TA-18/S M8 X 1.25..STANDARD TEMPERATURE CEMB ACCELERATION TRANSDUCER..P/N:TA-18 / S / 1
6714	TA1FD350A	LUG 350 MCM-CU WIRE CONNECTOR..P/N: TA1FD350A..MFG: SIEMENS
6715	TA25DU4.0-20	OLR (2.8-4A)..P/N: TA25DU4.0-20..P/N: ABB
6716	TA25DU8.5-20	OLR (4.5-8.5A)..P/N: TA25DU8.5-20..P/N: ABB
6717	TA601	PUSH BUTTON(W)-CARD HOLDER 8-24 VAC (COLOR)-SPRAYED BRASS;(SIZE)-2X2-9/16"..P/N:TA601..MFG: TORK ALERT..SCHEDULE B: # 8
6718	TABASE5000	POWER BOARD..P/N: TABASE5000..MFG: CAREL..SCHEDULE B: #9032810040 INDUSTRIAL PROCESS CONTROL INSTRUMENTS AND APPA
6719	TACH-800A-240	Thermal Activator Heater, 36", type K t/c, NEMA7, 800W, 240VAC, Inconel. (NOTE: Only needed if media temperature is below 80C. Shorter version can
6720	TAG	TAG FOR THERMOWELL
6721	TAIFD350A	PLUG 350 MCM-CU, WIRE CONNECTOR..P/N: TAIFD350A..
6722	TAKEY00000	PROGRAMMING KEY..P/N: TAKEY00000..MFG: CAREL..SCHEDULE B: #8471410150 OTHER PROGRAMMING KEY FOR PROCESSING MACHI
6723	TAS2000RV	GUARDIAN ANALOG TELEPHONE WITH HANDSET, IP66 PROTECTION, DIE CAST, COPPER FREE, ALUMINIUM ALLOY CASE, ADJUSTABLE
6724	TAT000RCW0	USER INTERFACE KEY DISPLAY..P/N: TAT000RCW0..MFG: CAREL..SCHEDULE B: # 9032100000 CONTROL TEMPERATURE
6725	TB202006191DZ	PUMP IMPELLER, , CV DRIVEN, GLAD SEAL, MATERIALS: PUMP CASING: QT500, WETTED PARTS: CR27+MO, SHAFT: 40CRMO, SHAFT SLE
6726	TB28-G	CONDULET CONDUIT BODY, PVC COVERED, DIA: 3/4,,", TYPE: TB, SHAPE: 8,..P/N: TB28-G..MFG: THOMAS & BETTS..SCHEDULE B: # 85479

	Item	Description
6727	TB38-G	CONDULET CONDUIT BODY, PVC COVERED, DIA: 1", TYPE: TB, SHP: 8,..P/N: TB38-G..MFG: THOMAS & BETTS
6728	TB55111A04F30	PROXIMITY SENSOR, PH, NEXT STEP..P/N: TB55111A04F30..MFG: ABB TBI..SCHEDULE B : # 9032810080 OTHER INDUSTRIAL PROCESS C
6729	TB58-G	CONDULET CONDUIT BODY PVC COVERED, DIA: 1-1/2", TYPE: TB, SHP: 8..SCHEDULE B: #8547900030 JOINTS TREATED..P/N: TB58-G..MF
6730	TB600342	LOAD CELL - STAINLESS STEEL 2500 LBS/1,100 KGS ; MODEL 0745A..P/N: TB600342..MFG:METTLER TOLEDO..SCHEDULE B: # 9031.80.807
6731	TB600343	CELL WEIGH, CAP: 5000 LB, MATERIAL: STAINLESS STEEL, PROTECTION RATING: IP68/66, METROLOGY: NTEP III 5M/ OIML C3, HAZARDC
6734	TBCRS	SPECTRUM THUNDERBOLT LIGHTNING DETECTOR WITH DESK STAND..P/N: TBCRS..
6735	TBD10STATION	132513 1ea Connector module left 1/4" NPT..132519 2ea Manifold base 3 station with check valves..132518 2ea Manifold base 2 station with check val
6736	TBD6STATION	132513 1ea Connector module left 1/4"NPT..132518 3ea Manifold base 2 station with check valves..135208 6ea 5470 Valve 4way 6mm push tube 24V
6737	TBX55611D3100T300	SENSOR PH, TYPE: FLAT, PRE MAX: 100 PSI;PROBE..P/N: TBX556.1.1.D.3.1.00.T.30.0..MFG: ABB..SCHEDULE B: # 9031.80.8080 OTHER SENS
6738	TC-1600	COMPOUND (TYPE)-TOUCH-UP; (CAP)-1 PINT, 473ML; (REF)-RED RIGID STEEL CONDUIT NON SPRAY WITH BRUSH - TOP CAN (GRAY) (D
6739	TC-195-NM	CONNECTORS ..P/N: TC-195-NM..MFG: TIMES MICROWAVE SYSTEMS
6740	TC-195-TM	CONNECTORS..P/N: TC-195-TM..MFG: TIMES MICROWAVE SYSTEMS
6741	TC-400-NF-PL	CONNECTORS..P/N: TC-400-NF-PL..MFG: TIMES MICROWAVE SYSTEMS
6742	TCC-8-080080	CABLE MAIN TO CABLE TAP...MATERIAL: CAST BRONZE ALLOY BODY,SILICON BRONZE/STAINLESS STEELHARDWARE..MAIN TUBE/CON
6743	TCC8-050050	BRONZE STRAIGHT TEE CABLE 1/0 SOL 500MCM..P/N: TCC8-050050..MFG: HUBBELL-ANDERSON FARGO..SCHEDULE B: # 7412.20.0000 OT
6744	TCPL-R-2048	T/C,GTMC,HSG331158069,EA240121003D70000002,MT-GOI(EA-RZ-NA-NA)-TC K-TR-T2-NA-G(BSP)1"-GRB,ENG ASSY TEMP SENSOR,SCREV
6745	TCSESM083F2CU	MODICOM CONNEXIUM MANAGED SWITCH TCSESM083F2CU GTX//2FX-MM..P/N: TCSESM083F2CU..MFG: SCHNEIDER..SCHEDULE B: # 85
6746	TD-1500	TORQUE MULTIPLIER..P/N: TD-1500..MFG: X-4 ..
6747	TD168-7-MA10UC	UNFILTERED BATTERY CHARGER, 168VDC 7 AMP OUTPUT, 120/208/240 VAC 60 HZ SINGLE PHASE INPUT, OPEN FRAME DESIGN. THE TD
6748	TDS3BATC	BATTERY PACK, LITHIUM ION, 14.4V; BATTERY TECHNOLOGY:LITHIUM ION; ..FOR USE WITH:TEKTRONIX TDS3CHG CHARGER & TDS300
6749	TE100-D	BOX CIRCUIT BREAKER..NO. POLES: 3, V: 600V, I: 100A, SPEC: ENCLOSURE NEMA 2..P/N: TE-100D..MFG: GENERAL ELECTRIC..SCHEDULE
6750	TE100-J	BOX CIRCUIT BREAKER..I: 100A, VAC: 600V..P/N: TE100-J..MFG: GENERAL ELECTRIC..SCHEDULE B: # 7310100050 OTHER BOXES
6751	TEB122015WL	CIRCUIT BREAKER, NO. POLES: 2, V: 240V, I: 15A..P/N: TEB122015WL..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536200040 OTHER AUT
6752	TEB122050WL	CIRCUIT BREAKER, NO.POLES: 2, V: 240V, I: 50A,..P/N: TEB122050WL..MFG: GENERAL ELECTRIC..SCHEDULE B:# 8536.10.0040 OTHER ELE
6753	TED124015	CIRCUIT BREAKER, NO. POLES: 2, V: 480 VAC, I: 15A..P/N: TED124015..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536200040 OTHER AUT
6754	TED136150	CIRCUIT BREAKER, NO. POLES: 3, V: 6000VAC, I: 50A..P/N: TED136150..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536200040 OTHER AU
6755	TEFLON PANEL .590x12.60x13.78	TEFLON PANEL .590x12.60x13.78 25% GLASS FILLED..(320MM x 350MM x 15MM)EFLON PANEL .590x12.60x13.78
6756	TEFLON PANEL .590x13.78x14.57	TEFLON PANEL .590x13.78x14.57 - 25% GLASS FILLED..(350MM x 370MM x 15MM)
6757	TEFLON PANEL .590x16.54x28.74	TEFLON PANEL .590x16.54x28.74 - 25% GLASS FILLED..(420MM x 730MM x 15MM)
6758	TEFPLD1	CIRCUIT BREAKER, MOLDED CASE, E-150 PADLOCK KIT..P/N: TEFPLD1..MFG: GENEARAL ELECTRIC
6759	TEG-160WS	TRENDnet 16-PORT GIGABIT WEB SMART SWITCH WITH SHARE MINI-GBIC SLOTS (BLACK) ..P/N: TEG-160WS..MFG: TRENDNET..SCHEDU
6760	TEMFLEX 1700-1-1/2	TAPE ELECTRICAL VYNIL, W: 1-1/2", THK: 0.007", LG: 20M, MAT: PVC, MOD: TEMFLEX 1700..P/N: TEMFLEX 1700-1-1/2..MFG: 3M..SCHEDULE

	Item	Description
6761	TEMP SEA 770 PVC 10	INSULATED PVC GLOVES..TEMP SEA 770 PVC 10..P/N: 150499-10..MFG: MAPA..SCHEDULE B: #6116100000 RUBBER COATED GLOVES
6762	TEMP SEA 770 PVC 9	INSULATED PVC GLOVES..TEMP SEA 770 PVC 9..P/N: 150499-9..MFG: MAPA..SCHEDULE B: #6116100000 RUBBER COATED GLOVES
6763	TEST 20	HOSE TEST 20; CONNECTION THREAD M16X2 (STAUFF TEST 20/20) STAUFF 24 M16XM16 9100..SMS-20-024-B / SMS-20-610-B-C6F..P/N:TES
6764	TEST CASE HYDROTECHNIK	TEST CASE HYDROTECHNIK, CASE INCLUDES:..1 TRANSPORT CASE P/N: 3160-00-70.01..1 MULTI-SYSTEM 5060 P/N: 3160-70-00..3 PRESSU
6765	TEYX35/37	BIT YX 35/37..P/N: TEYX35/37..MFG: HILTI
6766	TF-0315-STD-BS	3" X 3" HOT TAP FITTING ANSI 150# WITH BACKING STRIPS, DF: 0.72..P/N: TF-0315-STD-BS..MFG: FURMANITE..SCHEDULE B: # 843139050
6767	TF-0415-STD-03-BS	4" X 3" HOT TAP FITTING ANSI 150#..P/N: TF-0415-STD-03-BS..MFG: FURMANITE
6768	TF-0415-STD-BS	4" X 4" HOT TAP FITTING ANSI #150 WITH BACKING STRIPS, DF: 0.72..P/N: TF-0415-STD-BS..MFG: FURMANITE..SCHEDULE B: # 843139050
6769	TF-0430-STD-BS	4" X 4" HOT TAP FITTING ANSI 300# WITH BACKING STRIPS, DF: 0.72..P/N: TF-0430-STD-BS..MFG: FURMANITE..SCHEDULE B: # 843139050
6770	TF-0615-STD-03-BS	6" X 3" HOT TAP FITTING ANSI 150# WITH BACKING STRIPS, DF: 0.40..P/N: TF-0615-STD-03-BS..MFG: FURMANITE..SCHEDULE B: # 8431390
6771	TF-0615-STD-04-BS	6" X 4" HOT TAP FITTING ANSI 150#..P/N: TF-0615-STD-04-BS..MFG: FURMANITE
6772	TF-0615-STD-06-BS	6" X 6" HOT TAP FITTING ANSI 150#..P/N: TF-0615-STD-04-BS..MFG: FURMANITE..73 LBS EA
6773	TF-0615-STD-BS	6" X 6" HOT TAP FITTING ANSI 150# WITH BACKING STRIPS, DF: 0.72..P/N: TF-0615-STD-BS..MFG: FURMANITE..SCHEDULE B: # 843139050
6774	TF-0615-STD-BS DF 0.40	6" X 6" HOT TAP FITTING ANSI 150# WITH BACKING STRIPS, DF: 0.40..P/N: TF-0615-STD-BS..MFG: FURMANITE..SCHEDULE B: # 843139050
6775	TF-0630-STD	6" ANSI 300 STD, HOT TAP FITTING WITH BACKING STRIPS..P/N: TF-0630-STD..MFG: FURMANITE CORP.
6776	TF-0630-STD-04-BS	6" X 4" HOT TAP FITTING ANSI 150#, WITH BACKING STRIP, DF: 0.40..P/N: TF-0630-STD-04-BS..MFG: FURMANITE CORP...54 LBS EA
6777	TF-0815-STD-04-BS	8" X 4" HOT TAP FITTING ANSI 150#, WITH BACKING STRIPS, PLUGS, DF: 0.40..P/N: TF-0815-STD-04-BS..MFG: FURMANITE..SCHEDULE B: #
6778	TF-0815-STD-06-BS	8" X 6" HOT TAP FITTING ANSI 150#, WITH BACKING STRIPS, PLUGS, DF: 0.40..P/N: TF-0815-STD-06-BS..MFG: FURMANITE..SCHEDULE B: #
6779	TF-0815-STD-BS	8" X 8" HOT TAP FITTING ANSI #150 WITH BACKING STRIPS, DF: 0.72..P/N: TF-0815-STD-BS..MFG: FURMANITE..SCHEDULE B: # 843139050
6780	TF-0815-STD-BS DF 0.40	8" X 8" HOT TAP FITTING ANSI #150 WITH BACKING STRIPS, DF: 0.40..P/N: TF-0815-STD-BS..MFG: FURMANITE..SCHEDULE B: # 843139050
6781	TF-0830-STD-BS	8" X 8" HOT TAP FITTING ANSI 300# WITH BACKING STRIPS, DF: 0.72..P/N: TF-0830-STD-BS..MFG: FURMANITE..SCHEDULE B: # 843139050
6782	TF-1015-STD-06-BS	10" X 6" HOT TAP FITTING ANSI 150#, WITH BACKING STRIP..P/N: TF-1015-STD-06-BS..MFG: FURMANITE..124 LBS EA
6783	TF-1015-STD-10-BS	10" X 10" HOT TAP FITTING ANSI 150#, DF: 0.40, WITH BACKING STRIP..P/N: TF-1015-STD-10-BS..MFG: FURMANITE..203 LBS EA
6784	TF-1015-STD-6	10 X 6 ANSI 150 STD. HOT TAP FITTING WITH BACKING STRIPS..P/N: TF-1015-STD-6..MFG: FURMANITE CORP..SCHEDULE B: # 843139050
6785	TF-1015-STD-8	10 X 8 ANSI 150 STD HOT TAP FITTING WITH BACKING STRIPS..P/N: TF-1015-STD-8..MFG: FURMATITE CORP
6786	TF-1890-RTJ	18" CLASS 900 RTJ HOT TAP FITTING PER DRAWINGS SUBMITTED..P/N: TF-1890-RTJ..MFG: FURMANITE
6787	TF-2030-STD-10	20" X 10" CLASS 300 HOT TAP FITTING-RF FLANGE WITH BACKING STRIPS..P/N: TF-2030-STD-10..MFG: FURMANITE CORP.
6788	TF-56KL	TIMERS P/N: TF-56KL (1279C91G35) ON DELAY TIMER .13 SECONDS DELAY, 100-240V 50/60 HZ ..P/N: TF-56KL..MFG: CUTLER HAMMER - E
6789	TFA400STA2480DFLPI	LAMPHOLDER SODIUM POW: 400W, VAC: 480V, INCL: 1 EA LAMP..P/N: TFA400STA2480DFLPI..MFG: LITHONIA
6790	TFK236150	CIRCUIT BREAKER..NO. POLES: 3, V: 600V, I: 150 A, ..P/N: TFK236150..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536200040 OTHER AUT
6791	TFK236200	CIRCUIT BREAKER 200A ;600V;3 POLE..P/N:TFK236200 (OFFERED: TFK236200WL)..MFG:GE..SCHEDULE B: #8536.10.0040 OTHER APPARAT
6792	TFK236225	CIRCUIT BREAKER..NO. POLES: 3, V: 600V, I: 225 A, ..P/N: TFK236225..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536200040 OTHER AUT
6793	TFN1803 (6G-1801-06)	CABLE TFFN..TYPE: STRANDING, AWG: 18..P/N: TFN1803 (6G-1801-06)..MFG: INDUSTRIAL WIRE CABLE..SCHEDULE B: # 741331000 - ST
6794	TFS16252	FILTER AIR PANEL..LG: 16" X W: 25", THK: 2", MAT: STEEL..P/N: TFS16252..MFG: ANDREWS..SCHEDULE B: # 8421990080 OTHER PARTS F

	Item	Description
6795	TG3100	SET OF ULTRASONIC THICKNESS GAUGE FOR EPOXIES GLASS, SCAN MODE 0.75 300 MM..P/N: TG3100..MFG: HUATEC GROUP CORP...P
6796	TH-400S-A17-TB	OPEN HIGH BAY INDUSTRIAL LIGHTING, SYSTEM WATT: 400W, VOLT: MULTI-TAP BALLAST, DO NOT INCLUDE TEMPERED GLASS LENS,
6797	TH111OD1000	THERMOSTAT DIGITAL , TMAX: 37C, TMIN: 05C, ..P/N: TH1110D1000..MFG: HONEYWELL SEENSING AND CONTROL..SCHEDULE: # 9032.10.
6798	TH3321M	SWITCH SAFETY HD3 POLE 30 A 240 V..P/N:TH3321M ..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536.50.9065 OTHER ELECTRICAL APP
6799	TH3361R	SWITCH SAFETY HEAVY DUTY..VAC: 600V, I: 30A, SPEC: ENCLOSURE 3R, RIGHTIGHT, 3 PHASE..P/N: TH3361R..MFG: GENERAL ELECTRIC
6800	TH3363J	SWITCH SAFETY HEAVY DUTY, VAC: 600V, I: 100A, NO.POLES: 3, HP: 75..P/N: TH3363J..MFG: GENERAL ELECTRIC
6801	TH4323	SWITCH SAFETY HEAVY DUTY..VAC: 240, I: 100 A, NO. POLES: 3, HP: 30..P/N: TH4323..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536.50.
6802	TH5110D1022	THERMOSTAT, SPEC: POWER BATTERY OR HARDWIRED COLOR WHITE, SWITCH SYSTME HEAT/OFF/COOL AUTO, VOLTS 20-30AC, 750
6803	TH6110D1005	PROGRAMMABLE THERMOSTAT FOCUS PRO 6000..P/N: TH6110D1005..MFG: HONEYWELL..SCHEDULE B: # 9032896040 TEMPERATURE C
6804	THC15A	TIMER PROGRAMMABLE..OK TIMER..VOLTAGE: 220VAC..50/60 HZ;..MAX CURRENT: 16 A/250 VAC..LCD SCREEN..FEATURES : UP TO 16 SE
6805	THCD-101-LOG	CHANNEL POWER SUPPLY (0-5VDC)..P/N: THCD-101-LOG..MFG: TELEDYNE
6806	THE CHEMESTRY OF GOLD	BOOK THE CHEMISTRY OF GOLD EXTRACTION..AUTHOR: JOHN MARSDEN
6807	THE136015WL	CIRCUIT BREAKER..NO. POLES: 3, V: 600V, I: 15A,..P/N: THE136015WL..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536200040 OTHER AU
6808	THED124020	CIRCUIT BREAKER, NO. POLES: 2, V: 480VAC, I: 20A..P/N: THED124020 (OR P/N: THED124020WL)..MFG: GENERAL ELECTRIC..SCHEDULE
6809	THED124040WL	CIRCUIT BREAKER, NO. POLES: 2, V: 480VAC, I: 40A..P/N: THED124040 (OR P/N: THED124040WL)..MFG: GENERAL ELECTRIC..SCHEDULE E
6810	THED136015WL	CIRCUIT BREAKER, NO. POLES: 3, V: 600V, I: 15A..P/N: THED136015WL..MFG: GENERAL ELECTRIC..
6811	THED136030WL	CIRCUIT BREAKER, NO. POLES: 3, V: 600V, I: 30A, VDC: 250V..P/N: THED136030WL..MFG: GENERAL ELECTRIC..SCHEDULE B: # 853620004(
6812	THED136040	CIRCUIT BREAKER 3 POLE, 40 A, 600 V..P/N: THED136040..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536200040 OTHER AUTOMATIC CIF
6813	THED136050WL	CIRCUIT BREAKER, NO. POLES: 3, V: 600V, I: 50A..P/N: THED136050WL..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536.20.0040 OTHER A
6814	THED136070	CIRCUIT BREAKER 3 POLE, 70A, 600V,..P/N: THED136070..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536200040 OTHER AUTOMATIC CIF
6815	THED136100	CIRCUIT BREAKER 3 POLE, 100A, 600 V..P/N: THED136100 (OFFER THED136100 WL)..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536200(
6816	THG1000	GOLDSOURCE STEP UP AND DOWN VOLTAGE CONVERTER TRANSFORMER THG1000-AC 110/220 V- 1000 WATTS..P/N: THG1000..MFG: G
6817	THG500	GOLDSOURCE STEP UP AND DOWN VOLTAGE CONVERTER TRANSFORMER THG500- AC 110/220V-500 WATT..P/N: THG500..MFG: GOLDS
6818	THHN 1 19 0	CABLE THHN 1 AWG, 19 STRANDS, 1 CONDUCTOR, BLACK JACKET..P/N: THHN 1 19 0..MFG: REPUBLIC WIRE
6819	THHN 1/0 19 0	CABLE THHN 1/0 AWG, 19 STRANDS, 1 CONDUCTOR, BLACK JACKET..P/N: THHN 1/0 19 0..MFG: REPUBLIC WIRE
6820	THHN 10 19 0	CABLE THHN 10 AWG, 19 STRANDS, 1 CONDUCTOR, BLACK JACKET..P/N: THHN 10 19 0..MFG: REPUBLIC WIRE
6821	THHN 12 19 0	CABLE THHN 12 AWG, 19 STRANDS, 1 CONDUCTOR, BLACK JACKET..P/N: THHN 12 19 0..MFG: REPUBLIC WIRE
6822	THHN 14 19 0	CABLE THHN 14 AWG, 19 STRANDS, 1 CONDUCTOR, BLACK JACKET..P/N: THHN 14 19 0..MFG: REPUBLIC WIRE
6823	THHN 2 19 0	CABLE THHN 2 AWG, 19 STRANDS, 1 CONDUCTOR, BLACK JACKET..P/N: THHN 2 19 0..MFG: REPUBLIC WIRE
6824	THHN 2/0 19 0	CABLE THHN 2/0 AWG, 19 STRANDS, 1 CONDUCTOR, BLACK JACKET..P/N: THHN 2/0 19 0..MFG: REPUBLIC WIRE
6825	THHN 4 19 0	CABLE THHN 4 AWG, 19 STRANDS, 1 CONDUCTOR, BLACK JACKET..P/N: THHN 4 19 0..MFG: REPUBLIC WIRE
6826	THHN 6 19 0	CABLE THHN 6 AWG, 19 STRANDS, 1 CONDUCTOR, BLACK JACKET..P/N: THHN 6 19 0..MFG: REPUBLIC WIRE
6827	THHN 8 19 0	CABLE THHN 8 AWG, 19 STRANDS, 1 CONDUCTOR, BLACK JACKET..P/N: THHN 8 19 0..MFG: REPUBLIC WIRE
6828	THJK436300WL	CIRCUIT BREAKER..POL: 3, V: 600V, I: 300A, CONSIST OF: 1 -THJK436F000, 1- TJK36T300, 6-TCAL43..P/N: THJK436300WL..MFG: GENERAL E

	Item	Description
6829	THQC2115WL	CIRCUIT BREAKER, NO. POLES: 2, V: 120-240 V, I: 15 A..P/N: THQC2115WL..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536200040 OTHER
6830	THQC2120WL	MOLDED CASE CIRCUIT BREAKERS, Q-LINE SERIES 2 POLES;20 AMPS; 120/240 VAC; 10 kAIC, LUG IN/LUG OUT..P/N: THQC2120WL..MFG: (
6831	THQL1120	CIRCUIT BREAKER,..NO. POLES: 1, V: 120-240V, I: 20A, ..P/N: THQL1120..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536200040 OTHER AU
6832	THQL2040	CIRCUIT BREAKER BIPOLASR 40A 250A ..P/N: THQL2040..MFG: WESTINGHOUSE
6833	THQL2120HID	CIRCUIT BREAKER, NO.POLES: 2, V: 120-240V, I: 20A,..P/N: THQL2120HID..MFG: GENERAL ELECTRIC..SCHEDULE B: # 8536200040 OTHER /
6834	THQL2125HID	CIRCUIT BREAKER..NO. POLES: 2, V: 120-240V, I: 25 A..P/N: THQL2125HID..MFG: GENERAL ELECTRIC
6835	THQL2130HID	CIRCUIT BREAKER, NO.POLES: 2, V: 120-240V, I: 30 A..P/N: THQL2130HID..MFG: GENERAL ELECTRIC
6836	THQP115	CIRCUIT BREAKER, NO. POLES: 1, V: 220V, I: 15A..P/N: THQP115..MFG: GENERAL ELECTRIC
6837	THW2-4BK	TYPE THW PVC INSULATION 600 VOLT, 90 C, 4 AWG, 7 STRAND, NOM. INSULATION THICKNESS 0.060 (60 MILS), NOMINAL O.D. 0.352 IN, C
6838	TI-GEAR-M350F	MULTI-PURPOSE THERMAL MONOCULAR SYSTEMS ; THERMAL IMAGING MONOCULAR; FPA: 384 X 288; 50HZ; 17 MICRON PIXEL PITCH;LE
6839	TIC 300 PRO	REVELADOR DE TENSIÓN SIN CONTACTO, TIC 3 USD 125.00 125.00..01 EA REVELADOR DE TENSIÓN SIN CONTACTO, TIC 300 PRO..TIC 3
6840	TJJ436350	CIRCUIT BREAKER..POL: 3, V: 600V, I: 350A,..P/N: TJJ436350..MFG: GENERAL ELECTRIC..SCHEDULE B: #8536200040 OTHER AUTOMATIC C
6841	TJK436350WL	CIRCUIT BREAKER; (TYPE)-MOLDED CASE(# POLE)-3; (V)-600V; (I)-350A; (COMPD)-FRAME TJK436F000 & UNIT TRIP TJK436T350..P/N:TJK4
6842	TJK436400WL	CIRCUIT BREAKER, NO.POLES: 3, V: 600V, I: 400A, ..P/N: TJK436400WL..MFG: GENERAL ELECTRIC..SCHEDULE B: #8536100040 OTHER API
6843	TK-FTEB01	CONTROLLOGIX FTE ETHERNET BRIDGE MODULE..REDUNDANT POWER SUPPLY..MODEL TK-FTEB01 PART 51309512-175..P/N: TK-FTEB
6844	TK 554	LEVEL A SUITE TK 554..P/N: TK 554 (TMP-EQP)..MFG: DUPONT TYCHEM
6845	TK6	TRANSMITTER ASSEMBLY,..FREQ: 462.2875MHZ, SPEC: COMPLETE OPERATING, (SERIE): E8338, SHEET E-TK06-8338-1..P/N: TK6..MFG: C
6846	TKMACZ-LV2	Microscope Marca: O.C. White Modelo: TKMACZ-LV2; Descripcion: ESD-Safe Macro Zoom™ Analog Video Inspection System with Dual Arm Base, Dim
6847	TL-0002-STD	2" EQUALIZATION FITTING, INCLUDES CAP, PLUG, O-RING & NIPLE, FACTOR DESIGN 0.4, MAX OPERATION PRESSURE 100 BAR, MAX OP
6848	TL-072	PIN VISE FOR GAUGING DRILLS..P/N: TL-072..MFG: HVAC TOOLS..SCHEDULE B: # 8205700010 OTHER VISES
6849	TL-IR3-KIT	Triple Infrared Test Lamp Kit ..p/n: TL-IR3-KIT..MFg: Net-Safety
6850	TL220	CABLE SET, TEST, MULTIMETER..P/N: TL220..MFG: FLUKE
6851	TL40/54	LAMP FLUORESCENT..V: 110-240V, POW: 40 W, TYPE: T-12, SPEC: COLOUR DAYLIGHT, 2550 LUMENS, LG 47"..P/N: TL 40/54..MFG: GEG
6852	TL81A	DELUXE TEST LEAD SET..INCLUDE: ONE METER LONG MODULAR TEST LEAD, INSULATED PROBED TIPS, MODULAR HOOK, PICHES CLIF
6853	TLP4.A	BUTTONS WITHOU SOCKET, Up 1NO, down 1NO, emergency 1NC..P/N: TLP4.A..MFG: GIOVENZANA..SCHEDULE B: #7014002000 - OTHER GI
6854	TLS-32-102-60	TEMPERATURE LEVEL SWITCH TLS, NORMALLY CLOSE AND OPEN AT 60 DEGREE..P/N: TLS-32-102-60..MFG: INNOVATIVE COMPONENT
6855	TLS-32-102-70	TEMPERATURE LEVEL SWITCH TLS, NORMALLY CLOSE AND OPEN AT 70 DEGREE..P/N: TLS-32-102-70..MFG: INNOVATIVE COMPONENT
6856	TLS-32-102-80	TELMPERATURE LEVEL SWITCH TLS, NORMALLY CLOSE AND OPEN AT 80 DEGREE..P/N: TLS-32-102-80..MFG: INNOVATIVE COMPONEN
6857	TM1/A/1/0/4/0/0/0/0	TM-1 - DUAL CHANNEL TRANSMITTER WITH 2 ADJUSTABLE ALARM LEVELS 24V POWER SUPPLY..P/N: TM1/A/1/0/4/0/0/0/0..MFG: CEMB..S
6858	TM710D	BRACKISH WATER MEMBRANES, 4" X 40" MAXIMUM OPERATING PRESSURE: 600 PSI, FEED SPACER: 31 MIL, MEMBRANE AREA 87 f2 (8 m
6859	TM720D-400	BRACKISH WATER MEMBRANES, 8" X 40" MAXIMUM OPERATING PRESSURE: 600 PSI, FEED SPACER: 34 MIL, MEMBRANE AREA 400 f2 (37
6860	TM820V-400	BRACKISH WATER MEMBRANES, 8" X 40" MAXIMUM OPERATING PRESSURE: 1200 PSI, FEED SPACER: 34 MIL, MEMBRANE AREA 400 f2 (3
6861	TMP-2	BATTERY TEMPERATURE MONITORING KIT..MODEL TMP-2..P/N: TMP-2..MFG:HUAWEI / EMERSON VERTIV
6862	TMP-EQP	LEVEL A SUITE . SIZE MEDIUM..P/N;TMP-EQP ..MODEL:TK554/USA..MFG:DUPONT TYCHEM..

	Item	Description
6863	TN3C2	FAN, AXIAL (V-AC)-115V;(POW)-59W(RPM)-3350;(FREQ)-60HZ(REF)-176MM X 112MM(SPEC)-TARZAN.. AC-TUBE AXIAL,MOUNTED INTHE DC
6864	TNE2C	FAN ASSEMBLY, V: 115V, FREQ: 50/60 HZ, I: 0.45A/0.49A, POW: 45/59W..P/N: TNE2C..MFG: COMAIR ROTRON..SCHEDULE B: # 8414.59.9080
6865	TOSHB1002FLG3USH02	100 3600 230/460 TEFC 405TS 405TS EQP-III, ..P/N: TOSHB1002FLG3USH02..MFG: TOSHIBA..SCHEDULE B:# 8501.52.8000 OTHER ELECTRIC
6866	TOSHSH120405	SPACER HEATER 120V 405T..P/N: TOSHSH120405..MFG: TOSHIBA..SCHEDULE B:# 8501.52.8000 OTHER ELECTRIC MOTORS AND GENERA
6867	TP-109-FT066	TEST PLUG 10 POLES FOR SWITCH FT-066..P/N: TP-109-FT066..MFG:GE
6868	TP-111-FT082	TEST PLUG 10 POLES FOR SWITCH FT-082..P/N:TP-111-FT082..MFG:GE
6869	TP-111-FT084	TEST PLUG 10 POLES FOR SWITCH FT-084..P/N: TP-111-FT084..MFG:GE
6870	TP-111-FT086	TEST PLUG 10 POLES FOR SWITCH FT-086..P/N: TP-111-FT086..MFG: GE
6871	TP-112-FT089	TEST PLUG 10 POLES FOR SWITCH FT-089..P/N:TP-112-FT089..MFG:GE
6872	TP00341	NEEDLE 3 X 180 MM..(28/SET)..P/N: TP00341-28..MFG: NITTO KOHKI CO...SCHEDULE B: # 9018320000 TUBULAR METAL NEEDLES
6873	TP14-8	TERMINAL PRESSURE LOW VOLTAGE..(TYPE)-RING,TP AND BA;(AWG)-16-14(INSUL)-PVC;(STUD-HOLE)-6-8(CLR-CODE)-BLUE;(U/O)-VOLT
6874	TP14-8F	TERMINAL PRESSURE LOW VOLTAGE..(TYPE)- FORK,TP-F;(AWG)-16-14(INSUL)-PVC;(STUD-HOLE)- 6-8 (CLR-CODE)- BLUE;(U/O)- VOLTAG
6875	TP16-8	TERMINAL PRESSURE LOW VOLTAGE..(TYPE)-RING,TP AND BA;(AWG)-22-16(INSUL)-PVC;(STUD-HOLE)-6-8(CLR-CODE)-RED;(U/O)-VOLTA
6876	TP16-8F	TERMINAL PRESSURE LOW VOLTAGE..(TYPE)-FORK,TP-F;(AWG)-22-16(INSUL)-PVC;(STUD-HOLE)-6-8(CLR-CODE)-RED;(U/O)-VOLTAGE 60
6877	TP253	JACK WALL ASSY DUPLEX MODULAR..P/N: TP253..MFG: RCA..SCHEDULE B: # 8536904000 OTHER TERMINALS
6878	TP608	COVER BLANK..LG: 4 1/4", W: 2 1/2" ..REF: BLANK RAISED BOX..P/N: 860 RACO..OFFER P/N: TP608 ..MFG: CROUSE HINDS..SCHEDULE B: #
6879	TP7C-075-SW-SM	THERMOCOUPLE WITH STD. LEAD NIST CALIBRATION, TP7075/ TP-7-75', WITH STANDARD LEAD INTRINSICALLY SAFE RANGE -14 TO 370
6880	TPS-2D-3	BELT MISALIGNMENT SWITCH;TRIPPER POSITION SWITCH;TPS-2D-3..P/N:059511..MFG: THERMO ELECTRON CORP.
6881	TPS MINI 102	TPS MINI 102, PRISM SIZE 6 CMS...P/N: TPS MINI 102..SCHEDULE B: # 9001907000 OTHER PRISM
6882	TR-300-HIK	3M™ VERSAFLO™ HEAVY INDUSTRY PAPR KIT TR-300-HIK 1 EA/CASE..P/N:TR-300-HIK..MFG:3M..WEIGHT:13 LBS..MFG: 6506.99.6000 OTH
6883	TR-305N+	VERSAFLO™ PAPR ASSEMBLY WITH STANDARD BELT AND ECONOMY BATTERY..THE TR-305N+ PAPR ASSEMBLY INCLUDES ..TR-300 PC
6884	TR-326	3M™ HIGH DURABILITY BELT TR-326, FOR VERSAFLO™ TR-300 & SPEEDGLAS™ TR-300-SG PAPR, 1 EA/CASE..P/N:TR-326..MFG: 3M
6885	TR-327	3M™ EASY CLEAN BELT TR-327, FOR VERSAFLO™ TR-300 PAPR, 1 EA/CASE ..P/N:TR-327..MFG:3M
6886	TR-330	3M™ ECONOMY BATTERY TR-330, FOR VERSAFLO™ TR-300 PAPR, 1 EA/CASE ..P/N:TR-330..MFG:3M
6887	TR-332	3M™ HIGH CAPACITY BATTERY TR-332, FOR VERSAFLO™ TR-300 PAPR 1 EA/CASE ..P/N:TR-332..MFG:3M
6888	TR-362	3M™ SPARK ARRESTOR TR-362, FOR VERSAFLO™ TR-300 PAPR 2/CASE..P/N:TR-362..MFG:3M
6889	TR-614-HK	3M™ VERSAFLO™ PAPR ASSEMBLY TR-614-HK, 1/CASE..P/N:TR-614-HK..MFG: 3M..WEIGHT: 13 LBS..SCHEDULE B: # 9020.00.8000 OTHER
6890	TR-A/1/0/4/0/0/2/0	TRANSMITTER. ..TYPE A: ACCELEROMETER- 100 MV/G (TA-18/S)..MAGNITUDE MEASURED:SPEED..MEASUREMENT MODE:RMS..MEASUR
6891	TR07123	RADIATOR TRAFO FORTUNE ELECTRIC DRAWING 21T3B4677 // TRT3B4677..ELEMENT NUMBER :31;CENTER TO CENTER 3,500MM; MAT
6892	TR10-APA8CDRXB200F	MODEL NO.: TR10-APA8CDRXB200F ..TO SCREW IN. THERMOWELL ACC. DIN 43772/2G+3G. REPLACEABLE INSERT, MGO. MAX.MEASURI
6893	TR3E475K050C0300	CAPACITOR, TANTALUM, 50V, 4.7UF; PRODUCT RANGE:VISHAY SPRAGUE - ..TR3 SERIES; CAPACITANCE:4.7µF; CAPACITANCE TOLERAN
6894	TR620-F	FULL THREADED ROD DOUBLE ARMING, 5/8" DIAMETER, 20" LENGHT, WITH 4 NUTS..P/N: TR620-F..MFG: HUGHES BROTHERS..SCHEDUL
6895	TR714-F	FULL THREADED ROD 3/4" X 14"..P/N: TR714-F..MFG: HUGHES BROTHERS..SCHEDULE B:# 7318.15.9000 THREADED ARTICLES: SCREWS,
6896	TR720-F	FULL THREADED ROD DOUBLE ARMING, 3/4" DIAMETER, 20" LENGHT, WITH 4 NUTS..P/N: TR720-F..MFG: HUGHES BROTHERS..SCHEDUL

	Item	Description
6897	TR722-F	FULL THREADED DOUBLE ARMING BOLT, 3/4", 22" LENGHT, WITH 4 NUTS..P/N: TR722-F..MFG: HUGHES BROTHERS..SCHEDULE B: # 7318
6898	TR818-F	FULL THREADED ROD, 7/8" X 18",..THREAD=FULL W/4 N80 SQ NUTS HOT..DIP GALVANIZED, CONFORMS TO..ANSI C135.1..P/N: TR818-F..M
6899	TR820-F	THREADED ROD,7/8" X 20",THREAD=FULL(DOUBLE ARMING BOLT) W/4 N80 SQ NUTS HOT DIP GALVANIZED,CONFORMS TO ANSI C135.1
6900	TR824-F	THREADED 7/8" X 24" TWO SQUARE NUT 7/8" WITH TWO LOCKNUT 7/8"..P/N: TR824-F..MFG: HUGHES BROTHERS..SCHEDULE B: # 731822
6901	TR826-F4N	THREADED DOUBLE END ROD 7/8" X 26"..P/N: TR826-F4N..MFG: HUGHES
6902	TRAVEL	Air travel, rental car and living expenses (billed at actual cost plus 15%.)
6903	TREXLFPKLWP3S	1002431659 ..DEVICE COMMUNICATOR,EMER-PM,TREXLFPKLWP+..Description DEVICE COMMUNICATOR..Trade mark AMS TREX..Communic
6904	TRM100	External transducer with integrated magnet and 1.5 m. wire ..P/N: TRM100..MFG: SPM INSTRUMENT
6905	TRM3-1/2A	FUSE MIDGET, TIME DELAY, I: 3-1/2A, V: 250V, I-MAX: 10KA, TRIO-NIC TIME DELAY, DIM: 1-1/2"X 13/32"..P/N: TMR3-1/2A..MFG: GOULD SHAW
6906	TRS4-1/2R	FUSE CLASS RK5 (VAC)-600V;(I)-4-5A;(I MAX)-200KA..P/N: TRS4-1/2R..MFG: MERSEN..SCHEDULE B: # 8535.10.0040 OTHER FUSES
6907	TRSPYMARKII	THREE PHASE TRANFORMER TESTER AND RATIOMETER..P/N: TRSPYMARKII..MFG: RAYTEK
6908	TRUPULSE 360-B	DISTANCIOMETRO LASER,..P/N: TRUPULSE 360-B..MFG: LASER TECHNOLOGY INC.
6909	TS5051	Temperature sensor for connection to evaluation units Cable with connector..gold-plated contacts..Connection to control monitor TP / TR..Measuring rang
6910	TSD-UV40PBXMS	BALLAST,ELECTRONICS (V)-120-277 V; (FREQ) - 50/60 HZ (TYPE) - PROGRAMMED START ELECTRONIC (U/O) - SERIES PL-L 4 - PIN FLUOF
6911	TSE600-96	MOTOR CONTROLLER DC, 60-96 VDC..P/N: TSE600-96 (INCLUDE HANDHELD ..PB-200)..MFG: NAVITAS TECHNOLOGIES..SCHEDULE B: # 85
6912	TT-N-24-100	THERMOCOUPLE WIRE, N TYPE DUPLEX INSULATED..P/N: TT-N-24-100..MFG: OMEGA ENGINEERING
6913	TT3081	RTD PROBE SENSOR (TEMPERATURE), MODEL IFM(BREVIN) TT3081;PT100, 10MM DIAMETER,360MM TOTAL LENGH;300MM USABLE LEN
6914	TT3903A	Z2 G5 MINI WORKSTATION COMPUTER, NON RETURNABLE, WITH THE WINDOWS 10 ENTERPRISE LTSC 2019, 64 BIT, OPERATION SYST
6915	TU1065BU-100	TUBING POLYURETANO, OD: 10MM, ID: 6.5 MM, PKG: 100M, SPEC: BLUE COLOR, PRESSURE OPERATION, 8.2 KFG.CM2. TEMPERATURE 2
6916	TULIP	VALVE GUARD STEEL, 3 1/8 X 11 METAL TULIP; LEXAN TULIP CAP..P/N:TULIP..MFG: NORRIS CYLINDER..SCHEDULE B:# 7326.90.8695 OTHI
6917	TUM5J20KE	RESISTANCE, 20K, 5 W, ROHS..P/N: TUM5J20KE..MFG: OHMITE
6918	TW30-4040 DRY	TAP WATER ELEMENT FILTEC. ROSTW4040, TW30-4040DRY..P/N: W2T150331..MFG: EVOQUA
6919	TW32A31LL09K	THERMOWELL TYPE: STRAIGHT, ID: 0.26", W/ TANTALUM, TAG: TW-80373/B, SPEC: U DIMENSION: 7", INSTRUMENT CONNECTION 3/4", 31
6920	TW32A34LL14K	THERMOWELL..TYPE: STRAIGHT,ID: 0.26", W: TANTALUM, TAG" TW-410492, SPEC: U DIMENSIONS: 12.0" INSTRUMENTS CONNECTION: 2"
6921	TW32A34LL16K	THERMOWELL, TYPE: STRAIGHT, ID: 0.26", W/ TANTALUM INSTRUMENT CONNECTION: 2" 150# ANSI RF FLANGE, MAX ROOT: 1.0",OVERA
6922	TW32A34LL24K	THERMOWELL, TYPE: STRAIGHT, ID: 0.26", W/TANTALUM, TAG: TW-90319, SPEC: U DIMENSION: 22" INSTRUMENT CONNECTION 2", 316S
6923	TW32A34LL24M	THERMOWELL WITH DUPONT INDUSTRIAL FLUOROPOLYMER COATING 1.5MILS THICKNESS (NOT A SHEATH)..P/N: TW32A34LL24M..MFC
6924	TW32A34LL24X	THERMOWELL 2" 150#RF 316SS...260 BORE, U 22 STRAIGHT WITH ..TEFLON SHEATH .040" THK..P/N: TW32A34LL24X..MFG: MCWELD..SCH
6925	TW33A34LL83X	THERMOWELL TYPE: TAPER, ID: 0.26", W/ SPECIAL, MAT: STEAM AND FLANGE 316SS, INSTRUMENT CONNECTION: 1.5", 150 # ANSI RF FL
6926	TW43A34LL9K	THERMOWELL, TYPE: STRAIGHT, ID: 0.26", W/ TANTALUM, TAG: TW-80373/B, SPEC: U DIMENSION: 7" INSTRUMENT CONNECTION 3/4", 31
6927	TWH20	HOSE SET FOR TORQUE WRENCH..P/N: TWH20..MFG: POWER TEAM..SCHEDULE B:# 3917.39.0002 OTHER HOSES
6928	TWIST - LOCK	TWIST -LOCK BACKSHELL/HANGER, TITANIUM (LEVEL TROLL 500, 700 AND BAROTROLL USIN G NON VENTED PSIA SENSORS ONLY)..P/N
6929	TWSD11	SQUARE DRIVE TORQUE WRENCH..P/N: TWSD11..MFG: POWER TEAM..SCHEDULE B:# 8467.89.5090 OTHER TOOLS
6930	TWSMC065	SOCKET- 1-1/2in SQUARE DRIVE x 65mm HEX..P/N: TWSMC065..MFG: POWER TEAM..SCHEDULE B:# 8467.89.5090 OTHER PARTS FOR WR

	Item	Description
6931	TWSMC075	SOCKET- 1-1/2in SQR DRIVE x 75mm HEX..P/N: TWSMC075..MFG: POWER TEAM..SCHEDULE B:# 8467.89.5090 OTHER PARTS FOR WRENC
6932	TWSMC095	SOCKET- 1-1/2in SQR DRIVE x 95mm HEX..P/N: TWSMC095..MFG: POWER TEAM..SCHEDULE B:# 8467.89.5090 OTHER PARTS FOR WRENC
6933	TWUL-10339-S	HEAT SEAL SINGLE SIDE 2.7 MIL THICK X 3/4 X 108 FT..P/N: TWUL-10339-S
6934	TWUL-11922-S	MOUNTING TAPE DOUBLE SIDED 1/8" THICK X 1/4" X 108 FT..P/N: TWUL-11922-S
6935	TWUL-11923-S	MOUNTING TAPE DOUBLE SIDED 1'8" THICK X 1/2" X 108 FT..P/N: TWUL-11923-S
6936	TWUL-3791375-S	MOUNTING TAPE DOUBLE SIDED 1/16" THICK X 3/8" X 108 FT..P/N: TWUL-3791375-S
6937	TY24M	CABLE TIE 30LBS 5.5" NAT NYLON 2-PC..(LG)-140 MM;(CLR)-WHITE(W)- 4MM..MFG: THOMAS & BETTS..P/N: TY24M..SCHEDULE B:#3926.90.
6938	TY253MX	CABLE TIE 50LBS 11" ULTRAVIOLET RESISTANCE BLACK NYLON WITH STAINLESS STEEL LOCKING DEVICE BULK PACK..P/N: TY253MX..M
6939	TY25M	TIE CABLE..(LG)- 186MM; (CLR) - WHITE, (W) - 5MM..P/N:TY25M..MFG: THOMAS & BETTS..SCHEDULE B: #8536695050 OTHER CONNECTOR
6940	TYPE EF	CONDUIT FLEXIBLE SEALTITE 1/2 IN..P/N: TYPE EF (1/2EFGY)..MFG: ANACONDA..SCHEDULE B: # 8547900040 OTHER CONDUIT FLEXIBLE
6941	TYPEJ9	RESISTOR, REF: BERCO J GRID COIL 5.08 OHM TYPE-S MOUNTING..P/N: TYPE J9..MFG: CLAUDE LYONS LTD
6942	TYPEJE9	RESISTOR, REF: BERCO GRID COIL 0.786 OHM..P/N: TYPEJE9..MFG: CLAUDE LYONS LTD
6943	TZ-221	BLACK ON WHITE 3/8" P-TOUCH..P/N: TZ-221..MFG: BROTHERS..SCHEDULE B: # 3919102055 OTHER TAPES
6944	TZ-231	BLACK ON WHITE 1/2" PTOUCH TAPE..P/N: TZ-231..MFG: BROTHERS..SCHEDULE B: # 3919102055 OTHER TAPES..COUNTRY OF ORIGIN: U
6945	TZ-241	BLACK ON PRINT 3/4" P-TOUCH TAPE..P/N: TZ241..MFG: BROTHERS..SCHEDULE B: # 3919102055 OTHER TAPES
6946	TZ-335	WHITE ON BLACK 1/2" PTOUCH TAPE..P/N: TZ-335 ..MFG: BROTHERS..SCHEDULE B: # 3919102055 OTHER TAPES
6947	TZ-S-231	BLACK ON WHITE 1/2" PTOUCH TAPE..P/N: TZS-231..MFG: BROTHERS..SCHEDULE B: # 3919102055 OTHER TAPES
6948	TZE641	P-TOUCH TZE STANDARD ADHESIVE LAMINATED TAPE, 0.7" X 26.2 FT, BLACK ON YELLOW..P/N: TZE641..MFG: BROTHERS..SCHEDULE B
6949	TZE651	P-TOUCH TZE STANDARD ADHESIVE LAMINATED LABELING TAPE, 0.94" X 26.2 FT, BLACK ON YELLOW..P/N: TZE651..MFG: BROTHER..SC
6950	TZE661	LAMINATED BLACK ON YELLOW 1-1/2" PTOUCH TAPE..P/N: TZE661..MFG: BROTHERS..SCHEDULE B: # 3919102055 OTHER TAPES..COUNT
6951	TZN4M-24R	PID TEMPERATURE CONTROLER; DIN W72xH72mm, DIGITAL, RELAY OUTPUT, 2 ALARM OUTPUTS 100-240 VAC ; RS485 COMMUNICATION
6952	U-25-236	BOILER FEEDWATER PRE HEATER, 1,803.5 SQFT, HOR, TYPE BEU 2-P TEMA C. UNIT, GENARALLY AS PER OUR TEMA DATA SHEET ATTA
6953	U-902-D	GAUGE LIQUID FILLED WITH GLYCERIN..P/N: U-902-D..MFG: FARVAL..SCHEDULE B: # 8481909090 PARTS FOR VALVE
6954	U.025	FLUIDISATION NOZZLES..BOX 10 PIECES..DIMENSIONS: 250x100x100 mm..WEIGHT: 3 kg..P/N: U.025..MFG: WAM
6955	U1-KMY	The Standard ThunderBolt®..Portable Lightning Detector Utility Package..The ThunderBolt Portable Lightning Detector industrial/utility package comes co
6956	U1181C1	PLUG TYPE PL-259 MIT..AMPHENOL COAXIAL CONNECTOR RF..CONN UHF PLUG STR SOLDER..P/N: U1181C1(OFFER: 523-083-1SPB-15RI
6957	U163	U-DIE FOR 2 CU CONDUCTOR..P/N: U163..MFG: BURNDY..SCHEDULE B: # 8544606000 OTHER ACCESORIES FOR CABLE CONDUCTORS
6958	U165	U-DIE FOR 1/0 CU CONDUCTOR..P/N: U165..MFG: BURNDY..SCHEDULE B: # 8544606000 OTHER ACCESORIES FOR CABLE CONDUCTORS
6959	UA94/95	PLATE ASSEMBLY, SPEC: PALGE GRIND STATIONARY AND REVOLVING FOR BICO PULVERIZER DIRECT DRIVEN TYPE UD 460V 3 PH 60 (
6960	UB-AM	ANTENNA MOUNT..P/N: UB-AM..MFG: UBIQUITI..SCHEDULE B: 8517.69.0000 OTHER APPARATUS FOR COMMUNICATIONS AND PARTS THE
6961	UB1-G	U BOLT GRAY, 1"..P/N: UB1-G..MFG: THOMAS & BETTS..SCHEDULE B: # 7318159000 OTHER BOLTS
6962	UB11/2-G	BOLT U INCH..DIA: 3/8", THD/IN: 16, LG: 4"..U/O: ROUND PIPE, DIA-PIPE: 1-1/2"..P/N: UB11/2-G..MFG: THOMAS & BETTS..SCHEDULE B: # 731
6963	UB1270FR	BATTERY,UPS (SPEC)- FIRE RETARDANT LEAD ACID (TERMINAL TYPE)-F1;(V)-12V,7AH (LG)-5.95";(W)-2.56";(H)-3.86" (DOC/EXT)-N/N..P/N: U
6964	UB1A-GR	UNIVERSAL BLOCK LATCH SPRING-LOADED GATE; ..GROUNDED STUD; SHEAVE MATERIAL: POLISHED ALUMINUM; SHEAVE OD: 7"..OPT

	Item	Description
6965	UB2-G	U BOLT GRAY, 2"..P/N: UB2-G..MFG: THOMAS BETTS..SCHEDULE B: # 7318159000 OTHER BOLTS
6966	UB634	BATTERY; SEALED LEAD-ACID AGM TECHNOLOGY ;3.4AMP-HOUR;VOLTS-6..MODEL- UNIVERSAL POWER UB634F1;TERMINAL FASTEN T/
6967	UBCII1200-TPSPACE	INSULATING CLAMP U BOLT PIPE 12 " ;U-BOLT INSULATING SUPPORT CLAMP FOR 12 "S-300 PIPE, ATLAS 180 ° IMPACT RESISTANT (AST
6968	UBCII800-TPSPACE	INSULATING CLAMP U BOLT PIPE 8 " ;U-BOLT INSULATING SUPPORT CLAMP FOR 8 "S-300 PIPE, ATLAS 180 ° IMPACT RESISTANT (ASTM
6969	UC1700	WHEEL CHOCK 8.5 X 7.5 X 6.25" FOR TIRES..P/N: UC1700..MFG: CHECKERS..2 LBS/EA
6970	UC4W28	PARALLEL CLAMP FOR RANGE OF COPPER 4/0..P/N: UC4W28..MFG: BURNDY..SCHEDULE B: # 7307.19.9090 OTHER CLAMPS
6971	UCPX18-56	3-1/2 PILLOW BLOCK..P/N: UCPX18-56..MFG: AMI BEARINGS
6972	UCU500740242	TRI-ARC UNSUPPORTED CANTILEVER LADDER, 7 STEP, 40" LONG CANTILEVER, GRIP STRUT..P/N: UCU500740242..MFG: TRI-ARC MANUF
6973	UD GKC2128S	PUMP GKC21/28S 5.5 GPM 4000PSI..P/N: UD GKC2128S..MFG: CAM SPRAY...SCHEDULE B#: 8424.89.0000 OTHER PARTS FOR PRESSURE V
6974	UG-21B/U	AMPHENOL RF 82-61 (UG-21B/U) RF / COAXIAL CONNECTOR, N TYPE, STRAIGHT PLUG, SOLDER, 50 OHM..P/N: UG-21B/U..MFG: AMPHEN
6975	UG-FE-0290-01*	Substitute NEMA-4 Powder Coated Aluminum Weather Resistant Enclosure for Rack Mount Controller (if desired to place controller outdoors / closer to h
6976	UK19673	HEAD TO BOWL O-RING VITON..P/N: UK19673..MFG:PALL..SCHEDULE B: # 9026.90.0000 PARTS AND ACCESORIES
6977	ULQN2B611W	PUSH BUTTON..(CLR)- WHITE - ;(V) - 220 V; (DIA)-30 MM; (SPFE) - I..LUMINATED, LAMP INCANDESCENT 3.6 V 1W,TRANSFORMER INCORF
6978	ULTK02M5AM02P	LIGHTING PROJECTOR, V: 480V, POW: 2000W, TYPE: ULTRASPORT WITH INSTANT HOT RESTART..P/B: ULTK02M5AM02P..MFG: GENERA
6979	ULTRAPROBE 201	ULTRAPROBE 201 GREASY CADDY ..P/N: ULTRAPROBLE 201..MFG: UE SYSTEMS INC...SCHEDULE B: # 9026900000 OTHER INSTRUMENTS
6980	UNF305-G	UNION ELECTRICAL CONDUIT PVC COVERED, DIA: 1, TYPE: UNF, MAT: STEEL..P/N: UNF305-G..MFG: THOMAS & BETTS..SCHEDULE B: # 8
6981	UNF505-G	UNION ELECTRICAL CONDUIT PVC COVERED, DIA: 1-1/2", TYPE: UNF, MAT: STEEL..P/N: UNF505-G..MFG: THOMAS & BETTS..SCHEDULE E
6982	UNF50NR	UNF FEMALE UNION 1/2" ..P/N: UNF50NR..MFG: APPLETON..SCHEDULE B:#8547.90.0040 OTHER ELECTRICAL CONDUIT,TUBING AND JOIN
6983	UNI-ORL7T2	INDOOR/ OUTDOOR IN TINT DOME HOUSING..P/N: UNI-ORL7T2..MFG: SONY..SCHEDULE B: # 8529906000 OTHER PARTS FOR CAMERAS
6984	UNIVERSAL 6 OUTLET	UNIVERSAL 6 OUTLET POWER STRIP WITH 110/240V 15 AMPS WORLDWIDE USE..SCHEDULE: # 8535400000 OTHER POWER SUPPLY
6985	UNY1005	4 IN UNION MALE..P/N: UNY1005..MFG: CROUSE HINDS
6986	UNY205	UNION ELECTRICAL CONDUDIT, DIA: 3/4", TYPE: UNY, MAT: STEEL..P/N: UNY205..MFG: CROUSE HINDS..SCHEDULE B: # 8544493040 OTHE
6987	UP-10-3	BRONZE HORIZONTAL BUSS SUPPORT TUBE..P/N: UP-10-3..MFG: ANDERSON..SCHEDULE B: #8487900080 MACHINERY PARTS NOT CONT
6988	UP14-5	BRONZE HORIZ BUS SUPPORT TUBE TO INSULATO..P/N: UP14-5..MFG: ANDERSON
6989	UP15000TS	UP15000TS..Ultraprobe 15,000 Touch Digital Ultrasonic Inspection System..This advanced ultrasonic instrument can perform on-board spectral analysis,
6990	UP21WB200S	UP2 - UP2 Pneumatic Rotary Actuator, 450 ft/lb Rated Torque at 100 psig Supply (See Note A)..Enclosure Rating 1 NEMA-4X Control Input W 4 ... 20 m
6991	UP51WB100S	UP5 PNEUMATIC ROTARY ACTUATOR, ..2800 FT/LB RATED TORQUE AT 100 PSIG SUPPLY ENCLOSURE RATING: NEMA-4X CONTROL INP
6992	UP550KT	ULTRASONIC INSPECTION SYSTEM..P/N: UP550KT..MFG: UE SYSTEMS..SCHEDULE B: # 9027304080 OTHER LEAK DETECTOR
6993	UP550S	ULTRASONIC INSPECTION SYSTEM..P/N: UP550S..MFG: UE SYSTEMS..SCHEDULE B: # 9027304080 OTHER LEAK DETECTOR
6994	UP8-2489R	LEAD LAMP, E995438..P/N: UP8-2489R..MFG: IDEC..SCHEDULE B: # OTHER PARTS 8539.90.0000
6995	UPC648A	PNEUMATIC UNIVERSAL PIPE CUTTER..P/N: UPC648A..MFG: REED
6996	UPORT1150	1-PORT RS-232/422/485 USB-TO-SERIAL CONVERTERS..P/N: UPORT1150..MFG: MOXA..SCHEDULE B:# 8517.62.0050 OTHER MODEMS USE
6997	UPQN426R	PILOT LIGHT..VAC: 240V, CLR: RED, WATT: 1, SPEC: SQUARE 36X40MM..P/N: UPQN426R..MFG: IDEC..SCHEDULE B: # 8531200040 OTHER I
6998	UPQN426W	PILOT LIGHT, 240 V, COLOR WHITE, 1 W, SQUARE, 36 X 40 MM..P/N: UPQN426W..MFG: IDEC CORP..SCHEDULE B: # 8531200040 OTHER IN

	Item	Description
6999	UPS12434	EXTERNAL BATTERY..P/N UPS12434..MFG GENERAL ELECTRIC
7000	US-SER.C3PT	TRACEABLE WET FLOW CALIBRATION CERTIFICATE..P/N: US-SER.C3PT..MFG:FLEXIM..
7001	US3153517	REPLACEMENT DESSICANT BEADS,1/8 DESICCANT,1/8 ACT ALUM..P/N:US3153517 (DES-1/8)..MFG:KAESER..SCHEDULE B:#8414.90.9000 C
7002	USFLHDR1200WBR-HV-U-30-57-	1200W HEAVY DUTY ROUND STADIUM FLOOD LIGHT, 347-480VAC, DOUBLE JOINED U-BRACKET MOUNTING, 30 GRADES BEAM ANGLE, 5
7003	UT 1157	ULTRA-IBC SPILL PALLET PLUS..IBC SPILL PALLET PLUS WITHOUT DRAIN..DIMENSIONS 62” X 62” X 28”; CAPACITY 365 GAL...8500 LBS UN
7004	UT00104SH	CONNECTOR, METAL CIRC, WALL RECEIPT, FOR 4 SIZE 16 SOCKET CONT, IP68/IP69K SEALING ..P/N #: UT00104SH..MFG: SOURIAU INC...
7005	UT00124SH	CONNECTOR, CIRCULAR, RCPT, SHELL SZ12-4POS, PANEL..P/N #: UT00124SH..MFG: SORIAU INC...SCHEDULE B: # 7326.90.8595 OTHER C
7006	UT06104SH	CONNECTOR, CIRCULAR, PLUG, SHELL SZ12-4POS, CABLE ..P/N: UT06104SH..MFG: SOURIAU INC...SCHEDULE B: # 7326.90.8595 OTHER C
7007	UT06124SH	CONNECTOR, CIRCULAR, PLUG, SHELL SZ12-4POS, CABLE ..P/N: UT06124SH..MFG: SOURIAU INC...SCHEDULE B: # 7326.90.8595 OTHER C
7008	V-16756-6	TRANSPARENT BOROSILICATE GLASS..P/N: V-16756-6..MFG: FERGUSON RELIANCE..SCHEDULE B: # 8540990000 OTHER PARTS FOR HEA
7009	V-18980-6	STANDARD GASKET..P/N: V-18980-6..MFG: FERGUSON RELIANCE..SCHEDULE B: # 8540990000 OTHER PARTS FOR HEATER
7010	V-4532	SEAL KIT CAM ACTUATOR FOR VCS-3502 VALVE..P/N: V-4532..MFG: VERSA..SCHEDULE B: # 8412.39.0080 OTHER PARTS FOR PNEUMATIC
7011	V-4732	SEAL KIT CAM ACTUATOR FOR VCS-3702 VALVE..P/N: V-4732..SCHEDULE B: # 8412.39.0080 OTHER PARTS FOR PNEUMATIC ACTUATOR
7012	V000-981	HOSE KIT 15 M TB..(2 HOSES)..P/N:V000-981..MFG:ZECK..633.65 EURO
7013	V05B286N-B439B	AIR ELECTROVALVE, 27/20VA, TENSION 220-240V/ 50/60HZ, EACH TERMINAL BOX WITH 3 BOLTS, WITH OPERATION MANUAL..P/N: V05B2
7014	V14436A1.1.7.1.1.1	V14436A TGM5 ANGULAR POSITION TRANSMITTER PRODUCT CODE: ..V14436A1.1.7.1.1.1..MFG: ABB..SCHEDULE B: # 9031.80.8080 OTHEF
7015	V18311H-182210100	CONVERTER,SIGNAL (TYPE)-I/P;(INPUT)-4-20MA;(OUTPUT)-3-15PSI;(W/O)-EXPLOTION PROTECTION;(MOD)-TEIP11-PS;(SPEC)--SENSYCO
7016	V1TP10-10	TEST PLUG 10 POLES..P/N: V1TP10-10..MFG: STATES FMS..SCHEDULE B:# 8536.50.9045 OTHER ELECTRICAL APPARATUS FOR SWITCHIN
7017	V201B8B1C11 EN1000	OFFLINE PUMP FOR PAPER MACHINE..P/N: V201B8B1C11 EN1000..MFG: VICKERS-EATON..SCHEDULE B: # 8413.19.0000 OTHER PUMPS
7018	V211KTCJZ1	CONTACTOR VACUUM..V-MAX: 1500V, I: 320A, V: 110-120 VAC, NO.PHASE: 3, SIZE: 5-6, TYPE: SPECIAL PURPOSE, SPEC: AUXILIAR HOIST,
7019	V211KZCJZ1	CONTACTOR VACUUM..V-MAX: 1500, I: 610A, V: 120-110V, #PH: 3, SZ: 6..REF: MAIN HOIST, WESTINGHOUSE, CLASS V211 TYPE: SPECI
7020	V2176838	RUST PREVENTATIVE SPRAY PAING BLACK, 16 OZ, HI TEMPERATURE..P/N: V2176838..MFG: RUST-OLEUM..SCHEDULE B: # 3209100000 O
7021	V23232-E0002-X007	RELAY; POWER RELAY PRE CONTACT SPST (V)-24V; (I)-50A;4 TERMINALS..P/N: V23232-E0002-X007..MFG:TYCO /TE CONNECTIVITY..SCHE
7022	V244-200	DRUM STAND TB IT 7 ..DEVICE BRAKE DISK ..INCL. MECHANIC SUPPORT..P/N: V244-200..MFG:ZECK
7023	V244-211	HYDRAULIC DRUM DRIVE..2 ROPE SYSTEM..P/N: V244-211..MFG:ZECK..2,999.15 EURO
7024	V244-220	TRANSPORT BOX WOOD..FOR TB IT 7..P/N:V244-220..MFG:ZECK..204.25 EURO
7025	V2514BAA84010603000000000000	VARIABLE AREA METER..TYPE: H250/RR/M9/ESK..PROCESS CONNECTIONS: 3/4" 150 LBS ANSI/ASME B16.5, SHAPE RF..PED PARAMETER
7026	V268901	TRIM GASKET ..TAG: 1LAE20AA001 CV SERIAL: 0610-131660-1-1 TAG: 1LGB01AA810 CV SERIAL: 0510-116381-1-1..H. P. TURBINE BYPASS S
7027	V27ZA4	VARISTOR 17V 1KA 7000pF..P/N: V27ZA4 (V27ZA4P)..MFG: LITTELFUSE..SCHEDULE B# 8533.21.0090..OTHER ELECTRICAL RESISTOR
7028	V30	CC VIVID PAR 30 FLOODLIGHT 60 LEDs, 120V..P/N: V30..MFG: C. CRANE COMPANY INC.
7029	V3045V1H15	HYDRAULIC FLUID POWER SYSTEMS..P/NI V3045V1H15 VICKER (OFFER P/N: P167181)..MFG: DONALDSON..SCHEDULE B: # 8421.29.0040 H
7030	V359194	RING,SET,PSTN,2"&2 1/2" TRIM..TAG: CV SERIAL:..H. P. TURBINE BYPASS SPRAY STOP VALVE..SCHEDULE B:# 8481.90.9085 PARTS OF TA
7031	V4211	N/A CAB ENCLOSURE, STEEL CAB WITH BLACK ..STEEL DOORS, ORANGE TOP & GLASS..WINDSHIELD, FRONT SPRING KIT INSTALLED..
7032	V4212A	N/A SOFT CAB WITH BLACK TOP, SOFT DOORS, ..ZIPPER WINDOWS & GLASS WINDSHIELD..FRONT SPRING KIT INSTALLED...P/N: 4212A

	Item	Description
7033	V4550220-0100	CONTROLLER ESP EPIC II,CONTROL..PRECIPITATOR..P/N: V4550220-0100..MFG:ABB..SCHEDULE B: # 9032.90.0000 CONTROLLING INSTRU
7034	V48M28T30K	TRANSFORMER ASSEMBLY,..SPEC: DY, 480/208-120 V, 60 HZ, 30 KVA, 9107 / 9108..P/N: V48M28T30K OFFER ENERGY EFFICIENCY..P/N: V4
7035	V500-(48" Exact)-15-H-M-F165S-N	VERIS VERA BAR FLOW SENSOR..P/N: V500-(48" Exact)-15-H-M-F165S-N..MFG: CHEMETICS INC (DIV AKER KVAERNER CDA INC)
7036	V5200	TRAILER HITCH..P/N: V5200..MFG: KUBOTA
7037	V9908	VALVE WRENCH 21/32" - 17 MM, MATERIAL STEEL..P/N: V9908..MFG: LOWELL CORP...SCHEDULE B:# 8204.11.0060 OTHER HAND-OPERAT
7038	V9915	VALVE WRENCH 1" - 25 MM, MATERIAL STEEL..P/N: V9915..MFG: LOWELL CORP...SCHEDULE B:# 8204.11.0060 OTHER HAND-OPERATED S
7039	V9922	VALVE WRENCH 1.5/16" - 33 MM, MATERIAL STEEL..P/N: V9922..MFG: LOWELL CORP...SCHEDULE B:# 8204.11.0060 OTHER HAND-OPERAT
7040	V9930	VALVE WRENCH 2" - 51 MM, MATERIAL STEEL..P/N: V9930..MFG: LOWELL CORP...SCHEDULE B:# 8204.11.0060 OTHER HAND-OPERATED S
7041	VA34-BP70/LL-36A	ELECTRIC FAN ASSEMBLY ;RED DOT UNIT APPLICATIONS;(V)- 24V; (BLADE OD) -12"; (RATING) - 1764 CFM; (TYPE) - SUCTION/ PULLER FA
7042	VA34-BP70/LL36A	FAN, 24V, 8.2A, DIA: 12", CODE 30102554..P/N: VA34-BP70/LL36A..MFG: SPAL..SCHEDULE B: #8414.59.9080 OTHER FANS..COUNTRY OF ORI
7043	VA99004	1 – ¾" FIG 264 SPECIAL EDUCTOR..MATERIAL: 316 SST ..CONNECTIONS: ½" NPT WATER INLET, ¾" DETERGENT INLET AND OUTLET. ..P/N
7044	VAE0-324-989	SOFT PARTS REPAIR KIT..SPARE PARTS KIT FOR MODEL R324 INCLUDE ITEMS 2, 3A, 3B, 3C & 5 ..P/N: VAE0-324-989..MFG: EMERSON
7045	VAE0-324-993	SPRK R324-4..P/N: VAE0-324-993..MFG: EMERSON..2 LBS/EA
7046	VAE0-930-130	J-1 MICROVALVE, # 316F2-B..P/N: VAE0-930-130..MFG: EMERSON
7047	VAG-3321-173-U-14-3530-A120	VALVE CONTROL..P/N: VAG-3321-173-U-14-3530-A120..MFG: VERSA VALVE..SCHEDULE B: # 8481200040 FLOW CONTROL VALVE
7048	VAG-4322-173-U-14-3530-A120	VALVE CONROL..P/N: VAG-4322-173-U-14-3530-A120..MFG: VALVE..SCHEDULE B: # 8481200040 FLOW CONTROL VALVE..
7049	VALVE GUARD BL	VALVE GUARD BLACK, 3 1/8 X 11 LEXAN TULIP..MFG: NORRIS CYLINDER
7050	VARI02-101640-00	ASSEMBLY BURNER MARK 7 (AIR/ACETYLENE)..P/N: VARI02-101640-00..MFG: VARIAN..SCHEDULE B: # 9027304080 OTHER SPECTROMETE
7051	VARI08-101334-00	CLAMP BEAD ADJUSTER..P/N: VARI08-101334-00..MFG: VARIAN..SCHEDULE B: # 9027304080 OTHER SPECTROMETER PARTS
7052	VARI16-101173-90	VENTURI DE NEBULIZADOR..P/N: VARI16-101173-90..MFG: VARIAN..SCHEDULE B: # 9027304080 OTHER SPECTROMETER PARTS..
7053	VARI18-100001-00	EXHAUST FAN 240V MOTOR ..P/N: 18-100001-00..MFG: VARIAN..SCHEDULE B: # 8414599080 OTHER FANS
7054	VARI99-100257-00	GLASS IMPACT BEADS MARK V/VI/7 (PK 50), REF 20-100518-00..P/N: VARI99-100257-00..MFG: VARIAN..SCHEDULE B: # 9027304080 OTHER S
7055	VARI99-100931-00	BLOQUE NEBULIZADOR..P/N: VARI99-100931-00..MFG: VARIAN..SCHEDULE B: # 9027304080 OTHER SPECTROMETER PARTS
7056	VARI99-101120.00	KIT PRO 1.00mm ID PTFE SLEEVED SPS3..P/N: VARI99-101120.00..MFG: VARIAN..SCHEDULE B: # 9027304080 OTHER SPECTROMETER PAF
7057	VB00227	RECTIFYING BOARD;9000X SERIES RECTIFYING BOARD FR8 ..380-500V..P/N: VB00227..MFG:EATON
7058	VB00252	CONTROL BOARD..9000XE SERIES SVX CONTROL BOARD.. 208-500V ALL FRAMES..P/N: VB00252 (OBSOLETE)..MFG:EATON (OFFER:VB00
7059	VB00636-0168-5	POWER BOARD..P/N:VB00636-0168-5..MFG:EATON
7060	VB100799L	FAN DRIVER BOARD..P/N: VB100799L..MFG:EATON
7061	VC100	VibChecker, portable instrument for monitoring vibrations .. P/N: VC100..MFG: SPM INSTRUMENT
7062	VC3250500B	SLEEVE VINYL GLASS FLEX SIZE: 1/2"..P/N: VC3250500B..MFG: ..
7063	VCFS020	JUNTA DIELECTRICA DIA: 20, #300, MODEL VCFS..P/N: VCFS020..MFG: PIKOTEK
7064	VCFS024	JUNTA DIELECTRICA DIA: 24, #900, MODEL VCFS..P/N: VCFS024..MFG: PIKOTEK
7065	VCNVS315DVI-PB	NVS 315 (LOW PROFILE) PCIE X 16 - DVI, 1 GB, DDR3..P/N: VCNVS315DVI-PB..MFG: NVIDIA..
7066	VCP.273.1/C	SPRING-LOADED PRESSURE RELIEF VALVE, OVERPRESSURE/UNDERPRESSURE..HELICAL SPRINGS KEEP THE VALVE LIDS CLOSED W

	Item	Description
7067	VCQK600-PB	QUADRO K600 (LOW PROFILE) PCIE 2.0 X 16, DVI-I DL + DP 1.2, SINGLE SLOT, 1 GB, DDR3..P/N: VCQK600-PB..MFG: NVIDIA
7068	VCS-3502	3 WAY / 2 POSITION VERSA AIR VALVE, PORT SIZE: 1/2" NPT..ACTUATOR SIDE 1: CAM OPERATOR, ACTUATOR SIDE 2: SPRING RETURN.
7069	VCS-3702	3 WAY / 2 POSITION VERSA AIR VALVE, PORT SIZE: 1" NPT..ACTUATOR SIDE 1: CAM OPERATOR, ACTUATOR SIDE 2: SPRING RETURN..B
7070	VD7C.0/V	DIFFERENTIAL PRESSURE SWITCH ..P/N: VD7C.0/V..MFG: HYDAC..SCHEDULE B: # 8535.90.8090 OTHER SWITCHES
7071	VDC-2B-1A3-E35	VARIABLE VANE PUMP..P/N: VDC-2B-1A3-E35..MFG: NACHI..SCHEDULE B: # 8481.10.0020 HYDRAULIC FLUID VALVE
7072	VE4001S2T1B2	CARD ELECTRONICS, TYPE: DISCRETE, INPUT: 8- INPUT 24 DC, DESC: ISOLATED, FUSED I/O TERMINATION BLOCK, U/O: DCS DELTA-V..F
7073	VE4003S2B3	MODULE ASSEMBLY, REF: ANALOG INPUT CARD 8 CHANNELS, 4 WIRE, 4-20 MA HART I/ (12P2532X122) TERMINATION BLOCK DELTA V (1
7074	VE4003S2B6	CARD,ELECTRONIC (TYPE)-16 INPUT 4-20MA ;(DESC)-HARD, I/O TERMINATION BLOCK 4- WIRE; (U/O)-DCS DELTA-V ..P/N: VE4003S2B6..
7075	VE6050T06	TRANSCEIVER; EMERSON® VE6050T06 COMPATIBLE TAA COMPLIANT 100BASE-LX SFP TRANSCEIVER (SMF, 1310NM, 25KM, LC, RUGGE
7076	VEHICLE ADAPTER	VEHICLE ADAPTER(90W,11-16VDC AND 22-23 VDC..MFG:GETAC..SCHEDULE B:# 8504.90.0080 OTHER POWER SUPPLIES FOR AUTOMATI(
7077	VEO 16/128 BNC	PHASED ARRAY INSTRUMENT (16/128), BNC CONNECTOR, WITH TOFD, USB MEMORY STICK, USER GUIDE MANUAL AND CD, UT STUDIC
7078	VEO 16/64-STANDARD	PHASED ARRAY INSTRUMENT (16/64), BNC CONNECTOR, WITH TOFD, USB MEMORY STICK, USER GUIDE MANUAL AND CD, UT STUDIO
7079	VF3133-5Y1-02F	PILOT OPERATED 5 PORT SOLENOID VALVE; 5/2 ..P/N:VF3133-5Y1-02F..MFG:SMC..SCHEDULE B: # 8481.20.0060 SOLENOID VALVES..ORIG
7080	VFL	CC VIVID PAR 20 FLOODLIGHT 36 LEDs, 120V..P/N: VFL..MFG: C. CRANE COMPANY INC.
7081	VFN2120N-5DZ-02	VALVE NAMUR INTERFA CE S/SOL 5/2 1/4" 24 VDC..P/N: VFN2120N-5DZ-02..MFG:SMC..SCHEDULE B: # 8481.20.0060 SOLENOID VALVES..OI
7082	VFS11-2055PPM-WM(1)	INVERTER INDUSTRIAL, 3 PH, 200/240V, HZ: 50/60 I, (A) 36.8/30.7 OUTPUT 3 PH 200/240 F, HZ: 0.5/500 I (A) 27.5 10 KVA..P/N: VFS11-2055PM-'
7083	VGB-003-CR	SUMITOMO V-GROOVE BRUSH
7084	VI700R	POWER INVERTER 12 VDC..MFG: IMPORT BRAND..SCHEDULE : # 8504406018 OTHER POWER INVERTER
7085	VI900G-T1-S1	POSITIONER VRC..P/N: VI900G-T1-S1..MFG: VRC
7086	VIBRAX-VX63E	DIGITAL ORBITAL-VIBRATING SHAKER, 6P, 10000-01059..P/N: VIBRAX-VX63E..MFG: OVAN LABORATORY EQUIPMENT
7087	VIDEO	INDUSTRIAL VIDEO REELOMATIC..RR SERIES, 6 MIN DURATION..MFG: REELOMATIC..SCHEDULE B: # 8523298000 OTHER VIDEOS
7088	VIDPRO	DELUXE FITTED POUCH FOR DIGITAL CAMERA SONY..P/N: VIDPRO..
7089	VLT-XD600LP	PROJECTOR HOUSING WITH GENUINE ORIGINAL OEM BULB..390 WATT; 5000 HOURS LIFE..P/N: VLT-XD600LP..MFG: MITSUBISHI..SCHED
7090	VM80W18	SWITCHING AC TO DC POWER SUPPLY..P/N: VM80W18..MFG: IMPORT BRAND..SCHEDULE: # 8535400000 OTHER POWER SUPPLY
7091	VMD-185-020-AT-CA-S	VIBRO-METER ACCELERATION SENSOR CI185..P/N: VMD-185-020-AT-CA-S..MFG:MEGGIT..SCHEDULE B: # 9031.90.0000 OTHER MEASURI
7092	VMVM2A150GP-480-S828	PENDANT MOUNT, 3/4 HUB, 150 W LAMP..P/N:VMVM2A150GP-480-S828..MFG: CROUSE HINDS
7093	VMVM2C150GP-480-S828	CEILING MOUNT THRU-FEED, 3/4 HUB, 150 W LAMP..P/N: VMVM2C150GP-480-S828..MFG: CROUSE HINDS
7094	VMVM2TW150GP-480-S828	WALL MOUNT THRU-FEED, 3/4 HUB, 150 W LAMP..P/N: VMVM2TW150GP-480-S828..MFG: CROUSE HINDS
7095	VMVMJ150GP-480-S828	STANCHION MOUNT 25 DEGREE ANGLE, 1-1/2 HUB, 150 W LAMP..P/N: VMVMJ150GP-480-S828..MFG: CROUSE HINDS
7096	VMVS150/120LX	LAMP 150W 120 VAC HPS/ LX..P/N: VMVS150/120 LX..MFG: CROUSE HINDS..SCHEDULE B: #8539320020 SODIUM VAPOR
7097	VMVS2C150GP-LX	LAMP HOLDER SODIUM..POW: 150 W, VAC: 480V..SZ-CONN: 3/4 INCH: G24 GLOBE..P21 GUARD, SPEC: CELLING MOUNT..3L HID LUMIN
7098	VMVS2TW100R5/MT	LUMINAIRE 100W WALLMOUNT HAZARDOUS HID ;FOR HAZARDOUS LOCATIONVMV SERIESHIGH PRESSURE SODIUM,HID;WALLMOUNT
7099	VNSOA-11265	JOYSTICK FOR CRANE..MODEL: VNSOA 1-AXIS VERTICAL..SINGLE AXIS ENGRAVING..AXIS A/B..MAINTAINED NOCHARGE..3 CONTACT BI
7100	VNSOA-XXXXX	JOYSTICK 1-0-1..BODY:..DRIVE ARRANGEMENT VNSOA 1-AXIS VERTICAL,..MOUNTING ORIENTATION: CENTER-RIGHT SIDE ENGRAVING.

	Item	Description
7101	VO5B286N-B439B	SOLENOID VALVE, 220/240 VAC,1/4" CONEXION;50/60 HZ;0-13 BAR,260 L/MIN..P/N: VO5B286N-B439B..MFG: NORGREN..SCHEDULE B: # 848
7102	VOLU-probe/FI SS SWSI 22.5"	VOLU-probe/ FI-SS FAN INLET AIR FLOW, TRAVERSE PROBE, FAN INLET 22.5", INCLUDE: CERTIFICATE OF CONFORMANCE, AND CERTIFI
7103	VP0615SMZRK	CHECK VALVE OVERHAUL KIT 6-IN DIA..BRAY..SERIAL NUMBER=880208 / 880108..RITEPRO / OVERHAUL KIT..WAFER-TYPE SWING CHECI
7104	VP110	3.6V 1.9AH NIMH B&D VERSAPAK..P/N: VP110 BLACK & DECKER (OFFER TOL7020)..P/N: TOL7020 ..MFG: INTERSTATE BATTERY..SCHEDUI
7105	VPA-DM-C055	Transducer mounting fixture Portable Varioflix, material: stainless steel SS304 for all transducer frequencies mounting of tranducers in two fixtures (reflect
7106	VPLAP0012	BODY SIDE MOULDING ..P/N: VPLAP0012 (REPLACED OLD P/N: DGJ500010PMA)
7107	VPVL-450-DAB	ACTUATOR FOR "G" VALVE, ACTION AIR TO OPEN/ AIR TO CLOSE..P/N: VPVL-450-DAB..MFG: JAMESBURY
7108	VRT200	FAN CONTROLLER, 2 PTC INPUTS, 230 V SUPPLY, 230 V FAN LINES (ED 17)..P/N: VRT200..MFG: TECSYSTEM
7109	VRT600	FAN CONTROLLER, 6 PTC IN PUTS, 230 V SUPPLY, 230 V FAN LINES..P/N: VRT600..MFG: TECSYSTEM
7110	VS-1-HV	VERASONIC; PLANT BASED, LOW TOXICITY, BIODEGRADABLE COUPLANT..SUCCESSFULLY PERFORMS IN EXCESS OF 750°F (400°C) AN
7111	VS-VSKT91/12	THYRISTOR ;POWER MODULE, 3 POLE, 95 A, 1.2 kV..P/N: VS-VSKT91/12..MFG: VISHAY..SCHEDULE B:# 8541.30.0080 OTHER THYRISTORS
7112	VSA3145-06	VALVE AIR PILOT CLASS 4; 3/4"..P/N:VSA3145-06..MFG:SMC
7113	VSL	CC VIVID PAR 20 SPOTLIGHT 36 LEDs, 120 V..P/N: VSL..MFG: C. CRANE COMPANY INC...
7114	VT1101M	IFS AM VIDEO MINI TRANSMITTER WITH CONTACT CLOSURE..VT1101M SERIES VIDEO COAXIAL IFS TRANSMITTER IS COMPATIBLE WIT
7115	VT500PP	CABINET STORAGE 18X36X72 4 SHELF PUTTY LYON..P/N: VT500PP..MFG: LYON
7116	VTD1500	DELUXE STEP UP/DOWN VOLTAGE TRANSFORMER 1500 WATT..P/N VTD1500..SCHEDULE B: # 9030390100 OTHER TRANSFORMER
7117	VTK500010	SIDE STEPS ..P/N: VTK500010..MFG: LAND ROVER
7118	VVD	CC VIVID LED LIGHT BULB 18 LEDs, 120V..P/N: VVD..MFG: C. CRANE COMPANY INC.
7119	VVP	CC VIVID + LED LIGHT BULB 36 LEDs, 120V..P/N: VVP..MFG: C. CRANES COMPANY INC.
7120	VW3 A8 106	CONNECTING CABLE KIT; TO CONNECT PC TO ALTISTAR AND ALTIVAR PRODUCTS;(TYPE)-RS485/RS232C ADAPTER ANDCONNECTORS
7121	W-65-115-ORK	BLOWER ASSEMBLY..KIT W-65-115-ORK ..REF: ICVS SPARE PARTS..P/N: W-65-115-ORK / B& W P/N: 6276144..MFG: B&W..SCHEDULE B: # 8
7122	W-81-1040	FILTER AIR..ID: 295MM, OD: 346MM, H: 224M..P/N: W-81-1040 (R/B: W-81-0040)..MFG: ALLEN SHERMAN H./BABCOCK & WILCOX..SCHEDU
7123	W-MFTWP918-3008	UCT HEATER..POW: 30KW, VAC: 480V..P/N: W-MFTWP918-3008..MFG: WELLMAN (NOW CALL CCI THERMAL)
7124	W01-358-6901	STYLE 20, TWO PLY BELLOW, BLIND NUTS 3/4" NPT, BUMPER..P/N: W01-358-6901..MFG: FIRESTONE..SCHEDULE B: # 8441.80.0000 OTHEF
7125	W01-358-7045	AIR SPRING BELOW SIZE R 1/4" X 10" AU..P/N: W01-358-7045..MFG: FIRESTONE..SCHEDULE B: # 8441.80.0000 OTHER PARTS FOR MACHIN
7126	W01-358-7145	FIRESTONE AIR SPRING..P/N: W01-358-7145..MFG: FIRESTONE..SCHEDULE B: # 8441.80.0000 OTHER PARTS FOR MACHINERY FOR PAPE
7127	W01-358-7180	BLIND NUTS 1/4 NPT..P/N: W01-358-7180..MFG: FIRESTONE..SCHEDULE B: # 8441.80.0000 OTHER PARTS FOR PAPER MACHINE
7128	W01-358-7191	CALENDAR ROLL LOADING STYLE 28 WITH BEAD RINGS AND BOLTS..P/N: W01-358-7191..MFG: FIRESTONE
7129	W01-358-7203	STYLE 29 RIBBED NECK ALUMINIUM RING 24 BOLTS 1-7/8 WITH NUT WASHERS..P/N: W01-358-7203..MFG: FIRESTONE..29 LBS EA
7130	W01-358-7276	FIRESTONE AIR SPRING..P/N: W01-358-7276..MFG: FIRESTONE..SCHEDULE B: # 8441.80.0000 OTHER PARTS FOR MACHINERY FOR PAPE
7131	W01-358-7304	FIRESTONE AIR SPRING WITH ALUMINUM BEAD RINGS AND BOLTS..P/N: W01-358-7304..MFG: FIRESTONE..SCHEDULE B: # 8441.80.0000 (
7132	W01-358-7324	AIR BELLOW 320W01-358324 WITH S.S NUT,BOLT AND WASHER..P/N: W01-358-7324..MFG: FIRESTONE..SCHEDULE B: # 8441.80.0000 OTH
7133	W01-358-7400	FIRESTONE AIR SPRING..P/N: W01-358-7400..MFG: FIRESTONE..SCHEDULE B: # 8441.80.0000 OTHER PARTS FOR MACHINERY FOR PAPE
7134	W01-358-7775	DOUBLE CONVOLUTED AIR SPRING 19-1/2IN ID 25-1/2IN OD..P/N: W01-358-7775..MFG: FIRESTONE..SCHEDULE B: # 8441.80.0000 OTHER P

	Item	Description
7135	W01-358-9108	AIR BELLOWS WITH RINGS AND BOLTS FOR PAPER MACHINE..P/N: W01-358-9108..MFG: FIRESTONE..SCHEDULE B: # 8441.80.0000 AIR BE
7136	W01-M58-6139	FIRESTONE AIR SPRING, ECO VERSION HIGH TEMPERATURE..P/N: W01-M58-6139..MFG:FIRESTONE..SCHEDULE B: # 8441.80.0000 AIR BE
7137	W01-M58-6140	AIRMOUNT / AIRSTROKE ACTUATOR M8X1.5 BLIND NUTS, 1/4 BSP..P/N: W01-M58-6140..MFG: FIRESTONE
7138	W01-M58-6984	AIR BELLOWS FOR PAPER MACHINE..P/N: W01-M58-6984..MFG: FIRESTONE..SCHEDULE B: # 8441.80.0000 OTHER PARTS FOR PAPER MA
7139	W01-M58-7530	AIR BELLOW TYPE:312-W01-M58-7530 WITH S.S NUT,BOLT AND WASHER..P/N:W01-M58-7530..MFG:FIRESTONE
7140	W02-358-3003	ACTUATOR STYLE 1 MIA-1 AIRSTROKE..P/N: W02-358-3003..MFG: FIRESTONE..SCHEDULE B: # 8487.90.0080 AIRSPRINGS ACTUATORS..
7141	W200M2CFC	CONTACTOR MOTOR CONTROL, NON-REVERSING, V: 120V, NO. POLES: 3, I-CUR3:45A, V-CONT: 600, HP: 25-10, FREQ: 60, SPEC: STARTE
7142	W200M4CFC	STARTER MOTOR, VAC: 200-575V, I: 135A, HP: 25-50, V: 120 VAC, FREQ: 60 HZ, SIZE-NEMA: 4, SPEC: 03 PHASE MAGNETIC, NO. POLES: 3..
7143	W22	CONTACT AUXILIARY..NC: 2, No. 2, SIZE: 1..TYPE: W, MOD: 1A48174G07..P/N: W22..MFG: CUTLER HAMMER..SCHEDULE B: 8536509065
7144	W23-X1A1G-25	Thermic Circuit Breaker; Push/Pull; Cur-Rtg 25A; Panel; 1 Pole; Vol-Rtg 250/50VAC/VDC ..p/n: W23-X1A1G-25..Mfg: Tyco Electronics
7145	W23-X1A1G-30	INTERRUPTOR; TERMICO; 30 A; 250 VAC MAX/50 VDC MAX;..P/N: W23-X1A1G-30.. MFG: TYCO ELECTRONICS....SCHEDULE B:#8536.20.004
7146	W2E142-BB01-01	FAN 172 X 150 X 38MM, 230 VAC CURRENT TYPE AC..P/N: W2E142-BB01-01..MFG: EBM-PAPST INC...
7147	W2G115-AG71-12	FAN .- DC AXIAL FAN ; (V-DC)-24V;(POW)-12W(SIZE)-127MM X127MM X 38MM (SPEC)-1336STE,FRAME B & FRAME C; Dimension 5" x 5" x 2"..F
7148	W2S130-AA25-01	FAN, TUBEAXIAL ..(V)-115VAC;(POW)-38 W;(FREQ)-60HZ (OD)-150MM;(THK)-55MM;(SER)-W2S130 (SPEC)-BEARING TYPE BALL, FEATURES
7149	W2T500045	MEMBRANE FILTER PLATE..P/N: W2T500045..MFG: EVOQUA
7150	W36AA-C09	THE WALL MOUNT AIR CONDITIONER, 10 EER (60HZ), 3600 BTU, GREEN REFRIGERANT R410A, 60 HZ, 460 V, 3 PHASE..P/N: W36AA-C09..M
7151	W38A1C09	BARD 3 TON 460V WALL PAKCKAGE..P/N: W38A1C09..MFG: BARD YORK
7152	W38A1C0Z	BARD 3 TON 460 V WALL PACKAGE NO HEAT..P/N: W38A1C0Z..MFG: BARD YORK..SCHEDULEB B: 8415820135 AIR CONDITIONING
7153	W3T101940	BOTTOM WEIGHT: SAME AS..P/N: W3T101940..MFG: EVOQUA
7154	W3T102006	FILTER CLOTH ROD: UPPER..P/N: W3T102006..MFG: EVOQUA..
7155	W3T93288	SPROCKET TRAVEL CHAIN..P/N: W3T93288..MFG: EVOQUA
7156	W3T93289	SPROCKET DRIVE..P/N: W3T93289..MFG: EVOQUA
7157	W3T93327	SPROCKET ASSEMBLY, IDLER..P/N: W3T93327..MFG: EVOQUA
7158	W4/165/100ND91	OIL PUMP, Y-380, 60 HZ, RPM: 1740, FLOW 65.5 M3/H, HIGH: 8.3M..P/N: W4/165/100ND91..MFG: GEA RENZMANN & GRUEWALD
7159	W55F300200KB175	CARTRIDGE CABLE..CABLE CARRIER CABLE MODEL W55F 300-200 KB 175, ..STAINLESS STEEL MATERIAL 316L, USE IN BC IN REFINERY
7160	WA3S3-C0ZBPXXXX	ENERGY EFFICIENCY AIR CONDITIONING, 3 TON, WALL HUNG, 460 V, NO HEAT..P/N: WA3S3-C0ZBPXXXX..MFG: BARD YORK
7161	WA40-16MM-12MM	FLEXIBLE COUPLING WA40-16MM-12MM..ATTACHMENT METHOD: SET SCREW..MATERIAL INFORMATION..FINISH: CLEAR ANODIZE..MAT
7162	WA4M001-2BRK	BRAKE MOTOR, IEC FRAME..FOOT MOUNTED & FLANGE MOUNTED..1PH, 60 HZ, ALUMINUM ONSTRUCTION..0.5 - 10HP, 1800 RPM, ..P/N: \
7163	WARR2F*	OFS-2000F/W Extended Factory Warranty for 2nd year..P/N:WARR2F*..MFG:OPTICAL SCIENTIFIC INC.
7164	WATER BOTTLE	WATER BOTTLE..SCHEDULE B: #7612.90.9000
7165	WB607370	PERFORATED 24" W 7 STEP STEEL ROLLING LADDER 21"D TO STEP LOCK TYPE A..P/N: WB607370..MFG: BALLYMORE CO.
7166	WB614-6	WASHER HEAD BOLT 5/8 X 14",T=6" W/N60 NUT..MFG:HUGHES..P/N:WB614-6..SCHEDULE B: # 7318.22.0000 OTHER WASHER
7167	WB616-6	WASHER HEAD BOLT, 5/8" X 16", WITH NUT..P/N: WB616-6..SCHEDULE B: # 7318220000 OTHER WASHER..MFG: HUGHES
7168	WB620-6	WASHER HEAD BOLT 5/8 X 20",THRD=6" W/N60 SQ. NUT..MFG:HUGHES..P/N:WB620-6..SCHEDULE B: # 7318220000 OTHER WASHER

	Item	Description
7169	WB65-1-3/4	WASHER HEAD BOLT 5/8" X 5"..P/N: WB65-1-3/4..MFG: HUGHES BROS
7170	WC1S	MARKER WIRE CARD, SY: 1..P/N: WC1S..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7171	WC2S	MARKER WIRE CARD, SY: 2..P/N: WC2S..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7172	WC3S	MARKER WIRE CARD, SY: 3..P/N: WC3S..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7173	WC4S	MARKER WIRE CARD, SY: 4..P/N: WC4S..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7174	WC5S	MARKER WIRE CARD, SY; 5..P/N: WC5S..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7175	WC6EXDAA	DETECTOR GAS OLDHAM, OLCT60AD..PRINCIPLE OF DETECTION: CATALYTIC..SCALE OF MEASURMENTS: 0-100% LEL..VOLTAGE:15-30V
7176	WC6S	MARKER WIRE CARD, SY: 6..P/N: WC6S..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7177	WC7S	MARKER WIRE CARD, SY; 7..P/N: WC7S..MFG: THOMAS & BETTS..SCHEDULE B: #OTHER LABELS 4821902000
7178	WC8S	MARKER WIRE CARD, SY; 8..P/N: WC8S..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7179	WC9S	MARKER WIRE CARD, SY; 9..P/N: WC9S..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7180	WCAS	MARKER WIRE, CARD(SYMBOL)- A..WMC-25 CARDS - VNYL CLOTH 1 - 1/2 L A ..P/N: WCAS..SCHEDULE B: # OTHER LABELS 4821902000
7181	WCBS	MARKER WIRE CARD, SY; B..P/N: WCBS..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7182	WCBS2F	STARTER CIRCUIT BREAKER..SIZE: 2 NEMA,..P/N: WCBS2F..MFG: CUTLER HAMMER
7183	WCC-12KH / CS13101	ELECTRODE FROM SGL AUBURNPLUG..P/N: WCC-12KH / CS13101..MFG: AUBURN....SCHEDULE B: #8545190000 - OTHER ELECTRODES
7184	WCCS	MARKER WIRE CARD, SY; C..P/N: WCCS..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7185	WCDS	MARKER WIRE ,CARD (SYMBOL) - D..WMC- Q25- VNYL CLTH- 1-1/2 LEGEND G..P/N:WCDS..MFG: THOMAS Y BETTS..SCHEDULE B: # OTHE
7186	WCES	MARKER WIRE, CARD (SYMBOL) - E..WMC-Q25-VNYL CLTH -1 -1/2 LEGEND E..P/N: WCES..MFG: THOMAS & BETTS..SCHEDULE B: # OTH
7187	WCFS	MARKER WIRE CARD, SY; V..P/N: WCFS..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7188	WCGS	MARKER WIRE CARD, SY; G..P/N: WCGS..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7189	WCHS	MARKER WIRE , CARD (SYMBOL)- H..WMC-Q25-VNYL CLTH - 1- 1/2 LEGEND H..P/N: WCHS..MFG: THOMAS & BETTS..SCHEDULE B: # OTH
7190	WCIS	MARKER WIRE CARD, SY; I..P/N: WCIS..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7191	WCJS	MARKER WIRE, CARD (SYMBOL) - J..WMC-Q25-VNYL CLTH 1 - 1/2 LEGEND J..P/N: WCJS..MFG:THOMAS & BETTS..SCHEDULE B: # OTHEF
7192	WCKS	MARKER WIRE, CARD (SYMBOL) - K..WMC-Q25-VNYL CLTH - 1- 1/2 LEGEND K..P/N: WCKS..MFG: THOMAS & BETTS..SCHEDULE B: # OTH
7193	WCLS	MARKER WIRE CARD, SY: L..P/N: WCLS..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7194	WCMS	MARKER WIRW, CARD (SYMBOL) - M..WMC-Q25-VNYL CLTH - 1-1/2 LEGEND M..P/N:WCMS..MFG: THOMAS Y BETTS..SCHEDULE B: # OTH
7195	WCNS	MARKER WIRE, CARD (SYMBOL) - N ..E- Z MARKER CARD..P/N: WCNS..MFG:THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902(
7196	WCOS	MARKER WIRE CARD, (SYMBOL) - O..E-Z- MARKER CARD..P/N: WCOS..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902(
7197	WCPS	MARKER WIRE, CARD (SYMBOL) - P..E - Z - MARKER CARD..P/N:WCPS..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 482190
7198	WCQS	MARKER WIRE, CARD (SYMBOL) - Q..E-Z MARKER CARD..P/N:WCQS..MFG:THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 482190200
7199	WCRS	MARKER WIRE, CARD (SYMBOL) - R..E-Z- MARKER CARD..P/N: WCRS..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902(
7200	WCSS	MARKER WIRE, CARD - (SYMBOL)- S..E - Z MARKER CARD..P/N:WCSS..MFG:THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 48219020
7201	WCTS	WCTS MARKER WIRE, CARD (SYMBOL) - T.. E-Z MARKER CARD..P/N: WCTS..MFG: THOMAS Y BETTS..SCHEDULE B: # OTHER LABELS 48
7202	WCVS	MARKER WIRE CARD, SY; V..P/N: WCVS..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000

	Item	Description
7203	WCWS	MARKER WIRE CARD, SY; V..P/N: WCWS..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7204	WCXS	MARKER WIRE , CARD (SYMBOL) - X ..E-Z- MARKER CARD..P/N: WCXS..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902
7205	WCYS	MARKER WIRE, CARD (SYMBOL)- Y..E-Z- MARKER CARD..P/N: WCYS..MFG:THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 482190200
7206	WCZS	MARKER WIRE CARD, SY; Z..P/N: WCZS..MFG: THOMAS & BETTS..SCHEDULE B: # OTHER LABELS 4821902000
7207	WD-18005-25	DIGI-SENSE DATA LOGGER DS T/RH..RH RANGE: 0 TO 100% RH..TEMPERATURE RANGE: –29 TO 72°C ..USER PROGRAMMABLE..SMALL F
7208	WD3200AAJS-60Z0A0	INTERNAL HARD DISK 3.5 320GB SATA/ 8 MB CACHE..P/N: WD3200AAJS-60Z0A0..MFG: WESTERN DIGITAL..SCHEDULE B: 8542310000 PRC
7209	WDBFKT0020BGD-WESN	WD 2TB MY PASSPORT ULTRA USB 3.0 EXTERNAL HARD DRIVE (WHITE/GOLD);2TB STORAGE CAPACITY; USB 3.0 INTERFACE; BUS POW
7210	WE-100	Kit includes: ..1. LCD screen with adjustable mounting bracket. ..2. Hydraulic pressure sensor..Specifications:..Operating Voltage: 10 - 30 Vdc..Se
7211	WF2703F-B-LSD	WASH FOUNTAIN, 36 IN WIDE, SEMI CIRCULAR , STAINLESS STEEL, POLISHED, OPERATION TYPE: FOOT BAR, PEOPLE SERVED: 3, PSI:
7212	WFD80	WFD80. SERIES WFD . TYPE. WATERFLOW SWITCH DETECTOR..P/N: WFD80..MFG: SYSTEM SENSOR..SCHEDULE B:# 9031.80.8080 OTHE
7213	WGB1830	BRACKET FOR M100 STOPSWITCH..P/N: WGB1830..MFG: GO 4B
7214	WH9-4	THERMOSTAT V: 120 TO 240V, NO-POLES: HEATER WATER, MOD: F40TZ/DG30DZZ..P/N: WH9-4..MFG: APCOM
7215	WHA3000P	HOT AIR STATION, DIGITAL 120V..P/N: WHA3000P..MFG: WELLER
7216	WHA3000PS	Weller WHA3000PS Digital 700W Hot Air Station With Built-in Turbine..Includes:..1 - WHA3000P Digital 700W Hot Air Station ..1 - WBH3000S PCB Hc
7217	WHL00689	WHEEL;15FC, FAN..P/N:WHL00689..MFG:TRANE
7218	WIN52585	ANTENA RUGGEDCOM..RUGGEDMAX WIN52585..ANTENA, RANGO FRECUENCIA: 4.9 - 6.1GHZ, GANANCIA: 21 + - 1.0DBI@4.9 - 5.15GHZ 22
7219	WIN72585	ESTACION RUGGEDCOM..RUGGEDMAX WIN72585..2 UN..ESTACION BASE, INALAMBRICA, BANDA ANCHA, FRECUENCIA: 5725 - 5850MHZ,
7220	WINDOWS 8	WINDOWS 8 INSIDE OUT..P/N: 0790145337702.IP..MFG: MICROSOFT ..COUNTRY OF ORIGIG: USA..SCHEDULE B: # 4901.99.0050 TECHNICA
7221	WL-524	OFFICE CONNECT WIRELESS 5MBPS 11G ACCESS POINT WPA2 SECURITY..NETWORK CONNECTIVITY:WIRELESS-WI-FI 802.11G..P/N: WL
7222	WL-LE	PUSH BUTTN, SWITH LIGHTED, VAC: 125-250V, A: 10, SPEC: LIGHTNEON INCORPORATED..P/N: WL-LE..MFG: OMRON TATEISI ELECTRON
7223	WL93176AA000AA2	ACCESSORIES CIRCUIT-BREAKER 3WL ELECTRONIC TRIP UNIT ETU76B, ETU RELEASE 2,.. LSIN PROTECTION ADJUSTABLE, WITHOUT
7224	WLCA12-2TS	SWITCH LIMIT..V-RAN: 250VAC, I: 2A..P/N: WLCA12-2TS (R/B: WLCA122TSN)..MFG: OMRON..SCHEDULE B: #8536509055 OTHER LIMIT SWI
7225	WLCA2-2TS	SWITCH LIMIT..V-RAN: 250VAC, I: 2A..P/N: WLCA2-2TS ..MFG: OMRON..SCHEDULE B: #8536509055 OTHER LIMIT SWITCHES..COUNTRY OF
7226	WM-D	MARKER WIRE CARD..P/N: WM-D BRADY (R/B: WCDS)..MFG: THOMAS & BETTS..SCHEDULE B: # 4821902000 OTHER LABELS
7227	WM-I	MARKER WIRE CARD..P/N: WM-I BRADY (R/B: WCIS)..MFG: THOMAS & BETTS..SCHEDULE B: # 4821902000 OTHER LABELS
7228	WM-O	MARKER WIRE CARD..P/N: WM-O BRADY (R/B: WCOS)..MFG: THOMAS & BETTS..SCHEDULE B: # 4821902000 OTHER LABELS..
7229	WM-V-SML-PK	MARKER WIRE,CARD;SERIES B-500;BLACK ON WHITE;REPOSITIONABLE VINYL CLOTH MATERIAL. 25/PACK..P/N: WM-V-SML-PK..MFG:BR
7230	WM3-96	MULTIFUNCTION METER 3 PHASE, AD1016H..P/N: WM3-96..MFG: CARLO GAVAZZI
7231	WM7S79STH1SN4DB035	COMPLETE LIGHTING FIXTURE 70W, 220 VAC, VAPOR SODIUM LAMP..P/N: WM7S79STH1SN4DB035..MFG: GE LIGHTING..SCHEDULE B: # 9
7232	WMA33	STANDARD WIRE MARKER BOOKS..VINYL CLOTH 10 MARKERS..1 THRU 33, A, B ,C +,-, T1, T2, T3, L1, L2, L3..MFG: THOMAS BETTS
7233	WO-05730-55	WO-05730-55..Thermo Scientific Orion ORP Standard, one 475-mL bottle
7234	WORLDWIDE USB	WORLDWIDE USB CHARGER..UL LISTED DUAL OUTPUT IS WORKABLE WITH AC OR DC IN ONE UNIT..SCHEDULE B: # 8504409550 OTHEF
7235	WPA-PCOM-USB	USB Programming Module, USB Cable and Configuration Software for I/O Modules..P/N: WPA-PCOM-USB..MFG: ACTION INSTRUMENTS..SCHEDU
7236	WPA-PKIT	RS232 Programming Module, RS232 Cable and Configuration Software..P/N: WPA-PKIT..MFG: ACTIONS INSTRUMENTS..SCHEDULE B: # 8542320

	Item	Description
7237	WPM8-1W24K	Wireless Modbus Gateway, Europe, 868MHz, 315mW, 24Kbps..P/N:WPM8-1W24K..Mfg: Action Instruments
7238	WPM9-1W115K-AU	Wireless Modbus Gateway, Australia, 900MHz, 1W, 115Kbps..p/n: WPM9-1W115K-AU..Mfg: Invensys
7239	WPR24-0044N-F	Fast Wireless I/O, Global, 2.4GHz, 100mW, 250Kbps, 4DI, 4DO-Sinking..P/N: WPR24-0044N-F..MRG: ACTION INSTRUMENTS..SCHEDULE B: # 90
7240	WPR24-0044P-F	Fast Wireless I/O, Global, 2.4GHz, 100mW, 250Kbps, 4DI, 4DO-Sourcing..P/N: WPR24-0044P-F..MRG: ACTION INSTRUMENTS..SCHEDULE B: # 9
7241	WPR24-2222N	Wireless I/O 2.4GHz, Global, 50mW, 9.6Kbps, 2AI, 2AO, 2DI, 2DO-Sinking..P/N: WPR24-2222N..MRG: ACTION INSTRUMENTS..SCHEDULE B: # 9
7242	WPX-4AI	EXPANSION I/O, 4 ANALOG INPUT..P/N: WPX-4AI EUROTHERM (OFFER ZZ-4AI)..MFG: B-B ELECTRONICS / ZLINX..SCHEDULE B: # 8542320
7243	WPX-4RTDA	Expansion I/O, 4 RTD Inputs..P/N:WPX-4RTDA
7244	WR3000M+WRK	WR DIGITAL REWORK SYSTEM, 3 FUNCTIONS + WRK (SMD REWORK CHIP REMOVAL KIT)..P/N: WR3000M+WRK..MFG: WELLER
7245	WRC 60 CLASS 2	WESTERN RED CEDAR POLES FOR ANSI STANDARD 05.1, LATEST REVISION, PRESSURE TREATED WITH PENTACHLOROPHENOL AND
7246	WRC 65 CLASS 2	WESTERN RED CEDAR POLES FOR ANSI STANDARD 05.1, LATEST REVISION, PRESSURE TREATED WITH PENTACHLOROPHENOL AND
7247	WRC 70 CLASS 1	WESTERN RED CEDAR POLES FOR ANSI STANDARD 05.1, LATEST REVISION, PRESSURE TREATED WITH PENTACHLOROPHENOL AND
7248	WRC 70 CLASS 2	WESTERN RED CEDAR POLES FOR ANSI STANDARD 05.1, LATEST REVISION, PRESSURE TREATED WITH PENTACHLOROPHENOL AND
7249	WRC 75 CLASS 1	WESTERN RED CEDAR POLES FOR ANSI STANDARD 05.1, LATEST REVISION, PRESSURE TREATED WITH PENTACHLOROPHENOL AND
7250	WS-36	2 STEP HEAVY DUTY ALUMINUM WORK STAND, H: 34", BOTTOM SPREAD: 43", FRONT WIDTH: 19 1/2", 16X16 SKID RESISTANT PLATFORM
7251	WS-C2960-24PC-L	SWITCH; CISCO 2960 SERIES SWITCH WITH (24)10/100 PoE PORTS AND 2 DUAL PURPOSE UPLINK PORTS ..P/N: WS-C2960-24PC-L..MFG
7252	WS2130-AA25-01	FAN, TUBEAXIAL ..(V)-115VAC;(POW)-38 W(FREQ)-60HZ;(OD)-150MM(THK)-55MM;(SER)-W2S130(SPEC)-BEARING TYPE..BALL,FEATURESLI
7253	WSMLED50U	WS LED WALLPACK, 50 W, 3000 LUMENS, 120/277 V, WITH SURGE PROTECTION..P/N: WSMLED50U..MFG: SIMKAR..SCHEDULE B: # 9405.1
7254	WT-3161WH	ANALOG WALL CLOCK, SILVER FINISH,, BLACK ARABIC NUMBER AND BLACK METAL HANDS, SIZE: 16" DIAMETER, INCLUDED BATTERIE
7255	WT111M	PLIER TERMINAL INSTALLATION LG: 9-19/32", DIM: STAKON, WT: 0.45LB, U/O: CUTTER WIRE, ..P/N: WT111M..MFG: THOMAS & BETTS..SCH
7256	WT115A	TOOL CRIMPING, TERMINAL HAND..SPEC: PRESS TERMINAL..P/N: WT115A..MFG: THOMAS & BETTS..SCHEDULE B: # 8203205000 PLIERS
7257	WTG-1	WARBLE TONE GENERATOR..P/N: WTG-1..MFG: UE SYSTEMS
7258	WV-LZA61/2	VARIABLE FOCAL LENS 2X FOR 1/3" FOCAL LENGTH 3.8-8 MM..P/N: WV-LZA61/2..MFG: PANASONIC
7259	WXT530	6B1B2A3B2B1B..WEATHER TRANSMITTER WXT530 SERIES..W, R, P, T, U WXT530 ..RS-232, STANDARD ASCII AUTO, 19200 BAUD,8,N,1 ..8-
7260	X-153	..WASHER,SPACER..P/N: X-153..MFG:CLAUSING INDUSTRIAL INC...SCHEDULE B:# 9010.90.0002 PARTS AND ACCESORIES
7261	X-29-428-SV-BK	LABEL METALIZED POLYESTER, 1.5 X .5", BLACK/ SILVER/450/ CARTRIDGES, 60475..P/N: X-29-428-SV-BK..MFG: BRADY..SCHEDULE B: # 83
7262	X-38010400-01	FAN 31 DEGREE PITCH, 18 INCH DIA, .50 BORE, 5 BLADE, CCW ..P/N: X-38010400-01
7263	X-38020450-01	FAN EVAPORATOR (ASSEMBLED WITH MOTOR ABOVE)..P/N: X-38020450-01..MFG: TRANE
7264	X-70450615-09	MOTOR FAN EVAPORATOR (ASSEMBLE WITH FAN BELOW)..P/N: X-70450615-09..MFG: TRANE
7265	X-70450616-08	MOTOR CONDENSER..P/N: X-70450616-08..MFG: TRANE
7266	X-80209	CONNECTOR, ELECTRICAL..(TYP) - FEMALE; (AWG) - 14..(I) - 15A; (V-AC) - 600V..P/N: X-80209..SCHEDULE B: # 8544493040 OTHER CONNE
7267	X-8061-86	CABLE ASSEMBLY MALE FOR JUMPER..FOUR CONTACT. PUSH-PULL PLUG POLARIZED, 30A, JOY 9110..4/C, 8AWG..P/N: X-8061-86..MFG: (
7268	X-ATTACHE	X500 ATTACHE CASE..P/N: X-ATTACHE..MFG: GETAC..SCHEDULE B: #4202.12.0000 OTHER CASES
7269	X3-GEO/C	EXTRUDER COMPLETE 220V/230 V COLOMBINE..P/B: X3-GEO/C..MFG: PWT WORLD..SCHEDULE B: # 8477200060 OTHER EXTRUDER
7270	X300000251	CONDUIT METALLIC FLEXIBLE, LG: 25 FT, DIA: 3", TYPE: UA LIQUID TIGHT, GRAY COLOR, GALVANIZED STEEL COREL, TEMP: -20/60..P/N:

	Item	Description
7271	X57508300028	FILTER CARTRIDGE..P/N: X57508300028..MFG:DETROIT DIESEL..SCHEDULE B: # 8421230000 OTHER FILTERS
7272	X57518300024	OIL FILTER ELEMENT..P/N: X57518300024..MFG:DETROIT DIESEL..SCHEDULE B: # 8421230000 OTHER FILTERS
7273	X57536400003	FUEL PRE FILTER..P/N:X57536400003..MFG:DETROIT DIESEL..SCHEDULE B: # 8421230000 OTHER FILTERS
7274	X8061-12	TERMINAL ASSEMBLY..REF: BACK INSERT FEM OVAL..P/N: X8061-12..MFG: CROUSE HINDS..SCHEDULE B: # 8544493040 OTHER CONNEC
7275	XACA9414	PUSH BUTTON; (CLR)-RED; (TYPE)-BOOTED ;(U/O)-PENDANT OPERATOR (TYPE)-XACA; (SPEC)-APROVAL SCSA,CE NEMA / UL A600..P/N:
7276	XB4-BS542	PUSH BUTTON..(SHP)-MUSHROOM HEAD. (CLR)-RED;(NO .- CONTACTS-CLOSE)-1..P/N: XB4-BS542 (OFFER ZB4-BS542)..(MFG): TELEMECA
7277	XB4BVM5	PILOT LUMINOUS (V-AC)-230/240; (TYPE)-PROTECTED LED; (CLR)-YELLOW..P/N: XB4BVM5..MFG: TELEMECANIQUE..SCHEDULE B: # 85312
7278	XC-1500-580-OR-BK	INDOOR / OUTDOOR VINYL PERMANENT LABEL, 30' X 1.5", BLACK ON ORANGE, 60520..P/N: XC-1500-580-OR-BK..MFG: BRADY..SCHEDULE
7279	XC-1500-580-WT-BK	INDOOR / OUTDOOR VINYL PERMANENT LABEL, 30' X 1.5", BLACK ON WHITE, 60519..P/N: XC-1500-580-WT-BK..MFG: BRADY..SCHEDULE E
7280	XC-1500-580-YL-BK	INDOR /OUTDOR VINYL PERMANENT LABEL, 30' X 1.5", BLACK OR YELLOW, 60521..P/N: XC-1500-580-YL-BK..MFG: BRADY..SCHEDULE B: #
7281	XCHA#6-2065	CABLE 6 AWG 20 HALAR 65 HMWPE 20 MIL HALAR 65 MIL HMWPE..P/N: XCHA#6-2005..MFG: MATCOR
7282	XCK MR54 D1 H29	SWITCH LIMIT; (TYPE)-XCK MR; (V)-240V;(I)-3A;(INCL)-ROD XCRZ03..P/N:XCK MR54 D1 H29..MFG:TELEMECANIQUE
7283	XD522-DP-PAIR-US	ADDERLINK XD522 DISPLAYPORT, USB, AUDIO EXTENDER, 100 METERS ..P/N: XD522-DP-PAIR-US..MFG: ADDER LINK
7284	XDV3TRVTJ00U00	RVDV3T RHEOMETER, TC, PJ, US..P/N: XDV3TRVTJ00U00..MFG: BROOKFIELD
7285	XFMS1024112	10-24 X 1-1/2 FLAT HEAD SLOTTED MACHINE SCREW 18-8 STAINLESS..P/N: XFMS1024112..MFG: NUTTY COMPANY INC..SCHEDULE B: # 73
7286	XH040C040-GP2D	LUMINARIES HAZARDOUS LIGHTING, HAZ 5, 500W, M.H.T, UNIPAK..P/N: XH040C040-GP2D..MFG: HAZLUX- THOMAS & BETTS
7287	XH100NS	CIRCUIT BREAKER, 75A, 3POLES, FRONT CONNECTED, 600V, 60 HZ..P/N: XH100NS..MFG: TERASAKI
7288	XHGV	HYDRAULIC HAND PUMPS WITH GAUGE CONNECTION P/N XHGV (5000 PSI/350 BAR) ..P/N: XHGV..MFG: RALSTON INSTRUMENTS ..SCHE
7289	XL70F450	FUSE 450A, 700 VAC, SEMI CONDUCTOR..P/N: XL70F450 BRUSH (R/B: FWP-500A)..MFG: BUSSMANN..
7290	XLE-4040	BRACKISH WATER REVERSE OSMOSIS MEMBRANE ELEMENTS, 4" X 40"..P/N: XLE-4040..MFG: DOW FILMTECH
7291	XP10-M	TRANSPONDER MONITOR MODULE ; TEN P/N:XP10-M..MFG:NOTIFIER..SCHEDULE B:# 8531.10.0045 OTHER ELECTRICAL SOUND OR VISU
7292	XP1000	POLARIS RANGER CREW EPS, 6 PASSENGERS, ENGINE TYPE: 4-STROKE TWIN CYLINDER..P/N: XP1000..MFG: DIESEL..P/N:
7293	XP1000 RACER	POLARIS RACER TURBO, 4 PASENGERS,..P/N: XP1000 RACER..MFG: POLARIS
7294	XP6-C	TRANSPONDER CONTROL MODULE, 6 CIRCUIT SUPERVISED CONTROL MODULE AND ..SYNC-1 ACCESSORY CARD..P/N: XP6-C..MFG:NO
7295	XP900	POLARIS RANGER CREW 5 PASSENGER..DIESEL, NO TURBO AVAILABLE ..P/N: XP900..MFG: DIESEL
7296	XPERT-KEY	Handheld Labeler v2.0..Product # 60543..p/n XPERT-KEY..Mfg: Brady..SCHEDULE B: #8422309120 LABELING MACHINES.....
7297	XR19092	XENTAUR STAINLESS STEEL SAMPLE CELL WITH 1/8" TUBE FITTINGS FOR HDT, LPDT AND XDT DEWPOINT TRANSMITTERS..P/N: XR190
7298	XR19093	XENTAUR STAINLESS STEEL SAMPLE CELL WITH 1/4" TUBE FITTINGS FOR HDT, LPDT AND XDT DEWPOINT TRANSMITTERS..P/N: XR190
7299	XR3	LIGHT EMERGENCY..VAC: 220, VDC: 6V, POW: 9W..INCL: BATTERY SEALED LEAD CALCIUM..TYPE; LIGHT INCANDESCENT..P/N: XR3 (SELI
7300	XRN900	XRN900 9" CREATIVE STATION MULTIFUNCTION CRAFTING SYSTEM..P/N: XRN900..MFG: XYRON..SCHEDULE B:#9613.90.0000 OTHER PA
7301	XS-17080-00	INNOCAL NIST-TRACEABLE CALIBRATION; AIR/GAS FLOWMETER..P/N:XS-17080-00..MFG:COLE PARMER..SCHEDULE B:# 4911.10.0090 TR
7302	XSA-V11801	INDUCTIVE SENSOR, PROXIMITY 10MM, 20-264 VAC/VDC, 0.35A (AC)/0.2 (DC), 6 KHZ..P/N: XSA-V11801..MFG: SCHENEIDER
7303	XSAV11801TF	INDUCTIVE SENSOR 24-240V, 6-150 IMPULS/MIN, 5-200mA..P/N: XSAV11801TF..MFG: TELEMECHANIQUE..SCHEDULE B: #9031.80.8070 OTH
7304	XXA0214	3/4" VOLUME BOOSTER ALUMINUM..RELE SERIES 3000 BOOSTER,..3/4" NPTF - 150 PSI..ALUMINUM..FLOW CAPACITY: 43 SCFM..SIGNAL P

	Item	Description
7305	Y-7 AC/DC	YOKE KIT (230V)..INCLUDES: 1LB OF #1 GRAY & #8 RED POWERED POERTABLE CARRYING CASE, PAINT MAKER, SCRUB HAND CLEANEF
7306	Y-8 AC/DC	YOKE KIT..P/N: Y-8 AC/DC 220V..MFG: MAGNAFLUX
7307	Y111213D-AL	PRESSURE REGULATOR 3000 IN / 300 OUT PSIG..REG 1/4" NPT FML 7-300PSI 1/4" NPT FML..P/N: Y111213D-AL..MFG:AIRGAS
7308	Y11C444F-AG	PRESSURE REGULATOR 4000 IN / 250 OUT PSIG..REG SS THRDLS ST HI PRTY 1ST STG..P/N: Y11C444F-AG..MFG:AIRGAS..SCHEDULE B:#
7309	Y300TST	Y300TST 1/2 CAST STEEL FILTER C/W 60 MESH, MFG: ISLIP FLOW CONTROLS..P/N: Y300STS..MFG: ISLIP FLOW CONTROLS.....
7310	YA282N	TERMINAL PRESSURE HIGH VOLTAGE..TYPE: RING, AWG: 4/0, STUD-HOLE: 1/2", SPEC: 13 MM, TWO HOLE, 200 A..P/N: YA282N..MFG: BUF
7311	YA32-L	PLUG TERMINAL, 1 HOLE, 400 MCM..P/N: YA32-L..MFG: BURNDY
7312	YAV10T4BOX	TERMINAL PRESSURE LOW VOLTAGE, TYPE: HYLUG YAV, AWG: 12-10, INSUL: NO, STUD-HOLE: 3/8", ..P/N: YAV10T4BOX..MFG: BURNDY..
7313	YAV342N	TERMINAL PRESSURE HIGH VOLTAGE, TYPE: HYLUG, AWG: 500KCMIL, STUD-HOLE: 1/2', SPEC: STUD-HOLE SPACING 1-3/4", ..P/N: YAV34
7314	YAV6CL2	TERMINAL PRESSURE LOW VOLT..TYPE RING, AWG: 6-5, INSUl: NO, STUD HOLE: 3/8", SPEC: STAKON..P/N: YAV6CL2..MFG: BURNDY
7315	YAV8CL1BOX	TERMINAL PRESSURE LOW VOLTAGE, TYPE: HYLUG YAV, AWG: 8, INSUL: NO, STUD-HOLE: 1/4", SPEC: TONGUE TYPE, RING..P/N: YAV8C
7316	YBC-30	LINK, FORGED BALL Y-CLEVIS FPP..REQD..P/N: YBC-30..SCHEDULE B: #7326190000 - OTHER FORGED ARTICLES..MFG: CHANCE
7317	YDS25	FULL TENSION SLEEVE FOR STRANDED COPPER CONDUCTOR 1/0 AWG..P/N: YDS25..MFG: BURNDY..SCHEDULE B: # 8544606000 OTHEF
7318	YDS2C	FULL TENSION SLEEVE F/ STTRANDED CU COND 2 AWG..P/N: YDS2C..MFG: BURNDY..SCHEDULE B: # 8544606000 OTHER ACCESORIES F
7319	YELLOW 77 PLUS 31-391	GREASE WIRE PULLING, RAN-TEMP: 30F TO 190F, PKG: 1 GAL..P/N: YELLOW 77 PLUS 31-391..MFG: IDEAL INDUSTRIES..SCHEDULE B: # 2
7320	YMD-10113	BREATHER, PLN YMD10113-13.00..P/N: YMD-10113..MFG: APPLETON MARINE..SCHEDULE B: # 8421.39.8015 OTHER PARTS
7321	YMD-6865	HYDRAULIC SWIVEL..P/N: YMD-6865..MFG: APPLETON MARINE
7322	YMD-8121	PRESSURE FILTER..P/NI YMD-8121..MFG: APPLETON MARINE, INC.
7323	YMD-8948	BOOM ANGLE SENSOR ..P/N: YMD-8948 (R/B: YDMD-11005)..MFG: APPLETON MARINE, INC...SCHEDULE B: # 8431.49.1010 OTHER PARTS
7324	YPD-40-24465	YOKE PLATE..P/N: YPD-40-24465..MFG: ANDERSON..SCHEDULE B:#7326.9085.95 OTHER IRON OR STEEL ARTICLES
7325	YSI-63	HANDHELD PH AND CONDUCTIVITY METER, , W/ 10FT CABLE..P/N: YSI-63..MFG: YSI..SCHEDULE B: # 9030890100 OTHER CONDUCTIVITY
7326	YTA710-JA1A2DN/FU1	TEMPERATURE TRANSMITTER; MODELYTA710..OUTPUT SIGNAL: J: 4 TO 20 MA DC WITH DIGITAL COMMUNICATION HART 7PROTOCOL..S
7327	YV-07902-16	BRAND DISPENSETTE® S BOTTLETOP DISPENSER, ANALOG, 0.5 - 5 ML ADJUSTABLE, WITH RECIRCULATION VALVE..0.5 - 5 ML ADJUSTA
7328	YV-07902-18	BRAND DISPENSETTE® S BOTTLETOP DISPENSER, ANALOG, 1 - 10 ML ADJUSTABLE, WITH RECIRCULATION VALVE..1 - 10 ML ADJUSTAE
7329	YZLN-2RH	SWITCH LIMIT, V-RANGE: 125-250-480 VAC, I: 15 A, HP: 1/8-1/4..P/N: YZLN-2RN..MFG: MICRO SWITCH..SCHEDULE B: # 8536509055 LIMIT SV
7330	Z001.581	STEM NUT SA07.1/5, DWG COM 13192178, POS. 02LCM20AA041..P/N: Z001.581 (575.1)..MFG: AUMA..SCHEDULE B: # 7318.19.0000 OTHER NI
7331	Z330026	FUSE ASSEMBLY, SPEC: THYRISTOR, TYPE URB W/ INDICATOR, VAC: 690V, I: 160 A, ..P/N: Z330026..MFG: FERRAZ
7332	ZA2-BA4	PUSH BUTTON, CLR: RED, ..P/N: ZA2-BA4..MFG: TELEMECANIQUE..SCHEDULE B: # 8536490065 OTHER CONTACTORS
7333	ZA2-BZ101	CONTACTOR BLOCK..I: 10A, V: 400V, NO: CONTACT NORMAL OPEN 1, NO. CONTACT NORMAL-CLOSE: 9..P/N: ZA2-BZ101..MFG: TELEMEC
7334	ZA2-BZ103	CONTACTOR BLOCK..I: 10A, V: 230V, W/ BASE: 2 NC, NO. CONTACT-NORMAL OPEN: 2, NO. CONTACT-NORMAL CLOSE: 0..P/N: ZA2-BZ103.
7335	ZB2-BE102	CONTACTOR, BLOCK, I: 10A, V: 400V, NO. CONTACT-NORMAL-CLOSE: 1..P/N: ZB2-BE102..MFG: SQUARE D..SCHEDULE B: # 8536490065 OT
7336	ZBF 90 B 8/2 B020	MAGNETIC BRAKE FOR MOTOR 216 VDC /1062 OHMS..INCLUDES:QMA#3268 B020..- MAGNET-BODY, HAND- VENT 216VDC 480V B020..-WE
7337	ZCDR	COORDINATOR, WHICH CAN SUPPORT UP TO 32 END DEVICES (ANY ZED TYPE EXCEPT ZED-VI)..P/N: ZCDR..MFG: NEWPORT
7338	ZCK-E65	LIMIT SWITCH HEAD TO USE WITH XCKJ BODY FAMILY. XCKJ INDUSTRIAL FORMAT EN 50041, FIXED OR PLUG-IN BODY...SWITCH 2NO,2

	Item	Description
7339	ZCKE08	HEAD MULTIDIRECTIONAL,..P/N: ZCK-E08..MFG: SQUARE D
7340	ZCKJ2H7	LIMIT SWITCH BODY (ZCKJ FAMILY) - FIXED - W/O DISPLAY - 2C/O-SNAP ACTION 1/2"NPT. ASSOCIATED WITH HEAD ZCK-E65..P/N:ZCKJ2H
7341	ZED-THP-P-H2	NETWORK ACCESS, WIRELESS TRANSMITTER..P/N: ZED-THP-P-H2..MFG: NEWPORT
7342	ZF3-480-350-NC-SF-UB-LG-01	SCR POWER CONTROL ..480 VAC, 350 AMPS, N.C. THERMOSTAT, SF: SCR FAILURE ALARM, UB: LOAD UNBALANCE ALARM, LG: LUG KIT,
7343	ZF3-480-90-NO-01	CONTROL POWER SCR, V: 480 VAC, I: 90A, PH: 3, FREQ: 60 HZ, IMPEDANCE: 500 OHM, SIGNAL CONTROL: 4-20 MA DC, MODEL: ZF3-SCR..
7344	ZG224	ELECTRODE FOR WATER COLUM LEVEL ALARM..P/N: ZG224 (R/B: ZG224RK)..MFG: JERGUSON..SCHEDULE B: # 8516909500 OTHER ELEC
7345	ZG344	ELECTRODE FOR WATER COLUMN LEVEL ALARM..P/N: ZG344 (ZG344RK)..MFG: JERGUSON..SCHEDULE B: # 8516909500 OTHER ELECTR
7346	ZG356RK	ELECTRODE FOR WATER COLUMN LEVEL ALARM..P/N: ZG356RK..MFG: JERGUSON..SCHEDULE B: # 8516909500 OTHER ELECTROTHERM
7347	ZHP012	PARARAYOS PLIMERICOS DE OXIDOS..P/N: ZHP012....SCHEDULE B: #
7348	ZLN162544AC-6	FILTER;Z-LINE SERIES; TYPE- CARBOTRON ODOR REDUCING PLEATED. MERV 8 PARTICULAR FILTRATION COMBINE WITH ODOR CONT
7349	ZLP20202	FILTER AIR PANEL..LG: 20" X W: 20" X THK: 2"..MAT: STEEL..P/N: ZLP20202..MFG: GLASSFLOSS
7350	ZMGT00	TEE; MAT: GALVANIZED MALLEABLE IRON; SIZE 1/8" ..FEMALE THREADED; SILVER;1" X 1"; -29 CELSIOUS DEGREES..PRESSURE:150 PSI;
7351	ZP137KCE-TFD-950	SCROLL COMPRESSOR, 460 V, 3 PHASE,..P/N: ZP137KCE-TFD-950..MFG: COPELAND
7352	ZP24D-250RM-SR	FAST WIRELESS MODBUS GATEWAY, GLOBAL, 2.4GHZ, 100MW, 250KBPS..P/N: WPM24-100MW250K-F EUROTHERM (OFFER ZP24D-250R
7353	ZP29K5E-PFV-130	SCROLL COMPRESSOR REPLACEMENT;RUUD COMPRESSOR ;2-1/2 HP, 208-230V, 1 PH, 31,100 BTU, R410A..ZP29K5E-PFV-800. R/B ZP31K
7354	ZP42K5E-TFD-800	TONS: 3-1/2; VOLTS: 460-3; BTUH CAPACITY @ 45°F EVAP.: 41,900; SUCTION CONN.: 7/8" ODF; DISCHARGE CONN.: 1/2" ODF; CONN.: ..MO
7355	ZP51K5E-TF5-130	COMPRESSOR COPELAND 4 HP, 200-230V, 3 PH, 49,700 BTU, R410A, SCROLL COMPRESSOR..COMP. SCRL 1- STAGE 51500 BTU..P/N: ZP5
7356	ZR22G-100-S-A-E-T-T-E-	ZIRCONIA OXYGEN DETECTOR PROBE WITH DUST FILTER ..P/N: ZR22G-100-S-A-E-T-T-E-..A/SCT/CV/F1..MFG: YOKOGAWA
7357	ZR36K3TFD930	COMPRESSOR, TYPE: SCROOL, TYPE: 460 V, PH: 3, BTU: 36,000, R22 ..P/N: ZR36K3TFD930..MFG: COPELAND..
7358	ZT9402.00	PRESSURE GAUGE 0-16 BAR;DIA:0.62MM;..213.40-C-BG416Z-NB-UKQZAZIZAZ-ZZZ..DIAL-UAZ1ZZZZZZZZZ2Z..LABEL-E01DE-ZZZZZ..BOURD
7359	ZZ24D-NB-SR	WIRELESS I/O 2.4GHz, GLOBAL, 50mW, 9.6Kbps, 2AI, 2AO, 2DI, 2DO-SOURCING..P/N: WPR24-2222P-F EUROTHERM (OFFER ZZ24D-NB-SR)

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS

V.Q. MINING
BEST SELLING ITEMS