

Ordering Details

ATEX/IECEX

2108N4000N Hydrocarbon calibration, with dust barrier, weather housing, deluge/ heat shade
2108N4000H Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, HART output
2108N4001N Ethylene calibration, with dust barrier, weather housing, deluge/heat shade
2108N4001H Ethylene calibration, with dust barrier, weather housing, deluge/heat shade, HART output
2108N4010N Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, including remote gassing cell
2108N4010H Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, HART output, inc remote gas cell
2108N4011N Ethylene calibration with dust barrier, weather housing, deluge/heat shade, including remote gassing cell
2108N4011H Ethylene calibration with dust barrier, weather housing, deluge/heat shade, HART output, inc remote gassing cell
2108N5000N Hydrocarbon calibration, for use in remote sampling systems complete with flow housing
2108N5000H Hydrocarbon calibration, for use in remote sampling systems complete with flow housing, HART output
2108N5001N Ethylene calibration, for use in remote sampling systems complete with flow housing
2108N5001H Ethylene calibration, for use in remote sampling systems complete with flow housing, HART output
2108N5010N Hydrocarbon calibration, for use in remote sampling systems complete with flow housing
2108N5010H Hydrocarbon calibration, for use in remote sampling systems complete with flow housing, Hart output
2108B2021N Hydrocarbon calibration, for use in remote sampling systems complete with flow housing
2108B2021H Hydrocarbon calibration, for use in remote sampling systems complete with flow housing, Hart output
2108N5002N Hydrocarbon calibration, for use in remote sampling systems complete with flow housing
2108N5002H Hydrocarbon calibration, for use in remote sampling systems complete with flow housing, Hart output

Certified: UL / Inmetro

2108N4100N Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade
2108N4100H Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, HART output
2108N4101N Ethylene calibration, with dust barrier, weather housing, deluge/heat shade
2108N4101H Ethylene calibration, with dust barrier, weather housing, deluge/heat shade, HART output
2108N4110N Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, including remote gassing cell
2108N4110H Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, HART output, inc remote gas cell
2108N4111N Ethylene calibration with dust barrier, weather housing, deluge/heat shade, including remote gassing cell
2108N4111H Ethylene calibration with dust barrier, weather housing, deluge/heat shade, HART output, inc remote gassing cell
2108N5100N Hydrocarbon calibration, for use in remote sampling systems complete with flow housing
2108N5100H Hydrocarbon calibration, for use in remote sampling systems complete with flow housing, HART output
2108N5101N Ethylene calibration, for use in remote sampling systems complete with flow housing
2108N5101H Ethylene calibration, for use in remote sampling systems complete with flow housing, HART output
2108N5110N Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, including remote gassing cell
2108N5110H Hydrocarbon calibration, for use in remote sampling systems complete with flow housing, HART output
2108B2023N Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, including remote gassing cell
2108B2023H Hydrocarbon calibration, for use in remote sampling systems complete with flow housing, HART output
2108N5102N Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, including remote gassing cell
2108N5102H Hydrocarbon calibration, for use in remote sampling systems complete with flow housing, HART output

Certified: FM / CSA

2108N4200N Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade Zellweger Analytics
2108N4200H Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, HART output
2108N4210N Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, including remote gassing cell
2108N4210H Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, HART output, inc remote gas cell
2108N5200N Hydrocarbon calibration, for use in remote sampling systems complete with flow housing
2108N5200H Hydrocarbon calibration, for use in remote sampling systems complete with flow housing, HART output

Certified: Marine (MED)

2108N4400N Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade
2108N4400H Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, HART output
2108N4401N Ethylene calibration, with dust barrier, weather housing, deluge/heat shade
2108N4401H Ethylene calibration, with dust barrier, weather housing, deluge/heat shade, HART output
2108N4410N Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, including remote gassing cell
2108N4410H Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, HART output, inc remote gas cell
2108N4411N Ethylene calibration with dust barrier, weather housing, deluge/heat shade, including remote gassing cell
2108N4411H Ethylene calibration with dust barrier, weather housing, deluge/heat shade, HART output, inc remote gas cell
2108N5400N Hydrocarbon calibration, for use in remote sampling systems complete with flow housing
2108N5400H Hydrocarbon calibration, for use in remote sampling systems complete with flow housing, HART output
2108N5401N Ethylene calibration, for use in remote sampling systems complete with flow housing
2108N5401H Ethylene calibration, for use in remote sampling systems complete with flow housing, HART output
2108N5410N Hydrocarbon calibration, for use in remote sampling systems complete with flow housing
2108N5410H Hydrocarbon calibration, for use in remote sampling systems complete with flow housing, HART output

Certified: CCCF (Chinese)

2108N4600N Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade
2108N4600H Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, HART output
2108N4601N Ethylene calibration, with dust barrier, weather housing, deluge/heat shade
2108N4601H Ethylene calibration, with dust barrier, weather housing, deluge/heat shade, HART output
2108N4610N Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, inc remote gassing cell
2108N4610H Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, HART output, inc remote gas cell
2108N4611N Ethylene calibration with dust barrier, weather housing, deluge/heat shade, including remote gassing cell
2108N4611H Ethylene calibration with dust barrier, weather housing, deluge/heat shade, HART output, inc remote gassing cell
2108N5600N Hydrocarbon calibration, for use in remote sampling systems complete with flow housing
2108N5600H Hydrocarbon calibration, for use in remote sampling systems complete with flow housing, HART output
2108N5601N Ethylene calibration, for use in remote sampling systems complete with flow housing
2108N5601H Ethylene calibration, for use in remote sampling systems complete with flow housing, HART output

Certified: CU-TR Ex (Eurasian) – XTC Version

2108N4800N Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade
2108N4800H Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, HART output
2108N4801N Ethylene calibration, with dust barrier, weather housing, deluge/heat shade
2108N4801H Ethylene calibration, with dust barrier, weather housing, deluge/heat shade, HART output
2108N4810N Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, including remote gassing cell
2108N4810H Hydrocarbon calibration, with dust barrier, weather housing, deluge/heat shade, HART output, inc remote gas cell
2108N4811N Ethylene calibration with dust barrier, weather housing, deluge/heat shade, including remote gassing cell
2108N4811H Ethylene calibration with dust barrier, weather housing, deluge/heat shade, HART output, inc remote gassing cell
2108N5800N Hydrocarbon calibration, for use in remote sampling systems complete with flow housing
2108N5800H Hydrocarbon calibration, for use in remote sampling systems complete with flow housing, HART output
2108N5801N Ethylene calibration, for use in remote sampling systems complete with flow housing
2108N5801H Ethylene calibration, for use in remote sampling systems complete with flow housing, HART output

Accessories

Spares

2108B2001N Hydrocarbon Searchpoint Optima Plus, ATEX
2108B2001H Hydrocarbon Searchpoint Optima Plus HART, ATEX
2108B2003N Ethylene Searchpoint Optima Plus, ATEX
2108B2003H Ethylene Searchpoint Optima Plus HART, ATEX
2108B2101N Hydrocarbon Searchpoint Optima Plus, UL/Inmetro
2108B2101H Hydrocarbon Searchpoint Optima Plus HART, UL/Inmetro
2108B2103N Ethylene Searchpoint Optima Plus, UL/Inmetro
2108B2103H Ethylene Searchpoint Optima Plus HART, UL/Inmetro
2108B2201N Hydrocarbon Searchpoint Optima Plus, FM/CSA
2108B2201H Hydrocarbon Searchpoint Optima Plus HART, FM/CSA
2108B2031N Hydrocarbon Searchpoint Optima Plus, CCCF (Chinese)
2108B2031H Hydrocarbon Searchpoint Optima Plus HART, CCCF (Chinese)
2108B2033N Ethylene Searchpoint Optima Plus, CCCF (Chinese)
2108B2033H Ethylene Searchpoint Optima Plus HART, CCCF (Chinese)
2108B2041N Hydrocarbon Searchpoint Optima Plus, GOST-R
2108B2041H Hydrocarbon Searchpoint Optima Plus HART, GOST-R
2108B2043N Ethylene Searchpoint Optima Plus, GOST-R
2108B2043H Ethylene Searchpoint Optima Plus HART, GOST-R
2108B2051N Hydrocarbon Searchpoint Optima Plus, Marine (MED)
2108B2051H Hydrocarbon Searchpoint Optima Plus HART, Marine (MED)
2108B2053N Ethylene Searchpoint Optima Plus, Marine (MED)
2108B2053H Ethylene Searchpoint Optima Plus HART, Marine (MED)