

PRODUCT-DETAILS

TY253MX

CABLE TIE 50LB 11IN UV BLACK NYLON



General Information

Extended Product Type	TY253MX
Product ID	7TAG009220R0003
EAN	5414363062424
Catalog Description	CABLE TIE 50LB 11IN UV BLACK NYLON
Long Description	High Performance Cable Tie, Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Black Color Nylon 6.6, Length of 295mm (11.6 Inches) for Bundle Diameter up to 78mm (3 Inches), Width of 4.67mm (0.184 Inch), Tensile Strength Rating of 220 Newtons (50 Pounds), Operating Temperature of -60 Degrees Celsius (-76 F) to 105 Degrees Celsius (221 F), UL/EN/CSA62275 Type 2/21S, Bulk Pack

Ordering

E-Number (Finland)	1370012
EAN	5414363062424

Dimensions

Product Net Width	0.19 in 4.82 mm
Product Net Length	0, mm
Product Net Depth / Length	11.40 in 289.7 mm

Container Information

Package Level 1 Units	1000 piece
Package Level 2 Units	5000 piece
Package Level 2 Width	11.75 in 298 mm
Package Level 2 Height	10 in 254 mm
Package Level 2 Depth / Length	20.1 in 511 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.138 to 3.07 in 3.5 to 78 mm
Color	Black
Effective Date	19720620
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	50 lb 222 N
Thickness	0.055 in 1.4 mm
UPC	786210715049

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY253MX
Declaration of Conformity - CE	9AKK107492A9841
Instructions and Manuals	TY253MX

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

